



Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	35.93	10.43	46.36	74.00	-27.64	peak
2	11059.000	34.83	14.96	49.79	74.00	-24.21	peak
3	11499.000	33.58	16.77	50.35	74.00	-23.65	peak
4	12676.000	32.00	18.05	50.05	74.00	-23.95	peak
5	13985.000	28.93	21.85	50.78	74.00	-23.22	peak
6	17978.000	24.97	25.97	50.94	74.00	-23.06	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	37.56	6.57	44.13	74.00	-29.87	peak
2	9233.000	36.18	10.48	46.66	74.00	-27.34	peak
3	11059.000	34.30	14.96	49.26	74.00	-24.74	peak
4	12698.000	30.78	18.08	48.86	74.00	-25.14	peak
5	13974.000	27.97	21.82	49.79	74.00	-24.21	peak
6	17978.000	24.34	25.97	50.31	74.00	-23.69	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8012.000	37.69	6.44	44.13	74.00	-29.87	peak
2	9354.000	36.06	10.56	46.62	74.00	-27.38	peak
3	11081.000	34.41	15.05	49.46	74.00	-24.54	peak
4	12709.000	31.43	18.09	49.52	74.00	-24.48	peak
5	13985.000	27.93	21.85	49.78	74.00	-24.22	peak
6	17989.000	23.81	26.04	49.85	74.00	-24.15	peak

Test Mode:	802.11n HT40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7561.000	37.55	6.82	44.37	74.00	-29.63	peak
2	9189.000	36.60	10.46	47.06	74.00	-26.94	peak
3	11587.000	35.06	16.93	51.99	74.00	-22.01	peak
4	11587.000	26.64	16.93	43.57	54.00	-10.43	AVG
5	12720.000	32.46	18.09	50.55	74.00	-23.45	peak
6	13985.000	28.28	21.85	50.13	74.00	-23.87	peak
7	17923.000	24.31	25.60	49.91	74.00	-24.09	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7902.000	38.10	6.52	44.62	74.00	-29.38	peak
2	9310.000	36.49	10.54	47.03	74.00	-26.97	peak
3	11037.000	34.90	14.87	49.77	74.00	-24.23	peak
4	12698.000	32.24	18.08	50.32	74.00	-23.68	peak
5	13930.000	28.45	21.71	50.16	74.00	-23.84	peak
6	17989.000	23.63	26.04	49.67	74.00	-24.33	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7605.000	36.95	6.78	43.73	74.00	-30.27	peak
2	9233.000	36.93	10.48	47.41	74.00	-26.59	peak
3	11059.000	34.60	14.96	49.56	74.00	-24.44	peak
4	12698.000	31.39	18.08	49.47	74.00	-24.53	peak
5	14018.000	28.64	21.80	50.44	74.00	-23.56	peak
6	17923.000	24.95	25.60	50.55	74.00	-23.45	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7924.000	37.88	6.49	44.37	74.00	-29.63	peak
2	9299.000	35.82	10.53	46.35	74.00	-27.65	peak
3	11059.000	34.66	14.96	49.62	74.00	-24.38	peak
4	12621.000	31.81	17.98	49.79	74.00	-24.21	peak
5	13919.000	27.84	21.68	49.52	74.00	-24.48	peak
6	17989.000	23.70	26.04	49.74	74.00	-24.26	peak


Test Mode:	802.11ac VHT80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.15	10.43	46.58	74.00	-27.42	peak
2	11059.000	34.55	14.96	49.51	74.00	-24.49	peak
3	11312.000	33.73	16.00	49.73	74.00	-24.27	peak
4	12643.000	31.88	18.01	49.89	74.00	-24.11	peak
5	13864.000	29.17	21.53	50.70	74.00	-23.30	peak
6	18000.000	24.10	26.12	50.22	74.00	-23.78	peak




Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7649.000	37.02	6.74	43.76	74.00	-30.24	peak
2	9134.000	37.56	10.41	47.97	74.00	-26.03	peak
3	11279.000	34.60	15.86	50.46	74.00	-23.54	peak
4	13633.000	29.20	20.97	50.17	74.00	-23.83	peak
5	14062.000	28.48	21.62	50.10	74.00	-23.90	peak
6	18000.000	23.33	26.12	49.45	74.00	-24.55	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.42	10.46	46.88	74.00	-27.12	peak
2	11059.000	35.21	14.96	50.17	74.00	-23.83	peak
3	11686.000	31.87	17.12	48.99	74.00	-25.01	peak
4	13501.000	28.84	20.64	49.48	74.00	-24.52	peak
5	13864.000	28.13	21.53	49.66	74.00	-24.34	peak
6	17956.000	23.97	25.82	49.79	74.00	-24.21	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.63	10.46	47.09	74.00	-26.91	peak
2	10157.000	34.95	12.10	47.05	74.00	-26.95	peak
3	11070.000	34.34	15.01	49.35	74.00	-24.65	peak
4	12621.000	32.23	17.98	50.21	74.00	-23.79	peak
5	13919.000	28.26	21.68	49.94	74.00	-24.06	peak
6	17967.000	24.58	25.89	50.47	74.00	-23.53	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.92	10.46	47.38	74.00	-26.62	peak
2	11059.000	35.57	14.96	50.53	74.00	-23.47	peak
3	11642.000	33.28	17.03	50.31	74.00	-23.69	peak
4	13611.000	29.31	20.92	50.23	74.00	-23.77	peak
5	14172.000	28.50	21.16	49.66	74.00	-24.34	peak
6	18000.000	24.42	26.12	50.54	74.00	-23.46	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7264.000	37.09	6.95	44.04	74.00	-29.96	peak
2	9244.000	36.84	10.49	47.33	74.00	-26.67	peak
3	11081.000	34.90	15.05	49.95	74.00	-24.05	peak
4	12621.000	31.70	17.98	49.68	74.00	-24.32	peak
5	13864.000	29.46	21.53	50.99	74.00	-23.01	peak
6	17989.000	24.23	26.04	50.27	74.00	-23.73	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9805.000	36.31	11.34	47.65	74.00	-26.35	peak
2	11070.000	34.82	15.01	49.83	74.00	-24.17	peak
3	11455.000	33.64	16.58	50.22	74.00	-23.78	peak
4	11796.000	32.64	17.32	49.96	74.00	-24.04	peak
5	13600.000	29.42	20.89	50.31	74.00	-23.69	peak
6	17967.000	24.05	25.89	49.94	74.00	-24.06	peak

Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8903.000	36.26	9.66	45.92	74.00	-28.08	peak
2	9299.000	35.66	10.53	46.19	74.00	-27.81	peak
3	11664.000	32.63	17.08	49.71	74.00	-24.29	peak
4	12698.000	32.06	18.08	50.14	74.00	-23.86	peak
5	13534.000	28.73	20.73	49.46	74.00	-24.54	peak
6	17989.000	24.77	26.04	50.81	74.00	-23.19	peak


Test Mode:	802.11ac VHT80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	36.44	10.48	46.92	74.00	-27.08	peak
2	11070.000	35.37	15.01	50.38	74.00	-23.62	peak
3	12698.000	31.63	18.08	49.71	74.00	-24.29	peak
4	13622.000	28.72	20.95	49.67	74.00	-24.33	peak
5	17714.000	25.67	24.16	49.83	74.00	-24.17	peak
6	17956.000	24.15	25.82	49.97	74.00	-24.03	peak




Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	40.33	6.69	47.02	74.00	-26.98	peak
2	8936.000	37.14	9.90	47.04	74.00	-26.96	peak
3	11059.000	35.00	14.96	49.96	74.00	-24.04	peak
4	12709.000	31.21	18.09	49.30	74.00	-24.70	peak
5	13226.000	30.03	19.44	49.47	74.00	-24.53	peak
6	18000.000	22.94	26.12	49.06	74.00	-24.94	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.95	10.05	47.00	74.00	-27.00	peak
2	10366.000	37.50	12.54	50.04	74.00	-23.96	peak
3	11048.000	35.29	14.91	50.20	74.00	-23.80	peak
4	12698.000	31.30	18.08	49.38	74.00	-24.62	peak
5	13919.000	27.80	21.68	49.48	74.00	-24.52	peak
6	17978.000	23.24	25.97	49.21	74.00	-24.79	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	37.08	10.53	47.61	74.00	-26.39	peak
2	11004.000	34.37	14.74	49.11	74.00	-24.89	peak
3	11807.000	32.82	17.34	50.16	74.00	-23.84	peak
4	12742.000	31.02	18.13	49.15	74.00	-24.85	peak
5	13974.000	28.32	21.82	50.14	74.00	-23.86	peak
6	17989.000	23.77	26.04	49.81	74.00	-24.19	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5200
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.41	10.38	46.79	74.00	-27.21	peak
2	10399.000	36.99	12.61	49.60	74.00	-24.40	peak
3	10960.000	34.83	14.57	49.40	74.00	-24.60	peak
4	12654.000	31.27	18.01	49.28	74.00	-24.72	peak
5	13413.000	29.11	20.26	49.37	74.00	-24.63	peak
6	17978.000	23.52	25.97	49.49	74.00	-24.51	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	39.18	6.60	45.78	74.00	-28.22	peak
2	9057.000	36.38	10.38	46.76	74.00	-27.24	peak
3	10487.000	36.32	12.79	49.11	74.00	-24.89	peak
4	11400.000	33.22	16.36	49.58	74.00	-24.42	peak
5	13600.000	28.08	20.89	48.97	74.00	-25.03	peak
6	17989.000	22.58	26.04	48.62	74.00	-25.38	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5240
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7594.000	38.76	6.79	45.55	74.00	-28.45	peak
2	9112.000	36.35	10.41	46.76	74.00	-27.24	peak
3	11048.000	35.66	14.91	50.57	74.00	-23.43	peak
4	11741.000	32.43	17.22	49.65	74.00	-24.35	peak
5	13787.000	28.42	21.35	49.77	74.00	-24.23	peak
6	17967.000	23.03	25.89	48.92	74.00	-25.08	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7484.000	40.13	6.87	47.00	74.00	-27.00	peak
2	10520.000	36.15	12.90	49.05	74.00	-24.95	peak
3	11312.000	34.18	16.00	50.18	74.00	-23.82	peak
4	12687.000	31.50	18.05	49.55	74.00	-24.45	peak
5	13237.000	29.98	19.49	49.47	74.00	-24.53	peak
6	17989.000	22.21	26.04	48.25	74.00	-25.75	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5260
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.20	10.38	46.58	74.00	-27.42	peak
2	10520.000	37.07	12.90	49.97	74.00	-24.03	peak
3	11290.000	33.67	15.90	49.57	74.00	-24.43	peak
4	13160.000	29.78	19.15	48.93	74.00	-25.07	peak
5	13963.000	27.47	21.78	49.25	74.00	-24.75	peak
6	17978.000	21.97	25.97	47.94	74.00	-26.06	peak




Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7484.000	40.77	6.87	47.64	74.00	-26.36	peak
2	10553.000	37.06	13.02	50.08	74.00	-23.92	peak
3	11213.000	34.17	15.59	49.76	74.00	-24.24	peak
4	11774.000	31.99	17.28	49.27	74.00	-24.73	peak
5	13589.000	28.94	20.86	49.80	74.00	-24.20	peak
6	17989.000	23.30	26.04	49.34	74.00	-24.66	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5280
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.64	10.51	47.15	74.00	-26.85	peak
2	10553.000	36.94	13.02	49.96	74.00	-24.04	peak
3	11741.000	31.59	17.22	48.81	74.00	-25.19	peak
4	13358.000	29.18	20.02	49.20	74.00	-24.80	peak
5	13985.000	27.62	21.85	49.47	74.00	-24.53	peak
6	17989.000	23.01	26.04	49.05	74.00	-24.95	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.63	10.48	47.11	74.00	-26.89	peak
2	11059.000	35.11	14.96	50.07	74.00	-23.93	peak
3	12280.000	32.51	17.77	50.28	74.00	-23.72	peak
4	12643.000	31.89	18.01	49.90	74.00	-24.10	peak
5	13413.000	28.90	20.26	49.16	74.00	-24.84	peak
6	17989.000	23.08	26.04	49.12	74.00	-24.88	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5320
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	36.08	10.54	46.62	74.00	-27.38	peak
2	10641.000	35.27	13.36	48.63	74.00	-25.37	peak
3	11048.000	34.51	14.91	49.42	74.00	-24.58	peak
4	12687.000	31.40	18.05	49.45	74.00	-24.55	peak
5	14007.000	26.89	21.85	48.74	74.00	-25.26	peak
6	18000.000	22.57	26.12	48.69	74.00	-25.31	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	36.50	10.05	46.55	74.00	-27.45	peak
2	9244.000	36.66	10.49	47.15	74.00	-26.85	peak
3	11004.000	35.01	14.74	49.75	74.00	-24.25	peak
4	12709.000	31.50	18.09	49.59	74.00	-24.41	peak
5	13358.000	29.38	20.02	49.40	74.00	-24.60	peak
6	17989.000	23.35	26.04	49.39	74.00	-24.61	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5500
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.71	10.46	47.17	74.00	-26.83	peak
2	10344.000	34.86	12.49	47.35	74.00	-26.65	peak
3	11004.000	34.63	14.74	49.37	74.00	-24.63	peak
4	12709.000	30.80	18.09	48.89	74.00	-25.11	peak
5	13523.000	28.09	20.70	48.79	74.00	-25.21	peak
6	17978.000	22.91	25.97	48.88	74.00	-25.12	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	35.94	10.53	46.47	74.00	-27.53	peak
2	10894.000	33.73	14.32	48.05	74.00	-25.95	peak
3	11686.000	32.16	17.12	49.28	74.00	-24.72	peak
4	12731.000	31.17	18.12	49.29	74.00	-24.71	peak
5	14062.000	28.05	21.62	49.67	74.00	-24.33	peak
6	17912.000	24.31	25.52	49.83	74.00	-24.17	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5580
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	35.65	10.48	46.13	74.00	-27.87	peak
2	10333.000	34.94	12.47	47.41	74.00	-26.59	peak
3	11213.000	33.39	15.59	48.98	74.00	-25.02	peak
4	12698.000	31.30	18.08	49.38	74.00	-24.62	peak
5	13864.000	27.93	21.53	49.46	74.00	-24.54	peak
6	17692.000	25.69	24.01	49.70	74.00	-24.30	peak




Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.74	10.38	47.12	74.00	-26.88	peak
2	10212.000	35.76	12.21	47.97	74.00	-26.03	peak
3	11004.000	35.49	14.74	50.23	74.00	-23.77	peak
4	12632.000	32.07	17.99	50.06	74.00	-23.94	peak
5	13963.000	28.03	21.78	49.81	74.00	-24.19	peak
6	17967.000	24.15	25.89	50.04	74.00	-23.96	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5700
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.24	10.21	47.45	74.00	-26.55	peak
2	10201.000	35.52	12.19	47.71	74.00	-26.29	peak
3	11048.000	34.25	14.91	49.16	74.00	-24.84	peak
4	12676.000	31.70	18.05	49.75	74.00	-24.25	peak
5	13413.000	29.68	20.26	49.94	74.00	-24.06	peak
6	17989.000	23.40	26.04	49.44	74.00	-24.56	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.31	10.46	46.77	74.00	-27.23	peak
2	10872.000	33.61	14.23	47.84	74.00	-26.16	peak
3	11433.000	32.99	16.50	49.49	74.00	-24.51	peak
4	12665.000	31.11	18.04	49.15	74.00	-24.85	peak
5	14007.000	27.34	21.85	49.19	74.00	-24.81	peak
6	17945.000	23.18	25.75	48.93	74.00	-25.07	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5720
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.31	10.46	46.77	74.00	-27.23	peak
2	10168.000	34.84	12.13	46.97	74.00	-27.03	peak
3	11004.000	33.97	14.74	48.71	74.00	-25.29	peak
4	12610.000	31.27	17.97	49.24	74.00	-24.76	peak
5	13919.000	27.63	21.68	49.31	74.00	-24.69	peak
6	17978.000	23.92	25.97	49.89	74.00	-24.11	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8056.000	38.36	6.48	44.84	74.00	-29.16	peak
2	9178.000	36.79	10.45	47.24	74.00	-26.76	peak
3	11026.000	35.46	14.82	50.28	74.00	-23.72	peak
4	11807.000	32.90	17.34	50.24	74.00	-23.76	peak
5	13809.000	28.22	21.41	49.63	74.00	-24.37	peak
6	17912.000	24.47	25.52	49.99	74.00	-24.01	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5745
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.33	6.54	44.87	74.00	-29.13	peak
2	9332.000	36.55	10.54	47.09	74.00	-26.91	peak
3	11268.000	33.38	15.83	49.21	74.00	-24.79	peak
4	12632.000	31.66	17.99	49.65	74.00	-24.35	peak
5	13512.000	28.92	20.68	49.60	74.00	-24.40	peak
6	18000.000	22.87	26.12	48.99	74.00	-25.01	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8914.000	37.67	9.75	47.42	74.00	-26.58	peak
2	11059.000	33.95	14.96	48.91	74.00	-25.09	peak
3	11466.000	32.74	16.63	49.37	74.00	-24.63	peak
4	12599.000	31.73	17.95	49.68	74.00	-24.32	peak
5	13908.000	27.91	21.66	49.57	74.00	-24.43	peak
6	17989.000	22.51	26.04	48.55	74.00	-25.45	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5785
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.66	6.68	45.34	74.00	-28.66	peak
2	9134.000	36.40	10.41	46.81	74.00	-27.19	peak
3	11488.000	32.35	16.72	49.07	74.00	-24.93	peak
4	12731.000	31.37	18.12	49.49	74.00	-24.51	peak
5	13468.000	28.56	20.50	49.06	74.00	-24.94	peak
6	17945.000	22.56	25.75	48.31	74.00	-25.69	peak




Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.58	10.46	47.04	74.00	-26.96	peak
2	11048.000	34.96	14.91	49.87	74.00	-24.13	peak
3	11653.000	33.33	17.05	50.38	74.00	-23.62	peak
4	12687.000	32.09	18.05	50.14	74.00	-23.86	peak
5	13930.000	28.52	21.71	50.23	74.00	-23.77	peak
6	17967.000	23.92	25.89	49.81	74.00	-24.19	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5825
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	35.90	10.49	46.39	74.00	-27.61	peak
2	10212.000	33.77	12.21	45.98	74.00	-28.02	peak
3	11070.000	33.56	15.01	48.57	74.00	-25.43	peak
4	11642.000	33.28	17.03	50.31	74.00	-23.69	peak
5	12687.000	31.61	18.05	49.66	74.00	-24.34	peak
6	17989.000	23.09	26.04	49.13	74.00	-24.87	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7627.000	37.64	6.76	44.40	74.00	-29.60	peak
2	9057.000	37.34	10.38	47.72	74.00	-26.28	peak
3	11059.000	35.38	14.96	50.34	74.00	-23.66	peak
4	12687.000	32.59	18.05	50.64	74.00	-23.36	peak
5	13919.000	27.87	21.68	49.55	74.00	-24.45	peak
6	17956.000	23.31	25.82	49.13	74.00	-24.87	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.93	10.49	47.42	74.00	-26.58	peak
2	10388.000	36.13	12.59	48.72	74.00	-25.28	peak
3	11037.000	34.58	14.87	49.45	74.00	-24.55	peak
4	12698.000	30.98	18.08	49.06	74.00	-24.94	peak
5	13919.000	27.44	21.68	49.12	74.00	-24.88	peak
6	17989.000	22.50	26.04	48.54	74.00	-25.46	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8936.000	36.60	9.90	46.50	74.00	-27.50	peak
2	10465.000	35.07	12.75	47.82	74.00	-26.18	peak
3	11026.000	35.23	14.82	50.05	74.00	-23.95	peak
4	11290.000	34.04	15.90	49.94	74.00	-24.06	peak
5	13842.000	28.35	21.49	49.84	74.00	-24.16	peak
6	18000.000	22.90	26.12	49.02	74.00	-24.98	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5230
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7968.000	37.94	6.45	44.39	74.00	-29.61	peak
2	9233.000	36.30	10.48	46.78	74.00	-27.22	peak
3	11059.000	34.46	14.96	49.42	74.00	-24.58	peak
4	11785.000	32.62	17.30	49.92	74.00	-24.08	peak
5	13897.000	28.56	21.62	50.18	74.00	-23.82	peak
6	17989.000	23.63	26.04	49.67	74.00	-24.33	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.88	10.48	47.36	74.00	-26.64	peak
2	10542.000	35.78	12.98	48.76	74.00	-25.24	peak
3	11455.000	31.88	16.58	48.46	74.00	-25.54	peak
4	12698.000	30.84	18.08	48.92	74.00	-25.08	peak
5	13622.000	28.17	20.95	49.12	74.00	-24.88	peak
6	17923.000	24.44	25.60	50.04	74.00	-23.96	peak


Test Mode:	802.11ax HE40	Frequency(MHz):	5270
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	37.70	6.65	44.35	74.00	-29.65	peak
2	9244.000	36.32	10.49	46.81	74.00	-27.19	peak
3	10542.000	35.57	12.98	48.55	74.00	-25.45	peak
4	11895.000	31.58	17.51	49.09	74.00	-24.91	peak
5	14007.000	26.93	21.85	48.78	74.00	-25.22	peak
6	17967.000	23.84	25.89	49.73	74.00	-24.27	peak




Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.36	10.46	47.82	74.00	-26.18	peak
2	10608.000	34.97	13.23	48.20	74.00	-25.80	peak
3	11059.000	33.75	14.96	48.71	74.00	-25.29	peak
4	12654.000	30.27	18.01	48.28	74.00	-25.72	peak
5	13644.000	28.88	20.99	49.87	74.00	-24.13	peak
6	18000.000	23.01	26.12	49.13	74.00	-24.87	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5310
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.72	10.38	47.10	74.00	-26.90	peak
2	10894.000	34.66	14.32	48.98	74.00	-25.02	peak
3	12698.000	31.82	18.08	49.90	74.00	-24.10	peak
4	13446.000	29.28	20.41	49.69	74.00	-24.31	peak
5	13952.000	27.39	21.76	49.15	74.00	-24.85	peak
6	17989.000	23.26	26.04	49.30	74.00	-24.70	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8925.000	37.06	9.82	46.88	74.00	-27.12	peak
2	10608.000	35.52	13.23	48.75	74.00	-25.25	peak
3	11290.000	33.81	15.90	49.71	74.00	-24.29	peak
4	12698.000	32.05	18.08	50.13	74.00	-23.87	peak
5	14183.000	28.22	21.11	49.33	74.00	-24.67	peak
6	17725.000	25.39	24.24	49.63	74.00	-24.37	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5510
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.40	6.54	44.94	74.00	-29.06	peak
2	9189.000	36.95	10.46	47.41	74.00	-26.59	peak
3	11037.000	34.25	14.87	49.12	74.00	-24.88	peak
4	11862.000	33.08	17.45	50.53	74.00	-23.47	peak
5	13402.000	29.98	20.20	50.18	74.00	-23.82	peak
6	17956.000	24.67	25.82	50.49	74.00	-23.51	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7561.000	37.17	6.82	43.99	74.00	-30.01	peak
2	9134.000	36.04	10.41	46.45	74.00	-27.55	peak
3	11059.000	34.05	14.96	49.01	74.00	-24.99	peak
4	11818.000	31.76	17.36	49.12	74.00	-24.88	peak
5	12643.000	31.33	18.01	49.34	74.00	-24.66	peak
6	17945.000	21.84	25.75	47.59	74.00	-26.41	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5550
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8452.000	37.91	6.85	44.76	74.00	-29.24	peak
2	9112.000	36.33	10.41	46.74	74.00	-27.26	peak
3	11103.000	34.87	15.15	50.02	74.00	-23.98	peak
4	11895.000	32.01	17.51	49.52	74.00	-24.48	peak
5	13600.000	28.91	20.89	49.80	74.00	-24.20	peak
6	17989.000	23.75	26.04	49.79	74.00	-24.21	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	37.95	6.68	44.63	74.00	-29.37	peak
2	9068.000	37.60	10.39	47.99	74.00	-26.01	peak
3	11268.000	33.90	15.83	49.73	74.00	-24.27	peak
4	11719.000	33.27	17.18	50.45	74.00	-23.55	peak
5	13600.000	29.81	20.89	50.70	74.00	-23.30	peak
6	18000.000	23.78	26.12	49.90	74.00	-24.10	peak


Test Mode:	802.11ax HE40	Frequency(MHz):	5670
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.08	6.68	44.76	74.00	-29.24	peak
2	9343.000	36.26	10.55	46.81	74.00	-27.19	peak
3	11059.000	34.95	14.96	49.91	74.00	-24.09	peak
4	11664.000	33.40	17.08	50.48	74.00	-23.52	peak
5	13809.000	29.53	21.41	50.94	74.00	-23.06	peak
6	17978.000	24.95	25.97	50.92	74.00	-23.08	peak




Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8650.000	38.06	7.93	45.99	74.00	-28.01	peak
2	11323.000	33.51	16.05	49.56	74.00	-24.44	peak
3	11719.000	32.45	17.18	49.63	74.00	-24.37	peak
4	12698.000	32.01	18.08	50.09	74.00	-23.91	peak
5	13864.000	26.99	21.53	48.52	74.00	-25.48	peak
6	17989.000	23.01	26.04	49.05	74.00	-24.95	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5710
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	37.69	6.66	44.35	74.00	-29.65	peak
2	9332.000	35.88	10.54	46.42	74.00	-27.58	peak
3	11048.000	33.96	14.91	48.87	74.00	-25.13	peak
4	12665.000	31.40	18.04	49.44	74.00	-24.56	peak
5	13127.000	29.95	19.01	48.96	74.00	-25.04	peak
6	17989.000	23.37	26.04	49.41	74.00	-24.59	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	35.79	10.45	46.24	74.00	-27.76	peak
2	10157.000	34.42	12.10	46.52	74.00	-27.48	peak
3	11290.000	33.17	15.90	49.07	74.00	-24.93	peak
4	12643.000	31.18	18.01	49.19	74.00	-24.81	peak
5	13380.000	29.21	20.12	49.33	74.00	-24.67	peak
6	17989.000	23.27	26.04	49.31	74.00	-24.69	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5755
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9420.000	35.79	10.60	46.39	74.00	-27.61	peak
2	11048.000	33.37	14.91	48.28	74.00	-25.72	peak
3	11697.000	32.38	17.13	49.51	74.00	-24.49	peak
4	12709.000	32.01	18.09	50.10	74.00	-23.90	peak
5	14007.000	28.32	21.85	50.17	74.00	-23.83	peak
6	17956.000	23.42	25.82	49.24	74.00	-24.76	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7550.000	37.37	6.83	44.20	74.00	-29.80	peak
2	9310.000	35.74	10.54	46.28	74.00	-27.72	peak
3	11048.000	34.34	14.91	49.25	74.00	-24.75	peak
4	11664.000	32.76	17.08	49.84	74.00	-24.16	peak
5	12632.000	31.71	17.99	49.70	74.00	-24.30	peak
6	17989.000	22.56	26.04	48.60	74.00	-25.40	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5795
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.40	10.38	46.78	74.00	-27.22	peak
2	11048.000	35.05	14.91	49.96	74.00	-24.04	peak
3	11840.000	32.54	17.40	49.94	74.00	-24.06	peak
4	12709.000	31.47	18.09	49.56	74.00	-24.44	peak
5	13413.000	29.31	20.26	49.57	74.00	-24.43	peak
6	17956.000	24.05	25.82	49.87	74.00	-24.13	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7737.000	38.15	6.66	44.81	74.00	-29.19	peak
2	9343.000	36.31	10.55	46.86	74.00	-27.14	peak
3	11059.000	34.75	14.96	49.71	74.00	-24.29	peak
4	11686.000	31.01	17.12	48.13	74.00	-25.87	peak
5	13952.000	28.24	21.76	50.00	74.00	-24.00	peak
6	18000.000	23.46	26.12	49.58	74.00	-24.42	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.24	10.48	46.72	74.00	-27.28	peak
2	10432.000	37.11	12.67	49.78	74.00	-24.22	peak
3	12247.000	31.63	17.77	49.40	74.00	-24.60	peak
4	12687.000	31.81	18.05	49.86	74.00	-24.14	peak
5	13919.000	27.59	21.68	49.27	74.00	-24.73	peak
6	17989.000	23.11	26.04	49.15	74.00	-24.85	peak




Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7704.000	38.64	6.69	45.33	74.00	-28.67	peak
2	8980.000	36.76	10.21	46.97	74.00	-27.03	peak
3	11191.000	33.99	15.50	49.49	74.00	-24.51	peak
4	12698.000	30.51	18.08	48.59	74.00	-25.41	peak
5	13611.000	28.24	20.92	49.16	74.00	-24.84	peak
6	17978.000	23.52	25.97	49.49	74.00	-24.51	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5290
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.18	6.54	44.72	74.00	-29.28	peak
2	9068.000	36.73	10.39	47.12	74.00	-26.88	peak
3	11004.000	34.76	14.74	49.50	74.00	-24.50	peak
4	12720.000	30.63	18.09	48.72	74.00	-25.28	peak
5	13919.000	28.94	21.68	50.62	74.00	-23.38	peak
6	17967.000	24.90	25.89	50.79	74.00	-23.21	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7869.000	38.46	6.54	45.00	74.00	-29.00	peak
2	9354.000	36.77	10.56	47.33	74.00	-26.67	peak
3	11059.000	34.26	14.96	49.22	74.00	-24.78	peak
4	12720.000	31.64	18.09	49.73	74.00	-24.27	peak
5	13270.000	29.46	19.63	49.09	74.00	-24.91	peak
6	17956.000	23.66	25.82	49.48	74.00	-24.52	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5530
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9222.000	36.71	10.48	47.19	74.00	-26.81	peak
2	11081.000	34.48	15.05	49.53	74.00	-24.47	peak
3	11840.000	32.28	17.40	49.68	74.00	-24.32	peak
4	12236.000	32.61	17.76	50.37	74.00	-23.63	peak
5	13919.000	28.12	21.68	49.80	74.00	-24.20	peak
6	17989.000	23.58	26.04	49.62	74.00	-24.38	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Horizontal	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8947.000	36.36	9.98	46.34	74.00	-27.66	peak
2	9255.000	35.94	10.51	46.45	74.00	-27.55	peak
3	11004.000	34.27	14.74	49.01	74.00	-24.99	peak
4	11246.000	33.74	15.73	49.47	74.00	-24.53	peak
5	13633.000	29.08	20.97	50.05	74.00	-23.95	peak
6	17978.000	24.71	25.97	50.68	74.00	-23.32	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5610
Polarity:	Vertical	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.49	10.48	46.97	74.00	-27.03	peak
2	10168.000	36.13	12.13	48.26	74.00	-25.74	peak
3	11070.000	35.18	15.01	50.19	74.00	-23.81	peak
4	12698.000	32.58	18.08	50.66	74.00	-23.34	peak
5	13446.000	29.56	20.41	49.97	74.00	-24.03	peak
6	17978.000	24.74	25.97	50.71	74.00	-23.29	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.23	6.64	44.87	74.00	-29.13	peak
2	9255.000	36.71	10.51	47.22	74.00	-26.78	peak
3	11147.000	35.09	15.32	50.41	74.00	-23.59	peak
4	12665.000	31.44	18.04	49.48	74.00	-24.52	peak
5	13930.000	28.40	21.71	50.11	74.00	-23.89	peak
6	17626.000	25.34	23.57	48.91	74.00	-25.09	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5690
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	35.99	10.28	46.27	74.00	-27.73	peak
2	9277.000	35.77	10.51	46.28	74.00	-27.72	peak
3	11389.000	32.54	16.31	48.85	74.00	-25.15	peak
4	11785.000	31.73	17.30	49.03	74.00	-24.97	peak
5	13457.000	27.96	20.46	48.42	74.00	-25.58	peak
6	17989.000	23.14	26.04	49.18	74.00	-24.82	peak




Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9145.000	36.72	10.43	47.15	74.00	-26.85	peak
2	10861.000	34.93	14.20	49.13	74.00	-24.87	peak
3	11653.000	33.80	17.05	50.85	74.00	-23.15	peak
4	12687.000	32.25	18.05	50.30	74.00	-23.70	peak
5	13930.000	28.74	21.71	50.45	74.00	-23.55	peak
6	18000.000	23.95	26.12	50.07	74.00	-23.93	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5775
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	37.51	10.46	47.97	74.00	-26.03	peak
2	11070.000	34.58	15.01	49.59	74.00	-24.41	peak
3	11752.000	32.29	17.24	49.53	74.00	-24.47	peak
4	12698.000	31.21	18.08	49.29	74.00	-24.71	peak
5	13908.000	27.44	21.66	49.10	74.00	-24.90	peak
6	17989.000	23.36	26.04	49.40	74.00	-24.60	peak


## 8.6. SPURIOUS EMISSIONS(7 GHZ~18 GHZ) FOR SINGLE PARTIAL RU

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.69	6.64	45.33	74.00	-28.67	peak
2	9189.000	36.46	10.46	46.92	74.00	-27.08	peak
3	10344.000	36.77	12.49	49.26	74.00	-24.74	peak
4	12687.000	32.28	18.05	50.33	74.00	-23.67	peak
5	13864.000	29.22	21.53	50.75	74.00	-23.25	peak
6	18000.000	24.08	26.12	50.20	74.00	-23.80	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.86	10.38	47.24	74.00	-26.76	peak
2	10344.000	37.25	12.49	49.74	74.00	-24.26	peak
3	11829.000	31.69	17.38	49.07	74.00	-24.93	peak
4	12610.000	31.17	17.97	49.14	74.00	-24.86	peak
5	13864.000	27.80	21.53	49.33	74.00	-24.67	peak
6	17967.000	24.01	25.89	49.90	74.00	-24.10	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9255.000	36.69	10.51	47.20	74.00	-26.80	peak
2	10344.000	37.07	12.49	49.56	74.00	-24.44	peak
3	11697.000	32.45	17.13	49.58	74.00	-24.42	peak
4	12687.000	31.91	18.05	49.96	74.00	-24.04	peak
5	13875.000	28.25	21.57	49.82	74.00	-24.18	peak
6	17967.000	24.30	25.89	50.19	74.00	-23.81	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7528.000	37.83	6.85	44.68	74.00	-29.32	peak
2	9178.000	36.05	10.45	46.50	74.00	-27.50	peak
3	10344.000	36.77	12.49	49.26	74.00	-24.74	peak
4	11774.000	32.35	17.28	49.63	74.00	-24.37	peak
5	13864.000	29.07	21.53	50.60	74.00	-23.40	peak
6	17670.000	25.79	23.86	49.65	74.00	-24.35	peak

Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	38.22	6.54	44.76	74.00	-29.24	peak
2	9387.000	35.89	10.58	46.47	74.00	-27.53	peak
3	10344.000	36.72	12.49	49.21	74.00	-24.79	peak
4	12709.000	31.17	18.09	49.26	74.00	-24.74	peak
5	13963.000	28.00	21.78	49.78	74.00	-24.22	peak
6	17956.000	23.66	25.82	49.48	74.00	-24.52	peak


Test Mode:	802.11ax HE20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.26	6.68	44.94	74.00	-29.06	peak
2	9255.000	36.90	10.51	47.41	74.00	-26.59	peak
3	10344.000	36.95	12.49	49.44	74.00	-24.56	peak
4	11697.000	32.96	17.13	50.09	74.00	-23.91	peak
5	13930.000	28.77	21.71	50.48	74.00	-23.52	peak
6	17989.000	24.41	26.04	50.45	74.00	-23.55	peak




Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	35.98	10.48	46.46	74.00	-27.54	peak
2	10344.000	36.80	12.49	49.29	74.00	-24.71	peak
3	11466.000	32.84	16.63	49.47	74.00	-24.53	peak
4	12709.000	31.83	18.09	49.92	74.00	-24.08	peak
5	13919.000	28.66	21.68	50.34	74.00	-23.66	peak
6	18000.000	23.93	26.12	50.05	74.00	-23.95	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9299.000	36.69	10.53	47.22	74.00	-26.78	peak
2	10344.000	36.35	12.49	48.84	74.00	-25.16	peak
3	10938.000	35.47	14.48	49.95	74.00	-24.05	peak
4	12698.000	31.18	18.08	49.26	74.00	-24.74	peak
5	13974.000	27.93	21.82	49.75	74.00	-24.25	peak
6	17978.000	24.11	25.97	50.08	74.00	-23.92	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.45	10.47	46.92	74.00	-27.08	peak
2	10344.000	37.46	12.49	49.95	74.00	-24.05	peak
3	11048.000	34.48	14.91	49.39	74.00	-24.61	peak
4	12236.000	31.63	17.76	49.39	74.00	-24.61	peak
5	12709.000	31.32	18.09	49.41	74.00	-24.59	peak
6	17956.000	23.23	25.82	49.05	74.00	-24.95	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.02	6.68	44.70	74.00	-29.30	peak
2	9189.000	36.20	10.46	46.66	74.00	-27.34	peak
3	10344.000	36.35	12.49	48.84	74.00	-25.16	peak
4	11719.000	32.33	17.18	49.51	74.00	-24.49	peak
5	13919.000	27.86	21.68	49.54	74.00	-24.46	peak
6	17703.000	25.68	24.09	49.77	74.00	-24.23	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9233.000	36.58	10.48	47.06	74.00	-26.94	peak
2	10344.000	36.51	12.49	49.00	74.00	-25.00	peak
3	11059.000	34.12	14.96	49.08	74.00	-24.92	peak
4	12687.000	30.96	18.05	49.01	74.00	-24.99	peak
5	13578.000	27.41	20.83	48.24	74.00	-25.76	peak
6	17934.000	23.09	25.67	48.76	74.00	-25.24	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7968.000	38.40	6.45	44.85	74.00	-29.15	peak
2	9222.000	36.28	10.48	46.76	74.00	-27.24	peak
3	10344.000	36.13	12.49	48.62	74.00	-25.38	peak
4	11686.000	33.17	17.12	50.29	74.00	-23.71	peak
5	13919.000	28.16	21.68	49.84	74.00	-24.16	peak
6	17934.000	25.05	25.67	50.72	74.00	-23.28	peak

Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU61



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9189.000	36.28	10.46	46.74	74.00	-27.26	peak
2	11455.000	33.00	16.58	49.58	74.00	-24.42	peak
3	12621.000	32.22	17.98	50.20	74.00	-23.80	peak
4	13105.000	31.11	18.91	50.02	74.00	-23.98	peak
5	13908.000	28.12	21.66	49.78	74.00	-24.22	peak
6	17945.000	24.09	25.75	49.84	74.00	-24.16	peak


Test Mode:	802.11ax HE40	Frequency(MHz):	5190
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU61



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9167.000	36.88	10.45	47.33	74.00	-26.67	peak
2	10344.000	37.44	12.49	49.93	74.00	-24.07	peak
3	10938.000	35.89	14.48	50.37	74.00	-23.63	peak
4	11697.000	33.77	17.13	50.90	74.00	-23.10	peak
5	13116.000	31.05	18.96	50.01	74.00	-23.99	peak
6	17934.000	24.28	25.67	49.95	74.00	-24.05	peak




Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9266.000	36.21	10.51	46.72	74.00	-27.28	peak
2	10344.000	36.82	12.49	49.31	74.00	-24.69	peak
3	11598.000	32.28	16.96	49.24	74.00	-24.76	peak
4	12665.000	32.06	18.04	50.10	74.00	-23.90	peak
5	13919.000	28.70	21.68	50.38	74.00	-23.62	peak
6	17934.000	24.34	25.67	50.01	74.00	-23.99	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	26Tone	Ru Index	RU0




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	36.85	10.38	47.23	74.00	-26.77	peak
2	10344.000	36.98	12.49	49.47	74.00	-24.53	peak
3	11334.000	34.18	16.09	50.27	74.00	-23.73	peak
4	11884.000	32.47	17.48	49.95	74.00	-24.05	peak
5	13919.000	28.49	21.68	50.17	74.00	-23.83	peak
6	17945.000	24.02	25.75	49.77	74.00	-24.23	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9211.000	36.67	10.47	47.14	74.00	-26.86	peak
2	10344.000	37.53	12.49	50.02	74.00	-23.98	peak
3	11763.000	33.32	17.26	50.58	74.00	-23.42	peak
4	12643.000	32.50	18.01	50.51	74.00	-23.49	peak
5	13930.000	28.27	21.71	49.98	74.00	-24.02	peak
6	18000.000	23.50	26.12	49.62	74.00	-24.38	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	52Tone	Ru Index	RU37




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7319.000	38.28	6.93	45.21	74.00	-28.79	peak
2	8958.000	36.92	10.05	46.97	74.00	-27.03	peak
3	10344.000	37.20	12.49	49.69	74.00	-24.31	peak
4	11719.000	32.29	17.18	49.47	74.00	-24.53	peak
5	13611.000	28.38	20.92	49.30	74.00	-24.70	peak
6	17703.000	25.52	24.09	49.61	74.00	-24.39	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9244.000	36.73	10.49	47.22	74.00	-26.78	peak
2	10355.000	36.07	12.52	48.59	74.00	-25.41	peak
3	11015.000	34.11	14.79	48.90	74.00	-25.10	peak
4	11884.000	31.15	17.48	48.63	74.00	-25.37	peak
5	13930.000	27.10	21.71	48.81	74.00	-25.19	peak
6	18000.000	22.51	26.12	48.63	74.00	-25.37	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	106Tone	Ru Index	RU53




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9200.000	36.43	10.46	46.89	74.00	-27.11	peak
2	10355.000	37.25	12.52	49.77	74.00	-24.23	peak
3	11433.000	32.45	16.50	48.95	74.00	-25.05	peak
4	12698.000	31.02	18.08	49.10	74.00	-24.90	peak
5	13974.000	28.50	21.82	50.32	74.00	-23.68	peak
6	17923.000	24.46	25.60	50.06	74.00	-23.94	peak

Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU61



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.34	6.68	45.02	74.00	-28.98	peak
2	9134.000	36.05	10.41	46.46	74.00	-27.54	peak
3	11697.000	31.54	17.13	48.67	74.00	-25.33	peak
4	12599.000	31.75	17.95	49.70	74.00	-24.30	peak
5	13875.000	27.58	21.57	49.15	74.00	-24.85	peak
6	17758.000	24.32	24.46	48.78	74.00	-25.22	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	242Tone	Ru Index	RU61



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.38	6.68	45.06	74.00	-28.94	peak
2	9134.000	36.28	10.41	46.69	74.00	-27.31	peak
3	10344.000	36.58	12.49	49.07	74.00	-24.93	peak
4	12709.000	31.30	18.09	49.39	74.00	-24.61	peak
5	14007.000	27.84	21.85	49.69	74.00	-24.31	peak
6	18000.000	23.08	26.12	49.20	74.00	-24.80	peak




Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Horizontal	Test Voltage:	DC 3.3 V
Ru Size	484Tone	Ru Index	RU65



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9310.000	35.56	10.54	46.10	74.00	-27.90	peak
2	10872.000	34.51	14.23	48.74	74.00	-25.26	peak
3	11851.000	32.48	17.43	49.91	74.00	-24.09	peak
4	12687.000	32.00	18.05	50.05	74.00	-23.95	peak
5	13864.000	27.94	21.53	49.47	74.00	-24.53	peak
6	17989.000	24.13	26.04	50.17	74.00	-23.83	peak


Test Mode:	802.11ax HE80	Frequency(MHz):	5210
Polarity:	Vertical	Test Voltage:	DC 3.3 V
Ru Size	484Tone	Ru Index	RU65



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9178.000	36.81	10.45	47.26	74.00	-26.74	peak
2	10355.000	37.08	12.52	49.60	74.00	-24.40	peak
3	11818.000	32.64	17.36	50.00	74.00	-24.00	peak
4	12632.000	31.86	17.99	49.85	74.00	-24.15	peak
5	13886.000	28.44	21.60	50.04	74.00	-23.96	peak
6	17934.000	23.91	25.67	49.58	74.00	-24.42	peak


### 8.7. SPURIOUS EMISSIONS(9 KHZ~30 MHZ) FOR FULL RU WORST CASE

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	FACE ON	Test Voltage:	DC 3.3 V




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0100	77.72	-101.40	-23.68	47.60	-75.18	-3.90	-71.28	peak
2	0.0114	76.88	-101.40	-24.52	46.46	-76.02	-5.04	-70.98	peak
3	0.0221	72.63	-101.35	-28.72	40.71	-80.22	-10.79	-69.43	peak
4	0.0279	70.67	-101.38	-30.71	38.69	-82.21	-12.81	-69.40	peak
5	0.0675	63.14	-101.56	-38.42	31.02	-89.92	-20.48	-69.44	peak
6	0.0806	61.68	-101.63	-39.95	29.47	-91.45	-22.03	-69.42	peak

Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	FACE ON	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1554	76.77	-101.65	-24.88	23.77	-76.38	-27.73	-48.65	peak
2	0.1604	76.18	-101.65	-25.47	23.50	-76.97	-28.00	-48.97	peak
3	0.1917	72.54	-101.70	-29.16	21.95	-80.66	-29.55	-51.11	peak
4	0.2053	70.79	-101.73	-30.94	21.35	-82.44	-30.15	-52.29	peak
5	0.2472	67.95	-101.80	-33.85	19.74	-85.35	-31.76	-53.59	peak
6	0.3163	65.20	-101.87	-36.67	17.60	-88.17	-33.90	-54.27	peak


Test Mode:	802.11a20	Frequency(MHz):	5180
Polarity:	FACE ON	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.5039	65.43	-62.07	3.36	33.56	-48.14	-17.94	-30.20	peak
2	0.5917	64.74	-62.08	2.66	32.16	-48.84	-19.34	-29.50	peak
3	0.8225	63.25	-62.16	1.09	29.30	-50.41	-22.20	-28.21	peak
4	1.5564	59.18	-62.02	-2.84	23.76	-54.34	-27.74	-26.60	peak
5	3.3229	54.89	-61.50	-6.61	29.54	-58.11	-21.96	-36.15	peak
6	6.2445	53.13	-61.32	-8.19	29.54	-59.69	-21.96	-37.73	peak


### 8.8. SPURIOUS EMISSIONS(18 GHZ~26 GHZ) FOR FULL RU WORST CASE

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18200.000	50.29	-5.52	44.77	74.00	-29.23	peak
2	19392.000	51.12	-5.57	45.55	74.00	-28.45	peak
3	20016.000	50.56	-5.47	45.09	74.00	-28.91	peak
4	21600.000	50.02	-4.54	45.48	74.00	-28.52	peak
5	23744.000	48.65	-3.20	45.45	74.00	-28.55	peak
6	25000.000	46.86	-2.10	44.76	74.00	-29.24	peak


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18616.000	51.39	-5.34	46.05	74.00	-27.95	peak
2	19984.000	51.21	-5.44	45.77	74.00	-28.23	peak
3	21544.000	49.76	-4.63	45.13	74.00	-28.87	peak
4	23088.000	48.52	-3.41	45.11	74.00	-28.89	peak
5	24568.000	47.10	-2.33	44.77	74.00	-29.23	peak
6	25728.000	46.11	-0.72	45.39	74.00	-28.61	peak

### 8.9. SPURIOUS EMISSIONS(26 GHZ~40 GHZ) FOR FULL RU WORST CASE


Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26490.000	50.79	-4.74	46.05	74.00	-27.95	peak
2	28786.000	47.49	-0.64	46.85	74.00	-27.15	peak
3	30144.000	47.96	-1.30	46.66	74.00	-27.34	peak
4	32762.000	48.45	-1.21	47.24	74.00	-26.76	peak
5	35422.000	44.63	2.56	47.19	74.00	-26.81	peak
6	37858.000	43.68	3.49	47.17	74.00	-26.83	peak




Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26476.000	50.53	-4.78	45.75	74.00	-28.25	peak
2	28828.000	47.63	-0.79	46.84	74.00	-27.16	peak
3	31320.000	48.61	-0.93	47.68	74.00	-26.32	peak
4	34302.000	46.45	1.10	47.55	74.00	-26.45	peak
5	38278.000	43.82	3.82	47.64	74.00	-26.36	peak
6	39972.000	42.95	5.13	48.08	74.00	-25.92	peak


### 8.10. SPURIOUS EMISSIONS(30 MHZ~1 GHZ) FOR FULL RU WORST CASE

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Horizontal	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	79.4700	50.58	-21.50	29.08	40.00	-10.92	QP
2	190.0500	56.22	-16.70	39.52	43.50	-3.98	QP
3	297.7200	37.02	-15.43	21.59	46.00	-24.41	QP
4	336.5200	34.66	-13.53	21.13	46.00	-24.87	QP
5	800.1800	29.31	-6.63	22.68	46.00	-23.32	QP
6	998.0600	28.87	-4.00	24.87	54.00	-29.13	QP

Test Mode:	802.11a 20	Frequency(MHz):	5180
Polarity:	Vertical	Test Voltage:	DC 3.3 V



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	30.0000	43.79	-18.24	25.55	40.00	-14.45	QP
2	74.6200	45.20	-21.12	24.08	40.00	-15.92	QP
3	189.0800	44.14	-16.68	27.46	43.50	-16.04	QP
4	396.6600	38.11	-12.94	25.17	46.00	-20.83	QP
5	632.3700	35.42	-9.38	26.04	46.00	-19.96	QP
6	796.3000	32.00	-6.64	25.36	46.00	-20.64	QP

## 9. AC POWER LINE CONDUCTED EMISSION

### LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


### TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

### TEST SETUP



**TEST ENVIRONMENT**


Temperature	23.7°C	Relative Humidity	62.2%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60 Hz

**TEST DATE / ENGINEER**

Test Date	August 7, 2023	Test By	Wite Chen
-----------	----------------	---------	-----------

**TEST RESULTS FOR FULL RU WORST CASE**

Test Mode:	802.11a 20	Frequency(MHz):	5180
Line:	Line		




No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1601	34.20	9.59	43.79	65.46	-21.67	QP
2	0.1601	18.03	9.59	27.62	55.46	-27.84	AVG
3	0.5194	26.86	9.60	36.46	56.00	-19.54	QP
4	0.5194	20.55	9.60	30.15	46.00	-15.85	AVG
5	2.4146	21.00	9.65	30.65	56.00	-25.35	QP
6	2.4146	16.20	9.65	25.85	46.00	-20.15	AVG
7	4.1465	22.58	9.70	32.28	56.00	-23.72	QP
8	4.1465	17.49	9.70	27.19	46.00	-18.81	AVG
9	8.0615	19.22	9.71	28.93	60.00	-31.07	QP
10	8.0615	13.36	9.71	23.07	50.00	-26.93	AVG
11	13.2145	11.00	9.76	20.76	60.00	-39.24	QP
12	13.2145	4.79	9.76	14.55	50.00	-35.45	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

Test Mode:	802.11a 20	Frequency(MHz):	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1505	38.11	9.49	47.60	65.97	-18.37	QP
2	0.1505	25.62	9.49	35.11	55.97	-20.86	AVG
3	0.1940	29.46	9.58	39.04	63.86	-24.82	QP
4	0.1940	15.56	9.58	25.14	53.86	-28.72	AVG
5	0.4998	27.51	9.50	37.01	56.00	-18.99	QP
6	0.4998	21.74	9.50	31.24	46.00	-14.76	AVG
7	4.6234	19.72	9.61	29.33	56.00	-26.67	QP
8	4.6234	13.92	9.61	23.53	46.00	-22.47	AVG
9	8.3673	21.54	9.61	31.15	60.00	-28.85	QP
10	8.3673	11.60	9.61	21.21	50.00	-28.79	AVG
11	13.6755	22.26	9.66	31.92	60.00	-28.08	QP
12	13.6755	16.14	9.66	25.80	50.00	-24.20	AVG

**Note:**

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

## 10. ANTENNA REQUIREMENT

### REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### DESCRIPTION

Pass



## 11. TEST DATA

### 11.1. APPENDIX A1: EMISSION BANDWIDTH FOR FULL RU


#### 11.1.1. Test Result

Test Mode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant0	5180	24.52	5167.68	5192.20	PASS
	Ant1	5180	23.56	5168.04	5191.60	PASS
	Ant0	5200	25.04	5187.04	5212.08	PASS
	Ant1	5200	23.88	5187.64	5211.52	PASS
	Ant0	5240	23.80	5227.80	5251.60	PASS
	Ant1	5240	23.80	5227.84	5251.64	PASS
	Ant0	5260	23.28	5248.16	5271.44	PASS
	Ant1	5260	23.28	5248.16	5271.44	PASS
	Ant0	5280	23.44	5268.16	5291.60	PASS
	Ant1	5280	23.32	5268.08	5291.40	PASS
	Ant0	5320	24.12	5307.64	5331.76	PASS
	Ant1	5320	24.08	5307.68	5331.76	PASS
	Ant0	5500	24.08	5487.60	5511.68	PASS
	Ant1	5500	24.32	5487.96	5512.28	PASS
	Ant0	5580	23.00	5568.76	5591.76	PASS
	Ant1	5580	23.88	5567.76	5591.64	PASS
	Ant0	5700	24.44	5687.72	5712.16	PASS
	Ant1	5700	23.88	5687.64	5711.52	PASS
	Ant0	5720	23.36	5708.16	5731.52	PASS
	Ant1	5720	23.04	5708.52	5731.56	PASS
	Ant0	5720 UNII-2C	16.84	5708.16	5725	PASS
	Ant1	5720 UNII-2C	16.48	5708.52	5725	PASS
	Ant0	5720 UNII-3	6.52	5725	5731.52	PASS
	Ant1	5720 UNII-3	6.56	5725	5731.56	PASS
	Ant0	5745	22.88	5733.44	5756.32	PASS
	Ant1	5745	24.92	5732.76	5757.68	PASS
	Ant0	5785	23.64	5773.48	5797.12	PASS
	Ant1	5785	24.60	5772.76	5797.36	PASS
	Ant0	5825	24.00	5812.96	5836.96	PASS
	Ant1	5825	23.80	5813.28	5837.08	PASS
11N20MIMO	Ant0	5180	24.64	5167.36	5192.00	PASS
	Ant1	5180	24.92	5166.64	5191.56	PASS
	Ant0	5200	24.16	5187.88	5212.04	PASS
	Ant1	5200	24.08	5187.84	5211.92	PASS
	Ant0	5240	24.32	5227.64	5251.96	PASS
	Ant1	5240	23.16	5228.48	5251.64	PASS
	Ant0	5260	24.48	5247.76	5272.24	PASS
	Ant1	5260	23.72	5248.16	5271.88	PASS
	Ant0	5280	24.48	5267.80	5292.28	PASS
	Ant1	5280	23.84	5267.80	5291.64	PASS
	Ant0	5320	23.80	5307.88	5331.68	PASS
	Ant1	5320	24.32	5307.60	5331.92	PASS
	Ant0	5500	24.04	5487.76	5511.80	PASS
	Ant1	5500	24.04	5487.80	5511.84	PASS
	Ant0	5580	23.60	5568.12	5591.72	PASS
	Ant1	5580	24.08	5568.00	5592.08	PASS
	Ant0	5700	24.12	5687.92	5712.04	PASS
	Ant1	5700	24.12	5687.68	5711.80	PASS
	Ant0	5720	25.00	5707.48	5732.48	PASS
	Ant1	5720	23.36	5707.76	5731.12	PASS
	Ant0	5720 UNII-2C	17.52	5707.48	5725	PASS
	Ant1	5720 UNII-2C	17.24	5707.76	5725	PASS
	Ant0	5720 UNII-3	7.48	5725	5732.48	PASS
	Ant1	5720 UNII-3	6.12	5725	5731.12	PASS
	Ant0	5745	24.24	5732.96	5757.20	PASS


	Ant1	5745	23.32	5733.20	5756.52	PASS
	Ant0	5785	24.40	5772.80	5797.20	PASS
	Ant1	5785	23.48	5773.40	5796.88	PASS
	Ant0	5825	24.56	5812.76	5837.32	PASS
	Ant1	5825	23.36	5813.20	5836.56	PASS
11N40MIMO	Ant0	5190	40.16	5170.00	5210.16	PASS
	Ant1	5190	39.84	5170.08	5209.92	PASS
	Ant0	5230	40.56	5209.92	5250.48	PASS
	Ant1	5230	40.40	5209.76	5250.16	PASS
	Ant0	5270	40.72	5249.60	5290.32	PASS
	Ant1	5270	39.92	5250.08	5290.00	PASS
	Ant0	5310	40.56	5289.76	5330.32	PASS
	Ant1	5310	39.92	5290.00	5329.92	PASS
	Ant0	5510	40.32	5489.84	5530.16	PASS
	Ant1	5510	39.68	5490.24	5529.92	PASS
	Ant0	5550	40.72	5529.60	5570.32	PASS
	Ant1	5550	39.84	5530.08	5569.92	PASS
	Ant0	5670	40.56	5650.00	5690.56	PASS
	Ant1	5670	40.48	5649.68	5690.16	PASS
	Ant0	5710	40.64	5689.68	5730.32	PASS
	Ant1	5710	39.92	5689.92	5729.84	PASS
	Ant0	5710 UNII-2C	35.32	5689.68	5725	PASS
	Ant1	5710 UNII-2C	35.08	5689.92	5725	PASS
	Ant0	5710 UNII-3	5.32	5725	5730.32	PASS
	Ant1	5710 UNII-3	4.84	5725	5729.84	PASS
	Ant0	5755	40.48	5734.76	5775.24	PASS
	Ant1	5755	39.68	5735.16	5774.84	PASS
	Ant0	5795	41.04	5774.52	5815.56	PASS
	Ant1	5795	40.16	5774.92	5815.08	PASS
11AC80MIMO	Ant0	5210	80.00	5170.00	5250.00	PASS
	Ant1	5210	80.00	5170.00	5250.00	PASS
	Ant0	5290	80.16	5250.00	5330.16	PASS
	Ant1	5290	80.00	5250.00	5330.00	PASS
	Ant0	5530	80.16	5490.00	5570.16	PASS
	Ant1	5530	80.00	5490.00	5570.00	PASS
	Ant0	5610	80.16	5570.00	5650.16	PASS
	Ant1	5610	79.84	5570.16	5650.00	PASS
	Ant0	5690	80.16	5649.84	5730.00	PASS
	Ant1	5690	80.00	5650.00	5730.00	PASS
	Ant0	5690 UNII-2C	75.16	5649.84	5725	PASS
	Ant1	5690 UNII-2C	75	5650.00	5725	PASS
	Ant0	5690 UNII-3	5	5725	5730.00	PASS
	Ant1	5690 UNII-3	5	5725	5730.00	PASS
	Ant0	5775	80.48	5734.84	5815.32	PASS
	Ant1	5775	79.68	5735.16	5814.84	PASS
11AX20MIMO	Ant0	5180	22.24	5169.04	5191.28	PASS
	Ant1	5180	23.52	5169.00	5192.52	PASS
	Ant0	5200	21.80	5189.08	5210.88	PASS
	Ant1	5200	22.80	5188.20	5211.00	PASS
	Ant0	5240	21.88	5229.08	5250.96	PASS
	Ant1	5240	22.04	5228.88	5250.92	PASS
	Ant0	5260	21.92	5248.88	5270.80	PASS
	Ant1	5260	21.76	5249.16	5270.92	PASS
	Ant0	5280	21.96	5269.16	5291.12	PASS
	Ant1	5280	22.56	5269.12	5291.68	PASS
	Ant0	5320	22.24	5308.92	5331.16	PASS
	Ant1	5320	22.48	5308.76	5331.24	PASS
	Ant0	5500	23.40	5488.08	5511.48	PASS
	Ant1	5500	23.20	5488.36	5511.56	PASS
	Ant0	5580	22.64	5568.24	5590.88	PASS
	Ant1	5580	24.32	5568.20	5592.52	PASS
	Ant0	5700	22.04	5688.88	5710.92	PASS
	Ant1	5700	22.92	5688.24	5711.16	PASS

	Ant0	5720	21.88	5709.12	5731.00	PASS
	Ant1	5720	22.32	5708.72	5731.04	PASS
	Ant0	5720 UNII-2C	15.88	5709.12	5725	PASS
	Ant1	5720 UNII-2C	16.28	5708.72	5725	PASS
	Ant0	5720 UNII-3	6	5725	5731.00	PASS
	Ant1	5720 UNII-3	6.04	5725	5731.04	PASS
	Ant0	5745	22.56	5734.12	5756.68	PASS
	Ant1	5745	22.64	5733.80	5756.44	PASS
	Ant0	5785	21.64	5774.28	5795.92	PASS
	Ant1	5785	22.20	5773.56	5795.76	PASS
	Ant0	5825	22.00	5813.92	5835.92	PASS
	Ant1	5825	23.84	5813.04	5836.88	PASS
11AX40MIMO	Ant0	5190	39.76	5170.00	5209.76	PASS
	Ant1	5190	39.68	5170.16	5209.84	PASS
	Ant0	5230	39.68	5210.16	5249.84	PASS
	Ant1	5230	39.68	5210.16	5249.84	PASS
	Ant0	5270	39.76	5250.16	5289.92	PASS
	Ant1	5270	39.60	5250.16	5289.76	PASS
	Ant0	5310	39.84	5290.08	5329.92	PASS
	Ant1	5310	39.44	5290.32	5329.76	PASS
	Ant0	5510	39.60	5490.24	5529.84	PASS
	Ant1	5510	39.68	5490.08	5529.76	PASS
	Ant0	5550	39.76	5530.08	5569.84	PASS
	Ant1	5550	39.76	5530.08	5569.84	PASS
	Ant0	5670	39.68	5650.16	5689.84	PASS
	Ant1	5670	39.68	5650.16	5689.84	PASS
	Ant0	5710	39.68	5690.08	5729.76	PASS
	Ant1	5710	39.68	5690.16	5729.84	PASS
	Ant0	5710 UNII-2C	34.92	5690.08	5725	PASS
	Ant1	5710 UNII-2C	34.84	5690.16	5725	PASS
	Ant0	5710 UNII-3	4.76	5725	5729.76	PASS
	Ant1	5710 UNII-3	4.84	5725	5729.84	PASS
	Ant0	5755	39.84	5735.08	5774.92	PASS
	Ant1	5755	39.84	5735.08	5774.92	PASS
	Ant0	5795	39.76	5775.08	5814.84	PASS
	Ant1	5795	39.68	5775.24	5814.92	PASS
11AX80MIMO	Ant0	5210	80.16	5170.00	5250.16	PASS
	Ant1	5210	80.64	5169.68	5250.32	PASS
	Ant0	5290	80.48	5249.84	5330.32	PASS
	Ant1	5290	80.48	5249.68	5330.16	PASS
	Ant0	5530	80.48	5489.84	5570.32	PASS
	Ant1	5530	80.32	5489.84	5570.16	PASS
	Ant0	5610	80.48	5569.84	5650.32	PASS
	Ant1	5610	80.48	5569.84	5650.32	PASS
	Ant0	5690	80.80	5649.52	5730.32	PASS
	Ant1	5690	80.48	5649.84	5730.32	PASS
	Ant0	5690 UNII-2C	75.48	5649.52	5725	PASS
	Ant1	5690 UNII-2C	75.16	5649.84	5725	PASS
	Ant0	5690 UNII-3	5.32	5725	5730.32	PASS
	Ant1	5690 UNII-3	5.32	5725	5730.32	PASS
	Ant0	5775	80.64	5734.68	5815.32	PASS
	Ant1	5775	80.64	5734.68	5815.32	PASS


### 11.1.2. Test Graphs




11A\_Ant0\_5180




11A\_Ant1\_5180




11A\_Ant0\_5200



11A\_Ant1\_5200



11A\_Ant0\_5240




11A\_Ant1\_5240






11A\_Ant0\_5260




11A\_Ant1\_5260




11A\_Ant0\_5280




11A\_Ant1\_5280



11A\_Ant0\_5320




11A\_Ant1\_5320



11A\_Ant0\_5500




11A\_Ant1\_5500




11A\_Ant0\_5580







11A\_Ant1\_5580




11A\_Ant0\_5700




11A\_Ant1\_5700




11A\_Ant0\_5720




11A\_Ant1\_5720



11A\_Ant0\_5745




11A\_Ant1\_5745




11A\_Ant0\_5785




11A\_Ant1\_5785



11A Ant0\_5825




11A Ant1\_5825




11N20MIMO Ant0\_5180







11N20MIMO\_Ant1\_5180




11N20MIMO\_Ant0\_5200




11N20MIMO\_Ant1\_5200



11N20MIMO\_Ant0\_5240



11N20MIMO\_Ant1\_5240



11N20MIMO\_Ant0\_5260