



REPORT NO.: 4790862042.1-1-RF-3

Page 239 of 311

11.10. APPENDIX E2: BAND EDGE MEASUREMENTS FOR SINGLE PARTIAL RU


11.10.1. **Test Result**

TestMode	Antenna	ChName	Channel	Ru Size	Ru Index	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant0	Low	2412	26Tone	RU0	8.42	-37.19	≤-21.58	PASS
	Ant1	Low	2412	26Tone	RU0	6.79	-36.92	≤-23.21	PASS
	Ant0	High	2462	26Tone	RU8	8.89	-38.19	≤-21.11	PASS
	Ant1	High	2462	26Tone	RU8	9.75	-38.1	≤-20.25	PASS
11AX40MIMO	Ant0	Low	2422	26Tone	RU0	6.66	-34.27	≤-23.34	PASS
	Ant1	Low	2422	26Tone	RU0	4.45	-34.99	≤-25.55	PASS
	Ant0	High	2452	26Tone	RU17	6.60	-37.8	≤-23.4	PASS
	Ant1	High	2452	26Tone	RU17	7.39	-37.99	≤-22.61	PASS


Note: All RU Sizes and tones have been tested, only the worst data recorded in the report.




11.10.2. Test Graphs











REPORT NO.: 4790862042.1-1-RF-3 Page 243 of 311

11.11. APPENDIX F1: CONDUCTED SPURIOUS EMISSION FOR FULL RU 11.11.1. Test Result


Test Mode	Antenna	Frequency[MHz]	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict
		2412	Reference	10.07		PASS
	Ant0		30~1000	-55.94	≤-19.93	PASS
		2712	1000~26500	-40.36	≤-19.93	PASS
			Reference	9.65	19.95	PASS
	Ant1	2412 2437 2437	30~1000	-55.94	≤-20.35	PASS
	Anti		1000~26500	-40.75	≤-20.35	PASS
			Reference	10.05		PASS
	Ant0		30~1000	-55.25	≤-19.95	PASS
			1000~26500	-40.79	≤-19.95	PASS
11B			Reference	10.17		PASS
			30~1000	-55.57	≤-19.83	PASS
			1000~26500	-40.34	≤-19.83	PASS
			Reference	10.36		PASS
	Ant0 Ant1	2462 2462	30~1000		 ≤-19.64	PASS
			1000~26500	-55.75	≤-19.64 ≤-19.64	PASS
			Reference	-40.65	≥-19.04	
				10.19		PASS
			30~1000	-55.66	≤-19.81	PASS
			1000~26500	-40.44 6.04	≤-19.81	PASS PASS
	Ant0	2412	Reference			
			30~1000	-58.02	≤-23.96	PASS
			1000~26500	-42.13	≤-23.96	PASS
	A := 44	0440	Reference	6.03		PASS
	Ant1	2412	30~1000	-57.5	≤-23.97	PASS
			1000~26500	-41.34	≤-23.97	PASS
	Ant0	2437	Reference	6.33		PASS
			30~1000	-57.7	≤-23.67	PASS
11G			1000~26500	-42.24	≤-23.67	PASS
	Ant1	2437	Reference	6.22		PASS
			30~1000	-57.56	≤-23.78	PASS
	Ant0	2462	1000~26500	-41.29	≤-23.78	PASS
			Reference	6.18		PASS
			30~1000	-58.16	≤-23.82	PASS
	Ant1	2462	1000~26500	-41.48 6.22	≤-23.82	PASS
			Reference		 ≤-23.78	PASS PASS
			30~1000	-57.02	≤-23.78	
			1000~26500	-41.97		PASS
	Ant0 Ant1	2412 2412	Reference	5.11		PASS
			30~1000	-57.76	≤-24.89	PASS
			1000~26500	-41.52	≤-24.89	PASS
			Reference	4.76 -56.76	< 25.24	PASS
			30~1000 1000~26500		≤-25.24	PASS PASS
				-41.64	≤-25.24	
	Ant0	0407	Reference	5.59	 < 24.41	PASS
		2437	30~1000	-56.89	≤-24.41	PASS
11N20MIMO			1000~26500	-41.34 5.26	≤-24.41	PASS
	Ant1	2437	Reference	5.36		PASS
			30~1000	-58.02	≤-24.64	PASS
	Ant0	2462	1000~26500	-41.69	≤-24.64	PASS
			Reference 30~1000	5.31		PASS
				-58.33	≤-24.69 < 24.60	PASS
	Ant1	2462	1000~26500	-41.38	≤-24.69	PASS
			Reference	5.26		PASS
			30~1000	-57.97	≤-24.74	PASS
			1000~26500	-41.1	≤-24.74	PASS
1111011111	Ant0	2422	Reference	1.54		PASS
11N40MIMO			30~1000	-54.92	≤-28.46	PASS
			1000~26500	-40.36	≤-28.46	PASS




			Reference	1.37		PASS
	Ant1	2422	30~1000			PASS
	Ant1			-55.92	≤-28.63 < 28.63	
	-		1000~26500 Reference	-40.07 1.60	≤-28.63	PASS PASS
	Ant0	2427	30~1000	-56.13	<u></u> ≤-28.4	PASS
	Anto	2437				PASS
			1000~26500	-40.46	≤-28.4	
	A m+1	2437	Reference	1.50		PASS
	Ant1		30~1000	-54.83	≤-28.5	PASS
			1000~26500	-40.84	≤-28.5	PASS
	Ant0	2452	Reference	1.74	≤-28.26	PASS PASS
	Anto		30~1000	-56.15		
			1000~26500	-40.5	≤-28.26	PASS
	Ant1	2452	Reference	1.91		PASS
			30~1000	-55.72	≤-28.09	PASS
			1000~26500	-40.52	≤-28.09	PASS
	Anto	2412	Reference	5.50		PASS
	Ant0		30~1000	-57.65	≤-24.5	PASS
			1000~26500	-41.84	≤-24.5	PASS
	A 44	2412	Reference	5.37		PASS
	Ant1		30~1000	-57.48	≤-24.63	PASS
			1000~26500	-41.37	≤-24.63	PASS
	Ant0	2437	Reference	5.60		PASS
			30~1000	-57.3	≤-24.4	PASS
11AX20MIMO			1000~26500	-41.56	≤-24.4	PASS
	Ant1	2437 2462	Reference	5.33		PASS
			30~1000	-56.78	≤-24.67	PASS
			1000~26500	-41.06	≤-24.67	PASS
	Ant0		Reference	5.33		PASS
			30~1000	-57.87	≤-24.67	PASS
		2462	1000~26500	-41.55	≤-24.67	PASS
	Ant1		Reference	5.32		PASS
			30~1000	-56.71	≤-24.68	PASS
			1000~26500	-41.01	≤-24.68	PASS
	Ant0	2422	Reference	1.44		PASS
			30~1000	-55.52	≤-28.56	PASS
			1000~26500	-40.12	≤-28.56	PASS
	Ant1	2422	Reference	1.55		PASS
			30~1000	-55.56	≤-28.45	PASS
			1000~26500	-40.16	≤-28.45	PASS
	Ant0	0.407	Reference	1.72		PASS
		2437	30~1000	-54.95	≤-28.28	PASS
11AX40MIMO			1000~26500	-40.92	≤-28.28	PASS
			Reference	1.56		PASS
			30~1000	-55.67	≤-28.44	PASS
		2452 2452	1000~26500	-39.69	≤-28.44	PASS
	Ant0		Reference	1.57		PASS
			30~1000	-55.89	≤-28.43	PASS
			1000~26500	-40.43	≤-28.43	PASS
			Reference	1.77		PASS
			30~1000	-55.47	≤-28.23	PASS
			1000~26500	-39.42	≤-28.23	PASS




11.11.2. Test Graphs


















































































































































































REPORT NO.: 4790862042.1-1-RF-3 Page 281 of 311

11.12. APPENDIX F2: CONDUCTED SPURIOUS EMISSION FOR SINGLE PARTIAL RU

11.12.1. Test Result


TestMode	Antenna	Channel	Ru Size	Ru Index	FreqRange [Mhz]	Result [dBm]	Limit [dBm]	Verdict
	Ant0		26Tone	RU0	Reference	9.49		PASS
		2412		RU0	30~1000	-48.90	≤- 20.51	PASS
				RU0	1000~26500	-39.12	≤- 20.51	PASS
		2412	26Tone	RU0	Reference	7.63		PASS
	Ant1			RU0	30~1000	-49.22	≤- 22.37	PASS
				RU0	1000~26500	-39.06	≤- 22.37	PASS
			26Tone	RU4	Reference	8.81		PASS
				RU4	30~1000	-47.62	≤- 21.19	PASS
				RU4	1000~26500	-31.77	≤- 21.19	PASS
				RU37	Reference	6.68		PASS
	Ant0	2437	52Tone	RU37	30~1000	-48.28	≤- 23.32	PASS
				RU37	1000~26500	-33.07	≤- 23.32	PASS
				RU53	Reference	3.91		PASS
			106Tone	RU53	30~1000	-58.10	≤- 26.09	PASS
11AX20MIMO				RU53	1000~26500	-49.18	≤- 26.09	PASS
TTAXZUMINIO	Ant1	2437	26Tone	RU4	Reference	8.89		PASS
				RU4	30~1000	-47.15	≤- 21.11	PASS
				RU4	1000~26500	-32.14	≤- 21.11	PASS
1			52Tone 106Tone	RU37	Reference	7.35		PASS
				RU37	30~1000	-47.56	≤- 22.65	PASS
				RU37	1000~26500	-32.11	≤- 22.65	PASS
				RU53	Reference	3.77	 ≤-	PASS
				RU53	30~1000	-59.47	26.23	PASS
				RU53	1000~26500	-48.50	≤- 26.23	PASS
	Ant0	2462	26Tone	RU8	Reference	9.56		PASS
				RU8	30~1000	-47.35	≤- 20.44	PASS
				RU8	1000~26500	-32.50	≤- 20.44	PASS
	Ant1	2462	26Tone	RU8	Reference	9.71		PASS
				RU8	30~1000	-48.08	≤- 20.29	PASS
				RU8	1000~26500	-31.48	≤- 20.29	PASS
	Ant0	2422		RU0	Reference	7.85		PASS
			26Tone	RU0	30~1000	-49.66	≤- 22.15	PASS
11AX40MIMO				RU0	1000~26500	-39.67	≤- 22.15	PASS
	Ant1	2422	26Tone	RU0	Reference	4.00		PASS
		= : 	20.000	RU0	30~1000	-48.75	≤-26	PASS




	T	Γ	1		4000 00-05	00.01		D.4.0.0
				RU0	1000~26500	-38.94	≤-26	PASS
				RU8	Reference	6.26		PASS
			26Tone	RU8	30~1000	-47.57	≤- 23.74	PASS
				RU8	1000~26500	-32.50	≤- 23.74	PASS
				RU37	Reference	4.84		PASS
		0.407	52Tone	RU37	30~1000	-47.51	≤- 25.16	PASS
	A = 40			RU37	1000~26500	-32.43	≤- 25.16	PASS
	Ant0	2437		RU53	Reference	2.42		PASS
			106Tone	RU53 30~1000 -48	-48.33	≤- 27.58	PASS	
				1000~26500	-32.72	≤- 27.58	PASS	
				RU61	Reference	0.95		PASS
			242Tone	RU61	30~1000	-47.75	≤- 29.05	PASS
				RU61	1000~26500	-32.51	≤- 29.05	PASS
	Ant1		26Tone	RU8	Reference	7.95		PASS
				RU8	30~1000	-47.58	≤- 22.05	PASS
				RU8	1000~26500 -32.26	≤- 22.05	PASS	
				RU37	Reference	4.78		PASS
			521one	RU37	30~1000	-47.22	≤- 25.22	PASS
		2437		-31.81	≤- 25.22	PASS		
				RU53	Reference	2.33		PASS
			106Tone RU	RU53	30~1000	-47.78	≤- 27.67	PASS
				RU53	1000~26500	-32.22	≤- 27.67	PASS
				RU61	Reference	1.40		PASS
			242Tone	RU61	30~1000	-47.13	≤-28.6	PASS
				RU61	1000~26500	-32.33	≤-28.6	PASS
	Ant0	2452		RU17	Reference	6.78		PASS
			26Tone	RU17	30~1000	-48.20	≤- 23.22	PASS
				RU17	1000~26500	-32.66	≤- 23.22	PASS
				RU17	Reference	6.82		PASS
	Ant1	2452	26Tone	RU17	30~1000	-47.03	≤- 23.18	PASS
				RU17	1000~26500	-32.46	≤- 23.18	PASS




11.12.2. Test Graphs












































































































REPORT NO.: 4790862042.1-1-RF-3 Page 305 of 311

11.13. APPENDIX G1: DUTY CYCLE FOR FULL RU 11.13.1. Test Result

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11B	8.36	8.73	0.9576	95.76	0.19	0.12	1
11G	1.38	1.75	0.7886	78.86	1.03	0.72	1
11N20MIMO	1.3	1.69	0.7692	76.92	1.14	0.77	1
11N40MIMO	0.64	1	0.6400	64.00	1.94	1.56	2
11AX20MIMO	0.56	0.95	0.5895	58.95	2.30	1.79	2
11AX40MIMO	0.2	0.39	0.5128	51.28	2.90	5.00	5

Note:

Duty Cycle Correction Factor=10log (1/x).

Where: x is Duty Cycle (Linear)

Where: T is On Time


If that calculated VBW is not available on the analyzer then the next higher value should be used.



11.13.2. Test Graphs









REPORT NO.: 4790862042.1-1-RF-3 Page 308 of 311

11.14. APPENDIX G2: DUTY CYCLE FOR SINGLE PARTIAL RU 11.14.1. Test Result

TestMod e	Channel	RuSize	RuIndex	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
44AV20		26Tone	RU4	1.61	1.96	0.8214	82.14	0.85	0.62	1
11AX20 MIMO	2437	52Tone	RU37	1.52	1.89	0.8042	80.42	0.95	0.66	1
		106Tone	RU53	1.39	1.77	0.7853	78.53	1.05	0.72	1
11AX40 MIMO	2437	26Tone	RU8	1.6	1.95	0.8205	82.05	0.86	0.63	1
		52Tone	RU37	1.53	1.89	0.8095	80.95	0.92	0.65	1
		106Tone	RU53	1.4	1.78	0.7865	78.65	1.04	0.71	1
		242Tone	RU61	1.21	1.59	0.7610	76.10	1.19	0.83	1

Note:

Duty Cycle Correction Factor=10log (1/x).


Where: x is Duty Cycle (Linear)

Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.




11.14.2. Test Graphs











END OF REPORT