



11.9.3. Test Result for ISED

11.9.3. Test Result for ISED								
Test Mode	Antenna	Channel	Power	Limit	EIRP	Limit	Verdict	
	Ant0	5180	[dBm/MHz] 3.68	[dBm/MHz]	[dBm/MHz] 8.85	[dBm/MHz] ≤10.00	PASS	
	Ant1	5180	3.64		8.81	≤10.00 ≤10.00	PASS	
	Ant0	5200	3.87		9.04	≤10.00 ≤10.00	PASS	
	Ant1	5200	3.78		8.95	≤10.00	PASS	
	Ant0	5240	3.39		8.56	≤10.00	PASS	
	Ant1	5240	3.36		8.53	≤10.00	PASS	
	Ant0	5260	5.48	≤11.00	10.65		PASS	
	Ant1	5260	5.45	≤11.00	10.62		PASS	
	Ant0	5280	5.78	≤11.00	10.95		PASS	
	Ant1	5280	5.54	≤11.00	10.71		PASS	
	Ant0	5320	6.44	≤11.00	11.61		PASS	
	Ant1	5320	5.18	≤11.00	10.35		PASS	
	Ant0	5500	5.81	≤11.00	10.98		PASS	
	Ant1	5500	6.63	≤11.00	11.80		PASS	
	Ant0	5580	5.81	≤11.00	10.98		PASS	
11A	Ant1	5580	6.25	≤11.00	11.42		PASS	
11/1	Ant0	5700	6.48	≤11.00	11.65		PASS	
	Ant1	5700	5.89	≤11.00	11.06		PASS	
	Ant0	5720	5.64	≤11.00	10.81		PASS	
	Ant1	5720	5.67	≤11.00	10.84		PASS	
	Ant0	5720_UNII- 2C	5.89	≤11.00	11.06		PASS	
	Ant1	5720_UNII- 2C	5.72	≤11.00	10.89		PASS	
	Ant0	5720_UNII-3	1.49	≤30.00	6.66		PASS	
	Ant1	5720_UNII-3	1.3	≤30.00	6.47		PASS	
	Ant0	5745	8.51	≤30.00	13.68		PASS	
	Ant1	5745	8.14	≤30.00	13.31		PASS	
	Ant0	5785	8.12	≤30.00	13.29		PASS	
	Ant1	5785	8.51	≤30.00	13.68		PASS	
	Ant0	5825	7.88	≤30.00	13.05		PASS	
	Ant1	5825	8.1	≤30.00	13.27		PASS	
	Ant0	5180	-1.84		3.33	≤10.00	PASS	
	Ant1	5180	-1.32		3.85	≤10.00	PASS	
	total	5180 5200	1.44 -2.13		9.62	≤10.00 ≤10.00	PASS PASS	
	Ant0				3.04			
	Ant1	5200 5200	-1.4 1.26		3.77 9.44	≤10.00 ≤10.00	PASS PASS	
	total Ant0	5240	-1.42		3.75	≤10.00 ≤10.00	PASS	
	Ant1	5240	-2.05		3.12	≤10.00 ≤10.00	PASS	
	total	5240	1.29		9.47	≤10.00 ≤10.00	PASS	
	Ant0	5260	4.9	≤8.82	10.07	=10.00	PASS	
	Ant1	5260	5.01	<u>≤</u> 8.82	10.18		PASS	
	total	5260	7.97	≤8.82	16.15		PASS	
	Ant0	5280	5.34	≤8.82	10.51		PASS	
11N20MIMO	Ant1	5280	5.09	≤8.82	10.26		PASS	
TINZUIVIIIVIO	total	5280	8.23	≤8.82	16.41		PASS	
	Ant0	5320	5.61	≤8.82	10.78		PASS	
	Ant1	5320	5.14	≤8.82	10.31		PASS	
	total	5320	8.39	≤8.82	16.57		PASS	
	Ant0	5500	5.01	≤8.82	10.18		PASS	
	Ant1	5500	5.56	≤8.82	10.73		PASS	
	total	5500	8.30	≤8.82	16.48		PASS	
	Ant0	5580	4.82	≤8.82	9.99		PASS	
	Ant1	5580	4.99	≤8.82	10.16		PASS	
	total	5580	7.92	≤8.82	16.1		PASS	
	Ant0	5700	5.05	≤8.82	10.22		PASS	
	Ant1	5700	5.52	≤8.82	10.69		PASS	
	total	5700	8.30	≤8.82	16.48		PASS	



	•						
	Ant0	5720_UNII- 2C	4.99	≤8.82	10.16		PASS
	Ant1	5720_UNII- 2C	5.52	≤8.82	10.69		PASS
	total	5720_UNII- 2C	8.27	≤8.82	16.45		PASS
	Ant0	5720_UNII-3	0.51	≤27.82	5.68		PASS
	Ant1	5720_UNII-3	0.8	≤27.82	5.97		PASS
	total	5720_UNII-3	3.67	≤27.82	11.85		PASS
	Ant0	5745	6.52	≤27.82	11.69		PASS
	Ant1	5745	6.87	≤27.82	12.04		PASS
	total	5745	9.71	≤27.82	17.89		PASS
	Ant0	5785	6.95	≤27.82	12.12		PASS
	Ant1	5785	7.11	≤27.82	12.28		PASS
	total	5785	10.04	≤27.82	18.22		PASS
	Ant0 Ant1	5825 5825	5.89 6.49	≤27.82 ≤27.82	11.06 11.66		PASS PASS
	total	5825	9.21	≤27.82	17.39		PASS
	Ant0	5190	-2.49	≥21.02	2.68	≤10.00	PASS
	Ant1	5190	-1.24		3.93	≤10.00 ≤10.00	PASS
	total	5190	1.19		9.37	≤10.00 ≤10.00	PASS
	Ant0	5230	-2.52		2.65	≤10.00 ≤10.00	PASS
	Ant1	5230	-1.44		3.73	≤10.00	PASS
	total	5230	1.06		9.24	≤10.00	PASS
	Ant0	5270	2.08	≤8.82	7.25		PASS
	Ant1	5270	2.36	≤8.82	7.53		PASS
	total	5270	5.23	≤8.82	13.41		PASS
	Ant0	5310	3.22	≤8.82	8.39		PASS
	Ant1	5310	2.87	≤8.82	8.04		PASS
	total	5310	6.06	≤8.82	14.24		PASS
	Ant0	5510	2.22	≤8.82	7.39		PASS
	Ant1	5510	3.23	≤8.82	8.4		PASS
	total	5510	5.76	≤8.82	13.94		PASS
	Ant0	5550	2.12	≤8.82	7.29		PASS
	Ant1	5550	2.84	≤8.82	8.01		PASS
11N40MIMO	total	5550	5.51	≤8.82	13.69		PASS
1 TIN4UIVIIIVIO	Ant0	5670	3.01	≤8.82	8.18		PASS
	Ant1	5670	3.73	≤8.82	8.9		PASS
	total	5670	6.40	≤8.82	14.58		PASS
	Ant0	5710_UNII- 2C	2.61	≤8.82	7.78		PASS
	Ant1	5710_UNII- 2C	3.52	≤8.82	8.69		PASS
	total	5710_UNII- 2C	6.10	≤8.82	14.28		PASS
	Ant0	5710_UNII-3	-3.97	≤27.82	1.2		PASS
	Ant1	5710_UNII-3	-3.23	≤27.82	1.94		PASS
	total	5710_UNII-3	-0.57	≤27.82	7.61		PASS
	Ant0	5755	4.44	≤27.82	9.61		PASS
	Ant1	5755	4.37	≤27.82	9.54		PASS
11AC80MIMO	total	5755	7.42	≤27.82	15.6		PASS
	Ant0	5795	4.7	≤27.82	9.87		PASS
	Ant1	5795	4.93	≤27.82	10.1		PASS
	total	5795	7.83	≤27.82	16.01		PASS
	Ant0	5210	-3.47		1.7	≤10.00	PASS
	Ant1	5210	-3.59		1.58	≤10.00	PASS
	total	5210	-0.52		7.66	≤10.00	PASS
	Ant0	5290	-0.51	≤8.82	4.66		PASS
	Ant1	5290	-0.47	≤8.82	4.7		PASS
	total	5290	2.52	≤8.82	10.7		PASS
	Ant0	5530	-1.33	≤8.82	3.84		PASS
	Ant1	5530 5530	-0.88 1.01	≤8.82 <9.92	4.29		PASS
	total	5530	1.91	≤8.82	10.09		PASS



	1 4 10	5040	4.04	10.00	0.00		D400
	Ant0	5610	-1.81	≤8.82	3.36		PASS
	Ant1	5610	-1.81	≤8.82	3.36		PASS
	total	5610	1.20	≤8.82	9.38		PASS
	Ant0	5690_UNII- 2C	-0.83	≤8.82	4.34		PASS
	Ant1	5690_UNII- 2C	0.21	≤8.82	5.38		PASS
	total	5690_UNII- 2C	2.73	≤8.82	10.91		PASS
	Ant0	5690 UNII-3	-7.5	≤27.82	-2.33		PASS
	Ant1	5690 UNII-3	-6.28	≤27.82	-1.11		PASS
	total	5690 UNII-3	-3.84	≤27.82	4.34		PASS
	Ant0	5775	-0.77	≤27.82	4.4		PASS
	Ant1	5775	-0.47	≤27.82	4.7		PASS
	total	5775	2.39	≤27.82	10.57		PASS
	Ant0	5180	-2.25		2.92	≤10.00	PASS
	Ant1	5180	-1.4		3.77	≤10.00	PASS
	total	5180	1.21		9.39	≤10.00	PASS
	Ant0	5200	-2.37		2.8	≤10.00 ≤10.00	PASS
	Ant1	5200	-1.6		3.57	≤10.00 ≤10.00	PASS
	total	5200	1.04		9.22	≤10.00 ≤10.00	PASS
	Ant0	5240	-1.88		3.29	≤10.00	PASS
	Ant1	5240	-1.77		3.4	≤10.00	PASS
	total	5240	1.19		9.37	≤10.00	PASS
	Ant0	5260	4.69	≤8.82	9.86		PASS
	Ant1	5260	5.04	≤8.82	10.21		PASS
	total	5260	7.88	≤8.82	16.06		PASS
	Ant0	5280	4.64	≤8.82	9.81		PASS
	Ant1	5280	4.69	≤8.82	9.86		PASS
	total	5280	7.68	≤8.82	15.86		PASS
	Ant0	5320	5.22	≤8.82	10.39		PASS
	Ant1	5320	4.52	≤8.82	9.69		PASS
	total	5320	7.89	≤8.82	16.07		PASS
	Ant0	5500	4.24	≤8.82	9.41		PASS
	Ant1	5500	5.37	≤8.82	10.54		PASS
	total	5500	7.85	≤8.82	16.03		PASS
	Ant0	5580	5.4	≤8.82	10.57		PASS
11AX20MIMO	Ant1	5580	5.06	≤8.82	10.23		PASS
	total	5580	8.24	≤8.82	16.42		PASS
	Ant0	5700	5.04	≤8.82	10.21		PASS
	Ant1	5700	5.11	≤8.82	10.28		PASS
	total	5700	8.09	≤8.82	16.27		PASS
	Ant0	5720_UNII- 2C	4.52	≤8.82	9.69		PASS
	Ant1	5720_UNII- 2C	4.82	≤8.82	9.99		PASS
	total	5720_UNII- 2C	7.68	≤8.82	15.86		PASS
	Ant0	5720 UNII-3	0.62	≤27.82	5.79		PASS
	Ant1	5720 UNII-3	0.68	<u>=27.82</u> ≤27.82	5.85		PASS
	total	5720_UNII-3	3.66	≤27.82	11.84		PASS
	Ant0	5745	3.48	≤27.82	8.65		PASS
	Ant1	5745	3.54	≤27.82	8.71		PASS
	total	5745	6.52	≤27.82	14.7		PASS
	Ant0	5785	3.07	≤27.82	8.24		PASS
	Ant1	5785	3.72	≤27.82	8.89		PASS
		5785		≥27.82 ≤27.82	14.6		PASS
	total		6.42				
	Ant0	5825 5825	2.34	≤27.82	7.51		PASS
	Ant1	5825	2.71	≤27.82	7.88		PASS
	total	5825	5.54	≤27.82	13.72	<10.00	PASS
4440440440	Ant0	5190	-2.05		3.12	≤10.00	PASS
11AX40MIMO	Ant1	5190	-1.42		3.75	≤10.00	PASS
	total	5190	1.29		9.47	≤10.00	PASS




	Ant0	5230	-2.57		2.6	≤10.00	PASS
	Ant1	5230	-1.79		3.38	≤10.00	PASS
	total	5230	0.85		9.03	≤10.00	PASS
	Ant0	5270	1.47	≤8.82	6.64		PASS
	Ant1	5270	1.99	≤8.82	7.16		PASS
	total	5270	4.75	≤8.82	12.93		PASS
	Ant0	5310	2.28	≤8.82	7.45		PASS
	Ant1	5310	2.7	≤8.82	7.87		PASS
	total	5310	5.51	≤8.82	13.69		PASS
	Ant0	5510	1.57	≤8.82	6.74		PASS
	Ant1	5510	2.46	≤8.82	7.63		PASS
	total	5510	5.05	≤8.82	13.23		PASS
	Ant0	5550	1 50	≤8.82	6.17		PASS
	Ant1	5550	1.56	≤8.82	6.73		PASS
	total	5550	4.30	≤8.82	12.48		PASS
	Ant0	5670	1.65	≤8.82	6.82		PASS PASS
	Ant1 total	5670 5670	2.69 5.21	≤8.82	7.86 13.39		PASS
	เบเลเ	5710 UNII-	3.21	≤8.82	13.39		PASS
	Ant0	2C	2.69	≤8.82	7.86		PASS
	Ant1	5710_UNII- 2C	1.78	≤8.82	6.95		PASS
	total	5710_UNII- 2C	5.27	≤8.82	13.45		PASS
	Ant0	5710_UNII-3	-4.48	≤27.82	0.69		PASS
	Ant1	5710_UNII-3	-3.5	≤27.82	1.67		PASS
	total	5710_UNII-3	-0.95	≤27.82	7.23		PASS
	Ant0	5755	0.52	≤27.82	5.69		PASS
	Ant1	5755	0.99	≤27.82	6.16		PASS
	total	5755	3.77	≤27.82	11.95		PASS
	Ant0	5795	0.78	≤27.82	5.95		PASS
	Ant1	5795	1.48	≤27.82	6.65		PASS
	total	5795	4.15	≤27.82	12.33		PASS
	Ant0	5210	-3.51		1.66	≤10.00	PASS
	Ant1	5210	-3.27		1.9	≤10.00	PASS
	total	5210	-0.38		7.8	≤10.00	PASS
	Ant0	5290	0.01	≤8.82	5.18		PASS
	Ant1	5290	-0.41	≤8.82	4.76		PASS
	total	5290	2.82	≤8.82	11		PASS PASS
	Ant0	5530	-1.31	≤8.82	3.86		
	Ant1	5530	-0.07	≤8.82	5.1		PASS
	total Ant0	5530 5610	2.36 -1.6	≤8.82 ≤8.82	10.54 3.57		PASS PASS
							PASS
11AX80MIMO	Ant1	5610 5610	-1.04 1.70	≤8.82 ≤8.82	4.13 9.88		PASS
	total Ant0	5690_UNII- 2C	-0.99	≤8.82	4.18		PASS
	Ant1	5690_UNII- 2C	0.09	≤8.82	5.26		PASS
	total	5690_UNII- 2C	2.59	≤8.82	10.77		PASS
	Ant0	5690_UNII-3	-7.37	≤27.82	-2.2		PASS
	Ant1	5690_UNII-3	-6.52	≤27.82	-1.35		PASS
	total	5690_UNII-3	-3.91	≤27.82	4.27		PASS
	Ant0	5775	-1.84	≤27.82	3.33		PASS
	Ant1	5775	-1.73	≤27.82	3.44		PASS
	total	5775	1.23	≤27.82	9.41		PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2. The Duty Cycle Factor and RBW Factor is compensated in the graph.




11.9.4. Test Graphs for ISED

































































































































































































































































REPORT NO.: 4790862042.1-1-RF-4 Page 821 of 950

11.10. APPENDIX E2: MAXIMUM POWER SPECTRAL DENSITY FOR SINGLE PARTIAL RU

11.10.1. Test Result for FCC

Test Mode	Antenna	Channel	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
Wode	Ant0	5180	26Tone	RU0	4.8	≤8.82	PASS
	Ant1	5180	26Tone	RU0	5.28	≤8.82	PASS
	total	5180	26Tone	RU0	8.06	≤8.82	PASS
	totai	3100	26Tone	RU4	4.43	≤8.82	PASS
	Ant0	5200	52Tone	RU37	4.45	≤8.82	PASS
	Anto	5200	106Tone	RU53	4.95 5	≤8.82	PASS
				RU4	4.56	≤8.82	PASS
	A := 4.1	5200	26Tone	RU37			
	Ant1		52Tone		5.49	≤8.82	PASS
			106Tone	RU53	5.48	≤8.82	PASS
		5000	26Tone	RU4	7.51	≤8.82	PASS
	total	5200	52Tone	RU37	8.24	≤8.82	PASS
			106Tone	RU53	8.26	≤8.82	PASS
	Ant0	5240	26Tone	RU8	4.96	≤8.82	PASS
	Ant1	5240	26Tone	RU8	4.92	≤8.82	PASS
	total	5240	26Tone	RU8	7.95	≤8.82	PASS
	Ant0	5260	26Tone	RU0	5.25	≤8.82	PASS
	Ant1	5260	26Tone	RU0	5.47	≤8.82	PASS
	total	5260	26Tone	RU0	8.37	≤8.82	PASS
			26Tone	RU4	4.78	≤8.82	PASS
	Ant0	5280	52Tone	RU37	4.92	≤8.82	PASS
			106Tone	RU53	5.03	≤8.82	PASS
			26Tone	RU4	4.31	≤8.82	PASS
	Ant1	5280	52Tone	RU37	4.77	≤8.82	PASS
			106Tone	RU53	4.86	≤8.82	PASS
			26Tone	RU4	7.56	≤8.82	PASS
	total	5280	52Tone	RU37	7.86	≤8.82	PASS
		0200	106Tone	RU53	7.96	≤8.82	PASS
	Ant0	5320	26Tone	RU8	5.83	≤8.82	PASS
11AX20MIMO	Ant1	5320	26Tone	RU8	5.2	≤8.82	PASS
	total	5320	26Tone	RU8	8.54	≤8.82	PASS
	Ant0	5500	26Tone	RU0	4.81	≤8.82	PASS
	Ant1	5500	26Tone	RU0	5.82	≤8.82	PASS
	total	5500	26Tone	RU0	8.35	≤8.82	PASS
	เบเลเ	3300	26Tone	RU4	3.75	≤8.82	PASS
	Ant0	5580 5580	52Tone	RU37	5.45	≤8.82	PASS
	Anto		106Tone	RU53	5.15	≤8.82	PASS
							PASS
	Ant1		26Tone	RU4	4.08	≤8.82	
			52Tone	RU37	5.23	≤8.82	PASS
			106Tone	RU53	5.7	≤8.82	PASS
		5580	26Tone	RU4	6.93	≤8.82	PASS
	total		52Tone	RU37	8.35	≤8.82	PASS
			106Tone	RU53	8.44	≤8.82	PASS
	Ant0	5700	26Tone	RU8	5.45	≤8.82	PASS
	Ant1	5700	26Tone	RU8	5.29	≤8.82	PASS
	total	5700	26Tone	RU8	8.38	≤8.82	PASS
	Ant0	5745	26Tone	RU0	8.71	≤27.82	PASS
	Ant1	5745	26Tone	RU0	8.82	≤27.82	PASS
	total	5745	26Tone	RU0	11.78	≤27.82	PASS
	Ant0	5785	26Tone	RU4	8.2	≤27.82	PASS
			52Tone	RU37	6.64	≤27.82	PASS
			106Tone	RU53	4.86	≤27.82	PASS
	Ant1	5785	26Tone	RU4	8.15	≤27.82	PASS
			52Tone	RU37	6.8	≤27.82	PASS
			106Tone	RU53	4.91	≤27.82	PASS
	4-1-1	5705	26Tone	RU4	11.19	≤27.82	PASS
	total	5785	52Tone	RU37	9.73	≤27.82	PASS
	<u>l</u>	_1				·· ·-	



			106Tone	RU53	7.90	≤27.82	PASS
	Ant0	5825	26Tone	RU8	8.01	≤27.82	PASS
	Ant1	5825	26Tone	RU8	8.32	≤27.82	PASS
	total	5825	26Tone	RU8	11.18	≤27.82	PASS
	total	0020		RU0	4.58	≤8.82	PASS
			26Tone	RU8	4.61	≤8.82	PASS
	Ant0	5190	52Tone	RU37	4.46	≤8.82	PASS
	Aiito	3130	106Tone	RU53	4.67	≤8.82	PASS
			242Tone	RU61	2.99	≤8.82	PASS
			242 TOTIE				
			26Tone	RU0	5.37	≤8.82	PASS
	A 14	5400	FOT	RU8	5.85	≤8.82	PASS
	Ant1	5190	52Tone	RU37	5.42	≤8.82	PASS
			106Tone	RU53	4.98	≤8.82	PASS
			242Tone	RU61	2.74	≤8.82	PASS
			26Tone	RU0	8.00	≤8.82	PASS
				RU8	8.28	≤8.82	PASS
	total	5190	52Tone	RU37	7.98	≤8.82	PASS
			106Tone	RU53	7.84	≤8.82	PASS
			242Tone	RU61	5.88	≤8.82	PASS
	Ant0	5230	26Tone	RU17	4.78	≤8.82	PASS
	Ant1	5230	26Tone	RU17	5.26	≤8.82	PASS
	total	5230	26Tone	RU17	8.04	≤8.82	PASS
		3_30		RU0	4.67	≤8.82	PASS
			26Tone	RU8	5.05	≤8.82	PASS
	Ant0	5270	52Tone	RU37	4.96	≤8.82	PASS
	Anto	3210	106Tone	RU53		≤8.82	PASS
					4.23		
			242Tone	RU61	2.12	≤8.82	PASS
	Ant1		26Tone	RU0	5.1	≤8.82	PASS
		5070	507	RU8	5.04	≤8.82	PASS
		5270	52Tone	RU37	5.05	≤8.82	PASS
			106Tone	RU53	4.49	≤8.82	PASS
			242Tone	RU61	2.5	≤8.82	PASS
			26Tone	RU0	7.90	≤8.82	PASS
11AX40MIMO	total	5270		RU8	8.06	≤8.82	PASS
			52Tone	RU37	8.02	≤8.82	PASS
			106Tone	RU53	7.37	≤8.82	PASS
			242Tone	RU61	5.32	≤8.82	PASS
	Ant0	5310	26Tone	RU17	5.27	≤8.82	PASS
	Ant1	5310	26Tone	RU17	4.86	≤8.82	PASS
	total	5310	26Tone	RU17	8.08	≤8.82	PASS
	Ant0	5510	26Tone	RU0	4.43	≤8.82	PASS
	Ant1	5510	26Tone	RU0	5.9	≤8.82	PASS
	total	5510	26Tone	RU0	8.24	≤8.82	PASS
	Ant0	5550	26Tone	RU8	4.44	≤8.82	PASS
			52Tone	RU37	4.57	≤8.82	PASS
			106Tone	RU53	4.63	≤8.82	PASS
			242Tone	RU61	1.7	≤8.82	PASS
			26Tone	RU8	5.34	≤8.82	PASS
			52Tone	RU37	5.47	≤8.82	PASS
	Ant1	5550	106Tone	RU53	5.33	≤8.82	PASS
				RU53			
			242Tone		2.5	≤8.82	PASS
			26Tone	RU8	7.92	≤8.82	PASS
	total	5550	52Tone	RU37	8.05	≤8.82	PASS
		2300	106Tone	RU53	8.00	≤8.82	PASS
	_	_	242Tone	RU61	5.13	≤8.82	PASS
	Ant0	5670	26Tone	RU0	4.71	≤8.82	PASS
	Ant1	5670	26Tone	RU0	5.53	≤8.82	PASS
	total	5670	26Tone	RU0	8.15	≤8.82	PASS
			26Topo	RU0	8.33	≤27.82	PASS
	Ant0	5755	26Tone	RU8	8.58	≤27.82	PASS
			52Tone	RU37	6.11	≤27.82	PASS
			106Tone	RU53	4.43	≤27.82	PASS
			242Tone	RU61	1.34	≤27.82	PASS
<u> </u>			-		-		



			007	RU0	8.42	≤27.82	PASS
			26Tone	RU8	9.12	≤27.82	PASS
	Ant1	5755	52Tone	RU37	6.58	≤27.82	PASS
			106Tone	RU53	4.89	≤27.82	PASS
			242Tone	RU61	1.94	≤27.82	PASS
				RU0	11.39	≤27.82	PASS
			26Tone	RU8	11.87	≤27.82	PASS
	total	5755	52Tone	RU37	9.36	≤27.82	PASS
	เบเลเ	3733					
			106Tone	RU53	7.68	≤27.82	PASS
	•		242Tone	RU61	4.66	≤27.82	PASS
	Ant0	5795	26Tone	RU17	7.78	≤27.82	PASS
	Ant1	5795	26Tone	RU17	9.05	≤27.82	PASS
	total	5795	26Tone	RU17	11.47	≤27.82	PASS
				RU0	4.31	≤8.82	PASS
			26Tone	RU17	4.83	≤8.82	PASS
				RU36	4.9	≤8.82	PASS
	Ant0	5210	52Tone	RU37	4.44	≤8.82	PASS
			106Tone	RU53	4.63	≤8.82	PASS
			242Tone	RU61	2.72	≤8.82	PASS
			484Tone	RU65	0.27	≤8.82	PASS
			10 11 0110	RU0	5.69	≤8.82	PASS
			26Tone	RU17	4.83	≤8.82	PASS
			2010116	RU36	5.08	≤8.82	PASS
	A n+1	E040	52Tone	RU36	5.08	≤8.82 ≤8.82	PASS
	Ant1	5210					
			106Tone	RU53	5.31	≤8.82	PASS
			242Tone	RU61	2.68	≤8.82	PASS
			484Tone	RU65	0.52	≤8.82	PASS
				RU0	8.06	≤8.82	PASS
	total	5210	26Tone	RU17	7.84	≤8.82	PASS
				RU36	8.00	≤8.82	PASS
			52Tone	RU37	7.95	≤8.82	PASS
			106Tone	RU53	7.99	≤8.82	PASS
			242Tone	RU61	5.71	≤8.82	PASS
			484Tone	RU65	3.41	≤8.82	PASS
			26Tone	RU0	4.99	≤8.82	PASS
	Ant0			RU17	5.1	≤8.82	PASS
				RU36	4.85	≤8.82	PASS
		5290	52Tone	RU37	5.18	≤8.82	PASS
11AX80MIMO	71110	0250	106Tone	RU53	4.79	≤8.82	PASS
			242Tone	RU61	2.11	≤8.82	PASS
			484Tone	RU65	-0.27	≤8.82	PASS
	Ant1	5290	007	RU0	4.9	≤8.82	PASS
			26Tone	RU17	4.99	≤8.82	PASS
				RU36	4.74	≤8.82	PASS
			52Tone	RU37	4.46	≤8.82	PASS
			106Tone	RU53	4.8	≤8.82	PASS
			242Tone	RU61	1.89	≤8.82	PASS
			484Tone	RU65	0.11	≤8.82	PASS
				RU0	7.96	≤8.82	PASS
			26Tone	RU17	8.06	≤8.82	PASS
				RU36	7.81	≤8.82	PASS
	total	5290	52Tone	RU37	7.85	≤8.82	PASS
	totai	0200	106Tone	RU53	7.81	≤8.82	PASS
			242Tone	RU61	5.01	≤8.82	PASS
			484Tone	RU65	2.93	≤8.82	PASS
	Ant0	5530	70710116	RU0	4.31	≤8.82	PASS
			26Tone	RU17	4.42		PASS
			Zorone			≤8.82	
			FOT	RU36	4.63	≤8.82	PASS
			52Tone	RU37	4.43	≤8.82	PASS
			106Tone	RU53	4.15	≤8.82	PASS
			242Tone	RU61	0.79	≤8.82	PASS
		I	484Tone	RU65	-1.5	≤8.82	PASS
	Ant1	5530	26Tone	RU0	5.61	≤8.82	PASS



			1	DUIT	F 70	40.00	DAGG
				RU17	5.78	≤8.82	PASS
				RU36	5.88	≤8.82	PASS
			52Tone	RU37	5.11	≤8.82	PASS
			106Tone	RU53	5.13	≤8.82	PASS
			242Tone	RU61	1.57	≤8.82	PASS
			484Tone	RU65	-0.33	≤8.82	PASS
				RU0	8.02	≤8.82	PASS
			26Tone	RU17	8.16	≤8.82	PASS
				RU36	8.31	≤8.82	PASS
	total	5530	52Tone	RU37	7.79	≤8.82	PASS
			106Tone	RU53	7.68	≤8.82	PASS
			242Tone	RU61	4.21	≤8.82	PASS
			484Tone	RU65	2.13	≤8.82	PASS
	Ant0	5610	26Tone	RU36	5.51	≤8.82	PASS
	Ant1	5610	26Tone	RU36	4.57	≤8.82	PASS
	total	5610	26Tone	RU36	8.08	≤8.82	PASS
	Ant0	5775	26Tone	RU0	7.03	≤27.82	PASS
				RU17	6.82	≤27.82	PASS
				RU36	6.03	≤27.82	PASS
			52Tone	RU37	4.9	≤27.82	PASS
			106Tone	RU53	2.91	≤27.82	PASS
			242Tone	RU61	0.33	≤27.82	PASS
			484Tone	RU65	-1.64	≤27.82	PASS
			26Tone	RU0	7.03	≤27.82	PASS
				RU17	7.36	≤27.82	PASS
				RU36	6.75	≤27.82	PASS
	Ant1	5775	52Tone	RU37	5.39	≤27.82	PASS
			106Tone	RU53	3.42	≤27.82	PASS
			242Tone	RU61	0.8	≤27.82	PASS
			484Tone	RU65	-1.4	≤27.82	PASS
				RU0	10.04	≤27.82	PASS
			26Tone	RU17	10.11	≤27.82	PASS
				RU36	9.42	≤27.82	PASS
	total	5775	52Tone	RU37	8.16	≤27.82	PASS
			106Tone	RU53	6.18	≤27.82	PASS
			242Tone	RU61	3.58	≤27.82	PASS
			484Tone	RU65	1.49	≤27.82	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz. 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.



11.10.2. Test Graphs for FCC

