



|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5180     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9563.000        | 37.46          | 10.79          | 48.25           | 74.00          | -25.75      | peak   |
| 2*  | 10355.000       | 53.93          | 12.52          | 66.45           | 68.20          | -1.75       | peak   |
| 3   | 11400.000       | 34.12          | 16.36          | 50.48           | 74.00          | -23.52      | peak   |
| 4   | 11730.000       | 33.10          | 17.19          | 50.29           | 74.00          | -23.71      | peak   |
| 5   | 13875.000       | 27.74          | 21.57          | 49.31           | 74.00          | -24.69      | peak   |
| 6   | 17989.000       | 24.22          | 26.04          | 50.26           | 74.00          | -23.74      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5200     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7011.000        | 39.85          | 7.04           | 46.89           | 74.00          | -27.11      | peak   |
| 2   | 9189.000        | 37.91          | 10.46          | 48.37           | 74.00          | -25.63      | peak   |
| 3*  | 10399.000       | 47.41          | 12.61          | 60.02           | 68.20          | -8.18       | peak   |
| 4   | 11697.000       | 33.20          | 17.13          | 50.33           | 74.00          | -23.67      | peak   |
| 5   | 13919.000       | 28.35          | 21.68          | 50.03           | 74.00          | -23.97      | peak   |
| 6   | 17967.000       | 25.03          | 25.89          | 50.92           | 74.00          | -23.08      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5200     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 38.22          | 10.51          | 48.73           | 74.00          | -25.27      | peak   |
| 2*  | 10399.000       | 52.52          | 12.61          | 65.13           | 68.20          | -3.07       | peak   |
| 3   | 11433.000       | 33.89          | 16.50          | 50.39           | 74.00          | -23.61      | peak   |
| 4   | 11752.000       | 33.22          | 17.24          | 50.46           | 74.00          | -23.54      | peak   |
| 5   | 13600.000       | 28.42          | 20.89          | 49.31           | 74.00          | -24.69      | peak   |
| 6   | 18000.000       | 24.87          | 26.12          | 50.99           | 74.00          | -23.01      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5240     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.35          | 10.50          | 47.85           | 74.00          | -26.15      | peak   |
| 2*  | 10487.000       | 46.25          | 12.79          | 59.04           | 68.20          | -9.16       | peak   |
| 3   | 11686.000       | 33.03          | 17.12          | 50.15           | 74.00          | -23.85      | peak   |
| 4   | 13050.000       | 30.60          | 18.66          | 49.26           | 74.00          | -24.74      | peak   |
| 5   | 13875.000       | 27.77          | 21.57          | 49.34           | 74.00          | -24.66      | peak   |
| 6   | 17945.000       | 24.28          | 25.75          | 50.03           | 74.00          | -23.97      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5240     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7066.000        | 39.68          | 7.02           | 46.70           | 74.00          | -27.30      | peak   |
| 2   | 9211.000        | 37.41          | 10.47          | 47.88           | 74.00          | -26.12      | peak   |
| 3*  | 10476.000       | 49.61          | 12.77          | 62.38           | 68.20          | -5.82       | peak   |
| 4   | 11411.000       | 33.73          | 16.41          | 50.14           | 74.00          | -23.86      | peak   |
| 5   | 13930.000       | 28.54          | 21.71          | 50.25           | 74.00          | -23.75      | peak   |
| 6   | 17769.000       | 25.67          | 24.53          | 50.20           | 74.00          | -23.80      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5260     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.83          | 10.51          | 48.34           | 74.00          | -25.66      | peak   |
| 2*  | 10520.000       | 46.88          | 12.90          | 59.78           | 68.20          | -8.42       | peak   |
| 3   | 11697.000       | 33.38          | 17.13          | 50.51           | 74.00          | -23.49      | peak   |
| 4   | 12687.000       | 31.86          | 18.05          | 49.91           | 74.00          | -24.09      | peak   |
| 5   | 13919.000       | 28.45          | 21.68          | 50.13           | 74.00          | -23.87      | peak   |
| 6   | 17813.000       | 25.22          | 24.84          | 50.06           | 74.00          | -23.94      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5260     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.69          | 10.41          | 48.10           | 74.00          | -25.90      | peak   |
| 2*  | 10509.000       | 48.34          | 12.85          | 61.19           | 68.20          | -7.01       | peak   |
| 3   | 10927.000       | 35.37          | 14.45          | 49.82           | 74.00          | -24.18      | peak   |
| 4   | 11730.000       | 32.62          | 17.19          | 49.81           | 74.00          | -24.19      | peak   |
| 5   | 13809.000       | 28.49          | 21.41          | 49.90           | 74.00          | -24.10      | peak   |
| 6   | 17989.000       | 24.57          | 26.04          | 50.61           | 74.00          | -23.39      | peak   |


|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5280     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9354.000        | 37.61          | 10.56          | 48.17           | 74.00          | -25.83      | peak   |
| 2*  | 10564.000       | 47.66          | 13.06          | 60.72           | 68.20          | -7.48       | peak   |
| 3   | 11752.000       | 33.20          | 17.24          | 50.44           | 74.00          | -23.56      | peak   |
| 4   | 12687.000       | 31.90          | 18.05          | 49.95           | 74.00          | -24.05      | peak   |
| 5   | 13864.000       | 28.58          | 21.53          | 50.11           | 74.00          | -23.89      | peak   |
| 6   | 17923.000       | 24.66          | 25.60          | 50.26           | 74.00          | -23.74      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5280     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7022.000        | 40.19          | 7.05           | 47.24           | 74.00          | -26.76      | peak   |
| 2   | 9365.000        | 37.19          | 10.57          | 47.76           | 74.00          | -26.24      | peak   |
| 3*  | 10564.000       | 52.30          | 13.06          | 65.36           | 68.20          | -2.84       | peak   |
| 4   | 11532.000       | 33.21          | 16.83          | 50.04           | 74.00          | -23.96      | peak   |
| 5   | 13919.000       | 28.60          | 21.68          | 50.28           | 74.00          | -23.72      | peak   |
| 6   | 17978.000       | 24.53          | 25.97          | 50.50           | 74.00          | -23.50      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5320     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.10          | 10.46          | 47.56           | 74.00          | -26.44      | peak   |
| 2   | 10652.000       | 47.94          | 13.40          | 61.34           | 74.00          | -12.66      | peak   |
| 3   | 10652.000       | 35.42          | 13.40          | 48.82           | 54.00          | -5.18       | AVG    |
| 4   | 11521.000       | 33.81          | 16.82          | 50.63           | 74.00          | -23.37      | peak   |
| 5   | 13061.000       | 30.71          | 18.71          | 49.42           | 74.00          | -24.58      | peak   |
| 6   | 13930.000       | 27.67          | 21.71          | 49.38           | 74.00          | -24.62      | peak   |
| 7   | 18000.000       | 24.71          | 26.12          | 50.83           | 74.00          | -23.17      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5320     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9178.000        | 37.82          | 10.45          | 48.27           | 74.00          | -25.73      | peak   |
| 2   | 10641.000       | 50.20          | 13.36          | 63.56           | 74.00          | -10.44      | peak   |
| 3   | 10641.000       | 39.15          | 13.36          | 52.51           | 54.00          | -1.49       | AVG    |
| 4   | 11708.000       | 33.37          | 17.16          | 50.53           | 74.00          | -23.47      | peak   |
| 5   | 12698.000       | 31.55          | 18.08          | 49.63           | 74.00          | -24.37      | peak   |
| 6   | 13853.000       | 28.52          | 21.52          | 50.04           | 74.00          | -23.96      | peak   |
| 7   | 17912.000       | 24.68          | 25.52          | 50.20           | 74.00          | -23.80      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5500     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9365.000        | 37.39          | 10.57          | 47.96           | 74.00          | -26.04      | peak   |
| 2   | 10553.000       | 37.20          | 13.02          | 50.22           | 74.00          | -23.78      | peak   |
| 3   | 10993.000       | 39.82          | 14.70          | 54.52           | 74.00          | -19.48      | peak   |
| 4   | 10993.000       | 29.89          | 14.70          | 44.59           | 54.00          | -9.41       | AVG    |
| 5   | 11807.000       | 32.96          | 17.34          | 50.30           | 74.00          | -23.70      | peak   |
| 6   | 13864.000       | 28.14          | 21.53          | 49.67           | 74.00          | -24.33      | peak   |
| 7   | 17923.000       | 24.63          | 25.60          | 50.23           | 74.00          | -23.77      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5500     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.37          | 10.50          | 47.87           | 74.00          | -26.13      | peak   |
| 2   | 11004.000       | 42.21          | 14.74          | 56.95           | 74.00          | -17.05      | peak   |
| 3   | 11004.000       | 32.49          | 14.74          | 47.23           | 54.00          | -6.77       | AVG    |
| 4   | 11873.000       | 32.10          | 17.46          | 49.56           | 74.00          | -24.44      | peak   |
| 5   | 12687.000       | 31.25          | 18.05          | 49.30           | 74.00          | -24.70      | peak   |
| 6   | 13941.000       | 27.39          | 21.73          | 49.12           | 74.00          | -24.88      | peak   |
| 7   | 17945.000       | 24.14          | 25.75          | 49.89           | 74.00          | -24.11      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5580     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 36.37          | 10.55          | 46.92           | 74.00          | -27.08      | peak   |
| 2   | 10487.000       | 36.09          | 12.79          | 48.88           | 74.00          | -25.12      | peak   |
| 3   | 11147.000       | 41.36          | 15.32          | 56.68           | 74.00          | -17.32      | peak   |
| 4   | 11147.000       | 30.57          | 15.32          | 45.89           | 54.00          | -8.11       | AVG    |
| 5   | 11708.000       | 33.72          | 17.16          | 50.88           | 74.00          | -23.12      | peak   |
| 6   | 12643.000       | 31.40          | 18.01          | 49.41           | 74.00          | -24.59      | peak   |
| 7   | 17989.000       | 24.68          | 26.04          | 50.72           | 74.00          | -23.28      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5580     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 37.95          | 10.49          | 48.44           | 74.00          | -25.56      | peak   |
| 2   | 10366.000       | 36.90          | 12.54          | 49.44           | 74.00          | -24.56      | peak   |
| 3   | 11158.000       | 46.13          | 15.37          | 61.50           | 74.00          | -12.50      | peak   |
| 4   | 11158.000       | 36.30          | 15.37          | 51.67           | 54.00          | -2.33       | AVG    |
| 5   | 11730.000       | 33.50          | 17.19          | 50.69           | 74.00          | -23.31      | peak   |
| 6   | 13875.000       | 28.86          | 21.57          | 50.43           | 74.00          | -23.57      | peak   |
| 7   | 17945.000       | 24.37          | 25.75          | 50.12           | 74.00          | -23.88      | peak   |


|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5700     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 38.25          | 10.51          | 48.76           | 74.00          | -25.24      | peak   |
| 2   | 10520.000       | 36.42          | 12.90          | 49.32           | 74.00          | -24.68      | peak   |
| 3   | 11411.000       | 33.27          | 16.41          | 49.68           | 74.00          | -24.32      | peak   |
| 4   | 13930.000       | 28.46          | 21.71          | 50.17           | 74.00          | -23.83      | peak   |
| 5   | 14436.000       | 29.72          | 20.05          | 49.77           | 74.00          | -24.23      | peak   |
| 6   | 18000.000       | 24.42          | 26.12          | 50.54           | 74.00          | -23.46      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5700     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9178.000        | 38.82          | 10.45          | 49.27           | 74.00          | -24.73      | peak   |
| 2   | 10399.000       | 36.86          | 12.61          | 49.47           | 74.00          | -24.53      | peak   |
| 3   | 11400.000       | 38.08          | 16.36          | 54.44           | 74.00          | -19.56      | peak   |
| 4   | 11400.000       | 29.76          | 16.36          | 46.12           | 54.00          | -7.88       | AVG    |
| 5   | 11763.000       | 33.22          | 17.26          | 50.48           | 74.00          | -23.52      | peak   |
| 6   | 13600.000       | 28.27          | 20.89          | 49.16           | 74.00          | -24.84      | peak   |
| 7   | 17934.000       | 24.30          | 25.67          | 49.97           | 74.00          | -24.03      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5720     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 37.70          | 10.46          | 48.16           | 74.00          | -25.84      | peak   |
| 2   | 10498.000       | 36.84          | 12.82          | 49.66           | 74.00          | -24.34      | peak   |
| 3   | 11862.000       | 33.32          | 17.45          | 50.77           | 74.00          | -23.23      | peak   |
| 4   | 12951.000       | 32.36          | 18.38          | 50.74           | 74.00          | -23.26      | peak   |
| 5   | 13864.000       | 29.15          | 21.53          | 50.68           | 74.00          | -23.32      | peak   |
| 6   | 17989.000       | 24.72          | 26.04          | 50.76           | 74.00          | -23.24      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5720     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9277.000        | 37.14          | 10.51          | 47.65           | 74.00          | -26.35      | peak   |
| 2   | 10157.000       | 37.35          | 12.10          | 49.45           | 74.00          | -24.55      | peak   |
| 3   | 11444.000       | 41.78          | 16.53          | 58.31           | 74.00          | -15.69      | peak   |
| 4   | 11444.000       | 31.04          | 16.53          | 47.57           | 54.00          | -6.43       | AVG    |
| 5   | 12511.000       | 32.58          | 17.84          | 50.42           | 74.00          | -23.58      | peak   |
| 6   | 13908.000       | 28.70          | 21.66          | 50.36           | 74.00          | -23.64      | peak   |
| 7   | 17912.000       | 24.84          | 25.52          | 50.36           | 74.00          | -23.64      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5745     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 37.73          | 10.46          | 48.19           | 74.00          | -25.81      | peak   |
| 2   | 10179.000       | 36.42          | 12.14          | 48.56           | 74.00          | -25.44      | peak   |
| 3   | 11422.000       | 32.90          | 16.46          | 49.36           | 74.00          | -24.64      | peak   |
| 4   | 12544.000       | 31.47          | 17.88          | 49.35           | 74.00          | -24.65      | peak   |
| 5   | 13820.000       | 28.04          | 21.43          | 49.47           | 74.00          | -24.53      | peak   |
| 6   | 18000.000       | 23.90          | 26.12          | 50.02           | 74.00          | -23.98      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5745     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 39.23          | 10.46          | 49.69           | 74.00          | -24.31      | peak   |
| 2   | 10509.000       | 36.63          | 12.85          | 49.48           | 74.00          | -24.52      | peak   |
| 3   | 11488.000       | 40.97          | 16.72          | 57.69           | 74.00          | -16.31      | peak   |
| 4   | 11488.000       | 31.13          | 16.72          | 47.85           | 54.00          | -6.15       | AVG    |
| 5   | 13028.000       | 31.78          | 18.57          | 50.35           | 74.00          | -23.65      | peak   |
| 6   | 17241.000       | 27.42          | 21.62          | 49.04           | 74.00          | -24.96      | peak   |
| 7   | 17989.000       | 24.44          | 26.04          | 50.48           | 74.00          | -23.52      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5785     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.98          | 10.51          | 48.49           | 74.00          | -25.51      | peak   |
| 2   | 10564.000       | 36.21          | 13.06          | 49.27           | 74.00          | -24.73      | peak   |
| 3   | 11565.000       | 35.78          | 16.89          | 52.67           | 74.00          | -21.33      | peak   |
| 4   | 11565.000       | 26.68          | 16.89          | 43.57           | 54.00          | -10.43      | AVG    |
| 5   | 12544.000       | 31.51          | 17.88          | 49.39           | 74.00          | -24.61      | peak   |
| 6   | 13919.000       | 27.76          | 21.68          | 49.44           | 74.00          | -24.56      | peak   |
| 7   | 18000.000       | 22.67          | 26.12          | 48.79           | 74.00          | -25.21      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5785     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 38.27          | 10.51          | 48.78           | 74.00          | -25.22      | peak   |
| 2   | 10421.000       | 36.57          | 12.66          | 49.23           | 74.00          | -24.77      | peak   |
| 3   | 11565.000       | 41.59          | 16.89          | 58.48           | 74.00          | -15.52      | peak   |
| 4   | 11565.000       | 32.92          | 16.89          | 49.81           | 54.00          | -4.19       | AVG    |
| 5   | 13435.000       | 30.40          | 20.35          | 50.75           | 74.00          | -23.25      | peak   |
| 6   | 13864.000       | 29.10          | 21.53          | 50.63           | 74.00          | -23.37      | peak   |
| 7   | 17912.000       | 24.94          | 25.52          | 50.46           | 74.00          | -23.54      | peak   |


|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5825     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.82          | 10.54          | 48.36           | 74.00          | -25.64      | peak   |
| 2   | 10509.000       | 36.72          | 12.85          | 49.57           | 74.00          | -24.43      | peak   |
| 3   | 11642.000       | 37.65          | 17.03          | 54.68           | 74.00          | -19.32      | peak   |
| 4   | 11642.000       | 28.58          | 17.03          | 45.61           | 54.00          | -8.39       | AVG    |
| 5   | 13039.000       | 31.14          | 18.62          | 49.76           | 74.00          | -24.24      | peak   |
| 6   | 13864.000       | 28.17          | 21.53          | 49.70           | 74.00          | -24.30      | peak   |
| 7   | 17912.000       | 24.86          | 25.52          | 50.38           | 74.00          | -23.62      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5825     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9365.000        | 37.33          | 10.57          | 47.90           | 74.00          | -26.10      | peak   |
| 2   | 10619.000       | 36.80          | 13.28          | 50.08           | 74.00          | -23.92      | peak   |
| 3   | 11653.000       | 42.93          | 17.05          | 59.98           | 74.00          | -14.02      | peak   |
| 4   | 11653.000       | 33.86          | 17.05          | 50.91           | 54.00          | -3.09       | AVG    |
| 5   | 13061.000       | 31.09          | 18.71          | 49.80           | 74.00          | -24.20      | peak   |
| 6   | 13864.000       | 28.61          | 21.53          | 50.14           | 74.00          | -23.86      | peak   |
| 7   | 17483.000       | 30.75          | 22.62          | 53.37           | 74.00          | -20.63      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5190     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.57          | 10.50          | 48.07           | 74.00          | -25.93      | peak   |
| 2*  | 10366.000       | 43.49          | 12.54          | 56.03           | 68.20          | -12.17      | peak   |
| 3   | 11213.000       | 34.39          | 15.59          | 49.98           | 74.00          | -24.02      | peak   |
| 4   | 13028.000       | 30.22          | 18.57          | 48.79           | 74.00          | -25.21      | peak   |
| 5   | 13919.000       | 27.25          | 21.68          | 48.93           | 74.00          | -25.07      | peak   |
| 6   | 17989.000       | 23.65          | 26.04          | 49.69           | 74.00          | -24.31      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5190     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9310.000        | 37.21          | 10.54          | 47.75           | 74.00          | -26.25      | peak   |
| 2*  | 10377.000       | 46.37          | 12.56          | 58.93           | 68.20          | -9.27       | peak   |
| 3   | 10927.000       | 35.77          | 14.45          | 50.22           | 74.00          | -23.78      | peak   |
| 4   | 12687.000       | 31.17          | 18.05          | 49.22           | 74.00          | -24.78      | peak   |
| 5   | 13875.000       | 27.85          | 21.57          | 49.42           | 74.00          | -24.58      | peak   |
| 6   | 17945.000       | 24.86          | 25.75          | 50.61           | 74.00          | -23.39      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5230     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7121.000        | 40.18          | 7.01           | 47.19           | 74.00          | -26.81      | peak   |
| 2   | 9299.000        | 37.29          | 10.53          | 47.82           | 74.00          | -26.18      | peak   |
| 3*  | 10454.000       | 42.70          | 12.73          | 55.43           | 68.20          | -12.77      | peak   |
| 4   | 11708.000       | 32.94          | 17.16          | 50.10           | 74.00          | -23.90      | peak   |
| 5   | 13886.000       | 28.25          | 21.60          | 49.85           | 74.00          | -24.15      | peak   |
| 6   | 17934.000       | 23.98          | 25.67          | 49.65           | 74.00          | -24.35      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5230     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 38.53          | 10.43          | 48.96           | 74.00          | -25.04      | peak   |
| 2*  | 10454.000       | 46.75          | 12.73          | 59.48           | 68.20          | -8.72       | peak   |
| 3   | 11686.000       | 32.92          | 17.12          | 50.04           | 74.00          | -23.96      | peak   |
| 4   | 13919.000       | 28.14          | 21.68          | 49.82           | 74.00          | -24.18      | peak   |
| 5   | 17648.000       | 26.44          | 23.72          | 50.16           | 74.00          | -23.84      | peak   |
| 6   | 18000.000       | 24.25          | 26.12          | 50.37           | 74.00          | -23.63      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5270     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9310.000        | 37.60          | 10.54          | 48.14           | 74.00          | -25.86      | peak   |
| 2*  | 10531.000       | 42.10          | 12.94          | 55.04           | 68.20          | -13.16      | peak   |
| 3   | 11708.000       | 33.30          | 17.16          | 50.46           | 74.00          | -23.54      | peak   |
| 4   | 13050.000       | 30.54          | 18.66          | 49.20           | 74.00          | -24.80      | peak   |
| 5   | 14436.000       | 28.66          | 20.05          | 48.71           | 74.00          | -25.29      | peak   |
| 6   | 17714.000       | 26.00          | 24.16          | 50.16           | 74.00          | -23.84      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5270     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 36.77          | 10.51          | 47.28           | 74.00          | -26.72      | peak   |
| 2*  | 10553.000       | 44.88          | 13.02          | 57.90           | 68.20          | -10.30      | peak   |
| 3   | 11510.000       | 33.74          | 16.79          | 50.53           | 74.00          | -23.47      | peak   |
| 4   | 12511.000       | 31.69          | 17.84          | 49.53           | 74.00          | -24.47      | peak   |
| 5   | 13930.000       | 28.19          | 21.71          | 49.90           | 74.00          | -24.10      | peak   |
| 6   | 17934.000       | 24.80          | 25.67          | 50.47           | 74.00          | -23.53      | peak   |


|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5310     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7022.000        | 39.87          | 7.05           | 46.92           | 74.00          | -27.08      | peak   |
| 2   | 9090.000        | 37.59          | 10.39          | 47.98           | 74.00          | -26.02      | peak   |
| 3   | 10619.000       | 43.28          | 13.28          | 56.56           | 74.00          | -17.44      | peak   |
| 4   | 10619.000       | 33.89          | 13.28          | 47.17           | 54.00          | -6.83       | AVG    |
| 5   | 11719.000       | 32.79          | 17.18          | 49.97           | 74.00          | -24.03      | peak   |
| 6   | 13886.000       | 27.37          | 21.60          | 48.97           | 74.00          | -25.03      | peak   |
| 7   | 17989.000       | 23.70          | 26.04          | 49.74           | 74.00          | -24.26      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5310     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9277.000        | 37.08          | 10.51          | 47.59           | 74.00          | -26.41      | peak   |
| 2   | 10619.000       | 47.21          | 13.28          | 60.49           | 74.00          | -13.51      | peak   |
| 3   | 10619.000       | 38.00          | 13.28          | 51.28           | 54.00          | -2.72       | AVG    |
| 4   | 11708.000       | 32.97          | 17.16          | 50.13           | 74.00          | -23.87      | peak   |
| 5   | 12687.000       | 31.82          | 18.05          | 49.87           | 74.00          | -24.13      | peak   |
| 6   | 13897.000       | 27.83          | 21.62          | 49.45           | 74.00          | -24.55      | peak   |
| 7   | 17857.000       | 24.48          | 25.14          | 49.62           | 74.00          | -24.38      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5510     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.39          | 10.46          | 47.85           | 74.00          | -26.15      | peak   |
| 2   | 10652.000       | 36.53          | 13.40          | 49.93           | 74.00          | -24.07      | peak   |
| 3   | 11015.000       | 36.06          | 14.79          | 50.85           | 74.00          | -23.15      | peak   |
| 4   | 11730.000       | 33.27          | 17.19          | 50.46           | 74.00          | -23.54      | peak   |
| 5   | 13435.000       | 29.27          | 20.35          | 49.62           | 74.00          | -24.38      | peak   |
| 6   | 17681.000       | 25.71          | 23.94          | 49.65           | 74.00          | -24.35      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5510     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9563.000        | 36.65          | 10.79          | 47.44           | 74.00          | -26.56      | peak   |
| 2   | 10597.000       | 36.28          | 13.19          | 49.47           | 74.00          | -24.53      | peak   |
| 3   | 11015.000       | 43.35          | 14.79          | 58.14           | 74.00          | -15.86      | peak   |
| 4   | 11015.000       | 34.79          | 14.79          | 49.58           | 54.00          | -4.42       | AVG    |
| 5   | 12522.000       | 31.89          | 17.86          | 49.75           | 74.00          | -24.25      | peak   |
| 6   | 13875.000       | 27.45          | 21.57          | 49.02           | 74.00          | -24.98      | peak   |
| 7   | 17956.000       | 23.95          | 25.82          | 49.77           | 74.00          | -24.23      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5550     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9574.000        | 36.54          | 10.81          | 47.35           | 74.00          | -26.65      | peak   |
| 2   | 10443.000       | 36.40          | 12.70          | 49.10           | 74.00          | -24.90      | peak   |
| 3   | 11598.000       | 33.39          | 16.96          | 50.35           | 74.00          | -23.65      | peak   |
| 4   | 13050.000       | 31.57          | 18.66          | 50.23           | 74.00          | -23.77      | peak   |
| 5   | 13886.000       | 28.55          | 21.60          | 50.15           | 74.00          | -23.85      | peak   |
| 6   | 17923.000       | 24.38          | 25.60          | 49.98           | 74.00          | -24.02      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5550     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 38.11          | 10.51          | 48.62           | 74.00          | -25.38      | peak   |
| 2   | 11092.000       | 41.73          | 15.10          | 56.83           | 74.00          | -17.17      | peak   |
| 3   | 11092.000       | 32.52          | 15.10          | 47.62           | 54.00          | -6.38       | AVG    |
| 4   | 11609.000       | 33.91          | 16.98          | 50.89           | 74.00          | -23.11      | peak   |
| 5   | 13061.000       | 30.65          | 18.71          | 49.36           | 74.00          | -24.64      | peak   |
| 6   | 13798.000       | 27.93          | 21.38          | 49.31           | 74.00          | -24.69      | peak   |
| 7   | 18000.000       | 23.45          | 26.12          | 49.57           | 74.00          | -24.43      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5670     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7022.000        | 39.73          | 7.05           | 46.78           | 74.00          | -27.22      | peak   |
| 2   | 9189.000        | 37.24          | 10.46          | 47.70           | 74.00          | -26.30      | peak   |
| 3   | 10564.000       | 36.13          | 13.06          | 49.19           | 74.00          | -24.81      | peak   |
| 4   | 11708.000       | 32.68          | 17.16          | 49.84           | 74.00          | -24.16      | peak   |
| 5   | 13006.000       | 30.27          | 18.47          | 48.74           | 74.00          | -25.26      | peak   |
| 6   | 17978.000       | 23.80          | 25.97          | 49.77           | 74.00          | -24.23      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5670     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9211.000        | 36.95          | 10.47          | 47.42           | 74.00          | -26.58      | peak   |
| 2   | 10927.000       | 35.95          | 14.45          | 50.40           | 74.00          | -23.60      | peak   |
| 3   | 11334.000       | 38.70          | 16.09          | 54.79           | 74.00          | -19.21      | peak   |
| 4   | 11334.000       | 29.83          | 16.09          | 45.92           | 54.00          | -8.08       | AVG    |
| 5   | 12940.000       | 31.26          | 18.38          | 49.64           | 74.00          | -24.36      | peak   |
| 6   | 13864.000       | 27.65          | 21.53          | 49.18           | 74.00          | -24.82      | peak   |
| 7   | 17989.000       | 23.04          | 26.04          | 49.08           | 74.00          | -24.92      | peak   |


|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5710     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9178.000        | 36.81          | 10.45          | 47.26           | 74.00          | -26.74      | peak   |
| 2   | 10234.000       | 36.56          | 12.26          | 48.82           | 74.00          | -25.18      | peak   |
| 3   | 11400.000       | 33.96          | 16.36          | 50.32           | 74.00          | -23.68      | peak   |
| 4   | 12698.000       | 31.03          | 18.08          | 49.11           | 74.00          | -24.89      | peak   |
| 5   | 13017.000       | 30.90          | 18.53          | 49.43           | 74.00          | -24.57      | peak   |
| 6   | 17945.000       | 23.54          | 25.75          | 49.29           | 74.00          | -24.71      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5710     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 38.30          | 10.41          | 48.71           | 74.00          | -25.29      | peak   |
| 2   | 10421.000       | 36.14          | 12.66          | 48.80           | 74.00          | -25.20      | peak   |
| 3   | 11422.000       | 39.89          | 16.46          | 56.35           | 74.00          | -17.65      | peak   |
| 4   | 11422.000       | 30.80          | 16.46          | 47.26           | 54.00          | -6.74       | AVG    |
| 5   | 13039.000       | 30.91          | 18.62          | 49.53           | 74.00          | -24.47      | peak   |
| 6   | 13666.000       | 28.69          | 21.05          | 49.74           | 74.00          | -24.26      | peak   |
| 7   | 17912.000       | 24.54          | 25.52          | 50.06           | 74.00          | -23.94      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5755     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7968.000        | 40.49          | 6.45           | 46.94           | 74.00          | -27.06      | peak   |
| 2   | 10410.000       | 36.37          | 12.62          | 48.99           | 74.00          | -25.01      | peak   |
| 3   | 11411.000       | 34.05          | 16.41          | 50.46           | 74.00          | -23.54      | peak   |
| 4   | 12687.000       | 31.90          | 18.05          | 49.95           | 74.00          | -24.05      | peak   |
| 5   | 13930.000       | 28.28          | 21.71          | 49.99           | 74.00          | -24.01      | peak   |
| 6   | 17989.000       | 24.31          | 26.04          | 50.35           | 74.00          | -23.65      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5755     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 37.72          | 10.46          | 48.18           | 74.00          | -25.82      | peak   |
| 2   | 10564.000       | 35.56          | 13.06          | 48.62           | 74.00          | -25.38      | peak   |
| 3   | 11521.000       | 40.13          | 16.82          | 56.95           | 74.00          | -17.05      | peak   |
| 4   | 11521.000       | 31.02          | 16.82          | 47.84           | 54.00          | -6.16       | AVG    |
| 5   | 12687.000       | 31.34          | 18.05          | 49.39           | 74.00          | -24.61      | peak   |
| 6   | 13919.000       | 28.42          | 21.68          | 50.10           | 74.00          | -23.90      | peak   |
| 7   | 17989.000       | 23.49          | 26.04          | 49.53           | 74.00          | -24.47      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5795     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 37.45          | 10.46          | 47.91           | 74.00          | -26.09      | peak   |
| 2   | 9574.000        | 37.42          | 10.81          | 48.23           | 74.00          | -25.77      | peak   |
| 3   | 11114.000       | 34.46          | 15.19          | 49.65           | 74.00          | -24.35      | peak   |
| 4   | 11686.000       | 33.08          | 17.12          | 50.20           | 74.00          | -23.80      | peak   |
| 5   | 13611.000       | 28.87          | 20.92          | 49.79           | 74.00          | -24.21      | peak   |
| 6   | 17989.000       | 23.89          | 26.04          | 49.93           | 74.00          | -24.07      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5795     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9266.000        | 37.68          | 10.51          | 48.19           | 74.00          | -25.81      | peak   |
| 2   | 10421.000       | 37.34          | 12.66          | 50.00           | 74.00          | -24.00      | peak   |
| 3   | 11587.000       | 37.35          | 16.93          | 54.28           | 74.00          | -19.72      | peak   |
| 4   | 11587.000       | 28.79          | 16.93          | 45.72           | 54.00          | -8.28       | AVG    |
| 5   | 13061.000       | 31.45          | 18.71          | 50.16           | 74.00          | -23.84      | peak   |
| 6   | 13622.000       | 29.45          | 20.95          | 50.40           | 74.00          | -23.60      | peak   |
| 7   | 17923.000       | 25.01          | 25.60          | 50.61           | 74.00          | -23.39      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5210     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9354.000        | 36.73          | 10.56          | 47.29           | 74.00          | -26.71      | peak   |
| 2*  | 10421.000       | 42.04          | 12.66          | 54.70           | 68.20          | -13.50      | peak   |
| 3   | 11279.000       | 34.15          | 15.86          | 50.01           | 74.00          | -23.99      | peak   |
| 4   | 11752.000       | 33.23          | 17.24          | 50.47           | 74.00          | -23.53      | peak   |
| 5   | 13864.000       | 28.46          | 21.53          | 49.99           | 74.00          | -24.01      | peak   |
| 6   | 17956.000       | 24.22          | 25.82          | 50.04           | 74.00          | -23.96      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5210     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7044.000        | 40.68          | 7.04           | 47.72           | 74.00          | -26.28      | peak   |
| 2   | 9255.000        | 37.13          | 10.51          | 47.64           | 74.00          | -26.36      | peak   |
| 3*  | 10388.000       | 44.30          | 12.59          | 56.89           | 68.20          | -11.31      | peak   |
| 4   | 11730.000       | 31.90          | 17.19          | 49.09           | 74.00          | -24.91      | peak   |
| 5   | 13930.000       | 27.46          | 21.71          | 49.17           | 74.00          | -24.83      | peak   |
| 6   | 17934.000       | 23.94          | 25.67          | 49.61           | 74.00          | -24.39      | peak   |


|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5290     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9167.000        | 37.39          | 10.45          | 47.84           | 74.00          | -26.16      | peak   |
| 2   | 10586.000       | 39.25          | 13.15          | 52.40           | 74.00          | -21.60      | peak   |
| 3   | 11180.000       | 34.27          | 15.46          | 49.73           | 74.00          | -24.27      | peak   |
| 4   | 11741.000       | 32.38          | 17.22          | 49.60           | 74.00          | -24.40      | peak   |
| 5   | 13908.000       | 28.52          | 21.66          | 50.18           | 74.00          | -23.82      | peak   |
| 6   | 17802.000       | 25.61          | 24.76          | 50.37           | 74.00          | -23.63      | peak   |




|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5290     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.04          | 10.51          | 47.55           | 74.00          | -26.45      | peak   |
| 2*  | 10553.000       | 41.98          | 13.02          | 55.00           | 68.20          | -13.20      | peak   |
| 3   | 11400.000       | 33.94          | 16.36          | 50.30           | 74.00          | -23.70      | peak   |
| 4   | 13006.000       | 31.48          | 18.47          | 49.95           | 74.00          | -24.05      | peak   |
| 5   | 13875.000       | 28.93          | 21.57          | 50.50           | 74.00          | -23.50      | peak   |
| 6   | 17956.000       | 24.95          | 25.82          | 50.77           | 74.00          | -23.23      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5530     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 37.27          | 10.55          | 47.82           | 74.00          | -26.18      | peak   |
| 2   | 10432.000       | 37.17          | 12.67          | 49.84           | 74.00          | -24.16      | peak   |
| 3   | 11884.000       | 31.80          | 17.48          | 49.28           | 74.00          | -24.72      | peak   |
| 4   | 12687.000       | 31.01          | 18.05          | 49.06           | 74.00          | -24.94      | peak   |
| 5   | 13919.000       | 28.26          | 21.68          | 49.94           | 74.00          | -24.06      | peak   |
| 6   | 17989.000       | 24.66          | 26.04          | 50.70           | 74.00          | -23.30      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5530     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9365.000        | 36.99          | 10.57          | 47.56           | 74.00          | -26.44      | peak   |
| 2   | 10212.000       | 36.58          | 12.21          | 48.79           | 74.00          | -25.21      | peak   |
| 3   | 11059.000       | 39.03          | 14.96          | 53.99           | 74.00          | -20.01      | peak   |
| 4   | 11059.000       | 29.69          | 14.96          | 44.65           | 54.00          | -9.35       | AVG    |
| 5   | 11675.000       | 33.75          | 17.10          | 50.85           | 74.00          | -23.15      | peak   |
| 6   | 13864.000       | 28.27          | 21.53          | 49.80           | 74.00          | -24.20      | peak   |
| 7   | 17989.000       | 24.29          | 26.04          | 50.33           | 74.00          | -23.67      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5610     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.12          | 10.51          | 47.63           | 74.00          | -26.37      | peak   |
| 2   | 10443.000       | 36.69          | 12.70          | 49.39           | 74.00          | -24.61      | peak   |
| 3   | 11543.000       | 33.10          | 16.84          | 49.94           | 74.00          | -24.06      | peak   |
| 4   | 11840.000       | 32.54          | 17.40          | 49.94           | 74.00          | -24.06      | peak   |
| 5   | 13919.000       | 26.97          | 21.68          | 48.65           | 74.00          | -25.35      | peak   |
| 6   | 17692.000       | 25.19          | 24.01          | 49.20           | 74.00          | -24.80      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5610     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 37.35          | 10.43          | 47.78           | 74.00          | -26.22      | peak   |
| 2   | 10564.000       | 36.03          | 13.06          | 49.09           | 74.00          | -24.91      | peak   |
| 3   | 11213.000       | 40.50          | 15.59          | 56.09           | 74.00          | -17.91      | peak   |
| 4   | 11213.000       | 30.69          | 15.59          | 46.28           | 54.00          | -7.72       | AVG    |
| 5   | 11895.000       | 32.32          | 17.51          | 49.83           | 74.00          | -24.17      | peak   |
| 6   | 13017.000       | 31.57          | 18.53          | 50.10           | 74.00          | -23.90      | peak   |
| 7   | 17956.000       | 24.19          | 25.82          | 50.01           | 74.00          | -23.99      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5690     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7022.000        | 39.96          | 7.05           | 47.01           | 74.00          | -26.99      | peak   |
| 2   | 9178.000        | 37.88          | 10.45          | 48.33           | 74.00          | -25.67      | peak   |
| 3   | 10553.000       | 36.19          | 13.02          | 49.21           | 74.00          | -24.79      | peak   |
| 4   | 11697.000       | 32.75          | 17.13          | 49.88           | 74.00          | -24.12      | peak   |
| 5   | 13919.000       | 27.17          | 21.68          | 48.85           | 74.00          | -25.15      | peak   |
| 6   | 17857.000       | 24.84          | 25.14          | 49.98           | 74.00          | -24.02      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5690     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.82          | 10.41          | 48.23           | 74.00          | -25.77      | peak   |
| 2   | 10223.000       | 36.60          | 12.24          | 48.84           | 74.00          | -25.16      | peak   |
| 3   | 11367.000       | 40.29          | 16.22          | 56.51           | 74.00          | -17.49      | peak   |
| 4   | 11367.000       | 30.83          | 16.22          | 47.05           | 54.00          | -6.95       | AVG    |
| 5   | 11719.000       | 33.80          | 17.18          | 50.98           | 74.00          | -23.02      | peak   |
| 6   | 13017.000       | 31.64          | 18.53          | 50.17           | 74.00          | -23.83      | peak   |
| 7   | 17967.000       | 24.87          | 25.89          | 50.76           | 74.00          | -23.24      | peak   |


|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5775     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 37.21          | 10.38          | 47.59           | 74.00          | -26.41      | peak   |
| 2   | 10388.000       | 36.40          | 12.59          | 48.99           | 74.00          | -25.01      | peak   |
| 3   | 11708.000       | 32.58          | 17.16          | 49.74           | 74.00          | -24.26      | peak   |
| 4   | 12500.000       | 31.81          | 17.83          | 49.64           | 74.00          | -24.36      | peak   |
| 5   | 13875.000       | 27.68          | 21.57          | 49.25           | 74.00          | -24.75      | peak   |
| 6   | 17912.000       | 24.48          | 25.52          | 50.00           | 74.00          | -24.00      | peak   |




|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5775     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 38.66          | 10.48          | 49.14           | 74.00          | -24.86      | peak   |
| 2   | 10520.000       | 36.72          | 12.90          | 49.62           | 74.00          | -24.38      | peak   |
| 3   | 11554.000       | 37.93          | 16.87          | 54.80           | 74.00          | -19.20      | peak   |
| 4   | 11554.000       | 28.46          | 16.87          | 45.33           | 54.00          | -8.67       | AVG    |
| 5   | 13094.000       | 31.03          | 18.87          | 49.90           | 74.00          | -24.10      | peak   |
| 6   | 13875.000       | 28.61          | 21.57          | 50.18           | 74.00          | -23.82      | peak   |
| 7   | 17989.000       | 24.85          | 26.04          | 50.89           | 74.00          | -23.11      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 37.27          | 10.46          | 47.73           | 74.00          | -26.27      | peak   |
| 2*  | 10355.000       | 47.74          | 12.52          | 60.26           | 68.20          | -7.94       | peak   |
| 3   | 11455.000       | 33.47          | 16.58          | 50.05           | 74.00          | -23.95      | peak   |
| 4   | 12632.000       | 31.31          | 17.99          | 49.30           | 74.00          | -24.70      | peak   |
| 5   | 13864.000       | 28.03          | 21.53          | 49.56           | 74.00          | -24.44      | peak   |
| 6   | 18000.000       | 24.20          | 26.12          | 50.32           | 74.00          | -23.68      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5180     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.09          | 10.46          | 47.55           | 74.00          | -26.45      | peak   |
| 2*  | 10355.000       | 53.71          | 12.52          | 66.23           | 68.20          | -1.97       | peak   |
| 3   | 11774.000       | 32.80          | 17.28          | 50.08           | 74.00          | -23.92      | peak   |
| 4   | 12698.000       | 31.28          | 18.08          | 49.36           | 74.00          | -24.64      | peak   |
| 5   | 13622.000       | 27.94          | 20.95          | 48.89           | 74.00          | -25.11      | peak   |
| 6   | 17989.000       | 23.03          | 26.04          | 49.07           | 74.00          | -24.93      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5200     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8936.000        | 37.05          | 9.90           | 46.95           | 74.00          | -27.05      | peak   |
| 2*  | 10388.000       | 48.32          | 12.59          | 60.91           | 68.20          | -7.29       | peak   |
| 3   | 11730.000       | 33.20          | 17.19          | 50.39           | 74.00          | -23.61      | peak   |
| 4   | 12522.000       | 31.50          | 17.86          | 49.36           | 74.00          | -24.64      | peak   |
| 5   | 13061.000       | 31.02          | 18.71          | 49.73           | 74.00          | -24.27      | peak   |
| 6   | 17945.000       | 23.23          | 25.75          | 48.98           | 74.00          | -25.02      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5200     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 36.20          | 10.43          | 46.63           | 74.00          | -27.37      | peak   |
| 2*  | 10399.000       | 49.61          | 12.61          | 62.22           | 68.20          | -5.98       | peak   |
| 3   | 11785.000       | 32.22          | 17.30          | 49.52           | 74.00          | -24.48      | peak   |
| 4   | 12940.000       | 30.55          | 18.38          | 48.93           | 74.00          | -25.07      | peak   |
| 5   | 13611.000       | 28.22          | 20.92          | 49.14           | 74.00          | -24.86      | peak   |
| 6   | 18000.000       | 23.60          | 26.12          | 49.72           | 74.00          | -24.28      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5240     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9387.000        | 37.02          | 10.58          | 47.60           | 74.00          | -26.40      | peak   |
| 2*  | 10487.000       | 47.00          | 12.79          | 59.79           | 68.20          | -8.41       | peak   |
| 3   | 10927.000       | 35.52          | 14.45          | 49.97           | 74.00          | -24.03      | peak   |
| 4   | 11708.000       | 31.98          | 17.16          | 49.14           | 74.00          | -24.86      | peak   |
| 5   | 13919.000       | 26.64          | 21.68          | 48.32           | 74.00          | -25.68      | peak   |
| 6   | 17989.000       | 22.63          | 26.04          | 48.67           | 74.00          | -25.33      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5240     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 36.42          | 10.51          | 46.93           | 74.00          | -27.07      | peak   |
| 2*  | 10476.000       | 48.98          | 12.77          | 61.75           | 68.20          | -6.45       | peak   |
| 3   | 11752.000       | 31.94          | 17.24          | 49.18           | 74.00          | -24.82      | peak   |
| 4   | 13017.000       | 30.44          | 18.53          | 48.97           | 74.00          | -25.03      | peak   |
| 5   | 13611.000       | 27.92          | 20.92          | 48.84           | 74.00          | -25.16      | peak   |
| 6   | 18000.000       | 23.85          | 26.12          | 49.97           | 74.00          | -24.03      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5260     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7352.000        | 40.40          | 6.92           | 47.32           | 74.00          | -26.68      | peak   |
| 2   | 9200.000        | 37.21          | 10.46          | 47.67           | 74.00          | -26.33      | peak   |
| 3*  | 10509.000       | 48.00          | 12.85          | 60.85           | 68.20          | -7.35       | peak   |
| 4   | 11719.000       | 32.67          | 17.18          | 49.85           | 74.00          | -24.15      | peak   |
| 5   | 13611.000       | 27.57          | 20.92          | 48.49           | 74.00          | -25.51      | peak   |
| 6   | 17989.000       | 21.87          | 26.04          | 47.91           | 74.00          | -26.09      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5260     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9178.000        | 37.12          | 10.45          | 47.57           | 74.00          | -26.43      | peak   |
| 2*  | 10520.000       | 49.26          | 12.90          | 62.16           | 68.20          | -6.04       | peak   |
| 3   | 11521.000       | 33.05          | 16.82          | 49.87           | 74.00          | -24.13      | peak   |
| 4   | 13061.000       | 29.67          | 18.71          | 48.38           | 74.00          | -25.62      | peak   |
| 5   | 13798.000       | 27.10          | 21.38          | 48.48           | 74.00          | -25.52      | peak   |
| 6   | 17945.000       | 23.10          | 25.75          | 48.85           | 74.00          | -25.15      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5280     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7033.000        | 40.37          | 7.04           | 47.41           | 74.00          | -26.59      | peak   |
| 2   | 9244.000        | 38.04          | 10.49          | 48.53           | 74.00          | -25.47      | peak   |
| 3*  | 10553.000       | 48.21          | 13.02          | 61.23           | 68.20          | -6.97       | peak   |
| 4   | 11752.000       | 33.08          | 17.24          | 50.32           | 74.00          | -23.68      | peak   |
| 5   | 13853.000       | 27.51          | 21.52          | 49.03           | 74.00          | -24.97      | peak   |
| 6   | 17604.000       | 25.97          | 23.41          | 49.38           | 74.00          | -24.62      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5280     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9090.000        | 37.14          | 10.39          | 47.53           | 74.00          | -26.47      | peak   |
| 2*  | 10564.000       | 52.94          | 13.06          | 66.00           | 68.20          | -2.20       | peak   |
| 3   | 11312.000       | 34.13          | 16.00          | 50.13           | 74.00          | -23.87      | peak   |
| 4   | 12698.000       | 31.26          | 18.08          | 49.34           | 74.00          | -24.66      | peak   |
| 5   | 13534.000       | 28.99          | 20.73          | 49.72           | 74.00          | -24.28      | peak   |
| 6   | 17945.000       | 23.25          | 25.75          | 49.00           | 74.00          | -25.00      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5320     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7066.000        | 39.69          | 7.02           | 46.71           | 74.00          | -27.29      | peak   |
| 2   | 9299.000        | 37.93          | 10.53          | 48.46           | 74.00          | -25.54      | peak   |
| 3   | 10641.000       | 45.98          | 13.36          | 59.34           | 74.00          | -14.66      | peak   |
| 4   | 10641.000       | 36.12          | 13.36          | 49.48           | 54.00          | -4.52       | AVG    |
| 5   | 11620.000       | 32.71          | 16.99          | 49.70           | 74.00          | -24.30      | peak   |
| 6   | 13050.000       | 30.18          | 18.66          | 48.84           | 74.00          | -25.16      | peak   |
| 7   | 18000.000       | 23.56          | 26.12          | 49.68           | 74.00          | -24.32      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5320     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 36.97          | 10.41          | 47.38           | 74.00          | -26.62      | peak   |
| 2   | 10652.000       | 48.73          | 13.40          | 62.13           | 74.00          | -11.87      | peak   |
| 3   | 10652.000       | 38.77          | 13.40          | 52.17           | 54.00          | -1.83       | AVG    |
| 4   | 11697.000       | 33.01          | 17.13          | 50.14           | 74.00          | -23.86      | peak   |
| 5   | 13050.000       | 31.17          | 18.66          | 49.83           | 74.00          | -24.17      | peak   |
| 6   | 13853.000       | 27.63          | 21.52          | 49.15           | 74.00          | -24.85      | peak   |
| 7   | 18000.000       | 23.20          | 26.12          | 49.32           | 74.00          | -24.68      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5500     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9365.000        | 37.30          | 10.57          | 47.87           | 74.00          | -26.13      | peak   |
| 2   | 11004.000       | 38.30          | 14.74          | 53.04           | 74.00          | -20.96      | peak   |
| 3   | 11004.000       | 29.76          | 14.74          | 44.50           | 54.00          | -9.50       | AVG    |
| 4   | 11433.000       | 33.27          | 16.50          | 49.77           | 74.00          | -24.23      | peak   |
| 5   | 13017.000       | 31.37          | 18.53          | 49.90           | 74.00          | -24.10      | peak   |
| 6   | 13908.000       | 28.94          | 21.66          | 50.60           | 74.00          | -23.40      | peak   |
| 7   | 18000.000       | 24.16          | 26.12          | 50.28           | 74.00          | -23.72      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5500     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 37.44          | 10.46          | 47.90           | 74.00          | -26.10      | peak   |
| 2   | 10993.000       | 45.40          | 14.70          | 60.10           | 74.00          | -13.90      | peak   |
| 3   | 10993.000       | 35.53          | 14.70          | 50.23           | 54.00          | -3.77       | AVG    |
| 4   | 11708.000       | 32.89          | 17.16          | 50.05           | 74.00          | -23.95      | peak   |
| 5   | 13050.000       | 30.69          | 18.66          | 49.35           | 74.00          | -24.65      | peak   |
| 6   | 13622.000       | 27.99          | 20.95          | 48.94           | 74.00          | -25.06      | peak   |
| 7   | 17945.000       | 23.99          | 25.75          | 49.74           | 74.00          | -24.26      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5580     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 36.70          | 10.46          | 47.16           | 74.00          | -26.84      | peak   |
| 2   | 10333.000       | 37.78          | 12.47          | 50.25           | 74.00          | -23.75      | peak   |
| 3   | 11158.000       | 40.52          | 15.37          | 55.89           | 74.00          | -18.11      | peak   |
| 4   | 11158.000       | 29.80          | 15.37          | 45.17           | 54.00          | -8.83       | AVG    |
| 5   | 11422.000       | 33.53          | 16.46          | 49.99           | 74.00          | -24.01      | peak   |
| 6   | 13919.000       | 27.32          | 21.68          | 49.00           | 74.00          | -25.00      | peak   |
| 7   | 18000.000       | 23.26          | 26.12          | 49.38           | 74.00          | -24.62      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5580     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.04          | 10.51          | 47.55           | 74.00          | -26.45      | peak   |
| 2   | 10487.000       | 36.44          | 12.79          | 49.23           | 74.00          | -24.77      | peak   |
| 3   | 11158.000       | 47.43          | 15.37          | 62.80           | 74.00          | -11.20      | peak   |
| 4   | 11158.000       | 37.36          | 15.37          | 52.73           | 54.00          | -1.27       | AVG    |
| 5   | 11521.000       | 33.60          | 16.82          | 50.42           | 74.00          | -23.58      | peak   |
| 6   | 13028.000       | 30.81          | 18.57          | 49.38           | 74.00          | -24.62      | peak   |
| 7   | 18000.000       | 22.79          | 26.12          | 48.91           | 74.00          | -25.09      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5700     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.12          | 10.46          | 47.58           | 74.00          | -26.42      | peak   |
| 2   | 10652.000       | 37.08          | 13.40          | 50.48           | 74.00          | -23.52      | peak   |
| 3   | 11785.000       | 33.43          | 17.30          | 50.73           | 74.00          | -23.27      | peak   |
| 4   | 13061.000       | 30.98          | 18.71          | 49.69           | 74.00          | -24.31      | peak   |
| 5   | 13600.000       | 28.48          | 20.89          | 49.37           | 74.00          | -24.63      | peak   |
| 6   | 17945.000       | 23.12          | 25.75          | 48.87           | 74.00          | -25.13      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5700     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9178.000        | 37.26          | 10.45          | 47.71           | 74.00          | -26.29      | peak   |
| 2   | 10443.000       | 36.72          | 12.70          | 49.42           | 74.00          | -24.58      | peak   |
| 3   | 11400.000       | 37.09          | 16.36          | 53.45           | 74.00          | -20.55      | peak   |
| 4   | 11400.000       | 27.70          | 16.36          | 44.06           | 54.00          | -9.94       | AVG    |
| 5   | 12291.000       | 31.82          | 17.78          | 49.60           | 74.00          | -24.40      | peak   |
| 6   | 13963.000       | 27.16          | 21.78          | 48.94           | 74.00          | -25.06      | peak   |
| 7   | 17989.000       | 23.87          | 26.04          | 49.91           | 74.00          | -24.09      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5720     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.52          | 10.46          | 47.98           | 74.00          | -26.02      | peak   |
| 2   | 10641.000       | 36.38          | 13.36          | 49.74           | 74.00          | -24.26      | peak   |
| 3   | 10927.000       | 35.30          | 14.45          | 49.75           | 74.00          | -24.25      | peak   |
| 4   | 11741.000       | 32.22          | 17.22          | 49.44           | 74.00          | -24.56      | peak   |
| 5   | 13611.000       | 27.76          | 20.92          | 48.68           | 74.00          | -25.32      | peak   |
| 6   | 17945.000       | 24.23          | 25.75          | 49.98           | 74.00          | -24.02      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5720     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 36.65          | 10.50          | 47.15           | 74.00          | -26.85      | peak   |
| 2   | 10399.000       | 36.95          | 12.61          | 49.56           | 74.00          | -24.44      | peak   |
| 3   | 11433.000       | 41.73          | 16.50          | 58.23           | 74.00          | -15.77      | peak   |
| 4   | 11433.000       | 32.19          | 16.50          | 48.69           | 54.00          | -5.31       | AVG    |
| 5   | 11708.000       | 33.14          | 17.16          | 50.30           | 74.00          | -23.70      | peak   |
| 6   | 13798.000       | 28.02          | 21.38          | 49.40           | 74.00          | -24.60      | peak   |
| 7   | 17989.000       | 24.11          | 26.04          | 50.15           | 74.00          | -23.85      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5745     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 36.80          | 10.41          | 47.21           | 74.00          | -26.79      | peak   |
| 2   | 10619.000       | 36.60          | 13.28          | 49.88           | 74.00          | -24.12      | peak   |
| 3   | 11598.000       | 33.76          | 16.96          | 50.72           | 74.00          | -23.28      | peak   |
| 4   | 13017.000       | 31.45          | 18.53          | 49.98           | 74.00          | -24.02      | peak   |
| 5   | 13875.000       | 28.41          | 21.57          | 49.98           | 74.00          | -24.02      | peak   |
| 6   | 17923.000       | 24.62          | 25.60          | 50.22           | 74.00          | -23.78      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5745     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.93          | 10.46          | 48.39           | 74.00          | -25.61      | peak   |
| 2   | 10872.000       | 35.01          | 14.23          | 49.24           | 74.00          | -24.76      | peak   |
| 3   | 11488.000       | 38.70          | 16.72          | 55.42           | 74.00          | -18.58      | peak   |
| 4   | 11488.000       | 29.59          | 16.72          | 46.31           | 54.00          | -7.69       | AVG    |
| 5   | 13017.000       | 29.91          | 18.53          | 48.44           | 74.00          | -25.56      | peak   |
| 6   | 13875.000       | 27.97          | 21.57          | 49.54           | 74.00          | -24.46      | peak   |
| 7   | 18000.000       | 23.92          | 26.12          | 50.04           | 74.00          | -23.96      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5785     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7011.000        | 40.06          | 7.04           | 47.10           | 74.00          | -26.90      | peak   |
| 2   | 9563.000        | 36.31          | 10.79          | 47.10           | 74.00          | -26.90      | peak   |
| 3   | 10432.000       | 36.51          | 12.67          | 49.18           | 74.00          | -24.82      | peak   |
| 4   | 11576.000       | 33.29          | 16.91          | 50.20           | 74.00          | -23.80      | peak   |
| 5   | 13457.000       | 28.78          | 20.46          | 49.24           | 74.00          | -24.76      | peak   |
| 6   | 17989.000       | 23.86          | 26.04          | 49.90           | 74.00          | -24.10      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5785     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.93          | 10.51          | 48.44           | 74.00          | -25.56      | peak   |
| 2   | 10608.000       | 36.60          | 13.23          | 49.83           | 74.00          | -24.17      | peak   |
| 3   | 11576.000       | 40.93          | 16.91          | 57.84           | 74.00          | -16.16      | peak   |
| 4   | 11576.000       | 31.61          | 16.91          | 48.52           | 54.00          | -5.48       | AVG    |
| 5   | 13919.000       | 27.87          | 21.68          | 49.55           | 74.00          | -24.45      | peak   |
| 6   | 17362.000       | 28.14          | 22.12          | 50.26           | 74.00          | -23.74      | peak   |
| 7   | 17945.000       | 23.66          | 25.75          | 49.41           | 74.00          | -24.59      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5825     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10388.000       | 36.56          | 12.59          | 49.15           | 74.00          | -24.85      | peak   |
| 2   | 10916.000       | 34.86          | 14.39          | 49.25           | 74.00          | -24.75      | peak   |
| 3   | 11653.000       | 32.54          | 17.05          | 49.59           | 74.00          | -24.41      | peak   |
| 4   | 13006.000       | 29.55          | 18.47          | 48.02           | 74.00          | -25.98      | peak   |
| 5   | 13864.000       | 27.50          | 21.53          | 49.03           | 74.00          | -24.97      | peak   |
| 6   | 17956.000       | 24.31          | 25.82          | 50.13           | 74.00          | -23.87      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5825     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9321.000        | 37.92          | 10.53          | 48.45           | 74.00          | -25.55      | peak   |
| 2   | 10575.000       | 35.60          | 13.10          | 48.70           | 74.00          | -25.30      | peak   |
| 3   | 11642.000       | 41.44          | 17.03          | 58.47           | 74.00          | -15.53      | peak   |
| 4   | 11642.000       | 32.18          | 17.03          | 49.21           | 54.00          | -4.79       | AVG    |
| 5   | 12687.000       | 31.90          | 18.05          | 49.95           | 74.00          | -24.05      | peak   |
| 6   | 13875.000       | 29.17          | 21.57          | 50.74           | 74.00          | -23.26      | peak   |
| 7   | 17483.000       | 29.36          | 22.62          | 51.98           | 74.00          | -22.02      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5190     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 36.82          | 10.21          | 47.03           | 74.00          | -26.97      | peak   |
| 2*  | 10399.000       | 43.67          | 12.61          | 56.28           | 68.20          | -11.92      | peak   |
| 3   | 11334.000       | 34.20          | 16.09          | 50.29           | 74.00          | -23.71      | peak   |
| 4   | 12500.000       | 31.87          | 17.83          | 49.70           | 74.00          | -24.30      | peak   |
| 5   | 13589.000       | 28.92          | 20.86          | 49.78           | 74.00          | -24.22      | peak   |
| 6   | 17934.000       | 24.86          | 25.67          | 50.53           | 74.00          | -23.47      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5190     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8936.000        | 37.23          | 9.90           | 47.13           | 74.00          | -26.87      | peak   |
| 2*  | 10377.000       | 48.84          | 12.56          | 61.40           | 68.20          | -6.80       | peak   |
| 3   | 11697.000       | 33.42          | 17.13          | 50.55           | 74.00          | -23.45      | peak   |
| 4   | 13424.000       | 29.91          | 20.30          | 50.21           | 74.00          | -23.79      | peak   |
| 5   | 13919.000       | 28.37          | 21.68          | 50.05           | 74.00          | -23.95      | peak   |
| 6   | 17956.000       | 24.41          | 25.82          | 50.23           | 74.00          | -23.77      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5230     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 36.73          | 10.46          | 47.19           | 74.00          | -26.81      | peak   |
| 2*  | 10454.000       | 45.35          | 12.73          | 58.08           | 68.20          | -10.12      | peak   |
| 3   | 10652.000       | 36.49          | 13.40          | 49.89           | 74.00          | -24.11      | peak   |
| 4   | 11763.000       | 32.39          | 17.26          | 49.65           | 74.00          | -24.35      | peak   |
| 5   | 13875.000       | 29.18          | 21.57          | 50.75           | 74.00          | -23.25      | peak   |
| 6   | 18000.000       | 24.40          | 26.12          | 50.52           | 74.00          | -23.48      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5230     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9354.000        | 36.45          | 10.56          | 47.01           | 74.00          | -26.99      | peak   |
| 2*  | 10454.000       | 48.10          | 12.73          | 60.83           | 68.20          | -7.37       | peak   |
| 3   | 11004.000       | 34.93          | 14.74          | 49.67           | 74.00          | -24.33      | peak   |
| 4   | 11741.000       | 32.57          | 17.22          | 49.79           | 74.00          | -24.21      | peak   |
| 5   | 13853.000       | 28.17          | 21.52          | 49.69           | 74.00          | -24.31      | peak   |
| 6   | 17956.000       | 24.38          | 25.82          | 50.20           | 74.00          | -23.80      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5270     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8903.000        | 38.08          | 9.66           | 47.74           | 74.00          | -26.26      | peak   |
| 2*  | 10542.000       | 45.75          | 12.98          | 58.73           | 68.20          | -9.47       | peak   |
| 3   | 11466.000       | 33.23          | 16.63          | 49.86           | 74.00          | -24.14      | peak   |
| 4   | 12687.000       | 30.75          | 18.05          | 48.80           | 74.00          | -25.20      | peak   |
| 5   | 13919.000       | 28.10          | 21.68          | 49.78           | 74.00          | -24.22      | peak   |
| 6   | 17956.000       | 23.98          | 25.82          | 49.80           | 74.00          | -24.20      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5270     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9101.000        | 36.65          | 10.40          | 47.05           | 74.00          | -26.95      | peak   |
| 2*  | 10553.000       | 48.55          | 13.02          | 61.57           | 68.20          | -6.63       | peak   |
| 3   | 11433.000       | 33.53          | 16.50          | 50.03           | 74.00          | -23.97      | peak   |
| 4   | 12687.000       | 30.86          | 18.05          | 48.91           | 74.00          | -25.09      | peak   |
| 5   | 13919.000       | 28.16          | 21.68          | 49.84           | 74.00          | -24.16      | peak   |
| 6   | 17934.000       | 24.06          | 25.67          | 49.73           | 74.00          | -24.27      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5310     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 36.97          | 10.48          | 47.45           | 74.00          | -26.55      | peak   |
| 2   | 10619.000       | 43.35          | 13.28          | 56.63           | 74.00          | -17.37      | peak   |
| 3   | 10619.000       | 32.61          | 13.28          | 45.89           | 54.00          | -8.11       | AVG    |
| 4   | 11004.000       | 35.14          | 14.74          | 49.88           | 74.00          | -24.12      | peak   |
| 5   | 13050.000       | 29.91          | 18.66          | 48.57           | 74.00          | -25.43      | peak   |
| 6   | 13600.000       | 28.16          | 20.89          | 49.05           | 74.00          | -24.95      | peak   |
| 7   | 18000.000       | 24.16          | 26.12          | 50.28           | 74.00          | -23.72      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5310     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.29          | 10.46          | 47.75           | 74.00          | -26.25      | peak   |
| 2   | 10619.000       | 48.58          | 13.28          | 61.86           | 74.00          | -12.14      | peak   |
| 3   | 10619.000       | 37.63          | 13.28          | 50.91           | 54.00          | -3.09       | AVG    |
| 4   | 11741.000       | 33.11          | 17.22          | 50.33           | 74.00          | -23.67      | peak   |
| 5   | 13061.000       | 30.35          | 18.71          | 49.06           | 74.00          | -24.94      | peak   |
| 6   | 13919.000       | 28.46          | 21.68          | 50.14           | 74.00          | -23.86      | peak   |
| 7   | 17989.000       | 24.59          | 26.04          | 50.63           | 74.00          | -23.37      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5510     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 37.26          | 10.55          | 47.81           | 74.00          | -26.19      | peak   |
| 2   | 10487.000       | 36.49          | 12.79          | 49.28           | 74.00          | -24.72      | peak   |
| 3   | 11268.000       | 34.09          | 15.83          | 49.92           | 74.00          | -24.08      | peak   |
| 4   | 13061.000       | 30.73          | 18.71          | 49.44           | 74.00          | -24.56      | peak   |
| 5   | 13622.000       | 28.28          | 20.95          | 49.23           | 74.00          | -24.77      | peak   |
| 6   | 17934.000       | 23.29          | 25.67          | 48.96           | 74.00          | -25.04      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5510     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 36.60          | 10.46          | 47.06           | 74.00          | -26.94      | peak   |
| 2   | 10553.000       | 36.17          | 13.02          | 49.19           | 74.00          | -24.81      | peak   |
| 3   | 11015.000       | 40.72          | 14.79          | 55.51           | 74.00          | -18.49      | peak   |
| 4   | 11015.000       | 31.64          | 14.79          | 46.43           | 54.00          | -7.57       | AVG    |
| 5   | 11818.000       | 32.01          | 17.36          | 49.37           | 74.00          | -24.63      | peak   |
| 6   | 13930.000       | 27.63          | 21.71          | 49.34           | 74.00          | -24.66      | peak   |
| 7   | 17923.000       | 23.51          | 25.60          | 49.11           | 74.00          | -24.89      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5550     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.18          | 10.41          | 47.59           | 74.00          | -26.41      | peak   |
| 2   | 10300.000       | 36.12          | 12.40          | 48.52           | 74.00          | -25.48      | peak   |
| 3   | 11114.000       | 36.65          | 15.19          | 51.84           | 74.00          | -22.16      | peak   |
| 4   | 11114.000       | 27.45          | 15.19          | 42.64           | 54.00          | -11.36      | AVG    |
| 5   | 12500.000       | 31.20          | 17.83          | 49.03           | 74.00          | -24.97      | peak   |
| 6   | 13919.000       | 27.44          | 21.68          | 49.12           | 74.00          | -24.88      | peak   |
| 7   | 18000.000       | 24.59          | 26.12          | 50.71           | 74.00          | -23.29      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5550     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10531.000       | 36.85          | 12.94          | 49.79           | 74.00          | -24.21      | peak   |
| 2   | 11103.000       | 42.76          | 15.15          | 57.91           | 74.00          | -16.09      | peak   |
| 3   | 11103.000       | 32.99          | 15.15          | 48.14           | 54.00          | -5.86       | AVG    |
| 4   | 11752.000       | 33.24          | 17.24          | 50.48           | 74.00          | -23.52      | peak   |
| 5   | 13061.000       | 30.68          | 18.71          | 49.39           | 74.00          | -24.61      | peak   |
| 6   | 13886.000       | 28.38          | 21.60          | 49.98           | 74.00          | -24.02      | peak   |
| 7   | 17945.000       | 23.83          | 25.75          | 49.58           | 74.00          | -24.42      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5670     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 36.97          | 10.43          | 47.40           | 74.00          | -26.60      | peak   |
| 2   | 10795.000       | 35.65          | 13.94          | 49.59           | 74.00          | -24.41      | peak   |
| 3   | 11499.000       | 33.53          | 16.77          | 50.30           | 74.00          | -23.70      | peak   |
| 4   | 12951.000       | 31.04          | 18.38          | 49.42           | 74.00          | -24.58      | peak   |
| 5   | 13644.000       | 27.97          | 20.99          | 48.96           | 74.00          | -25.04      | peak   |
| 6   | 17967.000       | 22.90          | 25.89          | 48.79           | 74.00          | -25.21      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5670     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 36.42          | 10.46          | 46.88           | 74.00          | -27.12      | peak   |
| 2   | 10509.000       | 36.12          | 12.85          | 48.97           | 74.00          | -25.03      | peak   |
| 3   | 11334.000       | 39.27          | 16.09          | 55.36           | 74.00          | -18.64      | peak   |
| 4   | 11334.000       | 30.19          | 16.09          | 46.28           | 54.00          | -7.72       | AVG    |
| 5   | 12687.000       | 31.66          | 18.05          | 49.71           | 74.00          | -24.29      | peak   |
| 6   | 13875.000       | 28.35          | 21.57          | 49.92           | 74.00          | -24.08      | peak   |
| 7   | 17934.000       | 24.42          | 25.67          | 50.09           | 74.00          | -23.91      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5710     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 36.90          | 10.51          | 47.41           | 74.00          | -26.59      | peak   |
| 2   | 10212.000       | 36.31          | 12.21          | 48.52           | 74.00          | -25.48      | peak   |
| 3   | 11180.000       | 34.13          | 15.46          | 49.59           | 74.00          | -24.41      | peak   |
| 4   | 11697.000       | 33.00          | 17.13          | 50.13           | 74.00          | -23.87      | peak   |
| 5   | 13919.000       | 28.30          | 21.68          | 49.98           | 74.00          | -24.02      | peak   |
| 6   | 17923.000       | 24.38          | 25.60          | 49.98           | 74.00          | -24.02      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5710     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10454.000       | 36.78          | 12.73          | 49.51           | 74.00          | -24.49      | peak   |
| 2   | 11422.000       | 39.99          | 16.46          | 56.45           | 74.00          | -17.55      | peak   |
| 3   | 11422.000       | 31.17          | 16.46          | 47.63           | 54.00          | -6.37       | AVG    |
| 4   | 11697.000       | 33.14          | 17.13          | 50.27           | 74.00          | -23.73      | peak   |
| 5   | 12698.000       | 30.97          | 18.08          | 49.05           | 74.00          | -24.95      | peak   |
| 6   | 13864.000       | 27.77          | 21.53          | 49.30           | 74.00          | -24.70      | peak   |
| 7   | 17989.000       | 23.76          | 26.04          | 49.80           | 74.00          | -24.20      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 36.98          | 10.48          | 47.46           | 74.00          | -26.54      | peak   |
| 2   | 10487.000       | 36.48          | 12.79          | 49.27           | 74.00          | -24.73      | peak   |
| 3   | 11521.000       | 33.38          | 16.82          | 50.20           | 74.00          | -23.80      | peak   |
| 4   | 12676.000       | 31.12          | 18.05          | 49.17           | 74.00          | -24.83      | peak   |
| 5   | 13864.000       | 27.81          | 21.53          | 49.34           | 74.00          | -24.66      | peak   |
| 6   | 17912.000       | 24.55          | 25.52          | 50.07           | 74.00          | -23.93      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 37.75          | 10.46          | 48.21           | 74.00          | -25.79      | peak   |
| 2   | 10597.000       | 35.50          | 13.19          | 48.69           | 74.00          | -25.31      | peak   |
| 3   | 11510.000       | 39.70          | 16.79          | 56.49           | 74.00          | -17.51      | peak   |
| 4   | 11510.000       | 30.79          | 16.79          | 47.58           | 54.00          | -6.42       | AVG    |
| 5   | 11829.000       | 32.32          | 17.38          | 49.70           | 74.00          | -24.30      | peak   |
| 6   | 13809.000       | 28.31          | 21.41          | 49.72           | 74.00          | -24.28      | peak   |
| 7   | 17912.000       | 24.71          | 25.52          | 50.23           | 74.00          | -23.77      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5795     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9398.000        | 36.53          | 10.59          | 47.12           | 74.00          | -26.88      | peak   |
| 2   | 10564.000       | 36.29          | 13.06          | 49.35           | 74.00          | -24.65      | peak   |
| 3   | 11697.000       | 32.87          | 17.13          | 50.00           | 74.00          | -24.00      | peak   |
| 4   | 12698.000       | 31.21          | 18.08          | 49.29           | 74.00          | -24.71      | peak   |
| 5   | 13611.000       | 28.76          | 20.92          | 49.68           | 74.00          | -24.32      | peak   |
| 6   | 17934.000       | 23.79          | 25.67          | 49.46           | 74.00          | -24.54      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5795     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 38.72          | 10.48          | 49.20           | 74.00          | -24.80      | peak   |
| 2   | 10663.000       | 36.15          | 13.44          | 49.59           | 74.00          | -24.41      | peak   |
| 3   | 11598.000       | 37.88          | 16.96          | 54.84           | 74.00          | -19.16      | peak   |
| 4   | 11598.000       | 28.75          | 16.96          | 45.71           | 54.00          | -8.29       | AVG    |
| 5   | 13061.000       | 31.43          | 18.71          | 50.14           | 74.00          | -23.86      | peak   |
| 6   | 13611.000       | 29.13          | 20.92          | 50.05           | 74.00          | -23.95      | peak   |
| 7   | 17648.000       | 25.43          | 23.72          | 49.15           | 74.00          | -24.85      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5210     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 36.55          | 10.46          | 47.01           | 74.00          | -26.99      | peak   |
| 2*  | 10432.000       | 40.14          | 12.67          | 52.81           | 68.20          | -15.39      | peak   |
| 3   | 11202.000       | 34.10          | 15.55          | 49.65           | 74.00          | -24.35      | peak   |
| 4   | 11719.000       | 32.62          | 17.18          | 49.80           | 74.00          | -24.20      | peak   |
| 5   | 13853.000       | 27.91          | 21.52          | 49.43           | 74.00          | -24.57      | peak   |
| 6   | 17967.000       | 24.31          | 25.89          | 50.20           | 74.00          | -23.80      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5210     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9629.000        | 37.18          | 10.94          | 48.12           | 74.00          | -25.88      | peak   |
| 2*  | 10421.000       | 45.78          | 12.66          | 58.44           | 68.20          | -9.76       | peak   |
| 3   | 10938.000       | 35.15          | 14.48          | 49.63           | 74.00          | -24.37      | peak   |
| 4   | 12687.000       | 30.75          | 18.05          | 48.80           | 74.00          | -25.20      | peak   |
| 5   | 13611.000       | 27.95          | 20.92          | 48.87           | 74.00          | -25.13      | peak   |
| 6   | 17945.000       | 24.05          | 25.75          | 49.80           | 74.00          | -24.20      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5290     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.24          | 10.54          | 47.78           | 74.00          | -26.22      | peak   |
| 2*  | 10575.000       | 40.29          | 13.10          | 53.39           | 68.20          | -14.81      | peak   |
| 3   | 11268.000       | 34.59          | 15.83          | 50.42           | 74.00          | -23.58      | peak   |
| 4   | 12698.000       | 31.87          | 18.08          | 49.95           | 74.00          | -24.05      | peak   |
| 5   | 13864.000       | 27.98          | 21.53          | 49.51           | 74.00          | -24.49      | peak   |
| 6   | 17846.000       | 24.33          | 25.08          | 49.41           | 74.00          | -24.59      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5290     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9222.000        | 36.99          | 10.48          | 47.47           | 74.00          | -26.53      | peak   |
| 2*  | 10597.000       | 43.95          | 13.19          | 57.14           | 68.20          | -11.06      | peak   |
| 3   | 11510.000       | 33.81          | 16.79          | 50.60           | 74.00          | -23.40      | peak   |
| 4   | 11686.000       | 33.04          | 17.12          | 50.16           | 74.00          | -23.84      | peak   |
| 5   | 13600.000       | 28.91          | 20.89          | 49.80           | 74.00          | -24.20      | peak   |
| 6   | 17769.000       | 25.27          | 24.53          | 49.80           | 74.00          | -24.20      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5530     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 37.07          | 10.43          | 47.50           | 74.00          | -26.50      | peak   |
| 2   | 10927.000       | 35.31          | 14.45          | 49.76           | 74.00          | -24.24      | peak   |
| 3   | 11455.000       | 33.37          | 16.58          | 49.95           | 74.00          | -24.05      | peak   |
| 4   | 13050.000       | 30.63          | 18.66          | 49.29           | 74.00          | -24.71      | peak   |
| 5   | 13875.000       | 28.44          | 21.57          | 50.01           | 74.00          | -23.99      | peak   |
| 6   | 17978.000       | 24.16          | 25.97          | 50.13           | 74.00          | -23.87      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5530     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.68          | 10.49          | 47.17           | 74.00          | -26.83      | peak   |
| 2   | 11092.000       | 38.22          | 15.10          | 53.32           | 74.00          | -20.68      | peak   |
| 3   | 11092.000       | 29.18          | 15.10          | 44.28           | 54.00          | -9.72       | AVG    |
| 4   | 11840.000       | 33.10          | 17.40          | 50.50           | 74.00          | -23.50      | peak   |
| 5   | 13050.000       | 31.49          | 18.66          | 50.15           | 74.00          | -23.85      | peak   |
| 6   | 13941.000       | 27.53          | 21.73          | 49.26           | 74.00          | -24.74      | peak   |
| 7   | 17945.000       | 23.70          | 25.75          | 49.45           | 74.00          | -24.55      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5610     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.67          | 10.49          | 47.16           | 74.00          | -26.84      | peak   |
| 2   | 10025.000       | 36.23          | 11.82          | 48.05           | 74.00          | -25.95      | peak   |
| 3   | 10520.000       | 36.19          | 12.90          | 49.09           | 74.00          | -24.91      | peak   |
| 4   | 11785.000       | 32.14          | 17.30          | 49.44           | 74.00          | -24.56      | peak   |
| 5   | 13930.000       | 27.06          | 21.71          | 48.77           | 74.00          | -25.23      | peak   |
| 6   | 18000.000       | 23.54          | 26.12          | 49.66           | 74.00          | -24.34      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5610     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10476.000       | 36.29          | 12.77          | 49.06           | 74.00          | -24.94      | peak   |
| 2   | 11191.000       | 39.50          | 15.50          | 55.00           | 74.00          | -19.00      | peak   |
| 3   | 11191.000       | 31.37          | 15.50          | 46.87           | 54.00          | -7.13       | AVG    |
| 4   | 11708.000       | 32.25          | 17.16          | 49.41           | 74.00          | -24.59      | peak   |
| 5   | 13072.000       | 30.08          | 18.77          | 48.85           | 74.00          | -25.15      | peak   |
| 6   | 13875.000       | 27.91          | 21.57          | 49.48           | 74.00          | -24.52      | peak   |
| 7   | 18000.000       | 23.83          | 26.12          | 49.95           | 74.00          | -24.05      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5690     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10146.000       | 37.10          | 12.07          | 49.17           | 74.00          | -24.83      | peak   |
| 2   | 10927.000       | 34.97          | 14.45          | 49.42           | 74.00          | -24.58      | peak   |
| 3   | 11686.000       | 32.49          | 17.12          | 49.61           | 74.00          | -24.39      | peak   |
| 4   | 13072.000       | 30.03          | 18.77          | 48.80           | 74.00          | -25.20      | peak   |
| 5   | 13919.000       | 27.84          | 21.68          | 49.52           | 74.00          | -24.48      | peak   |
| 6   | 17945.000       | 23.81          | 25.75          | 49.56           | 74.00          | -24.44      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5690     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9101.000        | 37.08          | 10.40          | 47.48           | 74.00          | -26.52      | peak   |
| 2   | 10641.000       | 36.23          | 13.36          | 49.59           | 74.00          | -24.41      | peak   |
| 3   | 11400.000       | 38.37          | 16.36          | 54.73           | 74.00          | -19.27      | peak   |
| 4   | 11400.000       | 29.59          | 16.36          | 45.95           | 54.00          | -8.05       | AVG    |
| 5   | 12555.000       | 31.15          | 17.90          | 49.05           | 74.00          | -24.95      | peak   |
| 6   | 13886.000       | 27.36          | 21.60          | 48.96           | 74.00          | -25.04      | peak   |
| 7   | 17692.000       | 25.90          | 24.01          | 49.91           | 74.00          | -24.09      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5775     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.08          | 10.41          | 47.49           | 74.00          | -26.51      | peak   |
| 2   | 10498.000       | 36.67          | 12.82          | 49.49           | 74.00          | -24.51      | peak   |
| 3   | 11719.000       | 33.30          | 17.18          | 50.48           | 74.00          | -23.52      | peak   |
| 4   | 12687.000       | 31.20          | 18.05          | 49.25           | 74.00          | -24.75      | peak   |
| 5   | 13864.000       | 28.39          | 21.53          | 49.92           | 74.00          | -24.08      | peak   |
| 6   | 17934.000       | 24.15          | 25.67          | 49.82           | 74.00          | -24.18      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5775     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.51          | 10.48          | 47.99           | 74.00          | -26.01      | peak   |
| 2   | 10289.000       | 36.90          | 12.38          | 49.28           | 74.00          | -24.72      | peak   |
| 3   | 11554.000       | 34.75          | 16.87          | 51.62           | 74.00          | -22.38      | peak   |
| 4   | 11554.000       | 25.89          | 16.87          | 42.76           | 54.00          | -11.24      | AVG    |
| 5   | 13039.000       | 30.87          | 18.62          | 49.49           | 74.00          | -24.51      | peak   |
| 6   | 13853.000       | 27.29          | 21.52          | 48.81           | 74.00          | -25.19      | peak   |
| 7   | 17934.000       | 24.53          | 25.67          | 50.20           | 74.00          | -23.80      | peak   |


### 8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | ISED Result (dBuA/m) | ISED Limit (dBuA/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|---------------------|--------------------|----------------------|---------------------|-------------|--------|
| 1   | 0.0100          | 77.72          | -101.40        | -23.68              | 47.60              | -75.18               | -3.90               | -71.28      | peak   |
| 2   | 0.0146          | 72.64          | -101.37        | -28.73              | 44.31              | -80.23               | -7.19               | -73.04      | peak   |
| 3   | 0.0221          | 69.63          | -101.35        | -31.72              | 40.71              | -83.22               | -10.79              | -72.43      | peak   |
| 4   | 0.0362          | 65.51          | -101.42        | -35.91              | 36.43              | -87.41               | -15.07              | -72.34      | peak   |
| 5   | 0.0636          | 61.31          | -101.54        | -40.23              | 31.53              | -91.73               | -19.97              | -71.76      | peak   |
| 6   | 0.0981          | 58.77          | -101.78        | -43.01              | 27.77              | -94.51               | -23.73              | -70.78      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | ISED Result (dBuA/m) | ISED Limit (dBuA/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|---------------------|--------------------|----------------------|---------------------|-------------|--------|
| 1   | 0.1554          | 78.77          | -101.65        | -22.88              | 23.77              | -74.38               | -27.73              | -46.65      | peak   |
| 2   | 0.1806          | 74.93          | -101.68        | -26.75              | 22.47              | -78.25               | -29.03              | -49.22      | peak   |
| 3   | 0.1912          | 72.97          | -101.70        | -28.73              | 21.97              | -80.23               | -29.53              | -50.70      | peak   |
| 4   | 0.2149          | 69.70          | -101.75        | -32.05              | 20.96              | -83.55               | -30.54              | -53.01      | peak   |
| 5   | 0.2474          | 67.44          | -101.80        | -34.36              | 19.73              | -85.86               | -31.77              | -54.09      | peak   |
| 6   | 0.2942          | 63.82          | -101.85        | -38.03              | 18.23              | -89.53               | -33.27              | -56.26      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | FCC<br>Result<br>(dBuV/m) | FCC Limit<br>(dBuV/m) | ISED<br>Result<br>(dBuA/m) | ISED<br>Limit<br>(dBuA/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|-----------------------|----------------------------|---------------------------|----------------|--------|
| 1   | 0.5272             | 66.04             | -62.07            | 3.97                      | 33.16                 | -47.53                     | -18.34                    | -29.19         | peak   |
| 2   | 0.6671             | 65.75             | -62.10            | 3.65                      | 31.12                 | -47.85                     | -20.38                    | -27.47         | peak   |
| 3   | 0.8679             | 63.85             | -62.18            | 1.67                      | 28.83                 | -49.83                     | -22.67                    | -27.16         | peak   |
| 4   | 1.5564             | 60.18             | -62.02            | -1.84                     | 23.76                 | -53.34                     | -27.74                    | -25.60         | peak   |
| 5   | 3.2343             | 55.79             | -61.53            | -5.74                     | 29.54                 | -57.24                     | -21.96                    | -35.28         | peak   |
| 6   | 6.2445             | 52.13             | -61.32            | -9.19                     | 29.54                 | -60.69                     | -21.96                    | -38.73         | peak   |


### 8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 18296.000       | 54.90          | -4.04          | 50.86           | 80.00          | -29.14      | peak   |
| 2   | 18696.000       | 55.59          | -4.54          | 51.05           | 80.00          | -28.95      | peak   |
| 3   | 21152.000       | 57.01          | -4.74          | 52.27           | 80.00          | -27.73      | peak   |
| 4   | 21800.000       | 56.77          | -4.26          | 52.51           | 80.00          | -27.49      | peak   |
| 5   | 23304.000       | 56.77          | -3.67          | 53.10           | 80.00          | -26.90      | peak   |
| 6   | 25120.000       | 54.75          | -1.82          | 52.93           | 80.00          | -27.07      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 18648.000       | 55.08          | -4.48          | 50.60           | 80.00          | -29.40      | peak   |
| 2   | 20952.000       | 57.28          | -4.93          | 52.35           | 80.00          | -27.65      | peak   |
| 3   | 21472.000       | 57.44          | -4.47          | 52.97           | 80.00          | -27.03      | peak   |
| 4   | 23304.000       | 57.21          | -3.67          | 53.54           | 80.00          | -26.46      | peak   |
| 5   | 24176.000       | 55.16          | -3.05          | 52.11           | 80.00          | -27.89      | peak   |
| 6   | 25104.000       | 55.01          | -1.80          | 53.21           | 80.00          | -26.79      | peak   |




### 8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 26490.000       | 51.79          | -4.74          | 47.05           | 74.00          | -26.95      | peak   |
| 2   | 28786.000       | 48.49          | -0.64          | 47.85           | 74.00          | -26.15      | peak   |
| 3   | 31012.000       | 49.33          | -0.71          | 48.62           | 74.00          | -25.38      | peak   |
| 4   | 33644.000       | 47.31          | 0.42           | 47.73           | 74.00          | -26.27      | peak   |
| 5   | 35870.000       | 44.83          | 3.75           | 48.58           | 74.00          | -25.42      | peak   |
| 6   | 38180.000       | 45.14          | 3.69           | 48.83           | 74.00          | -25.17      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 28002.000       | 50.71          | -4.06          | 46.65           | 74.00          | -27.35      | peak   |
| 2   | 31320.000       | 49.11          | -0.93          | 48.18           | 74.00          | -25.82      | peak   |
| 3   | 32818.000       | 48.81          | -1.08          | 47.73           | 74.00          | -26.27      | peak   |
| 4   | 34302.000       | 46.95          | 1.10           | 48.05           | 74.00          | -25.95      | peak   |
| 5   | 35828.000       | 44.75          | 3.67           | 48.42           | 74.00          | -25.58      | peak   |
| 6   | 38278.000       | 43.82          | 3.82           | 47.64           | 74.00          | -26.36      | peak   |


## 8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 46.4900         | 46.12          | -19.81         | 26.31           | 40.00          | -13.69      | QP     |
| 2   | 239.5200        | 54.09          | -17.83         | 36.26           | 46.00          | -9.74       | QP     |
| 3   | 332.6400        | 41.52          | -13.30         | 28.22           | 46.00          | -17.78      | QP     |
| 4   | 480.0800        | 45.56          | -10.78         | 34.78           | 46.00          | -11.22      | QP     |
| 5   | 830.2500        | 34.40          | -6.12          | 28.28           | 46.00          | -17.72      | QP     |
| 6   | 960.2300        | 42.13          | -4.37          | 37.76           | 54.00          | -16.24      | QP     |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 46.4900         | 52.23          | -19.81         | 32.42           | 40.00          | -7.58       | QP     |
| 2   | 239.5200        | 44.65          | -17.83         | 26.82           | 46.00          | -19.18      | QP     |
| 3   | 333.6099        | 38.63          | -13.25         | 25.38           | 46.00          | -20.62      | QP     |
| 4   | 480.0800        | 43.59          | -10.78         | 32.81           | 46.00          | -13.19      | QP     |
| 5   | 831.2199        | 31.92          | -6.10          | 25.82           | 46.00          | -20.18      | QP     |
| 6   | 960.2300        | 40.05          | -4.37          | 35.68           | 54.00          | -18.32      | QP     |

## 9. AC POWER LINE CONDUCTED EMISSION

### LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

| FREQUENCY (MHz) | Quasi-peak | Average   |
|-----------------|------------|-----------|
| 0.15 -0.5       | 66 - 56 *  | 56 - 46 * |
| 0.50 -5.0       | 56.00      | 46.00     |
| 5.0 -30.0       | 60.00      | 50.00     |


### TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

### TEST SETUP




### TEST ENVIRONMENT

|                     |        |                   |                |
|---------------------|--------|-------------------|----------------|
| Temperature         | 23.5°C | Relative Humidity | 58%            |
| Atmosphere Pressure | 101kPa | Test Voltage      | AC 120 V/60 Hz |

**TEST RESULTS**

|            |               |                 |      |
|------------|---------------|-----------------|------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755 |
| Line       | L             |                 |      |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.1544          | 33.40          | 9.59         | 42.99         | 65.76        | -22.77      | QP     |
| 2   | 0.1544          | 15.28          | 9.59         | 24.87         | 55.76        | -30.89      | AVG    |
| 3   | 0.5518          | 14.48          | 9.60         | 24.08         | 56.00        | -31.92      | QP     |
| 4   | 0.5518          | 4.00           | 9.60         | 13.60         | 46.00        | -32.40      | AVG    |
| 5   | 2.2537          | 11.23          | 9.64         | 20.87         | 56.00        | -35.13      | QP     |
| 6   | 2.2537          | 1.08           | 9.64         | 10.72         | 46.00        | -35.28      | AVG    |
| 7   | 3.4156          | 12.94          | 9.68         | 22.62         | 56.00        | -33.38      | QP     |
| 8   | 3.4156          | 6.58           | 9.68         | 16.26         | 46.00        | -29.74      | AVG    |
| 9   | 6.7663          | 12.49          | 9.73         | 22.22         | 60.00        | -37.78      | QP     |
| 10  | 6.7663          | 5.31           | 9.73         | 15.04         | 50.00        | -34.96      | AVG    |
| 11  | 16.1958         | 11.23          | 9.75         | 20.98         | 60.00        | -39.02      | QP     |
| 12  | 16.1958         | 1.50           | 9.75         | 11.25         | 50.00        | -38.75      | AVG    |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

|            |               |                 |      |
|------------|---------------|-----------------|------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755 |
| Line:      | N             |                 |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.2165          | 27.39          | 9.58         | 36.97         | 62.95        | -25.98      | QP     |
| 2   | 0.2165          | 12.39          | 9.58         | 21.97         | 52.95        | -30.98      | AVG    |
| 3   | 0.8258          | 12.09          | 9.50         | 21.59         | 56.00        | -34.41      | QP     |
| 4   | 0.8258          | 4.93           | 9.50         | 14.43         | 46.00        | -31.57      | AVG    |
| 5   | 2.2844          | 12.13          | 9.63         | 21.76         | 56.00        | -34.24      | QP     |
| 6   | 2.2844          | 1.55           | 9.63         | 11.18         | 46.00        | -34.82      | AVG    |
| 7   | 3.6380          | 12.17          | 9.61         | 21.78         | 56.00        | -34.22      | QP     |
| 8   | 3.6380          | 5.83           | 9.61         | 15.44         | 46.00        | -30.56      | AVG    |
| 9   | 6.9308          | 13.56          | 9.63         | 23.19         | 60.00        | -36.81      | QP     |
| 10  | 6.9308          | 6.26           | 9.63         | 15.89         | 50.00        | -34.11      | AVG    |
| 11  | 16.3392         | 10.87          | 9.66         | 20.53         | 60.00        | -39.47      | QP     |
| 12  | 16.3392         | 1.80           | 9.66         | 11.46         | 50.00        | -38.54      | AVG    |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

## 10. ANTENNA REQUIREMENT

### REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### DESCRIPTION

Pass



## 11. TEST DATA


### 11.1. APPENDIX A: EMISSION BANDWIDTH


#### 11.1.1. Test Result

| Test Mode    | Antenna | Frequency[MHz] | 26db EBW [MHz] | FL[MHz] | FH[MHz] | Verdict |         |      |
|--------------|---------|----------------|----------------|---------|---------|---------|---------|------|
| 11A          | Ant1    | 5180           | 21.52          | 5169.20 | 5190.72 | PASS    |         |      |
|              |         | 5200           | 20.88          | 5189.28 | 5210.16 | PASS    |         |      |
|              |         | 5240           | 21.20          | 5229.56 | 5250.76 | PASS    |         |      |
|              |         | 5260           | 20.88          | 5249.52 | 5270.40 | PASS    |         |      |
|              |         | 5280           | 21.48          | 5269.28 | 5290.76 | PASS    |         |      |
|              |         | 5320           | 21.36          | 5309.24 | 5330.60 | PASS    |         |      |
|              |         | 5500           | 21.16          | 5489.52 | 5510.68 | PASS    |         |      |
|              |         | 5580           | 21.12          | 5569.36 | 5590.48 | PASS    |         |      |
|              |         | 5700           | 20.76          | 5689.60 | 5710.36 | PASS    |         |      |
|              |         | 5720           | 21.64          | 5709.12 | 5730.76 | PASS    |         |      |
|              |         | 5720_UNII-2C   | 15.88          | 5709.12 | 5725    | PASS    |         |      |
|              |         | 5720_UNII-3    | 5.76           | 5725    | 5730.76 | PASS    |         |      |
|              |         | 5745           | 21.44          | 5734.32 | 5755.76 | PASS    |         |      |
|              |         | 5785           | 21.56          | 5774.20 | 5795.76 | PASS    |         |      |
| 5825         | 21.32   | 5814.24        | 5835.56        | PASS    |         |         |         |      |
| 11N20SISO    | Ant1    | 5180           | 21.72          | 5168.88 | 5190.60 | PASS    |         |      |
|              |         | 5200           | 22.08          | 5188.96 | 5211.04 | PASS    |         |      |
|              |         | 5240           | 24.32          | 5226.76 | 5251.08 | PASS    |         |      |
|              |         | 5260           | 22.36          | 5248.72 | 5271.08 | PASS    |         |      |
|              |         | 5280           | 21.72          | 5268.96 | 5290.68 | PASS    |         |      |
|              |         | 5320           | 21.96          | 5309.32 | 5331.28 | PASS    |         |      |
|              |         | 5500           | 22.12          | 5488.76 | 5510.88 | PASS    |         |      |
|              |         | 5580           | 21.40          | 5569.44 | 5590.84 | PASS    |         |      |
|              |         | 5700           | 21.76          | 5689.00 | 5710.76 | PASS    |         |      |
|              |         | 5720           | 21.76          | 5709.24 | 5731.00 | PASS    |         |      |
|              |         | 5720_UNII-2C   | 15.76          | 5709.24 | 5725    | PASS    |         |      |
|              |         | 5720_UNII-3    | 6              | 5725    | 5731.00 | PASS    |         |      |
|              |         | 5745           | 21.52          | 5734.28 | 5755.80 | PASS    |         |      |
|              |         | 5785           | 22.44          | 5773.64 | 5796.08 | PASS    |         |      |
| 5825         | 21.64   | 5814.08        | 5835.72        | PASS    |         |         |         |      |
| 11N40SISO    | Ant1    | 5190           | 41.12          | 5169.36 | 5210.48 | PASS    |         |      |
|              |         | 5230           | 41.04          | 5209.52 | 5250.56 | PASS    |         |      |
|              |         | 5270           | 40.96          | 5249.60 | 5290.56 | PASS    |         |      |
|              |         | 5310           | 40.96          | 5289.68 | 5330.64 | PASS    |         |      |
|              |         | 5510           | 40.88          | 5489.60 | 5530.48 | PASS    |         |      |
|              |         | 5550           | 41.12          | 5529.44 | 5570.56 | PASS    |         |      |
|              |         | 5670           | 41.20          | 5649.44 | 5690.64 | PASS    |         |      |
|              |         | 5710           | 41.04          | 5689.44 | 5730.48 | PASS    |         |      |
|              |         | 5710_UNII-2C   | 35.56          | 5689.44 | 5725    | PASS    |         |      |
|              |         | 5710_UNII-3    | 5.48           | 5725    | 5730.48 | PASS    |         |      |
|              |         | 5755           | 40.96          | 5734.60 | 5775.56 | PASS    |         |      |
|              |         | 5795           | 40.96          | 5774.60 | 5815.56 | PASS    |         |      |
|              |         | 11AC80SISO     | Ant1           | 5210    | 81.60   | 5169.36 | 5250.96 | PASS |
|              |         |                |                | 5290    | 80.80   | 5249.68 | 5330.48 | PASS |
| 5530         | 80.80   |                |                | 5489.68 | 5570.48 | PASS    |         |      |
| 5610         | 82.40   |                |                | 5568.40 | 5650.80 | PASS    |         |      |
| 5690         | 80.48   |                |                | 5649.84 | 5730.32 | PASS    |         |      |
| 5690_UNII-2C | 75.16   |                |                | 5649.84 | 5725    | PASS    |         |      |
| 5690_UNII-3  | 5.32    |                |                | 5725    | 5730.32 | PASS    |         |      |
| 5775         | 86.56   |                |                | 5735.00 | 5821.56 | PASS    |         |      |
| 11AX20SISO   | Ant1    | 5180           | 22.20          | 5168.80 | 5191.00 | PASS    |         |      |
|              |         | 5200           | 22.16          | 5188.64 | 5210.80 | PASS    |         |      |
|              |         | 5240           | 22.32          | 5228.84 | 5251.16 | PASS    |         |      |
|              |         | 5260           | 21.76          | 5249.24 | 5271.00 | PASS    |         |      |
|              |         | 5280           | 22.16          | 5268.76 | 5290.92 | PASS    |         |      |
|              |         | 5320           | 21.52          | 5309.28 | 5330.80 | PASS    |         |      |


|            |      |              |       |         |         |      |
|------------|------|--------------|-------|---------|---------|------|
|            |      | 5500         | 21.96 | 5488.88 | 5510.84 | PASS |
|            |      | 5580         | 21.92 | 5569.16 | 5591.08 | PASS |
|            |      | 5700         | 21.84 | 5689.20 | 5711.04 | PASS |
|            |      | 5720         | 21.60 | 5709.28 | 5730.88 | PASS |
|            |      | 5720_UNII-2C | 15.72 | 5709.28 | 5725    | PASS |
|            |      | 5720_UNII-3  | 5.88  | 5725    | 5730.88 | PASS |
|            |      | 5745         | 21.04 | 5734.36 | 5755.40 | PASS |
|            |      | 5785         | 21.92 | 5774.04 | 5795.96 | PASS |
|            |      | 5825         | 21.96 | 5814.28 | 5836.24 | PASS |
| 11AX40SISO | Ant1 | 5190         | 41.52 | 5169.12 | 5210.64 | PASS |
|            |      | 5230         | 41.28 | 5209.52 | 5250.80 | PASS |
|            |      | 5270         | 40.96 | 5249.52 | 5290.48 | PASS |
|            |      | 5310         | 41.52 | 5289.20 | 5330.72 | PASS |
|            |      | 5510         | 41.44 | 5489.28 | 5530.72 | PASS |
|            |      | 5550         | 41.28 | 5529.36 | 5570.64 | PASS |
|            |      | 5670         | 41.28 | 5649.28 | 5690.56 | PASS |
|            |      | 5710         | 41.36 | 5689.44 | 5730.80 | PASS |
|            |      | 5710_UNII-2C | 35.56 | 5689.44 | 5725    | PASS |
|            |      | 5710_UNII-3  | 5.8   | 5725    | 5730.80 | PASS |
|            |      | 5755         | 41.44 | 5734.52 | 5775.96 | PASS |
|            |      | 5795         | 41.12 | 5774.44 | 5815.56 | PASS |
| 11AX80SISO | Ant1 | 5210         | 83.36 | 5168.08 | 5251.44 | PASS |
|            |      | 5290         | 82.56 | 5249.04 | 5331.60 | PASS |
|            |      | 5530         | 82.88 | 5488.56 | 5571.44 | PASS |
|            |      | 5610         | 82.72 | 5568.88 | 5651.60 | PASS |
|            |      | 5690         | 82.88 | 5648.40 | 5731.28 | PASS |
|            |      | 5690_UNII-2C | 76.6  | 5648.40 | 5725    | PASS |
|            |      | 5690_UNII-3  | 6.28  | 5725    | 5731.28 | PASS |
|            |      | 5775         | 82.88 | 5733.40 | 5816.28 | PASS |

### 11.1.2. Test Graphs







11A\_Ant1\_5260








11A\_Ant1\_5280




11A\_Ant1\_5320









Date: 28.DEC.2023 08:13:35



Date: 28.DEC.2023 08:17:45



Date: 28.DEC.2023 08:23:21



Date: 29.DEC.2023 09:47:51