



|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5720     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9123.000        | 38.11          | 10.42          | 48.53           | 74.00          | -25.47      | peak   |
| 2   | 10564.000       | 36.18          | 13.06          | 49.24           | 74.00          | -24.76      | peak   |
| 3   | 11268.000       | 34.51          | 15.83          | 50.34           | 74.00          | -23.66      | peak   |
| 4   | 12698.000       | 32.41          | 18.08          | 50.49           | 74.00          | -23.51      | peak   |
| 5   | 14128.000       | 29.38          | 21.34          | 50.72           | 74.00          | -23.28      | peak   |
| 6   | 18000.000       | 24.07          | 26.12          | 50.19           | 74.00          | -23.81      | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5720     |
| Polarity:  | Vertical   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9486.000        | 40.34          | 10.65          | 50.99           | 74.00          | -23.01      | peak   |
| 2   | 11004.000       | 35.65          | 14.74          | 50.39           | 74.00          | -23.61      | peak   |
| 3   | 11433.000       | 33.97          | 16.50          | 50.47           | 74.00          | -23.53      | peak   |
| 4   | 12676.000       | 32.28          | 18.05          | 50.33           | 74.00          | -23.67      | peak   |
| 5   | 13765.000       | 29.44          | 21.30          | 50.74           | 74.00          | -23.26      | peak   |
| 6   | 17802.000       | 25.82          | 24.76          | 50.58           | 74.00          | -23.42      | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5745     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.81          | 10.48          | 48.29           | 74.00          | -25.71      | peak   |
| 2   | 11015.000       | 35.26          | 14.79          | 50.05           | 74.00          | -23.95      | peak   |
| 3   | 11521.000       | 33.40          | 16.82          | 50.22           | 74.00          | -23.78      | peak   |
| 4   | 12687.000       | 31.56          | 18.05          | 49.61           | 74.00          | -24.39      | peak   |
| 5   | 13380.000       | 30.44          | 20.12          | 50.56           | 74.00          | -23.44      | peak   |
| 6   | 18000.000       | 24.78          | 26.12          | 50.90           | 74.00          | -23.10      | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5745     |
| Polarity:  | Vertical   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9068.000        | 36.96          | 10.39          | 47.35           | 74.00          | -26.65      | peak   |
| 2   | 10179.000       | 36.34          | 12.14          | 48.48           | 74.00          | -25.52      | peak   |
| 3   | 10916.000       | 35.25          | 14.39          | 49.64           | 74.00          | -24.36      | peak   |
| 4   | 12643.000       | 31.94          | 18.01          | 49.95           | 74.00          | -24.05      | peak   |
| 5   | 13622.000       | 29.14          | 20.95          | 50.09           | 74.00          | -23.91      | peak   |
| 6   | 17912.000       | 24.82          | 25.52          | 50.34           | 74.00          | -23.66      | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5785     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7759.000        | 38.48          | 6.64           | 45.12           | 74.00          | -28.88      | peak   |
| 2   | 9057.000        | 37.93          | 10.38          | 48.31           | 74.00          | -25.69      | peak   |
| 3   | 11422.000       | 33.27          | 16.46          | 49.73           | 74.00          | -24.27      | peak   |
| 4   | 12687.000       | 31.59          | 18.05          | 49.64           | 74.00          | -24.36      | peak   |
| 5   | 13919.000       | 28.88          | 21.68          | 50.56           | 74.00          | -23.44      | peak   |
| 6   | 17802.000       | 25.75          | 24.76          | 50.51           | 74.00          | -23.49      | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5785     |
| Polarity:  | Vertical   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8859.000        | 38.04          | 9.36           | 47.40           | 74.00          | -26.60      | peak   |
| 2   | 10223.000       | 35.59          | 12.24          | 47.83           | 74.00          | -26.17      | peak   |
| 3   | 11521.000       | 32.93          | 16.82          | 49.75           | 74.00          | -24.25      | peak   |
| 4   | 12698.000       | 31.23          | 18.08          | 49.31           | 74.00          | -24.69      | peak   |
| 5   | 13875.000       | 29.08          | 21.57          | 50.65           | 74.00          | -23.35      | peak   |
| 6   | 17692.000       | 26.64          | 24.01          | 50.65           | 74.00          | -23.35      | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5825     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 36.85          | 10.41          | 47.26           | 74.00          | -26.74      | peak   |
| 2   | 10839.000       | 35.04          | 14.10          | 49.14           | 74.00          | -24.86      | peak   |
| 3   | 11125.000       | 34.51          | 15.22          | 49.73           | 74.00          | -24.27      | peak   |
| 4   | 11873.000       | 32.20          | 17.46          | 49.66           | 74.00          | -24.34      | peak   |
| 5   | 13919.000       | 27.65          | 21.68          | 49.33           | 74.00          | -24.67      | peak   |
| 6   | 18000.000       | 24.02          | 26.12          | 50.14           | 74.00          | -23.86      | peak   |


|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5825     |
| Polarity:  | Vertical   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 36.56          | 10.54          | 47.10           | 74.00          | -26.90      | peak   |
| 2   | 10300.000       | 36.04          | 12.40          | 48.44           | 74.00          | -25.56      | peak   |
| 3   | 11510.000       | 32.79          | 16.79          | 49.58           | 74.00          | -24.42      | peak   |
| 4   | 12610.000       | 31.39          | 17.97          | 49.36           | 74.00          | -24.64      | peak   |
| 5   | 13578.000       | 28.75          | 20.83          | 49.58           | 74.00          | -24.42      | peak   |
| 6   | 17978.000       | 24.33          | 25.97          | 50.30           | 74.00          | -23.70      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 37.65          | 10.21          | 47.86           | 74.00          | -26.14      | peak   |
| 2   | 10355.000       | 41.85          | 12.52          | 54.37           | 74.00          | -19.63      | peak   |
| 3   | 10355.000       | 31.71          | 12.52          | 44.23           | 54.00          | -9.77       | AVG    |
| 4   | 11521.000       | 33.70          | 16.82          | 50.52           | 74.00          | -23.48      | peak   |
| 5   | 13996.000       | 28.44          | 21.87          | 50.31           | 74.00          | -23.69      | peak   |
| 6   | 15547.000       | 32.14          | 16.73          | 48.87           | 74.00          | -25.13      | peak   |
| 7   | 18000.000       | 24.42          | 26.12          | 50.54           | 74.00          | -23.46      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5180     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10366.000       | 37.46          | 12.54          | 50.00           | 74.00          | -24.00      | peak   |
| 2   | 11081.000       | 34.17          | 15.05          | 49.22           | 74.00          | -24.78      | peak   |
| 3   | 12676.000       | 31.40          | 18.05          | 49.45           | 74.00          | -24.55      | peak   |
| 4   | 14084.000       | 28.23          | 21.52          | 49.75           | 74.00          | -24.25      | peak   |
| 5   | 15536.000       | 32.76          | 16.73          | 49.49           | 74.00          | -24.51      | peak   |
| 6   | 18000.000       | 24.09          | 26.12          | 50.21           | 74.00          | -23.79      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5200     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9211.000        | 37.51          | 10.47          | 47.98           | 74.00          | -26.02      | peak   |
| 2   | 10036.000       | 35.53          | 11.84          | 47.37           | 74.00          | -26.63      | peak   |
| 3   | 10795.000       | 36.15          | 13.94          | 50.09           | 74.00          | -23.91      | peak   |
| 4   | 12621.000       | 31.89          | 17.98          | 49.87           | 74.00          | -24.13      | peak   |
| 5   | 13677.000       | 28.69          | 21.08          | 49.77           | 74.00          | -24.23      | peak   |
| 6   | 17989.000       | 24.06          | 26.04          | 50.10           | 74.00          | -23.90      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5200     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8991.000        | 37.34          | 10.28          | 47.62           | 74.00          | -26.38      | peak   |
| 2   | 10399.000       | 37.52          | 12.61          | 50.13           | 74.00          | -23.87      | peak   |
| 3   | 12610.000       | 32.13          | 17.97          | 50.10           | 74.00          | -23.90      | peak   |
| 4   | 13600.000       | 29.32          | 20.89          | 50.21           | 74.00          | -23.79      | peak   |
| 5   | 15602.000       | 32.32          | 16.75          | 49.07           | 74.00          | -24.93      | peak   |
| 6   | 17604.000       | 26.92          | 23.41          | 50.33           | 74.00          | -23.67      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5240     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9365.000        | 37.22          | 10.57          | 47.79           | 74.00          | -26.21      | peak   |
| 2   | 10476.000       | 37.75          | 12.77          | 50.52           | 74.00          | -23.48      | peak   |
| 3   | 11653.000       | 33.06          | 17.05          | 50.11           | 74.00          | -23.89      | peak   |
| 4   | 13380.000       | 30.30          | 20.12          | 50.42           | 74.00          | -23.58      | peak   |
| 5   | 13600.000       | 29.22          | 20.89          | 50.11           | 74.00          | -23.89      | peak   |
| 6   | 18000.000       | 23.83          | 26.12          | 49.95           | 74.00          | -24.05      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5240     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 36.49          | 10.55          | 47.04           | 74.00          | -26.96      | peak   |
| 2   | 10476.000       | 37.70          | 12.77          | 50.47           | 74.00          | -23.53      | peak   |
| 3   | 12676.000       | 31.99          | 18.05          | 50.04           | 74.00          | -23.96      | peak   |
| 4   | 13864.000       | 28.51          | 21.53          | 50.04           | 74.00          | -23.96      | peak   |
| 5   | 15734.000       | 31.21          | 16.81          | 48.02           | 74.00          | -25.98      | peak   |
| 6   | 17989.000       | 24.50          | 26.04          | 50.54           | 74.00          | -23.46      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5260     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7484.000        | 40.04          | 6.87           | 46.91           | 74.00          | -27.09      | peak   |
| 2   | 9233.000        | 37.71          | 10.48          | 48.19           | 74.00          | -25.81      | peak   |
| 3   | 10531.000       | 42.06          | 12.94          | 55.00           | 74.00          | -19.00      | peak   |
| 4   | 10531.000       | 31.75          | 12.94          | 44.69           | 54.00          | -9.31       | AVG    |
| 5   | 11829.000       | 32.67          | 17.38          | 50.05           | 74.00          | -23.95      | peak   |
| 6   | 13611.000       | 29.11          | 20.92          | 50.03           | 74.00          | -23.97      | peak   |
| 7   | 17978.000       | 24.10          | 25.97          | 50.07           | 74.00          | -23.93      | peak   |


|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5260     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9167.000        | 37.73          | 10.45          | 48.18           | 74.00          | -25.82      | peak   |
| 2   | 10509.000       | 41.51          | 12.85          | 54.36           | 74.00          | -19.64      | peak   |
| 3   | 10509.000       | 31.00          | 12.85          | 43.85           | 54.00          | -10.15      | AVG    |
| 4   | 11818.000       | 31.84          | 17.36          | 49.20           | 74.00          | -24.80      | peak   |
| 5   | 13897.000       | 28.03          | 21.62          | 49.65           | 74.00          | -24.35      | peak   |
| 6   | 15789.000       | 32.03          | 16.84          | 48.87           | 74.00          | -25.13      | peak   |
| 7   | 18000.000       | 23.71          | 26.12          | 49.83           | 74.00          | -24.17      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5280     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.34          | 10.41          | 47.75           | 74.00          | -26.25      | peak   |
| 2   | 10564.000       | 42.14          | 13.06          | 55.20           | 74.00          | -18.80      | peak   |
| 3   | 10564.000       | 32.65          | 13.06          | 45.71           | 54.00          | -8.29       | AVG    |
| 4   | 11059.000       | 34.92          | 14.96          | 49.88           | 74.00          | -24.12      | peak   |
| 5   | 12500.000       | 32.34          | 17.83          | 50.17           | 74.00          | -23.83      | peak   |
| 6   | 13600.000       | 29.85          | 20.89          | 50.74           | 74.00          | -23.26      | peak   |
| 7   | 17967.000       | 24.27          | 25.89          | 50.16           | 74.00          | -23.84      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5280     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9178.000        | 37.30          | 10.45          | 47.75           | 74.00          | -26.25      | peak   |
| 2   | 10872.000       | 35.78          | 14.23          | 50.01           | 74.00          | -23.99      | peak   |
| 3   | 11521.000       | 33.36          | 16.82          | 50.18           | 74.00          | -23.82      | peak   |
| 4   | 12698.000       | 32.20          | 18.08          | 50.28           | 74.00          | -23.72      | peak   |
| 5   | 13127.000       | 31.34          | 19.01          | 50.35           | 74.00          | -23.65      | peak   |
| 6   | 17989.000       | 24.42          | 26.04          | 50.46           | 74.00          | -23.54      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5320     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 37.38          | 10.49          | 47.87           | 74.00          | -26.13      | peak   |
| 2   | 10641.000       | 41.69          | 13.36          | 55.05           | 74.00          | -18.95      | peak   |
| 3   | 10641.000       | 31.43          | 13.36          | 44.79           | 54.00          | -9.21       | AVG    |
| 4   | 11411.000       | 34.42          | 16.41          | 50.83           | 74.00          | -23.17      | peak   |
| 5   | 12236.000       | 32.21          | 17.76          | 49.97           | 74.00          | -24.03      | peak   |
| 6   | 13160.000       | 31.37          | 19.15          | 50.52           | 74.00          | -23.48      | peak   |
| 7   | 17989.000       | 24.70          | 26.04          | 50.74           | 74.00          | -23.26      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5320     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7770.000        | 41.50          | 6.63           | 48.13           | 74.00          | -25.87      | peak   |
| 2   | 9200.000        | 37.10          | 10.46          | 47.56           | 74.00          | -26.44      | peak   |
| 3   | 10630.000       | 43.69          | 13.31          | 57.00           | 74.00          | -17.00      | peak   |
| 4   | 10630.000       | 33.01          | 13.31          | 46.32           | 54.00          | -7.68       | AVG    |
| 5   | 12731.000       | 31.36          | 18.12          | 49.48           | 74.00          | -24.52      | peak   |
| 6   | 13919.000       | 28.76          | 21.68          | 50.44           | 74.00          | -23.56      | peak   |
| 7   | 17978.000       | 24.23          | 25.97          | 50.20           | 74.00          | -23.80      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5500     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.38          | 10.41          | 47.79           | 74.00          | -26.21      | peak   |
| 2   | 10212.000       | 35.99          | 12.21          | 48.20           | 74.00          | -25.80      | peak   |
| 3   | 11686.000       | 33.10          | 17.12          | 50.22           | 74.00          | -23.78      | peak   |
| 4   | 12610.000       | 32.20          | 17.97          | 50.17           | 74.00          | -23.83      | peak   |
| 5   | 13996.000       | 28.42          | 21.87          | 50.29           | 74.00          | -23.71      | peak   |
| 6   | 17956.000       | 23.98          | 25.82          | 49.80           | 74.00          | -24.20      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5500     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.23          | 10.51          | 47.74           | 74.00          | -26.26      | peak   |
| 2   | 10916.000       | 35.23          | 14.39          | 49.62           | 74.00          | -24.38      | peak   |
| 3   | 11312.000       | 33.70          | 16.00          | 49.70           | 74.00          | -24.30      | peak   |
| 4   | 12291.000       | 32.22          | 17.78          | 50.00           | 74.00          | -24.00      | peak   |
| 5   | 13985.000       | 28.31          | 21.85          | 50.16           | 74.00          | -23.84      | peak   |
| 6   | 17956.000       | 24.33          | 25.82          | 50.15           | 74.00          | -23.85      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5580     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9167.000        | 36.88          | 10.45          | 47.33           | 74.00          | -26.67      | peak   |
| 2   | 11070.000       | 34.54          | 15.01          | 49.55           | 74.00          | -24.45      | peak   |
| 3   | 12676.000       | 31.99          | 18.05          | 50.04           | 74.00          | -23.96      | peak   |
| 4   | 13633.000       | 28.54          | 20.97          | 49.51           | 74.00          | -24.49      | peak   |
| 5   | 16746.000       | 29.08          | 19.45          | 48.53           | 74.00          | -25.47      | peak   |
| 6   | 17857.000       | 24.73          | 25.14          | 49.87           | 74.00          | -24.13      | peak   |


|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5580     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.70          | 10.41          | 48.11           | 74.00          | -25.89      | peak   |
| 2   | 11829.000       | 32.86          | 17.38          | 50.24           | 74.00          | -23.76      | peak   |
| 3   | 12687.000       | 32.61          | 18.05          | 50.66           | 74.00          | -23.34      | peak   |
| 4   | 13996.000       | 28.50          | 21.87          | 50.37           | 74.00          | -23.63      | peak   |
| 5   | 16746.000       | 29.67          | 19.45          | 49.12           | 74.00          | -24.88      | peak   |
| 6   | 17967.000       | 24.71          | 25.89          | 50.60           | 74.00          | -23.40      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5700     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7869.000        | 39.09          | 6.54           | 45.63           | 74.00          | -28.37      | peak   |
| 2   | 9332.000        | 37.37          | 10.54          | 47.91           | 74.00          | -26.09      | peak   |
| 3   | 11004.000       | 34.95          | 14.74          | 49.69           | 74.00          | -24.31      | peak   |
| 4   | 12643.000       | 31.62          | 18.01          | 49.63           | 74.00          | -24.37      | peak   |
| 5   | 13908.000       | 27.93          | 21.66          | 49.59           | 74.00          | -24.41      | peak   |
| 6   | 17098.000       | 29.64          | 21.02          | 50.66           | 74.00          | -23.34      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5700     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7759.000        | 39.43          | 6.64           | 46.07           | 74.00          | -27.93      | peak   |
| 2   | 9255.000        | 37.38          | 10.51          | 47.89           | 74.00          | -26.11      | peak   |
| 3   | 11400.000       | 35.61          | 16.36          | 51.97           | 74.00          | -22.03      | peak   |
| 4   | 12720.000       | 32.11          | 18.09          | 50.20           | 74.00          | -23.80      | peak   |
| 5   | 17098.000       | 29.34          | 21.02          | 50.36           | 74.00          | -23.64      | peak   |
| 6   | 17945.000       | 24.13          | 25.75          | 49.88           | 74.00          | -24.12      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5720     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.82          | 10.51          | 48.33           | 74.00          | -25.67      | peak   |
| 2   | 11444.000       | 34.03          | 16.53          | 50.56           | 74.00          | -23.44      | peak   |
| 3   | 12698.000       | 32.76          | 18.08          | 50.84           | 74.00          | -23.16      | peak   |
| 4   | 13600.000       | 29.48          | 20.89          | 50.37           | 74.00          | -23.63      | peak   |
| 5   | 17164.000       | 29.02          | 21.29          | 50.31           | 74.00          | -23.69      | peak   |
| 6   | 18000.000       | 24.29          | 26.12          | 50.41           | 74.00          | -23.59      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5720     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 37.23          | 10.55          | 47.78           | 74.00          | -26.22      | peak   |
| 2   | 10168.000       | 35.54          | 12.13          | 47.67           | 74.00          | -26.33      | peak   |
| 3   | 11444.000       | 34.06          | 16.53          | 50.59           | 74.00          | -23.41      | peak   |
| 4   | 12379.000       | 32.15          | 17.80          | 49.95           | 74.00          | -24.05      | peak   |
| 5   | 13875.000       | 28.76          | 21.57          | 50.33           | 74.00          | -23.67      | peak   |
| 6   | 17164.000       | 29.53          | 21.29          | 50.82           | 74.00          | -23.18      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5745     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9167.000        | 36.32          | 10.45          | 46.77           | 74.00          | -27.23      | peak   |
| 2   | 11202.000       | 33.59          | 15.55          | 49.14           | 74.00          | -24.86      | peak   |
| 3   | 12698.000       | 32.43          | 18.08          | 50.51           | 74.00          | -23.49      | peak   |
| 4   | 13622.000       | 29.40          | 20.95          | 50.35           | 74.00          | -23.65      | peak   |
| 5   | 17230.000       | 31.84          | 21.57          | 53.41           | 74.00          | -20.59      | peak   |
| 6   | 17230.000       | 20.89          | 21.57          | 42.46           | 54.00          | -11.54      | AVG    |
| 7   | 17956.000       | 24.69          | 25.82          | 50.51           | 74.00          | -23.49      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5745     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9068.000        | 36.63          | 10.39          | 47.02           | 74.00          | -26.98      | peak   |
| 2   | 11070.000       | 34.26          | 15.01          | 49.27           | 74.00          | -24.73      | peak   |
| 3   | 11499.000       | 32.57          | 16.77          | 49.34           | 74.00          | -24.66      | peak   |
| 4   | 12654.000       | 31.92          | 18.01          | 49.93           | 74.00          | -24.07      | peak   |
| 5   | 17241.000       | 28.91          | 21.62          | 50.53           | 74.00          | -23.47      | peak   |
| 6   | 17989.000       | 24.84          | 26.04          | 50.88           | 74.00          | -23.12      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5785     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8903.000        | 37.51          | 9.66           | 47.17           | 74.00          | -26.83      | peak   |
| 2   | 10575.000       | 35.11          | 13.10          | 48.21           | 74.00          | -25.79      | peak   |
| 3   | 11466.000       | 33.25          | 16.63          | 49.88           | 74.00          | -24.12      | peak   |
| 4   | 12698.000       | 32.15          | 18.08          | 50.23           | 74.00          | -23.77      | peak   |
| 5   | 13908.000       | 28.48          | 21.66          | 50.14           | 74.00          | -23.86      | peak   |
| 6   | 18000.000       | 24.41          | 26.12          | 50.53           | 74.00          | -23.47      | peak   |


|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5785     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9222.000        | 37.50          | 10.48          | 47.98           | 74.00          | -26.02      | peak   |
| 2   | 10817.000       | 35.27          | 14.03          | 49.30           | 74.00          | -24.70      | peak   |
| 3   | 11323.000       | 33.01          | 16.05          | 49.06           | 74.00          | -24.94      | peak   |
| 4   | 12676.000       | 31.64          | 18.05          | 49.69           | 74.00          | -24.31      | peak   |
| 5   | 13919.000       | 28.52          | 21.68          | 50.20           | 74.00          | -23.80      | peak   |
| 6   | 17362.000       | 28.51          | 22.12          | 50.63           | 74.00          | -23.37      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5825     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 37.20          | 10.43          | 47.63           | 74.00          | -26.37      | peak   |
| 2   | 11059.000       | 34.70          | 14.96          | 49.66           | 74.00          | -24.34      | peak   |
| 3   | 11664.000       | 32.79          | 17.08          | 49.87           | 74.00          | -24.13      | peak   |
| 4   | 12720.000       | 31.42          | 18.09          | 49.51           | 74.00          | -24.49      | peak   |
| 5   | 14084.000       | 28.27          | 21.52          | 49.79           | 74.00          | -24.21      | peak   |
| 6   | 17989.000       | 23.61          | 26.04          | 49.65           | 74.00          | -24.35      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5825     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9211.000        | 37.16          | 10.47          | 47.63           | 74.00          | -26.37      | peak   |
| 2   | 10806.000       | 34.48          | 13.98          | 48.46           | 74.00          | -25.54      | peak   |
| 3   | 11521.000       | 31.52          | 16.82          | 48.34           | 74.00          | -25.66      | peak   |
| 4   | 12698.000       | 29.97          | 18.08          | 48.05           | 74.00          | -25.95      | peak   |
| 5   | 13864.000       | 27.63          | 21.53          | 49.16           | 74.00          | -24.84      | peak   |
| 6   | 17978.000       | 23.20          | 25.97          | 49.17           | 74.00          | -24.83      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5190     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 36.79          | 10.43          | 47.22           | 74.00          | -26.78      | peak   |
| 2   | 10388.000       | 35.61          | 12.59          | 48.20           | 74.00          | -25.80      | peak   |
| 3   | 11334.000       | 34.29          | 16.09          | 50.38           | 74.00          | -23.62      | peak   |
| 4   | 12687.000       | 31.92          | 18.05          | 49.97           | 74.00          | -24.03      | peak   |
| 5   | 13600.000       | 29.89          | 20.89          | 50.78           | 74.00          | -23.22      | peak   |
| 6   | 17714.000       | 26.07          | 24.16          | 50.23           | 74.00          | -23.77      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5190     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8991.000        | 37.32          | 10.28          | 47.60           | 74.00          | -26.40      | peak   |
| 2   | 10784.000       | 35.06          | 13.91          | 48.97           | 74.00          | -25.03      | peak   |
| 3   | 11400.000       | 34.22          | 16.36          | 50.58           | 74.00          | -23.42      | peak   |
| 4   | 12533.000       | 31.39          | 17.87          | 49.26           | 74.00          | -24.74      | peak   |
| 5   | 13875.000       | 28.35          | 21.57          | 49.92           | 74.00          | -24.08      | peak   |
| 6   | 17978.000       | 24.61          | 25.97          | 50.58           | 74.00          | -23.42      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5230     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 40.50          | 6.68           | 47.18           | 74.00          | -26.82      | peak   |
| 2   | 10454.000       | 37.11          | 12.73          | 49.84           | 74.00          | -24.16      | peak   |
| 3   | 11510.000       | 33.28          | 16.79          | 50.07           | 74.00          | -23.93      | peak   |
| 4   | 12698.000       | 32.45          | 18.08          | 50.53           | 74.00          | -23.47      | peak   |
| 5   | 13930.000       | 28.80          | 21.71          | 50.51           | 74.00          | -23.49      | peak   |
| 6   | 17912.000       | 24.82          | 25.52          | 50.34           | 74.00          | -23.66      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5230     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.51          | 10.51          | 48.02           | 74.00          | -25.98      | peak   |
| 2   | 10454.000       | 38.07          | 12.73          | 50.80           | 74.00          | -23.20      | peak   |
| 3   | 11763.000       | 33.01          | 17.26          | 50.27           | 74.00          | -23.73      | peak   |
| 4   | 12698.000       | 31.61          | 18.08          | 49.69           | 74.00          | -24.31      | peak   |
| 5   | 13930.000       | 27.87          | 21.71          | 49.58           | 74.00          | -24.42      | peak   |
| 6   | 17934.000       | 24.29          | 25.67          | 49.96           | 74.00          | -24.04      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5270     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9079.000        | 37.33          | 10.39          | 47.72           | 74.00          | -26.28      | peak   |
| 2   | 10542.000       | 36.30          | 12.98          | 49.28           | 74.00          | -24.72      | peak   |
| 3   | 11103.000       | 34.91          | 15.15          | 50.06           | 74.00          | -23.94      | peak   |
| 4   | 12566.000       | 32.46          | 17.91          | 50.37           | 74.00          | -23.63      | peak   |
| 5   | 13864.000       | 28.94          | 21.53          | 50.47           | 74.00          | -23.53      | peak   |
| 6   | 17978.000       | 24.65          | 25.97          | 50.62           | 74.00          | -23.38      | peak   |


|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5270     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 36.67          | 10.48          | 47.15           | 74.00          | -26.85      | peak   |
| 2   | 10553.000       | 37.33          | 13.02          | 50.35           | 74.00          | -23.65      | peak   |
| 3   | 11521.000       | 33.50          | 16.82          | 50.32           | 74.00          | -23.68      | peak   |
| 4   | 12687.000       | 32.20          | 18.05          | 50.25           | 74.00          | -23.75      | peak   |
| 5   | 13908.000       | 28.83          | 21.66          | 50.49           | 74.00          | -23.51      | peak   |
| 6   | 17967.000       | 24.66          | 25.89          | 50.55           | 74.00          | -23.45      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5310     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9222.000        | 37.78          | 10.48          | 48.26           | 74.00          | -25.74      | peak   |
| 2   | 10630.000       | 36.54          | 13.31          | 49.85           | 74.00          | -24.15      | peak   |
| 3   | 11191.000       | 34.83          | 15.50          | 50.33           | 74.00          | -23.67      | peak   |
| 4   | 12225.000       | 32.40          | 17.75          | 50.15           | 74.00          | -23.85      | peak   |
| 5   | 13996.000       | 28.31          | 21.87          | 50.18           | 74.00          | -23.82      | peak   |
| 6   | 17857.000       | 24.99          | 25.14          | 50.13           | 74.00          | -23.87      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5310     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 36.78          | 10.46          | 47.24           | 74.00          | -26.76      | peak   |
| 2   | 10619.000       | 36.28          | 13.28          | 49.56           | 74.00          | -24.44      | peak   |
| 3   | 11752.000       | 32.36          | 17.24          | 49.60           | 74.00          | -24.40      | peak   |
| 4   | 12709.000       | 31.78          | 18.09          | 49.87           | 74.00          | -24.13      | peak   |
| 5   | 13666.000       | 29.20          | 21.05          | 50.25           | 74.00          | -23.75      | peak   |
| 6   | 17912.000       | 24.48          | 25.52          | 50.00           | 74.00          | -24.00      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5510     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9376.000        | 36.72          | 10.58          | 47.30           | 74.00          | -26.70      | peak   |
| 2   | 11092.000       | 34.14          | 15.10          | 49.24           | 74.00          | -24.76      | peak   |
| 3   | 11763.000       | 33.09          | 17.26          | 50.35           | 74.00          | -23.65      | peak   |
| 4   | 12368.000       | 32.03          | 17.80          | 49.83           | 74.00          | -24.17      | peak   |
| 5   | 13919.000       | 28.52          | 21.68          | 50.20           | 74.00          | -23.80      | peak   |
| 6   | 17714.000       | 26.59          | 24.16          | 50.75           | 74.00          | -23.25      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5510     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9167.000        | 36.98          | 10.45          | 47.43           | 74.00          | -26.57      | peak   |
| 2   | 10905.000       | 35.48          | 14.36          | 49.84           | 74.00          | -24.16      | peak   |
| 3   | 11631.000       | 32.89          | 17.01          | 49.90           | 74.00          | -24.10      | peak   |
| 4   | 12632.000       | 32.73          | 17.99          | 50.72           | 74.00          | -23.28      | peak   |
| 5   | 13094.000       | 31.41          | 18.87          | 50.28           | 74.00          | -23.72      | peak   |
| 6   | 17945.000       | 24.05          | 25.75          | 49.80           | 74.00          | -24.20      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5550     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9101.000        | 37.11          | 10.40          | 47.51           | 74.00          | -26.49      | peak   |
| 2   | 10894.000       | 35.84          | 14.32          | 50.16           | 74.00          | -23.84      | peak   |
| 3   | 11510.000       | 33.25          | 16.79          | 50.04           | 74.00          | -23.96      | peak   |
| 4   | 12698.000       | 31.76          | 18.08          | 49.84           | 74.00          | -24.16      | peak   |
| 5   | 13644.000       | 28.91          | 20.99          | 49.90           | 74.00          | -24.10      | peak   |
| 6   | 17989.000       | 23.93          | 26.04          | 49.97           | 74.00          | -24.03      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5550     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9068.000        | 36.58          | 10.39          | 46.97           | 74.00          | -27.03      | peak   |
| 2   | 11015.000       | 35.39          | 14.79          | 50.18           | 74.00          | -23.82      | peak   |
| 3   | 11796.000       | 32.93          | 17.32          | 50.25           | 74.00          | -23.75      | peak   |
| 4   | 12698.000       | 32.58          | 18.08          | 50.66           | 74.00          | -23.34      | peak   |
| 5   | 13919.000       | 28.50          | 21.68          | 50.18           | 74.00          | -23.82      | peak   |
| 6   | 17967.000       | 24.59          | 25.89          | 50.48           | 74.00          | -23.52      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5670     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.01          | 10.51          | 47.52           | 74.00          | -26.48      | peak   |
| 2   | 10894.000       | 34.68          | 14.32          | 49.00           | 74.00          | -25.00      | peak   |
| 3   | 11642.000       | 32.85          | 17.03          | 49.88           | 74.00          | -24.12      | peak   |
| 4   | 12676.000       | 31.92          | 18.05          | 49.97           | 74.00          | -24.03      | peak   |
| 5   | 13809.000       | 28.65          | 21.41          | 50.06           | 74.00          | -23.94      | peak   |
| 6   | 17846.000       | 25.04          | 25.08          | 50.12           | 74.00          | -23.88      | peak   |


|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5670     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9112.000        | 36.75          | 10.41          | 47.16           | 74.00          | -26.84      | peak   |
| 2   | 10718.000       | 34.91          | 13.66          | 48.57           | 74.00          | -25.43      | peak   |
| 3   | 11345.000       | 34.63          | 16.14          | 50.77           | 74.00          | -23.23      | peak   |
| 4   | 13611.000       | 29.30          | 20.92          | 50.22           | 74.00          | -23.78      | peak   |
| 5   | 17021.000       | 29.99          | 20.70          | 50.69           | 74.00          | -23.31      | peak   |
| 6   | 17021.000       | 29.99          | 20.70          | 50.69           | 74.00          | -23.31      | peak   |




|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5710     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8034.000        | 39.16          | 6.47           | 45.63           | 74.00          | -28.37      | peak   |
| 2   | 9497.000        | 36.46          | 10.66          | 47.12           | 74.00          | -26.88      | peak   |
| 3   | 10861.000       | 35.60          | 14.20          | 49.80           | 74.00          | -24.20      | peak   |
| 4   | 12665.000       | 30.64          | 18.04          | 48.68           | 74.00          | -25.32      | peak   |
| 5   | 13424.000       | 28.75          | 20.30          | 49.05           | 74.00          | -24.95      | peak   |
| 6   | 17989.000       | 23.97          | 26.04          | 50.01           | 74.00          | -23.99      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5710     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 36.56          | 10.54          | 47.10           | 74.00          | -26.90      | peak   |
| 2   | 11422.000       | 35.27          | 16.46          | 51.73           | 74.00          | -22.27      | peak   |
| 3   | 12665.000       | 32.45          | 18.04          | 50.49           | 74.00          | -23.51      | peak   |
| 4   | 13908.000       | 28.22          | 21.66          | 49.88           | 74.00          | -24.12      | peak   |
| 5   | 17131.000       | 29.56          | 21.16          | 50.72           | 74.00          | -23.28      | peak   |
| 6   | 17967.000       | 24.46          | 25.89          | 50.35           | 74.00          | -23.65      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5755     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.24          | 10.41          | 47.65           | 74.00          | -26.35      | peak   |
| 2   | 11059.000       | 34.65          | 14.96          | 49.61           | 74.00          | -24.39      | peak   |
| 3   | 11851.000       | 33.21          | 17.43          | 50.64           | 74.00          | -23.36      | peak   |
| 4   | 13886.000       | 29.03          | 21.60          | 50.63           | 74.00          | -23.37      | peak   |
| 5   | 17263.000       | 28.92          | 21.71          | 50.63           | 74.00          | -23.37      | peak   |
| 6   | 17956.000       | 24.58          | 25.82          | 50.40           | 74.00          | -23.60      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5755     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 36.80          | 10.48          | 47.28           | 74.00          | -26.72      | peak   |
| 2   | 10685.000       | 36.02          | 13.53          | 49.55           | 74.00          | -24.45      | peak   |
| 3   | 11510.000       | 33.98          | 16.79          | 50.77           | 74.00          | -23.23      | peak   |
| 4   | 12236.000       | 32.07          | 17.76          | 49.83           | 74.00          | -24.17      | peak   |
| 5   | 13270.000       | 30.46          | 19.63          | 50.09           | 74.00          | -23.91      | peak   |
| 6   | 17967.000       | 24.87          | 25.89          | 50.76           | 74.00          | -23.24      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5795     |
| Polarity:  | Horizontal   | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7748.000        | 39.90          | 6.66           | 46.56           | 74.00          | -27.44      | peak   |
| 2   | 8980.000        | 37.73          | 10.21          | 47.94           | 74.00          | -26.06      | peak   |
| 3   | 11807.000       | 32.80          | 17.34          | 50.14           | 74.00          | -23.86      | peak   |
| 4   | 12742.000       | 32.63          | 18.13          | 50.76           | 74.00          | -23.24      | peak   |
| 5   | 13853.000       | 28.76          | 21.52          | 50.28           | 74.00          | -23.72      | peak   |
| 6   | 17989.000       | 24.82          | 26.04          | 50.86           | 74.00          | -23.14      | peak   |

|            |              |                 |          |
|------------|--------------|-----------------|----------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5795     |
| Polarity:  | Vertical     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8958.000        | 37.48          | 10.05          | 47.53           | 74.00          | -26.47      | peak   |
| 2   | 11059.000       | 34.60          | 14.96          | 49.56           | 74.00          | -24.44      | peak   |
| 3   | 11411.000       | 33.28          | 16.41          | 49.69           | 74.00          | -24.31      | peak   |
| 4   | 12632.000       | 32.35          | 17.99          | 50.34           | 74.00          | -23.66      | peak   |
| 5   | 13996.000       | 28.72          | 21.87          | 50.59           | 74.00          | -23.41      | peak   |
| 6   | 17956.000       | 25.03          | 25.82          | 50.85           | 74.00          | -23.15      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5210     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7715.000        | 38.68          | 6.68           | 45.36           | 74.00          | -28.64      | peak   |
| 2   | 9134.000        | 37.97          | 10.41          | 48.38           | 74.00          | -25.62      | peak   |
| 3   | 10872.000       | 35.93          | 14.23          | 50.16           | 74.00          | -23.84      | peak   |
| 4   | 11873.000       | 31.84          | 17.46          | 49.30           | 74.00          | -24.70      | peak   |
| 5   | 13424.000       | 28.88          | 20.30          | 49.18           | 74.00          | -24.82      | peak   |
| 6   | 18000.000       | 23.31          | 26.12          | 49.43           | 74.00          | -24.57      | peak   |


|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5210     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 36.58          | 10.46          | 47.04           | 74.00          | -26.96      | peak   |
| 2   | 10410.000       | 36.34          | 12.62          | 48.96           | 74.00          | -25.04      | peak   |
| 3   | 11510.000       | 33.60          | 16.79          | 50.39           | 74.00          | -23.61      | peak   |
| 4   | 12698.000       | 32.31          | 18.08          | 50.39           | 74.00          | -23.61      | peak   |
| 5   | 13644.000       | 29.04          | 20.99          | 50.03           | 74.00          | -23.97      | peak   |
| 6   | 17923.000       | 25.06          | 25.60          | 50.66           | 74.00          | -23.34      | peak   |




|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5290     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9167.000        | 37.10          | 10.45          | 47.55           | 74.00          | -26.45      | peak   |
| 2   | 11026.000       | 35.09          | 14.82          | 49.91           | 74.00          | -24.09      | peak   |
| 3   | 12698.000       | 32.34          | 18.08          | 50.42           | 74.00          | -23.58      | peak   |
| 4   | 14007.000       | 28.37          | 21.85          | 50.22           | 74.00          | -23.78      | peak   |
| 5   | 16911.000       | 28.60          | 20.21          | 48.81           | 74.00          | -25.19      | peak   |
| 6   | 17989.000       | 24.36          | 26.04          | 50.40           | 74.00          | -23.60      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5290     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7704.000        | 38.29          | 6.69           | 44.98           | 74.00          | -29.02      | peak   |
| 2   | 8980.000        | 37.45          | 10.21          | 47.66           | 74.00          | -26.34      | peak   |
| 3   | 11015.000       | 34.38          | 14.79          | 49.17           | 74.00          | -24.83      | peak   |
| 4   | 12698.000       | 30.54          | 18.08          | 48.62           | 74.00          | -25.38      | peak   |
| 5   | 13930.000       | 27.77          | 21.71          | 49.48           | 74.00          | -24.52      | peak   |
| 6   | 17989.000       | 23.43          | 26.04          | 49.47           | 74.00          | -24.53      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5530     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.30          | 10.48          | 47.78           | 74.00          | -26.22      | peak   |
| 2   | 11081.000       | 34.83          | 15.05          | 49.88           | 74.00          | -24.12      | peak   |
| 3   | 11664.000       | 33.41          | 17.08          | 50.49           | 74.00          | -23.51      | peak   |
| 4   | 12698.000       | 32.85          | 18.08          | 50.93           | 74.00          | -23.07      | peak   |
| 5   | 13820.000       | 29.41          | 21.43          | 50.84           | 74.00          | -23.16      | peak   |
| 6   | 17956.000       | 24.88          | 25.82          | 50.70           | 74.00          | -23.30      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5530     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7990.000        | 41.27          | 6.43           | 47.70           | 74.00          | -26.30      | peak   |
| 2   | 10179.000       | 35.82          | 12.14          | 47.96           | 74.00          | -26.04      | peak   |
| 3   | 11686.000       | 33.44          | 17.12          | 50.56           | 74.00          | -23.44      | peak   |
| 4   | 12698.000       | 32.43          | 18.08          | 50.51           | 74.00          | -23.49      | peak   |
| 5   | 13567.000       | 29.71          | 20.80          | 50.51           | 74.00          | -23.49      | peak   |
| 6   | 17989.000       | 24.41          | 26.04          | 50.45           | 74.00          | -23.55      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5610     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.51          | 10.48          | 47.99           | 74.00          | -26.01      | peak   |
| 2   | 10201.000       | 36.70          | 12.19          | 48.89           | 74.00          | -25.11      | peak   |
| 3   | 11070.000       | 34.82          | 15.01          | 49.83           | 74.00          | -24.17      | peak   |
| 4   | 12676.000       | 32.30          | 18.05          | 50.35           | 74.00          | -23.65      | peak   |
| 5   | 13897.000       | 28.95          | 21.62          | 50.57           | 74.00          | -23.43      | peak   |
| 6   | 17934.000       | 25.35          | 25.67          | 51.02           | 74.00          | -22.98      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5610     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.11          | 10.41          | 47.52           | 74.00          | -26.48      | peak   |
| 2   | 10223.000       | 36.28          | 12.24          | 48.52           | 74.00          | -25.48      | peak   |
| 3   | 11059.000       | 35.91          | 14.96          | 50.87           | 74.00          | -23.13      | peak   |
| 4   | 13182.000       | 31.29          | 19.24          | 50.53           | 74.00          | -23.47      | peak   |
| 5   | 14029.000       | 27.97          | 21.76          | 49.73           | 74.00          | -24.27      | peak   |
| 6   | 17945.000       | 24.88          | 25.75          | 50.63           | 74.00          | -23.37      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5690     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9123.000        | 36.98          | 10.42          | 47.40           | 74.00          | -26.60      | peak   |
| 2   | 9574.000        | 36.68          | 10.81          | 47.49           | 74.00          | -26.51      | peak   |
| 3   | 11015.000       | 34.76          | 14.79          | 49.55           | 74.00          | -24.45      | peak   |
| 4   | 12731.000       | 30.13          | 18.12          | 48.25           | 74.00          | -25.75      | peak   |
| 5   | 13919.000       | 28.81          | 21.68          | 50.49           | 74.00          | -23.51      | peak   |
| 6   | 17593.000       | 26.97          | 23.34          | 50.31           | 74.00          | -23.69      | peak   |


|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5690     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 37.28          | 10.38          | 47.66           | 74.00          | -26.34      | peak   |
| 2   | 10212.000       | 36.15          | 12.21          | 48.36           | 74.00          | -25.64      | peak   |
| 3   | 11752.000       | 32.78          | 17.24          | 50.02           | 74.00          | -23.98      | peak   |
| 4   | 12610.000       | 31.69          | 17.97          | 49.66           | 74.00          | -24.34      | peak   |
| 5   | 13919.000       | 28.05          | 21.68          | 49.73           | 74.00          | -24.27      | peak   |
| 6   | 17978.000       | 23.72          | 25.97          | 49.69           | 74.00          | -24.31      | peak   |




|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5775     |
| Polarity:  | Horizontal     | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9079.000        | 37.28          | 10.39          | 47.67           | 74.00          | -26.33      | peak   |
| 2   | 10333.000       | 35.91          | 12.47          | 48.38           | 74.00          | -25.62      | peak   |
| 3   | 11730.000       | 32.81          | 17.19          | 50.00           | 74.00          | -24.00      | peak   |
| 4   | 12687.000       | 31.59          | 18.05          | 49.64           | 74.00          | -24.36      | peak   |
| 5   | 13622.000       | 29.04          | 20.95          | 49.99           | 74.00          | -24.01      | peak   |
| 6   | 17989.000       | 24.59          | 26.04          | 50.63           | 74.00          | -23.37      | peak   |

|            |                |                 |          |
|------------|----------------|-----------------|----------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5775     |
| Polarity:  | Vertical       | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8859.000        | 37.96          | 9.36           | 47.32           | 74.00          | -26.68      | peak   |
| 2   | 11059.000       | 34.77          | 14.96          | 49.73           | 74.00          | -24.27      | peak   |
| 3   | 11521.000       | 33.27          | 16.82          | 50.09           | 74.00          | -23.91      | peak   |
| 4   | 12643.000       | 32.15          | 18.01          | 50.16           | 74.00          | -23.84      | peak   |
| 5   | 14117.000       | 29.47          | 21.39          | 50.86           | 74.00          | -23.14      | peak   |
| 6   | 17989.000       | 24.83          | 26.04          | 50.87           | 74.00          | -23.13      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 37.00          | 10.38          | 47.38           | 74.00          | -26.62      | peak   |
| 2   | 10355.000       | 36.59          | 12.52          | 49.11           | 74.00          | -24.89      | peak   |
| 3   | 11521.000       | 32.85          | 16.82          | 49.67           | 74.00          | -24.33      | peak   |
| 4   | 12665.000       | 32.86          | 18.04          | 50.90           | 74.00          | -23.10      | peak   |
| 5   | 13919.000       | 28.89          | 21.68          | 50.57           | 74.00          | -23.43      | peak   |
| 6   | 17945.000       | 24.00          | 25.75          | 49.75           | 74.00          | -24.25      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5180     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.38          | 10.54          | 47.92           | 74.00          | -26.08      | peak   |
| 2   | 10366.000       | 38.13          | 12.54          | 50.67           | 74.00          | -23.33      | peak   |
| 3   | 12687.000       | 32.56          | 18.05          | 50.61           | 74.00          | -23.39      | peak   |
| 4   | 13743.000       | 28.52          | 21.24          | 49.76           | 74.00          | -24.24      | peak   |
| 5   | 15536.000       | 32.33          | 16.73          | 49.06           | 74.00          | -24.94      | peak   |
| 6   | 17967.000       | 23.97          | 25.89          | 49.86           | 74.00          | -24.14      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5200     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7957.000        | 39.38          | 6.46           | 45.84           | 74.00          | -28.16      | peak   |
| 2   | 9266.000        | 37.87          | 10.51          | 48.38           | 74.00          | -25.62      | peak   |
| 3   | 11048.000       | 34.86          | 14.91          | 49.77           | 74.00          | -24.23      | peak   |
| 4   | 12709.000       | 31.45          | 18.09          | 49.54           | 74.00          | -24.46      | peak   |
| 5   | 13897.000       | 28.60          | 21.62          | 50.22           | 74.00          | -23.78      | peak   |
| 6   | 17967.000       | 24.51          | 25.89          | 50.40           | 74.00          | -23.60      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5200     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9123.000        | 37.34          | 10.42          | 47.76           | 74.00          | -26.24      | peak   |
| 2   | 10608.000       | 35.40          | 13.23          | 48.63           | 74.00          | -25.37      | peak   |
| 3   | 11697.000       | 31.63          | 17.13          | 48.76           | 74.00          | -25.24      | peak   |
| 4   | 12621.000       | 31.89          | 17.98          | 49.87           | 74.00          | -24.13      | peak   |
| 5   | 13908.000       | 28.04          | 21.66          | 49.70           | 74.00          | -24.30      | peak   |
| 6   | 17989.000       | 23.76          | 26.04          | 49.80           | 74.00          | -24.20      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5240     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.36          | 10.46          | 47.82           | 74.00          | -26.18      | peak   |
| 2   | 10476.000       | 36.60          | 12.77          | 49.37           | 74.00          | -24.63      | peak   |
| 3   | 11521.000       | 33.89          | 16.82          | 50.71           | 74.00          | -23.29      | peak   |
| 4   | 12654.000       | 32.04          | 18.01          | 50.05           | 74.00          | -23.95      | peak   |
| 5   | 13919.000       | 28.67          | 21.68          | 50.35           | 74.00          | -23.65      | peak   |
| 6   | 17890.000       | 24.79          | 25.37          | 50.16           | 74.00          | -23.84      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5240     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 37.51          | 10.55          | 48.06           | 74.00          | -25.94      | peak   |
| 2   | 10487.000       | 38.12          | 12.79          | 50.91           | 74.00          | -23.09      | peak   |
| 3   | 11917.000       | 33.32          | 17.54          | 50.86           | 74.00          | -23.14      | peak   |
| 4   | 13215.000       | 31.48          | 19.39          | 50.87           | 74.00          | -23.13      | peak   |
| 5   | 13853.000       | 29.48          | 21.52          | 51.00           | 74.00          | -23.00      | peak   |
| 6   | 17956.000       | 24.83          | 25.82          | 50.65           | 74.00          | -23.35      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5260     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 36.94          | 10.41          | 47.35           | 74.00          | -26.65      | peak   |
| 2   | 10520.000       | 36.47          | 12.90          | 49.37           | 74.00          | -24.63      | peak   |
| 3   | 11048.000       | 35.16          | 14.91          | 50.07           | 74.00          | -23.93      | peak   |
| 4   | 12665.000       | 32.28          | 18.04          | 50.32           | 74.00          | -23.68      | peak   |
| 5   | 13457.000       | 29.59          | 20.46          | 50.05           | 74.00          | -23.95      | peak   |
| 6   | 17945.000       | 24.44          | 25.75          | 50.19           | 74.00          | -23.81      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5260     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7759.000        | 38.81          | 6.64           | 45.45           | 74.00          | -28.55      | peak   |
| 2   | 9233.000        | 37.59          | 10.48          | 48.07           | 74.00          | -25.93      | peak   |
| 3   | 10520.000       | 36.90          | 12.90          | 49.80           | 74.00          | -24.20      | peak   |
| 4   | 12665.000       | 31.70          | 18.04          | 49.74           | 74.00          | -24.26      | peak   |
| 5   | 13919.000       | 29.01          | 21.68          | 50.69           | 74.00          | -23.31      | peak   |
| 6   | 18000.000       | 24.35          | 26.12          | 50.47           | 74.00          | -23.53      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5280     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9167.000        | 37.48          | 10.45          | 47.93           | 74.00          | -26.07      | peak   |
| 2   | 10553.000       | 37.82          | 13.02          | 50.84           | 74.00          | -23.16      | peak   |
| 3   | 12247.000       | 32.85          | 17.77          | 50.62           | 74.00          | -23.38      | peak   |
| 4   | 13600.000       | 29.71          | 20.89          | 50.60           | 74.00          | -23.40      | peak   |
| 5   | 17637.000       | 26.94          | 23.64          | 50.58           | 74.00          | -23.42      | peak   |
| 6   | 17945.000       | 25.02          | 25.75          | 50.77           | 74.00          | -23.23      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5280     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.18          | 10.48          | 47.66           | 74.00          | -26.34      | peak   |
| 2   | 10553.000       | 37.97          | 13.02          | 50.99           | 74.00          | -23.01      | peak   |
| 3   | 11730.000       | 32.98          | 17.19          | 50.17           | 74.00          | -23.83      | peak   |
| 4   | 12698.000       | 32.85          | 18.08          | 50.93           | 74.00          | -23.07      | peak   |
| 5   | 13864.000       | 28.81          | 21.53          | 50.34           | 74.00          | -23.66      | peak   |
| 6   | 17989.000       | 24.09          | 26.04          | 50.13           | 74.00          | -23.87      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5320     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.15          | 10.41          | 47.56           | 74.00          | -26.44      | peak   |
| 2   | 10641.000       | 37.63          | 13.36          | 50.99           | 74.00          | -23.01      | peak   |
| 3   | 11873.000       | 33.40          | 17.46          | 50.86           | 74.00          | -23.14      | peak   |
| 4   | 12698.000       | 32.51          | 18.08          | 50.59           | 74.00          | -23.41      | peak   |
| 5   | 13611.000       | 29.71          | 20.92          | 50.63           | 74.00          | -23.37      | peak   |
| 6   | 17978.000       | 24.73          | 25.97          | 50.70           | 74.00          | -23.30      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5320     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8936.000        | 37.54          | 9.90           | 47.44           | 74.00          | -26.56      | peak   |
| 2   | 10630.000       | 36.99          | 13.31          | 50.30           | 74.00          | -23.70      | peak   |
| 3   | 11323.000       | 33.58          | 16.05          | 49.63           | 74.00          | -24.37      | peak   |
| 4   | 12665.000       | 31.56          | 18.04          | 49.60           | 74.00          | -24.40      | peak   |
| 5   | 13919.000       | 28.59          | 21.68          | 50.27           | 74.00          | -23.73      | peak   |
| 6   | 17923.000       | 25.06          | 25.60          | 50.66           | 74.00          | -23.34      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5500     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9266.000        | 36.81          | 10.51          | 47.32           | 74.00          | -26.68      | peak   |
| 2   | 11070.000       | 34.27          | 15.01          | 49.28           | 74.00          | -24.72      | peak   |
| 3   | 11752.000       | 31.99          | 17.24          | 49.23           | 74.00          | -24.77      | peak   |
| 4   | 12731.000       | 30.97          | 18.12          | 49.09           | 74.00          | -24.91      | peak   |
| 5   | 13886.000       | 28.65          | 21.60          | 50.25           | 74.00          | -23.75      | peak   |
| 6   | 17626.000       | 26.29          | 23.57          | 49.86           | 74.00          | -24.14      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5500     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 36.79          | 10.48          | 47.27           | 74.00          | -26.73      | peak   |
| 2   | 11246.000       | 33.73          | 15.73          | 49.46           | 74.00          | -24.54      | peak   |
| 3   | 11851.000       | 32.16          | 17.43          | 49.59           | 74.00          | -24.41      | peak   |
| 4   | 12665.000       | 32.21          | 18.04          | 50.25           | 74.00          | -23.75      | peak   |
| 5   | 13930.000       | 28.47          | 21.71          | 50.18           | 74.00          | -23.82      | peak   |
| 6   | 17956.000       | 24.39          | 25.82          | 50.21           | 74.00          | -23.79      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5580     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.90          | 10.41          | 48.31           | 74.00          | -25.69      | peak   |
| 2   | 10916.000       | 34.98          | 14.39          | 49.37           | 74.00          | -24.63      | peak   |
| 3   | 11763.000       | 32.45          | 17.26          | 49.71           | 74.00          | -24.29      | peak   |
| 4   | 12676.000       | 32.37          | 18.05          | 50.42           | 74.00          | -23.58      | peak   |
| 5   | 13864.000       | 28.14          | 21.53          | 49.67           | 74.00          | -24.33      | peak   |
| 6   | 17967.000       | 24.06          | 25.89          | 49.95           | 74.00          | -24.05      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5580     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.60          | 10.46          | 48.06           | 74.00          | -25.94      | peak   |
| 2   | 10245.000       | 37.24          | 12.28          | 49.52           | 74.00          | -24.48      | peak   |
| 3   | 11026.000       | 35.04          | 14.82          | 49.86           | 74.00          | -24.14      | peak   |
| 4   | 11829.000       | 32.20          | 17.38          | 49.58           | 74.00          | -24.42      | peak   |
| 5   | 13402.000       | 29.44          | 20.20          | 49.64           | 74.00          | -24.36      | peak   |
| 6   | 17890.000       | 25.29          | 25.37          | 50.66           | 74.00          | -23.34      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5700     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9123.000        | 37.19          | 10.42          | 47.61           | 74.00          | -26.39      | peak   |
| 2   | 10300.000       | 35.51          | 12.40          | 47.91           | 74.00          | -26.09      | peak   |
| 3   | 11246.000       | 33.92          | 15.73          | 49.65           | 74.00          | -24.35      | peak   |
| 4   | 12698.000       | 32.16          | 18.08          | 50.24           | 74.00          | -23.76      | peak   |
| 5   | 13853.000       | 28.41          | 21.52          | 49.93           | 74.00          | -24.07      | peak   |
| 6   | 17989.000       | 24.73          | 26.04          | 50.77           | 74.00          | -23.23      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5700     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 37.61          | 10.38          | 47.99           | 74.00          | -26.01      | peak   |
| 2   | 11400.000       | 35.34          | 16.36          | 51.70           | 74.00          | -22.30      | peak   |
| 3   | 12698.000       | 32.21          | 18.08          | 50.29           | 74.00          | -23.71      | peak   |
| 4   | 13468.000       | 29.76          | 20.50          | 50.26           | 74.00          | -23.74      | peak   |
| 5   | 17109.000       | 29.46          | 21.07          | 50.53           | 74.00          | -23.47      | peak   |
| 6   | 17725.000       | 26.26          | 24.24          | 50.50           | 74.00          | -23.50      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5720     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.35          | 10.41          | 47.76           | 74.00          | -26.24      | peak   |
| 2   | 11048.000       | 34.10          | 14.91          | 49.01           | 74.00          | -24.99      | peak   |
| 3   | 12170.000       | 31.26          | 17.75          | 49.01           | 74.00          | -24.99      | peak   |
| 4   | 13435.000       | 29.00          | 20.35          | 49.35           | 74.00          | -24.65      | peak   |
| 5   | 13985.000       | 27.50          | 21.85          | 49.35           | 74.00          | -24.65      | peak   |
| 6   | 17934.000       | 25.27          | 25.67          | 50.94           | 74.00          | -23.06      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5720     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 37.42          | 10.21          | 47.63           | 74.00          | -26.37      | peak   |
| 2   | 10201.000       | 37.03          | 12.19          | 49.22           | 74.00          | -24.78      | peak   |
| 3   | 10784.000       | 35.77          | 13.91          | 49.68           | 74.00          | -24.32      | peak   |
| 4   | 12610.000       | 31.79          | 17.97          | 49.76           | 74.00          | -24.24      | peak   |
| 5   | 13600.000       | 29.12          | 20.89          | 50.01           | 74.00          | -23.99      | peak   |
| 6   | 17164.000       | 28.71          | 21.29          | 50.00           | 74.00          | -24.00      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5745     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.85          | 10.49          | 47.34           | 74.00          | -26.66      | peak   |
| 2   | 10729.000       | 35.66          | 13.69          | 49.35           | 74.00          | -24.65      | peak   |
| 3   | 11906.000       | 32.87          | 17.52          | 50.39           | 74.00          | -23.61      | peak   |
| 4   | 12731.000       | 31.69          | 18.12          | 49.81           | 74.00          | -24.19      | peak   |
| 5   | 13622.000       | 29.48          | 20.95          | 50.43           | 74.00          | -23.57      | peak   |
| 6   | 17989.000       | 24.35          | 26.04          | 50.39           | 74.00          | -23.61      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5745     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7748.000        | 38.24          | 6.66           | 44.90           | 74.00          | -29.10      | peak   |
| 2   | 9365.000        | 37.48          | 10.57          | 48.05           | 74.00          | -25.95      | peak   |
| 3   | 11048.000       | 34.78          | 14.91          | 49.69           | 74.00          | -24.31      | peak   |
| 4   | 12610.000       | 31.83          | 17.97          | 49.80           | 74.00          | -24.20      | peak   |
| 5   | 13985.000       | 28.87          | 21.85          | 50.72           | 74.00          | -23.28      | peak   |
| 6   | 17945.000       | 24.73          | 25.75          | 50.48           | 74.00          | -23.52      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5785     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8958.000        | 37.52          | 10.05          | 47.57           | 74.00          | -26.43      | peak   |
| 2   | 10432.000       | 36.28          | 12.67          | 48.95           | 74.00          | -25.05      | peak   |
| 3   | 11774.000       | 32.21          | 17.28          | 49.49           | 74.00          | -24.51      | peak   |
| 4   | 12676.000       | 32.50          | 18.05          | 50.55           | 74.00          | -23.45      | peak   |
| 5   | 13644.000       | 28.82          | 20.99          | 49.81           | 74.00          | -24.19      | peak   |
| 6   | 17967.000       | 23.88          | 25.89          | 49.77           | 74.00          | -24.23      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5785     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9266.000        | 37.22          | 10.51          | 47.73           | 74.00          | -26.27      | peak   |
| 2   | 10223.000       | 36.61          | 12.24          | 48.85           | 74.00          | -25.15      | peak   |
| 3   | 11510.000       | 33.16          | 16.79          | 49.95           | 74.00          | -24.05      | peak   |
| 4   | 12698.000       | 32.80          | 18.08          | 50.88           | 74.00          | -23.12      | peak   |
| 5   | 13611.000       | 28.93          | 20.92          | 49.85           | 74.00          | -24.15      | peak   |
| 6   | 17989.000       | 24.12          | 26.04          | 50.16           | 74.00          | -23.84      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5825     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8012.000        | 39.39          | 6.44           | 45.83           | 74.00          | -28.17      | peak   |
| 2   | 9145.000        | 36.91          | 10.43          | 47.34           | 74.00          | -26.66      | peak   |
| 3   | 11059.000       | 34.90          | 14.96          | 49.86           | 74.00          | -24.14      | peak   |
| 4   | 12632.000       | 31.85          | 17.99          | 49.84           | 74.00          | -24.16      | peak   |
| 5   | 13919.000       | 28.07          | 21.68          | 49.75           | 74.00          | -24.25      | peak   |
| 6   | 17989.000       | 23.78          | 26.04          | 49.82           | 74.00          | -24.18      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5825     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 36.86          | 10.54          | 47.40           | 74.00          | -26.60      | peak   |
| 2   | 11048.000       | 35.09          | 14.91          | 50.00           | 74.00          | -24.00      | peak   |
| 3   | 11653.000       | 33.13          | 17.05          | 50.18           | 74.00          | -23.82      | peak   |
| 4   | 12687.000       | 32.93          | 18.05          | 50.98           | 74.00          | -23.02      | peak   |
| 5   | 14007.000       | 29.27          | 21.85          | 51.12           | 74.00          | -22.88      | peak   |
| 6   | 17989.000       | 24.88          | 26.04          | 50.92           | 74.00          | -23.08      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5190     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8991.000        | 37.12          | 10.28          | 47.40           | 74.00          | -26.60      | peak   |
| 2   | 10388.000       | 38.14          | 12.59          | 50.73           | 74.00          | -23.27      | peak   |
| 3   | 11543.000       | 33.34          | 16.84          | 50.18           | 74.00          | -23.82      | peak   |
| 4   | 13116.000       | 30.63          | 18.96          | 49.59           | 74.00          | -24.41      | peak   |
| 5   | 13930.000       | 27.77          | 21.71          | 49.48           | 74.00          | -24.52      | peak   |
| 6   | 17967.000       | 23.41          | 25.89          | 49.30           | 74.00          | -24.70      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5190     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 37.93          | 10.43          | 48.36           | 74.00          | -25.64      | peak   |
| 2   | 10388.000       | 37.87          | 12.59          | 50.46           | 74.00          | -23.54      | peak   |
| 3   | 11510.000       | 33.27          | 16.79          | 50.06           | 74.00          | -23.94      | peak   |
| 4   | 13963.000       | 28.14          | 21.78          | 49.92           | 74.00          | -24.08      | peak   |
| 5   | 15580.000       | 32.89          | 16.75          | 49.64           | 74.00          | -24.36      | peak   |
| 6   | 17956.000       | 24.25          | 25.82          | 50.07           | 74.00          | -23.93      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5230     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 37.66          | 10.38          | 48.04           | 74.00          | -25.96      | peak   |
| 2   | 10454.000       | 37.87          | 12.73          | 50.60           | 74.00          | -23.40      | peak   |
| 3   | 11598.000       | 33.49          | 16.96          | 50.45           | 74.00          | -23.55      | peak   |
| 4   | 12555.000       | 32.00          | 17.90          | 49.90           | 74.00          | -24.10      | peak   |
| 5   | 13875.000       | 28.90          | 21.57          | 50.47           | 74.00          | -23.53      | peak   |
| 6   | 17714.000       | 26.21          | 24.16          | 50.37           | 74.00          | -23.63      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5230     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 37.43          | 10.21          | 47.64           | 74.00          | -26.36      | peak   |
| 2   | 10454.000       | 37.93          | 12.73          | 50.66           | 74.00          | -23.34      | peak   |
| 3   | 12148.000       | 31.98          | 17.74          | 49.72           | 74.00          | -24.28      | peak   |
| 4   | 12698.000       | 32.01          | 18.08          | 50.09           | 74.00          | -23.91      | peak   |
| 5   | 13996.000       | 27.77          | 21.87          | 49.64           | 74.00          | -24.36      | peak   |
| 6   | 17945.000       | 24.53          | 25.75          | 50.28           | 74.00          | -23.72      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5270     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.43          | 10.51          | 47.94           | 74.00          | -26.06      | peak   |
| 2   | 10531.000       | 37.59          | 12.94          | 50.53           | 74.00          | -23.47      | peak   |
| 3   | 11521.000       | 32.50          | 16.82          | 49.32           | 74.00          | -24.68      | peak   |
| 4   | 12698.000       | 32.04          | 18.08          | 50.12           | 74.00          | -23.88      | peak   |
| 5   | 13677.000       | 28.69          | 21.08          | 49.77           | 74.00          | -24.23      | peak   |
| 6   | 17703.000       | 25.78          | 24.09          | 49.87           | 74.00          | -24.13      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5270     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 38.09          | 10.49          | 48.58           | 74.00          | -25.42      | peak   |
| 2   | 10553.000       | 37.63          | 13.02          | 50.65           | 74.00          | -23.35      | peak   |
| 3   | 11708.000       | 33.50          | 17.16          | 50.66           | 74.00          | -23.34      | peak   |
| 4   | 12489.000       | 33.06          | 17.83          | 50.89           | 74.00          | -23.11      | peak   |
| 5   | 14062.000       | 29.28          | 21.62          | 50.90           | 74.00          | -23.10      | peak   |
| 6   | 17923.000       | 25.04          | 25.60          | 50.64           | 74.00          | -23.36      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5310     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9079.000        | 37.10          | 10.39          | 47.49           | 74.00          | -26.51      | peak   |
| 2   | 10619.000       | 42.83          | 13.28          | 56.11           | 74.00          | -17.89      | peak   |
| 3   | 10619.000       | 34.27          | 13.28          | 47.55           | 54.00          | -6.45       | AVG    |
| 4   | 11510.000       | 33.70          | 16.79          | 50.49           | 74.00          | -23.51      | peak   |
| 5   | 12643.000       | 31.88          | 18.01          | 49.89           | 74.00          | -24.11      | peak   |
| 6   | 13864.000       | 29.26          | 21.53          | 50.79           | 74.00          | -23.21      | peak   |
| 7   | 17857.000       | 25.59          | 25.14          | 50.73           | 74.00          | -23.27      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5310     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.34          | 10.50          | 47.84           | 74.00          | -26.16      | peak   |
| 2   | 10630.000       | 44.94          | 13.31          | 58.25           | 74.00          | -15.75      | peak   |
| 3   | 10630.000       | 35.55          | 13.31          | 48.86           | 54.00          | -5.14       | AVG    |
| 4   | 11763.000       | 33.45          | 17.26          | 50.71           | 74.00          | -23.29      | peak   |
| 5   | 12698.000       | 32.71          | 18.08          | 50.79           | 74.00          | -23.21      | peak   |
| 6   | 13600.000       | 30.07          | 20.89          | 50.96           | 74.00          | -23.04      | peak   |
| 7   | 17989.000       | 24.71          | 26.04          | 50.75           | 74.00          | -23.25      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5510     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 37.01          | 10.38          | 47.39           | 74.00          | -26.61      | peak   |
| 2   | 10300.000       | 36.38          | 12.40          | 48.78           | 74.00          | -25.22      | peak   |
| 3   | 11521.000       | 33.83          | 16.82          | 50.65           | 74.00          | -23.35      | peak   |
| 4   | 12687.000       | 31.69          | 18.05          | 49.74           | 74.00          | -24.26      | peak   |
| 5   | 13919.000       | 28.17          | 21.68          | 49.85           | 74.00          | -24.15      | peak   |
| 6   | 17989.000       | 24.08          | 26.04          | 50.12           | 74.00          | -23.88      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5510     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 37.00          | 10.21          | 47.21           | 74.00          | -26.79      | peak   |
| 2   | 10311.000       | 36.13          | 12.42          | 48.55           | 74.00          | -25.45      | peak   |
| 3   | 11026.000       | 37.02          | 14.82          | 51.84           | 74.00          | -22.16      | peak   |
| 4   | 12687.000       | 31.28          | 18.05          | 49.33           | 74.00          | -24.67      | peak   |
| 5   | 13809.000       | 28.65          | 21.41          | 50.06           | 74.00          | -23.94      | peak   |
| 6   | 17945.000       | 23.57          | 25.75          | 49.32           | 74.00          | -24.68      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5550     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10223.000       | 36.67          | 12.24          | 48.91           | 74.00          | -25.09      | peak   |
| 2   | 11103.000       | 34.72          | 15.15          | 49.87           | 74.00          | -24.13      | peak   |
| 3   | 11532.000       | 33.57          | 16.83          | 50.40           | 74.00          | -23.60      | peak   |
| 4   | 12654.000       | 32.44          | 18.01          | 50.45           | 74.00          | -23.55      | peak   |
| 5   | 13600.000       | 29.79          | 20.89          | 50.68           | 74.00          | -23.32      | peak   |
| 6   | 18000.000       | 24.40          | 26.12          | 50.52           | 74.00          | -23.48      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5550     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 37.72          | 10.43          | 48.15           | 74.00          | -25.85      | peak   |
| 2   | 10201.000       | 36.06          | 12.19          | 48.25           | 74.00          | -25.75      | peak   |
| 3   | 11103.000       | 39.92          | 15.15          | 55.07           | 74.00          | -18.93      | peak   |
| 4   | 11103.000       | 30.58          | 15.15          | 45.73           | 54.00          | -8.27       | AVG    |
| 5   | 11785.000       | 33.58          | 17.30          | 50.88           | 74.00          | -23.12      | peak   |
| 6   | 13149.000       | 30.76          | 19.10          | 49.86           | 74.00          | -24.14      | peak   |
| 7   | 17934.000       | 24.71          | 25.67          | 50.38           | 74.00          | -23.62      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5670     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 37.80          | 10.38          | 48.18           | 74.00          | -25.82      | peak   |
| 2   | 10201.000       | 36.55          | 12.19          | 48.74           | 74.00          | -25.26      | peak   |
| 3   | 11004.000       | 34.99          | 14.74          | 49.73           | 74.00          | -24.27      | peak   |
| 4   | 12247.000       | 32.03          | 17.77          | 49.80           | 74.00          | -24.20      | peak   |
| 5   | 13633.000       | 29.11          | 20.97          | 50.08           | 74.00          | -23.92      | peak   |
| 6   | 17010.000       | 29.79          | 20.65          | 50.44           | 74.00          | -23.56      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5670     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.18          | 10.48          | 47.66           | 74.00          | -26.34      | peak   |
| 2   | 11048.000       | 35.13          | 14.91          | 50.04           | 74.00          | -23.96      | peak   |
| 3   | 11334.000       | 36.55          | 16.09          | 52.64           | 74.00          | -21.36      | peak   |
| 4   | 12698.000       | 32.52          | 18.08          | 50.60           | 74.00          | -23.40      | peak   |
| 5   | 13963.000       | 28.11          | 21.78          | 49.89           | 74.00          | -24.11      | peak   |
| 6   | 17010.000       | 30.20          | 20.65          | 50.85           | 74.00          | -23.15      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5710     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7748.000        | 41.50          | 6.66           | 48.16           | 74.00          | -25.84      | peak   |
| 2   | 9233.000        | 37.97          | 10.48          | 48.45           | 74.00          | -25.55      | peak   |
| 3   | 10883.000       | 35.58          | 14.27          | 49.85           | 74.00          | -24.15      | peak   |
| 4   | 12698.000       | 31.67          | 18.08          | 49.75           | 74.00          | -24.25      | peak   |
| 5   | 14007.000       | 27.63          | 21.85          | 49.48           | 74.00          | -24.52      | peak   |
| 6   | 17131.000       | 29.74          | 21.16          | 50.90           | 74.00          | -23.10      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5710     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.40          | 10.54          | 47.94           | 74.00          | -26.06      | peak   |
| 2   | 10773.000       | 35.49          | 13.85          | 49.34           | 74.00          | -24.66      | peak   |
| 3   | 11422.000       | 36.28          | 16.46          | 52.74           | 74.00          | -21.26      | peak   |
| 4   | 11774.000       | 33.16          | 17.28          | 50.44           | 74.00          | -23.56      | peak   |
| 5   | 14007.000       | 27.93          | 21.85          | 49.78           | 74.00          | -24.22      | peak   |
| 6   | 17131.000       | 29.11          | 21.16          | 50.27           | 74.00          | -23.73      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9211.000        | 37.40          | 10.47          | 47.87           | 74.00          | -26.13      | peak   |
| 2   | 11246.000       | 32.87          | 15.73          | 48.60           | 74.00          | -25.40      | peak   |
| 3   | 12709.000       | 30.87          | 18.09          | 48.96           | 74.00          | -25.04      | peak   |
| 4   | 13919.000       | 28.01          | 21.68          | 49.69           | 74.00          | -24.31      | peak   |
| 5   | 17252.000       | 27.01          | 21.66          | 48.67           | 74.00          | -25.33      | peak   |
| 6   | 17934.000       | 23.75          | 25.67          | 49.42           | 74.00          | -24.58      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.17          | 10.46          | 47.63           | 74.00          | -26.37      | peak   |
| 2   | 10223.000       | 35.85          | 12.24          | 48.09           | 74.00          | -25.91      | peak   |
| 3   | 11510.000       | 33.81          | 16.79          | 50.60           | 74.00          | -23.40      | peak   |
| 4   | 12709.000       | 31.63          | 18.09          | 49.72           | 74.00          | -24.28      | peak   |
| 5   | 13930.000       | 28.00          | 21.71          | 49.71           | 74.00          | -24.29      | peak   |
| 6   | 17263.000       | 28.58          | 21.71          | 50.29           | 74.00          | -23.71      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5795     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9200.000        | 37.29          | 10.46          | 47.75           | 74.00          | -26.25      | peak   |
| 2   | 10146.000       | 36.30          | 12.07          | 48.37           | 74.00          | -25.63      | peak   |
| 3   | 11026.000       | 34.98          | 14.82          | 49.80           | 74.00          | -24.20      | peak   |
| 4   | 12665.000       | 31.60          | 18.04          | 49.64           | 74.00          | -24.36      | peak   |
| 5   | 13622.000       | 29.12          | 20.95          | 50.07           | 74.00          | -23.93      | peak   |
| 6   | 17934.000       | 24.95          | 25.67          | 50.62           | 74.00          | -23.38      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5795     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7748.000        | 39.14          | 6.66           | 45.80           | 74.00          | -28.20      | peak   |
| 2   | 9288.000        | 36.84          | 10.52          | 47.36           | 74.00          | -26.64      | peak   |
| 3   | 11411.000       | 33.18          | 16.41          | 49.59           | 74.00          | -24.41      | peak   |
| 4   | 12698.000       | 32.19          | 18.08          | 50.27           | 74.00          | -23.73      | peak   |
| 5   | 14007.000       | 27.76          | 21.85          | 49.61           | 74.00          | -24.39      | peak   |
| 6   | 17923.000       | 24.31          | 25.60          | 49.91           | 74.00          | -24.09      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5210     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9365.000        | 37.53          | 10.57          | 48.10           | 74.00          | -25.90      | peak   |
| 2   | 10432.000       | 36.96          | 12.67          | 49.63           | 74.00          | -24.37      | peak   |
| 3   | 11048.000       | 34.74          | 14.91          | 49.65           | 74.00          | -24.35      | peak   |
| 4   | 12709.000       | 32.60          | 18.09          | 50.69           | 74.00          | -23.31      | peak   |
| 5   | 13864.000       | 28.46          | 21.53          | 49.99           | 74.00          | -24.01      | peak   |
| 6   | 17978.000       | 24.16          | 25.97          | 50.13           | 74.00          | -23.87      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5210     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.36          | 10.49          | 46.85           | 74.00          | -27.15      | peak   |
| 2   | 10432.000       | 36.84          | 12.67          | 49.51           | 74.00          | -24.49      | peak   |
| 3   | 11851.000       | 32.39          | 17.43          | 49.82           | 74.00          | -24.18      | peak   |
| 4   | 12698.000       | 31.58          | 18.08          | 49.66           | 74.00          | -24.34      | peak   |
| 5   | 13919.000       | 28.17          | 21.68          | 49.85           | 74.00          | -24.15      | peak   |
| 6   | 17802.000       | 25.39          | 24.76          | 50.15           | 74.00          | -23.85      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5290     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8991.000        | 37.14          | 10.28          | 47.42           | 74.00          | -26.58      | peak   |
| 2   | 10443.000       | 35.78          | 12.70          | 48.48           | 74.00          | -25.52      | peak   |
| 3   | 11048.000       | 35.08          | 14.91          | 49.99           | 74.00          | -24.01      | peak   |
| 4   | 13127.000       | 31.18          | 19.01          | 50.19           | 74.00          | -23.81      | peak   |
| 5   | 13919.000       | 28.59          | 21.68          | 50.27           | 74.00          | -23.73      | peak   |
| 6   | 17989.000       | 24.73          | 26.04          | 50.77           | 74.00          | -23.23      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5290     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 38.16          | 10.21          | 48.37           | 74.00          | -25.63      | peak   |
| 2   | 10289.000       | 35.81          | 12.38          | 48.19           | 74.00          | -25.81      | peak   |
| 3   | 11059.000       | 34.42          | 14.96          | 49.38           | 74.00          | -24.62      | peak   |
| 4   | 12687.000       | 32.45          | 18.05          | 50.50           | 74.00          | -23.50      | peak   |
| 5   | 13919.000       | 28.92          | 21.68          | 50.60           | 74.00          | -23.40      | peak   |
| 6   | 17945.000       | 24.37          | 25.75          | 50.12           | 74.00          | -23.88      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5530     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.25          | 10.51          | 47.76           | 74.00          | -26.24      | peak   |
| 2   | 10234.000       | 36.30          | 12.26          | 48.56           | 74.00          | -25.44      | peak   |
| 3   | 11059.000       | 34.07          | 14.96          | 49.03           | 74.00          | -24.97      | peak   |
| 4   | 12698.000       | 30.45          | 18.08          | 48.53           | 74.00          | -25.47      | peak   |
| 5   | 13864.000       | 27.77          | 21.53          | 49.30           | 74.00          | -24.70      | peak   |
| 6   | 17967.000       | 23.04          | 25.89          | 48.93           | 74.00          | -25.07      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5530     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 7880.000        | 38.46          | 6.54           | 45.00           | 74.00          | -29.00      | peak   |
| 2   | 9398.000        | 37.48          | 10.59          | 48.07           | 74.00          | -25.93      | peak   |
| 3   | 11070.000       | 35.52          | 15.01          | 50.53           | 74.00          | -23.47      | peak   |
| 4   | 12676.000       | 31.89          | 18.05          | 49.94           | 74.00          | -24.06      | peak   |
| 5   | 13919.000       | 28.00          | 21.68          | 49.68           | 74.00          | -24.32      | peak   |
| 6   | 17912.000       | 24.00          | 25.52          | 49.52           | 74.00          | -24.48      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5610     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.90          | 10.48          | 48.38           | 74.00          | -25.62      | peak   |
| 2   | 10300.000       | 35.85          | 12.40          | 48.25           | 74.00          | -25.75      | peak   |
| 3   | 11345.000       | 34.07          | 16.14          | 50.21           | 74.00          | -23.79      | peak   |
| 4   | 12643.000       | 32.16          | 18.01          | 50.17           | 74.00          | -23.83      | peak   |
| 5   | 13468.000       | 30.24          | 20.50          | 50.74           | 74.00          | -23.26      | peak   |
| 6   | 18000.000       | 24.40          | 26.12          | 50.52           | 74.00          | -23.48      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5610     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.52          | 10.48          | 48.00           | 74.00          | -26.00      | peak   |
| 2   | 11059.000       | 34.75          | 14.96          | 49.71           | 74.00          | -24.29      | peak   |
| 3   | 11653.000       | 32.68          | 17.05          | 49.73           | 74.00          | -24.27      | peak   |
| 4   | 13622.000       | 30.01          | 20.95          | 50.96           | 74.00          | -23.04      | peak   |
| 5   | 16834.000       | 29.96          | 19.86          | 49.82           | 74.00          | -24.18      | peak   |
| 6   | 17923.000       | 24.15          | 25.60          | 49.75           | 74.00          | -24.25      | peak   |




|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5690     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.86          | 10.49          | 47.35           | 74.00          | -26.65      | peak   |
| 2   | 11059.000       | 35.51          | 14.96          | 50.47           | 74.00          | -23.53      | peak   |
| 3   | 12698.000       | 31.77          | 18.08          | 49.85           | 74.00          | -24.15      | peak   |
| 4   | 13105.000       | 31.02          | 18.91          | 49.93           | 74.00          | -24.07      | peak   |
| 5   | 17109.000       | 26.98          | 21.07          | 48.05           | 74.00          | -25.95      | peak   |
| 6   | 17967.000       | 24.58          | 25.89          | 50.47           | 74.00          | -23.53      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5690     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 37.26          | 10.38          | 47.64           | 74.00          | -26.36      | peak   |
| 2   | 11059.000       | 34.75          | 14.96          | 49.71           | 74.00          | -24.29      | peak   |
| 3   | 12632.000       | 32.09          | 17.99          | 50.08           | 74.00          | -23.92      | peak   |
| 4   | 13864.000       | 29.45          | 21.53          | 50.98           | 74.00          | -23.02      | peak   |
| 5   | 17054.000       | 29.92          | 20.83          | 50.75           | 74.00          | -23.25      | peak   |
| 6   | 17934.000       | 24.89          | 25.67          | 50.56           | 74.00          | -23.44      | peak   |

|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5775     |
| Polarity:  | Horizontal    | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.04          | 10.51          | 47.55           | 74.00          | -26.45      | peak   |
| 2   | 11048.000       | 33.95          | 14.91          | 48.86           | 74.00          | -25.14      | peak   |
| 3   | 11840.000       | 32.42          | 17.40          | 49.82           | 74.00          | -24.18      | peak   |
| 4   | 12676.000       | 32.08          | 18.05          | 50.13           | 74.00          | -23.87      | peak   |
| 5   | 13919.000       | 28.24          | 21.68          | 49.92           | 74.00          | -24.08      | peak   |
| 6   | 17945.000       | 24.84          | 25.75          | 50.59           | 74.00          | -23.41      | peak   |


|            |               |                 |          |
|------------|---------------|-----------------|----------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5775     |
| Polarity:  | Vertical      | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9211.000        | 36.74          | 10.47          | 47.21           | 74.00          | -26.79      | peak   |
| 2   | 10289.000       | 35.60          | 12.38          | 47.98           | 74.00          | -26.02      | peak   |
| 3   | 11059.000       | 35.10          | 14.96          | 50.06           | 74.00          | -23.94      | peak   |
| 4   | 12676.000       | 31.93          | 18.05          | 49.98           | 74.00          | -24.02      | peak   |
| 5   | 13996.000       | 27.88          | 21.87          | 49.75           | 74.00          | -24.25      | peak   |
| 6   | 17351.000       | 27.21          | 22.07          | 49.28           | 74.00          | -24.72      | peak   |


### 8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a20  | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.3 V |




| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | FCC<br>Result<br>(dBuV/m) | FCC Limit<br>(dBuV/m) | ISED<br>Result<br>(dBuA/m) | ISED<br>Limit<br>(dBuA/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|-----------------------|----------------------------|---------------------------|----------------|--------|
| 1   | 0.0100             | 79.22             | -101.40           | -22.18                    | 47.60                 | -73.68                     | -3.90                     | -69.78         | peak   |
| 2   | 0.0114             | 77.88             | -101.40           | -23.52                    | 46.46                 | -75.02                     | -5.04                     | -69.98         | peak   |
| 3   | 0.0134             | 74.84             | -101.39           | -26.55                    | 45.06                 | -78.05                     | -6.44                     | -71.61         | peak   |
| 4   | 0.0221             | 71.13             | -101.35           | -30.22                    | 40.71                 | -81.72                     | -10.79                    | -70.93         | peak   |
| 5   | 0.0330             | 65.98             | -101.40           | -35.42                    | 37.23                 | -86.92                     | -14.27                    | -72.65         | peak   |
| 6   | 0.0675             | 62.14             | -101.56           | -39.42                    | 31.02                 | -90.92                     | -20.48                    | -70.44         | peak   |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a20  | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.3 V |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | FCC<br>Result<br>(dBuV/m) | FCC Limit<br>(dBuV/m) | ISED<br>Result<br>(dBuA/m) | ISED<br>Limit<br>(dBuA/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|-----------------------|----------------------------|---------------------------|----------------|--------|
| 1   | 0.1554             | 79.27             | -101.65           | -22.38                    | 23.77                 | -73.88                     | -27.73                    | -46.15         | peak   |
| 2   | 0.1621             | 78.42             | -101.65           | -23.23                    | 23.41                 | -74.73                     | -28.09                    | -46.64         | peak   |
| 3   | 0.1794             | 75.77             | -101.68           | -25.91                    | 22.53                 | -77.41                     | -28.97                    | -48.44         | peak   |
| 4   | 0.2204             | 70.16             | -101.75           | -31.59                    | 20.74                 | -83.09                     | -30.76                    | -52.33         | peak   |
| 5   | 0.2442             | 68.03             | -101.79           | -33.76                    | 19.85                 | -85.26                     | -31.65                    | -53.61         | peak   |
| 6   | 0.3163             | 63.20             | -101.87           | -38.67                    | 17.60                 | -90.17                     | -33.90                    | -56.27         | peak   |


|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a20  | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | FCC Result (dBuV/m) | FCC Limit (dBuV/m) | ISED Result (dBuA/m) | ISED Limit (dBuA/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|---------------------|--------------------|----------------------|---------------------|-------------|--------|
| 1   | 0.5252          | 67.06          | -62.07         | 4.99                | 33.20              | -46.51               | -18.30              | -28.21      | peak   |
| 2   | 0.7096          | 65.36          | -62.12         | 3.24                | 30.58              | -48.26               | -20.92              | -27.34      | peak   |
| 3   | 1.5564          | 60.18          | -62.02         | -1.84               | 23.76              | -53.34               | -27.74              | -25.60      | peak   |
| 4   | 2.0539          | 58.20          | -61.81         | -3.61               | 29.54              | -55.11               | -21.96              | -33.15      | peak   |
| 5   | 3.8246          | 55.20          | -61.38         | -6.18               | 29.54              | -57.68               | -21.96              | -35.72      | peak   |
| 6   | 6.2149          | 53.70          | -61.32         | -7.62               | 29.54              | -59.12               | -21.96              | -37.16      | peak   |

### 8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)


|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 18200.000       | 50.79          | -5.52          | 45.27           | 74.00          | -28.73      | peak   |
| 2   | 19392.000       | 51.12          | -5.57          | 45.55           | 74.00          | -28.45      | peak   |
| 3   | 20192.000       | 51.73          | -5.57          | 46.16           | 74.00          | -27.84      | peak   |
| 4   | 22160.000       | 50.58          | -4.31          | 46.27           | 74.00          | -27.73      | peak   |
| 5   | 23744.000       | 49.65          | -3.20          | 46.45           | 74.00          | -27.55      | peak   |
| 6   | 25000.000       | 48.36          | -2.10          | 46.26           | 74.00          | -27.74      | peak   |




|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Vertical   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 18960.000       | 50.01          | -5.25          | 44.76           | 74.00          | -29.24      | peak   |
| 2   | 20240.000       | 50.82          | -5.61          | 45.21           | 74.00          | -28.79      | peak   |
| 3   | 21544.000       | 49.76          | -4.63          | 45.13           | 74.00          | -28.87      | peak   |
| 4   | 23088.000       | 48.52          | -3.41          | 45.11           | 74.00          | -28.89      | peak   |
| 5   | 24616.000       | 47.30          | -2.33          | 44.97           | 74.00          | -29.03      | peak   |
| 6   | 25728.000       | 45.61          | -0.72          | 44.89           | 74.00          | -29.11      | peak   |


## 8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 26490.000       | 51.79          | -4.74          | 47.05           | 74.00          | -26.95      | peak   |
| 2   | 28744.000       | 47.86          | -0.56          | 47.30           | 74.00          | -26.70      | peak   |
| 3   | 30144.000       | 48.46          | -1.30          | 47.16           | 74.00          | -26.84      | peak   |
| 4   | 32762.000       | 48.45          | -1.21          | 47.24           | 74.00          | -26.76      | peak   |
| 5   | 35870.000       | 44.33          | 3.75           | 48.08           | 74.00          | -25.92      | peak   |
| 6   | 38180.000       | 44.64          | 3.69           | 48.33           | 74.00          | -25.67      | peak   |


|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Vertical   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 28828.000       | 48.13          | -0.79          | 47.34           | 74.00          | -26.66      | peak   |
| 2   | 31320.000       | 49.11          | -0.93          | 48.18           | 74.00          | -25.82      | peak   |
| 3   | 32818.000       | 48.81          | -1.08          | 47.73           | 74.00          | -26.27      | peak   |
| 4   | 35828.000       | 45.25          | 3.67           | 48.92           | 74.00          | -25.08      | peak   |
| 5   | 37130.000       | 45.03          | 3.17           | 48.20           | 74.00          | -25.80      | peak   |
| 6   | 39062.000       | 43.98          | 4.30           | 48.28           | 74.00          | -25.72      | peak   |


### 8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Horizontal | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 34.8500         | 35.33          | -18.99         | 16.34           | 40.00          | -23.66      | QP     |
| 2   | 214.3000        | 36.73          | -17.23         | 19.50           | 43.50          | -24.00      | QP     |
| 3   | 291.9000        | 38.04          | -15.76         | 22.28           | 46.00          | -23.72      | QP     |
| 4   | 428.6700        | 44.41          | -12.20         | 32.21           | 46.00          | -13.79      | QP     |
| 5   | 764.2900        | 29.93          | -6.88          | 23.05           | 46.00          | -22.95      | QP     |
| 6   | 838.9800        | 33.94          | -6.33          | 27.61           | 46.00          | -18.39      | QP     |

|            |            |                 |          |
|------------|------------|-----------------|----------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180     |
| Polarity:  | Vertical   | Test Voltage:   | DC 3.3 V |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 34.8500         | 38.56          | -18.99         | 19.57           | 40.00          | -20.43      | QP     |
| 2   | 100.8100        | 40.27          | -21.25         | 19.02           | 43.50          | -24.48      | QP     |
| 3   | 202.6600        | 37.96          | -16.69         | 21.27           | 43.50          | -22.23      | QP     |
| 4   | 399.5700        | 37.56          | -12.96         | 24.60           | 46.00          | -21.40      | QP     |
| 5   | 558.6500        | 38.83          | -10.33         | 28.50           | 46.00          | -17.50      | QP     |
| 6   | 800.1800        | 34.81          | -6.63          | 28.18           | 46.00          | -17.82      | QP     |

## 9. AC POWER LINE CONDUCTED EMISSION

### LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

| FREQUENCY (MHz) | Quasi-peak | Average   |
|-----------------|------------|-----------|
| 0.15 -0.5       | 66 - 56 *  | 56 - 46 * |
| 0.50 -5.0       | 56.00      | 46.00     |
| 5.0 -30.0       | 60.00      | 50.00     |


### TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

### TEST SETUP



**TEST ENVIRONMENT**


|                     |        |                   |                 |
|---------------------|--------|-------------------|-----------------|
| Temperature         | 25.1°C | Relative Humidity | 64.3%           |
| Atmosphere Pressure | 101kPa | Test Voltage      | AC 120 V, 60 Hz |

**TEST DATE / ENGINEER**

|           |                   |         |             |
|-----------|-------------------|---------|-------------|
| Test Date | November 10, 2023 | Test By | Denny Huang |
|-----------|-------------------|---------|-------------|

**TEST RESULTS**

|            |            |                 |      |
|------------|------------|-----------------|------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180 |
| Line:      | Line       |                 |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.1508          | 39.11          | 9.59         | 48.70         | 65.96        | -17.26      | QP     |
| 2   | 0.1508          | 27.37          | 9.59         | 36.96         | 55.96        | -19.00      | AVG    |
| 3   | 0.1968          | 29.25          | 9.59         | 38.84         | 63.74        | -24.90      | QP     |
| 4   | 0.1968          | 14.57          | 9.59         | 24.16         | 53.74        | -29.58      | AVG    |
| 5   | 0.5105          | 27.67          | 9.60         | 37.27         | 56.00        | -18.73      | QP     |
| 6   | 0.5105          | 22.51          | 9.60         | 32.11         | 46.00        | -13.89      | AVG    |
| 7   | 0.8777          | 15.57          | 9.60         | 25.17         | 56.00        | -30.83      | QP     |
| 8   | 0.8777          | 10.59          | 9.60         | 20.19         | 46.00        | -25.81      | AVG    |
| 9   | 4.2843          | 18.67          | 9.70         | 28.37         | 56.00        | -27.63      | QP     |
| 10  | 4.2843          | 13.27          | 9.70         | 22.97         | 46.00        | -23.03      | AVG    |
| 11  | 13.8674         | 22.97          | 9.76         | 32.73         | 60.00        | -27.27      | QP     |
| 12  | 13.8674         | 16.48          | 9.76         | 26.24         | 50.00        | -23.76      | AVG    |


Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.



|            |            |                 |      |
|------------|------------|-----------------|------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180 |
| Line:      | Neutral    |                 |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.1514          | 38.62          | 9.59         | 48.21         | 65.92        | -17.71      | QP     |
| 2   | 0.1514          | 24.23          | 9.59         | 33.82         | 55.92        | -22.10      | AVG    |
| 3   | 0.2066          | 29.51          | 9.59         | 39.10         | 63.34        | -24.24      | QP     |
| 4   | 0.2066          | 15.49          | 9.59         | 25.08         | 53.34        | -28.26      | AVG    |
| 5   | 0.5198          | 25.29          | 9.60         | 34.89         | 56.00        | -21.11      | QP     |
| 6   | 0.5198          | 19.32          | 9.60         | 28.92         | 46.00        | -17.08      | AVG    |
| 7   | 1.2161          | 17.22          | 9.61         | 26.83         | 56.00        | -29.17      | QP     |
| 8   | 1.2161          | 12.69          | 9.61         | 22.30         | 46.00        | -23.70      | AVG    |
| 9   | 3.2368          | 18.35          | 9.67         | 28.02         | 56.00        | -27.98      | QP     |
| 10  | 3.2368          | 13.43          | 9.67         | 23.10         | 46.00        | -22.90      | AVG    |
| 11  | 4.2945          | 18.76          | 9.70         | 28.46         | 56.00        | -27.54      | QP     |
| 12  | 4.2945          | 13.92          | 9.70         | 23.62         | 46.00        | -22.38      | AVG    |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

## 10. ANTENNA REQUIREMENT

### REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### DESCRIPTION

Pass

## 11. TEST DATA

### Appendix A: Duty Cycle

| Test Mode | On Time (msec) | Period (msec) | Duty Cycle x (Linear) | Duty Cycle (%) | Duty Cycle Correction Factor (dB) | 1/T Minimum VBW (kHz) | Final setting For VBW (kHz) |
|-----------|----------------|---------------|-----------------------|----------------|-----------------------------------|-----------------------|-----------------------------|
| a         | 1.39           | 2.02          | 0.6881                | 68.81          | 1.62                              | 0.72                  | 1                           |
| n20       | 1.30           | 1.92          | 0.6771                | 67.71          | 1.69                              | 0.77                  | 1                           |
| n40       | 0.64           | 1.25          | 0.5120                | 51.20          | 2.91                              | 1.56                  | 2                           |
| ac80      | 0.26           | 0.88          | 0.2955                | 29.55          | 5.30                              | 3.85                  | 4                           |
| ax20      | 3.88           | 4.61          | 0.8416                | 84.16          | 0.75                              | 0.26                  | 1                           |
| ax40      | 1.97           | 2.68          | 0.7351                | 73.51          | 1.34                              | 0.51                  | 1                           |
| ax80      | 0.98           | 1.69          | 0.5799                | 57.99          | 2.37                              | 1.02                  | 2                           |

Note:

Duty Cycle Correction Factor =  $10 \log(1/x)$ .

Where: x is Duty Cycle (Linear)

Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.