





7GHz-18GHz			
Test Mode:	802.11a20	Channel:	5745
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	37.73	7.10	44.83	74.00	-29.17	peak
2	9348.500	37.39	9.36	46.75	74.00	-27.25	peak
3	11735.500	36.27	16.81	53.08	74.00	-20.92	peak
4	13490.000	32.93	19.55	52.48	74.00	-21.52	peak
5	13963.000	32.39	20.61	53.00	74.00	-21.00	peak
6	17917.500	28.94	23.48	52.42	74.00	-21.58	peak




7GHz-18GHz			
Test Mode:	802.11a20	Channel:	5785
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7726.000	39.02	5.85	44.87	74.00	-29.13	peak
2	8985.500	37.85	9.35	47.20	74.00	-26.80	peak
3	11735.500	35.67	16.81	52.48	74.00	-21.52	peak
4	12692.500	34.64	17.03	51.67	74.00	-22.33	peak
5	13605.500	33.42	19.74	53.16	74.00	-20.84	peak
6	17928.500	28.33	23.51	51.84	74.00	-22.16	peak




7GHz-18GHz			
Test Mode:	802.11a20	Channel:	5785
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	37.52	7.14	44.66	74.00	-29.34	peak
2	9398.000	37.10	9.67	46.77	74.00	-27.23	peak
3	11878.500	35.34	17.17	52.51	74.00	-21.49	peak
4	13512.000	33.34	19.61	52.95	74.00	-21.05	peak
5	13957.500	32.40	20.61	53.01	74.00	-20.99	peak
6	17653.500	30.17	21.66	51.83	74.00	-22.17	peak




7GHz-18GHz			
Test Mode:	802.11a20	Channel:	5825
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.13	9.42	46.55	74.00	-27.45	peak
2	9365.000	37.22	9.46	46.68	74.00	-27.32	peak
3	11416.500	35.63	15.35	50.98	74.00	-23.02	peak
4	11840.000	35.64	17.20	52.84	74.00	-21.16	peak
5	13539.500	33.19	19.63	52.82	74.00	-21.18	peak
6	17648.000	29.99	21.62	51.61	74.00	-22.39	peak




7GHz-18GHz			
Test Mode:	802.11a20	Channel:	5825
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	39.59	5.95	45.54	74.00	-28.46	peak
2	9381.500	36.86	9.56	46.42	74.00	-27.58	peak
3	11878.500	35.43	17.17	52.60	74.00	-21.40	peak
4	12676.000	34.80	16.99	51.79	74.00	-22.21	peak
5	13891.500	31.97	20.56	52.53	74.00	-21.47	peak
6	17967.000	28.56	23.59	52.15	74.00	-21.85	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5180
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8259.500	37.88	7.06	44.94	74.00	-29.06	peak
2	9392.500	37.50	9.63	47.13	74.00	-26.87	peak
3	11697.000	35.94	16.56	52.50	74.00	-21.50	peak
4	13919.000	32.86	20.58	53.44	74.00	-20.56	peak
5	15536.000	36.16	15.36	51.52	74.00	-22.48	peak
6	17912.000	28.75	23.46	52.21	74.00	-21.79	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5180
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8210.000	38.08	7.20	45.28	74.00	-28.72	peak
2	9370.500	36.90	9.49	46.39	74.00	-27.61	peak
3	11823.500	35.63	17.21	52.84	74.00	-21.16	peak
4	13985.000	32.61	20.63	53.24	74.00	-20.76	peak
5	15541.500	38.64	15.36	54.00	74.00	-20.00	peak
6	17587.500	30.31	21.03	51.34	74.00	-22.66	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5200
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8221.000	37.49	7.16	44.65	74.00	-29.35	peak
2	8991.000	37.24	9.42	46.66	74.00	-27.34	peak
3	11878.500	35.39	17.17	52.56	74.00	-21.44	peak
4	13952.000	32.34	20.61	52.95	74.00	-21.05	peak
5	15596.500	36.29	15.42	51.71	74.00	-22.29	peak
6	17714.000	29.56	22.29	51.85	74.00	-22.15	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5200
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8474.000	38.50	6.66	45.16	74.00	-28.84	peak
2	9381.500	36.94	9.56	46.50	74.00	-27.50	peak
3	11867.500	35.54	17.17	52.71	74.00	-21.29	peak
4	13979.500	32.21	20.63	52.84	74.00	-21.16	peak
5	15602.000	36.63	15.42	52.05	74.00	-21.95	peak
6	17169.500	30.53	19.96	50.49	74.00	-23.51	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5240
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.83	5.95	44.78	74.00	-29.22	peak
2	8985.500	37.02	9.35	46.37	74.00	-27.63	peak
3	11873.000	35.53	17.17	52.70	74.00	-21.30	peak
4	12742.000	34.97	17.15	52.12	74.00	-21.88	peak
5	13501.000	33.73	19.58	53.31	74.00	-20.69	peak
6	17604.000	30.75	21.15	51.90	74.00	-22.10	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5240
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7753.500	39.26	5.92	45.18	74.00	-28.82	peak
2	9337.500	37.54	9.29	46.83	74.00	-27.17	peak
3	11845.500	35.67	17.20	52.87	74.00	-21.13	peak
4	13033.500	33.81	17.28	51.09	74.00	-22.91	peak
5	13913.500	31.70	20.58	52.28	74.00	-21.72	peak
6	17813.000	28.39	23.23	51.62	74.00	-22.38	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5260
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	37.79	7.14	44.93	74.00	-29.07	peak
2	9398.000	36.56	9.67	46.23	74.00	-27.77	peak
3	11785.000	35.11	17.12	52.23	74.00	-21.77	peak
4	13979.500	31.79	20.63	52.42	74.00	-21.58	peak
5	15783.500	35.46	15.27	50.73	74.00	-23.27	peak
6	17648.000	29.61	21.62	51.23	74.00	-22.77	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5260
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8215.500	37.60	7.18	44.78	74.00	-29.22	peak
2	9376.000	37.22	9.53	46.75	74.00	-27.25	peak
3	11840.000	35.26	17.20	52.46	74.00	-21.54	peak
4	13512.000	33.11	19.61	52.72	74.00	-21.28	peak
5	15783.500	36.87	15.27	52.14	74.00	-21.86	peak
6	17609.500	31.25	21.21	52.46	74.00	-21.54	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5280
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8210.000	37.66	7.20	44.86	74.00	-29.14	peak
2	9348.500	37.23	9.36	46.59	74.00	-27.41	peak
3	11856.500	35.04	17.19	52.23	74.00	-21.77	peak
4	12621.000	35.12	16.86	51.98	74.00	-22.02	peak
5	13963.000	33.34	20.61	53.95	74.00	-20.05	peak
6	17604.000	31.13	21.15	52.28	74.00	-21.72	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5280
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	37.58	7.14	44.72	74.00	-29.28	peak
2	9354.000	37.54	9.39	46.93	74.00	-27.07	peak
3	11845.500	34.88	17.20	52.08	74.00	-21.92	peak
4	13919.000	32.54	20.58	53.12	74.00	-20.88	peak
5	15838.500	37.58	15.28	52.86	74.00	-21.14	peak
6	17593.000	30.90	21.07	51.97	74.00	-22.03	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5320
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.73	9.29	47.02	74.00	-26.98	peak
2	10641.000	38.01	12.33	50.34	74.00	-23.66	peak
3	11873.000	35.80	17.17	52.97	74.00	-21.03	peak
4	14067.500	32.32	20.31	52.63	74.00	-21.37	peak
5	15959.500	35.63	15.36	50.99	74.00	-23.01	peak
6	17989.000	28.84	23.65	52.49	74.00	-21.51	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5320
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9348.500	37.24	9.36	46.60	74.00	-27.40	peak
2	11840.000	35.34	17.20	52.54	74.00	-21.46	peak
3	13864.000	32.40	20.54	52.94	74.00	-21.06	peak
4	14733.000	33.31	17.43	50.74	74.00	-23.26	peak
5	15954.000	36.97	15.35	52.32	74.00	-21.68	peak
6	17769.000	28.94	22.86	51.80	74.00	-22.20	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5500
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	37.80	7.14	44.94	74.00	-29.06	peak
2	9387.000	37.17	9.60	46.77	74.00	-27.23	peak
3	11785.000	35.27	17.12	52.39	74.00	-21.61	peak
4	13919.000	32.18	20.58	52.76	74.00	-21.24	peak
5	16504.000	36.37	17.39	53.76	74.00	-20.24	peak
6	17945.000	28.45	23.55	52.00	74.00	-22.00	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5500
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8221.000	38.06	7.16	45.22	74.00	-28.78	peak
2	9365.000	37.17	9.46	46.63	74.00	-27.37	peak
3	11719.000	35.44	16.71	52.15	74.00	-21.85	peak
4	13957.500	32.12	20.61	52.73	74.00	-21.27	peak
5	16504.000	34.15	17.39	51.54	74.00	-22.46	peak
6	17703.000	29.70	22.18	51.88	74.00	-22.12	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5580
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8452.000	38.60	6.66	45.26	74.00	-28.74	peak
2	9376.000	37.18	9.53	46.71	74.00	-27.29	peak
3	11741.000	35.52	16.84	52.36	74.00	-21.64	peak
4	13957.500	32.51	20.61	53.12	74.00	-20.88	peak
5	16746.000	34.81	18.16	52.97	74.00	-21.03	peak
6	17648.000	29.76	21.62	51.38	74.00	-22.62	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5580
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8127.500	38.30	6.55	44.85	74.00	-29.15	peak
2	9392.500	37.56	9.63	47.19	74.00	-26.81	peak
3	11796.000	35.03	17.19	52.22	74.00	-21.78	peak
4	13919.000	32.37	20.58	52.95	74.00	-21.05	peak
5	16735.000	33.60	18.14	51.74	74.00	-22.26	peak
6	17769.000	28.76	22.86	51.62	74.00	-22.38	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5700
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7753.500	39.10	5.92	45.02	74.00	-28.98	peak
2	9359.500	38.56	9.43	47.99	74.00	-26.01	peak
3	11884.000	35.15	17.17	52.32	74.00	-21.68	peak
4	12621.000	35.04	16.86	51.90	74.00	-22.10	peak
5	13974.000	31.62	20.63	52.25	74.00	-21.75	peak
6	17609.500	30.64	21.21	51.85	74.00	-22.15	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5700
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8287.000	37.70	6.98	44.68	74.00	-29.32	peak
2	8963.500	37.12	9.09	46.21	74.00	-27.79	peak
3	10575.000	35.08	12.15	47.23	74.00	-26.77	peak
4	11884.000	35.46	17.17	52.63	74.00	-21.37	peak
5	13919.000	32.51	20.58	53.09	74.00	-20.91	peak
6	17648.000	30.67	21.62	52.29	74.00	-21.71	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5720
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	39.33	5.95	45.28	74.00	-28.72	peak
2	8936.000	37.96	8.76	46.72	74.00	-27.28	peak
3	9354.000	36.97	9.39	46.36	74.00	-27.64	peak
4	11757.500	35.70	16.96	52.66	74.00	-21.34	peak
5	13770.500	32.68	20.38	53.06	74.00	-20.94	peak
6	17879.000	28.34	23.38	51.72	74.00	-22.28	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5720
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7753.500	38.81	5.92	44.73	74.00	-29.27	peak
2	9387.000	37.05	9.60	46.65	74.00	-27.35	peak
3	11752.000	34.86	16.92	51.78	74.00	-22.22	peak
4	13495.500	32.39	19.57	51.96	74.00	-22.04	peak
5	13985.000	32.72	20.63	53.35	74.00	-20.65	peak
6	17967.000	28.45	23.59	52.04	74.00	-21.96	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5745
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8441.000	38.74	6.65	45.39	74.00	-28.61	peak
2	8958.000	38.04	9.02	47.06	74.00	-26.94	peak
3	11878.500	34.90	17.17	52.07	74.00	-21.93	peak
4	13809.000	32.78	20.51	53.29	74.00	-20.71	peak
5	14315.000	32.23	19.25	51.48	74.00	-22.52	peak
6	17939.500	28.18	23.54	51.72	74.00	-22.28	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5745
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8215.500	37.74	7.18	44.92	74.00	-29.08	peak
2	8958.000	37.69	9.02	46.71	74.00	-27.29	peak
3	11878.500	35.79	17.17	52.96	74.00	-21.04	peak
4	13462.500	33.53	19.44	52.97	74.00	-21.03	peak
5	13935.500	31.94	20.59	52.53	74.00	-21.47	peak
6	17846.000	28.52	23.31	51.83	74.00	-22.17	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5785
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7709.500	38.73	5.80	44.53	74.00	-29.47	peak
2	8985.500	38.16	9.35	47.51	74.00	-26.49	peak
3	11845.500	35.64	17.20	52.84	74.00	-21.16	peak
4	12450.500	34.39	16.93	51.32	74.00	-22.68	peak
5	13880.500	32.36	20.56	52.92	74.00	-21.08	peak
6	17796.500	29.10	23.15	52.25	74.00	-21.75	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5785
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.19	5.91	46.10	74.00	-27.90	peak
2	9381.500	37.74	9.56	47.30	74.00	-26.70	peak
3	11851.000	34.71	17.19	51.90	74.00	-22.10	peak
4	12362.500	34.83	16.98	51.81	74.00	-22.19	peak
5	13891.500	32.11	20.56	52.67	74.00	-21.33	peak
6	17422.500	31.37	20.27	51.64	74.00	-22.36	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5825
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8226.500	37.72	7.15	44.87	74.00	-29.13	peak
2	9381.500	37.19	9.56	46.75	74.00	-27.25	peak
3	11708.000	35.44	16.64	52.08	74.00	-21.92	peak
4	13523.000	32.93	19.62	52.55	74.00	-21.45	peak
5	13952.000	32.02	20.61	52.63	74.00	-21.37	peak
6	17483.000	31.77	20.45	52.22	74.00	-21.78	peak




7GHz-18GHz			
Test Mode:	802.11n HT20	Channel:	5825
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.93	5.81	44.74	74.00	-29.26	peak
2	9354.000	38.08	9.39	47.47	74.00	-26.53	peak
3	11422.000	36.18	15.38	51.56	74.00	-22.44	peak
4	11796.000	35.46	17.19	52.65	74.00	-21.35	peak
5	13891.500	32.03	20.56	52.59	74.00	-21.41	peak
6	17956.000	28.92	23.57	52.49	74.00	-21.51	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5190
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.69	5.95	44.64	74.00	-29.36	peak
2	9068.000	37.49	9.16	46.65	74.00	-27.35	peak
3	10949.000	32.81	13.03	45.84	74.00	-28.16	peak
4	11807.000	32.51	17.22	49.73	74.00	-24.27	peak
5	13963.000	30.23	20.61	50.84	74.00	-23.16	peak
6	17109.000	29.51	19.61	49.12	74.00	-24.88	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5190
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7726.000	38.70	5.85	44.55	74.00	-29.45	peak
2	8980.000	37.67	9.29	46.96	74.00	-27.04	peak
3	11840.000	34.75	17.20	51.95	74.00	-22.05	peak
4	13919.000	32.18	20.58	52.76	74.00	-21.24	peak
5	15624.000	31.74	15.40	47.14	74.00	-26.86	peak
6	17802.000	27.21	23.19	50.40	74.00	-23.60	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5230
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8353.000	38.50	6.78	45.28	74.00	-28.72	peak
2	9596.000	36.46	10.13	46.59	74.00	-27.41	peak
3	11752.000	33.91	16.92	50.83	74.00	-23.17	peak
4	13985.000	31.17	20.63	51.80	74.00	-22.20	peak
5	15624.000	31.29	15.40	46.69	74.00	-27.31	peak
6	17780.000	27.33	22.98	50.31	74.00	-23.69	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5230
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.80	5.81	44.61	74.00	-29.39	peak
2	8991.000	37.03	9.42	46.45	74.00	-27.55	peak
3	11829.000	33.75	17.20	50.95	74.00	-23.05	peak
4	13831.000	31.86	20.53	52.39	74.00	-21.61	peak
5	16790.000	30.15	18.24	48.39	74.00	-25.61	peak
6	17714.000	28.36	22.29	50.65	74.00	-23.35	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5270
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.92	5.95	44.87	74.00	-29.13	peak
2	9596.000	36.51	10.13	46.64	74.00	-27.36	peak
3	11818.000	33.70	17.20	50.90	74.00	-23.10	peak
4	14007.000	30.87	20.61	51.48	74.00	-22.52	peak
5	15800.000	31.84	15.26	47.10	74.00	-26.90	peak
6	17703.000	28.44	22.18	50.62	74.00	-23.38	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5270
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8155.000	38.34	6.81	45.15	74.00	-28.85	peak
2	9541.000	36.10	10.01	46.11	74.00	-27.89	peak
3	11829.000	33.75	17.20	50.95	74.00	-23.05	peak
4	13732.000	31.47	20.24	51.71	74.00	-22.29	peak
5	16372.000	30.63	16.80	47.43	74.00	-26.57	peak
6	17670.000	28.08	21.83	49.91	74.00	-24.09	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5310
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8265.000	38.49	7.03	45.52	74.00	-28.48	peak
2	10190.000	36.55	10.91	47.46	74.00	-26.54	peak
3	11785.000	33.45	17.12	50.57	74.00	-23.43	peak
4	13644.000	32.15	19.89	52.04	74.00	-21.96	peak
5	15800.000	30.56	15.26	45.82	74.00	-28.18	peak
6	17659.000	27.79	21.72	49.51	74.00	-24.49	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5310
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8232.000	37.95	7.14	45.09	74.00	-28.91	peak
2	9398.000	37.10	9.67	46.77	74.00	-27.23	peak
3	11785.000	33.89	17.12	51.01	74.00	-22.99	peak
4	13919.000	30.61	20.58	51.19	74.00	-22.81	peak
5	16042.000	31.00	15.51	46.51	74.00	-27.49	peak
6	16834.000	29.80	18.39	48.19	74.00	-25.81	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5510
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	38.82	5.92	44.74	74.00	-29.26	peak
2	9266.000	37.85	8.84	46.69	74.00	-27.31	peak
3	11895.000	34.77	17.17	51.94	74.00	-22.06	peak
4	13963.000	31.70	20.61	52.31	74.00	-21.69	peak
5	15195.000	33.03	15.55	48.58	74.00	-25.42	peak
6	17230.000	30.74	20.16	50.90	74.00	-23.10	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5510
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.46	5.91	46.37	74.00	-27.63	peak
2	9057.000	37.07	9.22	46.29	74.00	-27.71	peak
3	11895.000	34.05	17.17	51.22	74.00	-22.78	peak
4	13985.000	31.65	20.63	52.28	74.00	-21.72	peak
5	16999.000	29.03	18.96	47.99	74.00	-26.01	peak
6	17780.000	28.30	22.98	51.28	74.00	-22.72	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5550
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	39.08	5.79	44.87	74.00	-29.13	peak
2	9321.000	37.40	9.18	46.58	74.00	-27.42	peak
3	11851.000	34.26	17.19	51.45	74.00	-22.55	peak
4	13919.000	32.89	20.58	53.47	74.00	-20.53	peak
5	16042.000	30.95	15.51	46.46	74.00	-27.54	peak
6	17813.000	28.90	23.23	52.13	74.00	-21.87	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5550
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7825.000	39.25	5.99	45.24	74.00	-28.76	peak
2	9398.000	36.51	9.67	46.18	74.00	-27.82	peak
3	11785.000	33.92	17.12	51.04	74.00	-22.96	peak
4	13985.000	31.82	20.63	52.45	74.00	-21.55	peak
5	16658.000	29.47	17.99	47.46	74.00	-26.54	peak
6	17769.000	27.67	22.86	50.53	74.00	-23.47	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5670
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.51	5.95	44.46	74.00	-29.54	peak
2	9233.000	37.54	8.62	46.16	74.00	-27.84	peak
3	11840.000	34.46	17.20	51.66	74.00	-22.34	peak
4	13908.000	31.35	20.58	51.93	74.00	-22.07	peak
5	15624.000	31.20	15.40	46.60	74.00	-27.40	peak
6	17703.000	28.18	22.18	50.36	74.00	-23.64	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5670
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7737.000	38.54	5.88	44.42	74.00	-29.58	peak
2	9673.000	36.22	10.07	46.29	74.00	-27.71	peak
3	11851.000	33.19	17.19	50.38	74.00	-23.62	peak
4	13963.000	31.74	20.61	52.35	74.00	-21.65	peak
5	15580.000	30.88	15.40	46.28	74.00	-27.72	peak
6	17351.000	29.14	20.19	49.33	74.00	-24.67	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5710
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.86	5.81	44.67	74.00	-29.33	peak
2	8991.000	37.32	9.42	46.74	74.00	-27.26	peak
3	11884.000	33.45	17.17	50.62	74.00	-23.38	peak
4	13919.000	31.65	20.58	52.23	74.00	-21.77	peak
5	16889.000	30.43	18.57	49.00	74.00	-25.00	peak
6	17725.000	29.20	22.41	51.61	74.00	-22.39	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5710
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	38.34	5.92	44.26	74.00	-29.74	peak
2	8980.000	37.42	9.29	46.71	74.00	-27.29	peak
3	11829.000	33.13	17.20	50.33	74.00	-23.67	peak
4	13754.000	30.77	20.32	51.09	74.00	-22.91	peak
5	16460.000	30.45	17.19	47.64	74.00	-26.36	peak
6	17736.000	28.08	22.53	50.61	74.00	-23.39	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5755
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.31	5.95	44.26	74.00	-29.74	peak
2	9079.000	37.36	9.10	46.46	74.00	-27.54	peak
3	11796.000	34.43	17.19	51.62	74.00	-22.38	peak
4	13534.000	32.70	19.63	52.33	74.00	-21.67	peak
5	15129.000	31.92	15.90	47.82	74.00	-26.18	peak
6	17648.000	28.41	21.62	50.03	74.00	-23.97	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5755
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.37	9.42	46.79	74.00	-27.21	peak
2	10212.000	35.70	10.95	46.65	74.00	-27.35	peak
3	11785.000	33.86	17.12	50.98	74.00	-23.02	peak
4	13996.000	31.10	20.63	51.73	74.00	-22.27	peak
5	15151.000	30.76	15.79	46.55	74.00	-27.45	peak
6	17252.000	28.90	20.17	49.07	74.00	-24.93	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5795
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8045.000	38.15	5.76	43.91	74.00	-30.09	peak
2	10421.000	35.43	10.64	46.07	74.00	-27.93	peak
3	11785.000	32.57	15.27	47.84	74.00	-26.16	peak
4	13633.000	29.87	18.90	48.77	74.00	-25.23	peak
5	13996.000	28.63	19.58	48.21	74.00	-25.79	peak
6	17956.000	28.07	22.85	50.92	74.00	-23.08	peak




7GHz-18GHz			
Test Mode:	802.11n HT40	Channel:	5795
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	37.86	6.38	44.24	74.00	-29.76	peak
2	9376.000	36.74	8.34	45.08	74.00	-28.92	peak
3	11697.000	35.15	14.80	49.95	74.00	-24.05	peak
4	12302.000	33.70	16.02	49.72	74.00	-24.28	peak
5	13534.000	31.31	18.45	49.76	74.00	-24.24	peak
6	17593.000	29.96	20.31	50.27	74.00	-23.73	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5210
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.22	8.74	45.96	74.00	-28.04	peak
2	11851.000	33.84	15.54	49.38	74.00	-24.62	peak
3	12610.000	33.40	15.66	49.06	74.00	-24.94	peak
4	13908.000	31.20	19.51	50.71	74.00	-23.29	peak
5	17340.000	29.71	19.72	49.43	74.00	-24.57	peak
6	17945.000	28.52	22.79	51.31	74.00	-22.69	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5210
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8969.000	37.08	8.28	45.36	74.00	-28.64	peak
2	11697.000	33.77	14.80	48.57	74.00	-25.43	peak
3	12632.000	33.89	15.65	49.54	74.00	-24.46	peak
4	13985.000	30.46	19.58	50.04	74.00	-23.96	peak
5	17593.000	29.93	20.31	50.24	74.00	-23.76	peak
6	17956.000	29.07	22.85	51.92	74.00	-22.08	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5290
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9596.000	36.20	9.22	45.42	74.00	-28.58	peak
2	11763.000	34.99	15.16	50.15	74.00	-23.85	peak
3	13490.000	32.56	18.32	50.88	74.00	-23.12	peak
4	13963.000	31.07	19.55	50.62	74.00	-23.38	peak
5	16900.000	31.88	17.99	49.87	74.00	-24.13	peak
6	17956.000	28.74	22.85	51.59	74.00	-22.41	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5290
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11356.000	34.80	13.60	48.40	74.00	-25.60	peak
2	11873.000	34.38	15.61	49.99	74.00	-24.01	peak
3	13908.000	32.00	19.51	51.51	74.00	-22.49	peak
4	14073.000	32.08	19.16	51.24	74.00	-22.76	peak
5	17263.000	31.35	19.62	50.97	74.00	-23.03	peak
6	17956.000	28.68	22.85	51.53	74.00	-22.47	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5530
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10894.000	35.41	11.72	47.13	74.00	-26.87	peak
2	11884.000	34.91	15.65	50.56	74.00	-23.44	peak
3	12731.000	33.55	15.69	49.24	74.00	-24.76	peak
4	13941.000	32.22	19.54	51.76	74.00	-22.24	peak
5	14425.000	32.54	17.69	50.23	74.00	-23.77	peak
6	17978.000	28.09	23.00	51.09	74.00	-22.91	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5530
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.73	8.52	45.25	74.00	-28.75	peak
2	11763.000	34.64	15.16	49.80	74.00	-24.20	peak
3	12247.000	33.82	15.89	49.71	74.00	-24.29	peak
4	13611.000	32.65	18.76	51.41	74.00	-22.59	peak
5	13897.000	31.49	19.49	50.98	74.00	-23.02	peak
6	17703.000	30.27	21.37	51.64	74.00	-22.36	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5610
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.06	8.74	45.80	74.00	-28.20	peak
2	10696.000	36.44	11.41	47.85	74.00	-26.15	peak
3	11763.000	33.56	15.16	48.72	74.00	-25.28	peak
4	12643.000	33.37	15.65	49.02	74.00	-24.98	peak
5	13963.000	30.13	19.55	49.68	74.00	-24.32	peak
6	18000.000	27.31	23.15	50.46	74.00	-23.54	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5610
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7737.000	39.02	5.31	44.33	74.00	-29.67	peak
2	10388.000	35.30	10.56	45.86	74.00	-28.14	peak
3	11840.000	35.18	15.50	50.68	74.00	-23.32	peak
4	13919.000	32.67	19.51	52.18	74.00	-21.82	peak
5	14436.000	32.30	17.64	49.94	74.00	-24.06	peak
6	17769.000	29.40	22.13	51.53	74.00	-22.47	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5690
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.75	8.52	45.27	74.00	-28.73	peak
2	11774.000	34.20	15.22	49.42	74.00	-24.58	peak
3	12280.000	33.45	15.97	49.42	74.00	-24.58	peak
4	14018.000	32.00	19.48	51.48	74.00	-22.52	peak
5	14425.000	31.67	17.69	49.36	74.00	-24.64	peak
6	17780.000	29.05	22.26	51.31	74.00	-22.69	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5690
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.00	8.74	45.74	74.00	-28.26	peak
2	11653.000	35.55	14.67	50.22	74.00	-23.78	peak
3	12313.000	33.59	15.98	49.57	74.00	-24.43	peak
4	13974.000	32.07	19.57	51.64	74.00	-22.36	peak
5	14337.000	32.09	18.49	50.58	74.00	-23.42	peak
6	17813.000	28.82	22.50	51.32	74.00	-22.68	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5775
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.89	5.69	44.58	74.00	-29.42	peak
2	8980.000	37.24	8.52	45.76	74.00	-28.24	peak
3	11873.000	34.52	15.61	50.13	74.00	-23.87	peak
4	13611.000	31.95	18.76	50.71	74.00	-23.29	peak
5	14315.000	32.06	18.73	50.79	74.00	-23.21	peak
6	17989.000	28.17	23.07	51.24	74.00	-22.76	peak




7GHz-18GHz			
Test Mode:	802.11ac VHT80	Channel:	5775
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	10487.000	35.43	10.80	46.23	74.00	-27.77	peak
2	11840.000	34.52	15.50	50.02	74.00	-23.98	peak
3	13006.000	32.24	16.04	48.28	74.00	-25.72	peak
4	13985.000	30.11	19.58	49.69	74.00	-24.31	peak
5	14249.000	30.58	18.88	49.46	74.00	-24.54	peak
6	17769.000	28.88	22.13	51.01	74.00	-22.99	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5180
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8204.500	37.63	7.21	44.84	74.00	-29.16	peak
2	8985.500	37.10	9.35	46.45	74.00	-27.55	peak
3	11878.500	35.64	17.17	52.81	74.00	-21.19	peak
4	13919.000	32.02	20.58	52.60	74.00	-21.40	peak
5	15541.500	37.44	15.36	52.80	74.00	-21.20	peak
6	17956.000	28.41	23.57	51.98	74.00	-22.02	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5180
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	39.47	5.92	45.39	74.00	-28.61	peak
2	9337.500	37.31	9.29	46.60	74.00	-27.40	peak
3	11845.500	35.65	17.20	52.85	74.00	-21.15	peak
4	13858.500	31.87	20.54	52.41	74.00	-21.59	peak
5	15547.000	37.10	15.37	52.47	74.00	-21.53	peak
6	17807.500	28.70	23.20	51.90	74.00	-22.10	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5200
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7841.500	39.17	5.93	45.10	74.00	-28.90	peak
2	8996.500	36.60	9.50	46.10	74.00	-27.90	peak
3	11878.500	35.11	17.17	52.28	74.00	-21.72	peak
4	13809.000	32.15	20.51	52.66	74.00	-21.34	peak
5	14210.500	33.21	19.62	52.83	74.00	-21.17	peak
6	17697.500	29.87	22.13	52.00	74.00	-22.00	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5200
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8985.500	37.34	9.35	46.69	74.00	-27.31	peak
2	11394.500	35.58	15.25	50.83	74.00	-23.17	peak
3	11900.500	34.72	17.16	51.88	74.00	-22.12	peak
4	13935.500	32.49	20.59	53.08	74.00	-20.92	peak
5	15602.000	35.81	15.42	51.23	74.00	-22.77	peak
6	17961.500	28.26	23.58	51.84	74.00	-22.16	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5240
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7753.500	38.78	5.92	44.70	74.00	-29.30	peak
2	9359.500	37.24	9.43	46.67	74.00	-27.33	peak
3	11834.500	36.11	17.20	53.31	74.00	-20.69	peak
4	13512.000	33.39	19.61	53.00	74.00	-21.00	peak
5	13864.000	32.99	20.54	53.53	74.00	-20.47	peak
6	17664.500	30.03	21.78	51.81	74.00	-22.19	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5240
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	38.26	7.10	45.36	74.00	-28.64	peak
2	9359.500	37.36	9.43	46.79	74.00	-27.21	peak
3	11834.500	35.35	17.20	52.55	74.00	-21.45	peak
4	13957.500	32.48	20.61	53.09	74.00	-20.91	peak
5	15728.500	34.67	15.32	49.99	74.00	-24.01	peak
6	17697.500	29.24	22.13	51.37	74.00	-22.63	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5260
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	40.55	5.91	46.46	74.00	-27.54	peak
2	9057.000	38.24	9.22	47.46	74.00	-26.54	peak
3	11796.000	33.88	17.19	51.07	74.00	-22.93	peak
4	13952.000	31.33	20.61	51.94	74.00	-22.06	peak
5	15602.000	31.33	15.42	46.75	74.00	-27.25	peak
6	17582.000	29.50	21.00	50.50	74.00	-23.50	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5260
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8166.000	38.70	6.90	45.60	74.00	-28.40	peak
2	8980.000	37.59	9.29	46.88	74.00	-27.12	peak
3	11840.000	32.40	17.20	49.60	74.00	-24.40	peak
4	12632.000	32.83	16.89	49.72	74.00	-24.28	peak
5	14018.000	30.94	20.55	51.49	74.00	-22.51	peak
6	17747.000	27.01	22.64	49.65	74.00	-24.35	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5280
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.50	8.05	45.55	74.00	-28.45	peak
2	10212.000	35.99	10.11	46.10	74.00	-27.90	peak
3	11763.000	34.71	15.16	49.87	74.00	-24.13	peak
4	11983.000	33.42	15.84	49.26	74.00	-24.74	peak
5	14007.000	31.01	19.55	50.56	74.00	-23.44	peak
6	14722.000	31.10	16.57	47.67	74.00	-26.33	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5280
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9134.000	37.53	7.73	45.26	74.00	-28.74	peak
2	10179.000	35.88	10.01	45.89	74.00	-28.11	peak
3	11873.000	34.19	15.61	49.80	74.00	-24.20	peak
4	13930.000	31.21	19.53	50.74	74.00	-23.26	peak
5	14799.000	32.32	16.20	48.52	74.00	-25.48	peak
6	17769.000	28.66	22.13	50.79	74.00	-23.21	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5320
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	39.27	5.81	45.08	74.00	-28.92	peak
2	9508.000	36.79	9.95	46.74	74.00	-27.26	peak
3	11763.000	34.01	16.99	51.00	74.00	-23.00	peak
4	14007.000	31.93	20.61	52.54	74.00	-21.46	peak
5	16031.000	30.57	15.49	46.06	74.00	-27.94	peak
6	17483.000	28.46	20.45	48.91	74.00	-25.09	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5320
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7605.000	39.44	5.45	44.89	74.00	-29.11	peak
2	8980.000	37.91	9.29	47.20	74.00	-26.80	peak
3	11818.000	31.82	17.20	49.02	74.00	-24.98	peak
4	13963.000	30.77	20.61	51.38	74.00	-22.62	peak
5	14821.000	30.34	17.19	47.53	74.00	-26.47	peak
6	17648.000	27.33	21.62	48.95	74.00	-25.05	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5500
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.65	5.95	44.60	74.00	-29.40	peak
2	9310.000	37.13	9.12	46.25	74.00	-27.75	peak
3	10894.000	33.54	12.87	46.41	74.00	-27.59	peak
4	11796.000	34.05	17.19	51.24	74.00	-22.76	peak
5	13644.000	32.49	19.89	52.38	74.00	-21.62	peak
6	17252.000	29.55	20.17	49.72	74.00	-24.28	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5500
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	39.34	5.95	45.29	74.00	-28.71	peak
2	8980.000	37.32	9.29	46.61	74.00	-27.39	peak
3	11796.000	33.36	17.19	50.55	74.00	-23.45	peak
4	13919.000	31.65	20.58	52.23	74.00	-21.77	peak
5	15580.000	30.88	15.40	46.28	74.00	-27.72	peak
6	17241.000	27.71	20.16	47.87	74.00	-26.13	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5580
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8166.000	38.21	6.90	45.11	74.00	-28.89	peak
2	9618.000	36.31	10.12	46.43	74.00	-27.57	peak
3	11840.000	33.56	17.20	50.76	74.00	-23.24	peak
4	13809.000	31.28	20.51	51.79	74.00	-22.21	peak
5	15162.000	33.14	15.72	48.86	74.00	-25.14	peak
6	17736.000	28.45	22.53	50.98	74.00	-23.02	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5580
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8254.000	37.59	7.07	44.66	74.00	-29.34	peak
2	9959.000	37.06	10.47	47.53	74.00	-26.47	peak
3	11785.000	34.04	17.12	51.16	74.00	-22.84	peak
4	14084.000	32.34	20.22	52.56	74.00	-21.44	peak
5	15162.000	32.19	15.72	47.91	74.00	-26.09	peak
6	17428.000	29.86	20.30	50.16	74.00	-23.84	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5700
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.59	9.29	46.88	74.00	-27.12	peak
2	10179.000	35.91	10.88	46.79	74.00	-27.21	peak
3	11785.000	31.75	17.12	48.87	74.00	-25.13	peak
4	12753.000	31.76	17.17	48.93	74.00	-25.07	peak
5	13996.000	29.84	20.63	50.47	74.00	-23.53	peak
6	17714.000	26.05	22.29	48.34	74.00	-25.66	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5700
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7880.000	39.13	5.79	44.92	74.00	-29.08	peak
2	8991.000	37.30	9.42	46.72	74.00	-27.28	peak
3	11818.000	32.73	17.20	49.93	74.00	-24.07	peak
4	13985.000	30.76	20.63	51.39	74.00	-22.61	peak
5	17054.000	28.62	19.28	47.90	74.00	-26.10	peak
6	17824.000	27.37	23.25	50.62	74.00	-23.38	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5720
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	39.07	5.92	44.99	74.00	-29.01	peak
2	9068.000	37.23	9.16	46.39	74.00	-27.61	peak
3	11840.000	34.53	17.20	51.73	74.00	-22.27	peak
4	12786.000	32.98	17.25	50.23	74.00	-23.77	peak
5	13996.000	31.81	20.63	52.44	74.00	-21.56	peak
6	17362.000	29.24	20.19	49.43	74.00	-24.57	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5720
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7847.000	38.44	5.91	44.35	74.00	-29.65	peak
2	9310.000	38.12	9.12	47.24	74.00	-26.76	peak
3	11829.000	33.13	17.20	50.33	74.00	-23.67	peak
4	13974.000	30.89	20.63	51.52	74.00	-22.48	peak
5	17230.000	29.45	20.16	49.61	74.00	-24.39	peak
6	17714.000	29.04	22.29	51.33	74.00	-22.67	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5745
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8254.000	37.99	7.07	45.06	74.00	-28.94	peak
2	9420.000	37.15	9.73	46.88	74.00	-27.12	peak
3	11785.000	34.08	17.12	51.20	74.00	-22.80	peak
4	13963.000	31.89	20.61	52.50	74.00	-21.50	peak
5	16020.000	33.22	15.44	48.66	74.00	-25.34	peak
6	17395.000	30.74	20.21	50.95	74.00	-23.05	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5745
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	38.87	5.92	44.79	74.00	-29.21	peak
2	9508.000	37.14	9.95	47.09	74.00	-26.91	peak
3	11785.000	33.65	17.12	50.77	74.00	-23.23	peak
4	13919.000	31.70	20.58	52.28	74.00	-21.72	peak
5	15228.000	31.22	15.52	46.74	74.00	-27.26	peak
6	17494.000	28.83	20.48	49.31	74.00	-24.69	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5785
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7715.000	38.51	5.81	44.32	74.00	-29.68	peak
2	9134.000	37.17	8.78	45.95	74.00	-28.05	peak
3	11796.000	33.53	17.19	50.72	74.00	-23.28	peak
4	13985.000	31.12	20.63	51.75	74.00	-22.25	peak
5	16526.000	29.89	17.50	47.39	74.00	-26.61	peak
6	17824.000	28.11	23.25	51.36	74.00	-22.64	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5785
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.10	9.42	46.52	74.00	-27.48	peak
2	10311.000	35.68	11.21	46.89	74.00	-27.11	peak
3	11774.000	34.40	17.06	51.46	74.00	-22.54	peak
4	13974.000	31.70	20.63	52.33	74.00	-21.67	peak
5	15217.000	32.28	15.52	47.80	74.00	-26.20	peak
6	17285.000	29.65	20.18	49.83	74.00	-24.17	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5825
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.00	9.29	46.29	74.00	-27.71	peak
2	10575.000	34.32	12.15	46.47	74.00	-27.53	peak
3	11785.000	33.83	17.12	50.95	74.00	-23.05	peak
4	13974.000	31.89	20.63	52.52	74.00	-21.48	peak
5	16064.000	30.80	15.59	46.39	74.00	-27.61	peak
6	17846.000	27.99	23.31	51.30	74.00	-22.70	peak




7GHz-18GHz			
Test Mode:	802.11ax HE20	Channel:	5825
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8045.000	38.36	5.77	44.13	74.00	-29.87	peak
2	9321.000	37.15	9.18	46.33	74.00	-27.67	peak
3	11037.000	33.59	13.36	46.95	74.00	-27.05	peak
4	11873.000	35.21	17.17	52.38	74.00	-21.62	peak
5	13864.000	31.94	20.54	52.48	74.00	-21.52	peak
6	17780.000	28.09	22.98	51.07	74.00	-22.93	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5190
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8166.000	37.52	6.55	44.07	74.00	-29.93	peak
2	10036.000	35.01	9.82	44.83	74.00	-29.17	peak
3	11664.000	35.28	14.71	49.99	74.00	-24.01	peak
4	13578.000	31.94	18.61	50.55	74.00	-23.45	peak
5	15250.000	31.62	14.53	46.15	74.00	-27.85	peak
6	17747.000	27.89	21.88	49.77	74.00	-24.23	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5190
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7748.000	38.96	5.43	44.39	74.00	-29.61	peak
2	9057.000	36.25	8.29	44.54	74.00	-29.46	peak
3	11785.000	33.98	15.27	49.25	74.00	-24.75	peak
4	13842.000	30.73	19.39	50.12	74.00	-23.88	peak
5	14414.000	31.46	17.76	49.22	74.00	-24.78	peak
6	18000.000	28.45	23.15	51.60	74.00	-22.40	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5230
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.89	8.05	45.94	74.00	-28.06	peak
2	10597.000	36.41	10.93	47.34	74.00	-26.66	peak
3	11884.000	33.40	15.65	49.05	74.00	-24.95	peak
4	13974.000	31.34	19.57	50.91	74.00	-23.09	peak
5	17703.000	28.90	21.37	50.27	74.00	-23.73	peak
6	17956.000	29.02	22.85	51.87	74.00	-22.13	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5230
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9332.000	38.45	8.12	46.57	74.00	-27.43	peak
2	11840.000	33.19	15.50	48.69	74.00	-25.31	peak
3	13523.000	31.42	18.41	49.83	74.00	-24.17	peak
4	13996.000	31.00	19.58	50.58	74.00	-23.42	peak
5	17670.000	29.10	21.03	50.13	74.00	-23.87	peak
6	17989.000	27.74	23.07	50.81	74.00	-23.19	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5270
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.34	8.52	45.86	74.00	-28.14	peak
2	11455.000	35.44	14.16	49.60	74.00	-24.40	peak
3	11719.000	34.97	14.92	49.89	74.00	-24.11	peak
4	13908.000	31.72	19.51	51.23	74.00	-22.77	peak
5	14282.000	30.33	18.88	49.21	74.00	-24.79	peak
6	17813.000	28.38	22.50	50.88	74.00	-23.12	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5270
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	39.36	5.54	44.90	74.00	-29.10	peak
2	8980.000	37.31	8.52	45.83	74.00	-28.17	peak
3	11818.000	33.37	15.42	48.79	74.00	-25.21	peak
4	13985.000	31.40	19.58	50.98	74.00	-23.02	peak
5	17142.000	30.10	18.79	48.89	74.00	-25.11	peak
6	17945.000	28.70	22.79	51.49	74.00	-22.51	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5310
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11466.000	33.58	14.20	47.78	74.00	-26.22	peak
2	12291.000	32.72	16.00	48.72	74.00	-25.28	peak
3	13809.000	30.29	19.34	49.63	74.00	-24.37	peak
4	14084.000	31.48	19.09	50.57	74.00	-23.43	peak
5	14447.000	30.51	17.57	48.08	74.00	-25.92	peak
6	17956.000	28.53	22.85	51.38	74.00	-22.62	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5310
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7836.000	39.41	5.75	45.16	74.00	-28.84	peak
2	8980.000	36.57	8.52	45.09	74.00	-28.91	peak
3	11774.000	33.39	15.22	48.61	74.00	-25.39	peak
4	13512.000	31.49	18.38	49.87	74.00	-24.13	peak
5	14414.000	30.59	17.76	48.35	74.00	-25.65	peak
6	17769.000	29.38	22.13	51.51	74.00	-22.49	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5510
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.88	8.74	45.62	74.00	-28.38	peak
2	11400.000	34.16	13.98	48.14	74.00	-25.86	peak
3	11884.000	33.75	15.65	49.40	74.00	-24.60	peak
4	13600.000	32.23	18.69	50.92	74.00	-23.08	peak
5	13985.000	32.55	19.58	52.13	74.00	-21.87	peak
6	17956.000	27.57	22.85	50.42	74.00	-23.58	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5510
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.04	8.52	45.56	74.00	-28.44	peak
2	11840.000	33.65	15.50	49.15	74.00	-24.85	peak
3	13886.000	30.75	19.48	50.23	74.00	-23.77	peak
4	14084.000	30.56	19.09	49.65	74.00	-24.35	peak
5	17351.000	29.21	19.66	48.87	74.00	-25.13	peak
6	17967.000	26.75	22.92	49.67	74.00	-24.33	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5550
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	39.06	5.54	44.60	74.00	-29.40	peak
2	8980.000	36.62	8.52	45.14	74.00	-28.86	peak
3	11884.000	34.69	15.65	50.34	74.00	-23.66	peak
4	13589.000	32.45	18.65	51.10	74.00	-22.90	peak
5	13908.000	31.43	19.51	50.94	74.00	-23.06	peak
6	17813.000	29.05	22.50	51.55	74.00	-22.45	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5550
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.03	8.29	45.32	74.00	-28.68	peak
2	11763.000	33.55	15.16	48.71	74.00	-25.29	peak
3	12313.000	32.94	15.98	48.92	74.00	-25.08	peak
4	13842.000	31.01	19.39	50.40	74.00	-23.60	peak
5	14282.000	30.98	18.88	49.86	74.00	-24.14	peak
6	17582.000	30.83	20.24	51.07	74.00	-22.93	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5670
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.41	8.05	45.46	74.00	-28.54	peak
2	11873.000	34.97	15.61	50.58	74.00	-23.42	peak
3	13534.000	31.56	18.45	50.01	74.00	-23.99	peak
4	13864.000	30.23	19.43	49.66	74.00	-24.34	peak
5	17714.000	29.04	21.49	50.53	74.00	-23.47	peak
6	17967.000	28.51	22.92	51.43	74.00	-22.57	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5670
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	9057.000	37.26	8.29	45.55	74.00	-28.45	peak
2	11796.000	34.27	15.34	49.61	74.00	-24.39	peak
3	13985.000	31.95	19.58	51.53	74.00	-22.47	peak
4	14436.000	32.20	17.64	49.84	74.00	-24.16	peak
5	17230.000	29.70	19.37	49.07	74.00	-24.93	peak
6	17989.000	28.16	23.07	51.23	74.00	-22.77	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5710
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.90	8.52	45.42	74.00	-28.58	peak
2	11268.000	32.59	12.99	45.58	74.00	-28.42	peak
3	11774.000	32.80	15.22	48.02	74.00	-25.98	peak
4	13633.000	31.19	18.90	50.09	74.00	-23.91	peak
5	14436.000	32.76	17.64	50.40	74.00	-23.60	peak
6	17692.000	29.47	21.25	50.72	74.00	-23.28	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5710
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11763.000	34.16	15.16	49.32	74.00	-24.68	peak
2	13501.000	31.99	18.33	50.32	74.00	-23.68	peak
3	13930.000	31.28	19.53	50.81	74.00	-23.19	peak
4	14205.000	31.67	18.87	50.54	74.00	-23.46	peak
5	16933.000	31.91	18.01	49.92	74.00	-24.08	peak
6	17813.000	28.63	22.50	51.13	74.00	-22.87	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5755
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8056.000	39.27	5.95	45.22	74.00	-28.78	peak
2	11400.000	35.11	13.98	49.09	74.00	-24.91	peak
3	11917.000	33.71	15.72	49.43	74.00	-24.57	peak
4	13919.000	30.89	19.51	50.40	74.00	-23.60	peak
5	14568.000	31.36	17.09	48.45	74.00	-25.55	peak
6	17615.000	29.55	20.50	50.05	74.00	-23.95	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5755
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	11004.000	35.14	11.85	46.99	74.00	-27.01	peak
2	11818.000	35.11	15.42	50.53	74.00	-23.47	peak
3	13567.000	32.50	18.57	51.07	74.00	-22.93	peak
4	13886.000	31.75	19.48	51.23	74.00	-22.77	peak
5	13985.000	31.75	19.58	51.33	74.00	-22.67	peak
6	17120.000	31.45	18.65	50.10	74.00	-23.90	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5795
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8045.000	38.65	5.76	44.41	74.00	-29.59	peak
2	8980.000	36.64	8.52	45.16	74.00	-28.84	peak
3	11785.000	33.07	15.27	48.34	74.00	-25.66	peak
4	13633.000	30.37	18.90	49.27	74.00	-24.73	peak
5	14084.000	29.29	19.09	48.38	74.00	-25.62	peak
6	17769.000	28.99	22.13	51.12	74.00	-22.88	peak




7GHz-18GHz			
Test Mode:	802.11ax HE40	Channel:	5795
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	37.86	6.38	44.24	74.00	-29.76	peak
2	9376.000	36.74	8.34	45.08	74.00	-28.92	peak
3	11873.000	35.09	15.61	50.70	74.00	-23.30	peak
4	12302.000	33.70	16.02	49.72	74.00	-24.28	peak
5	13985.000	31.43	19.58	51.01	74.00	-22.99	peak
6	17813.000	28.77	22.50	51.27	74.00	-22.73	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5210
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8243.000	37.87	6.38	44.25	74.00	-29.75	peak
2	9420.000	36.88	8.50	45.38	74.00	-28.62	peak
3	11818.000	34.78	15.42	50.20	74.00	-23.80	peak
4	13545.000	32.13	18.49	50.62	74.00	-23.38	peak
5	13985.000	31.32	19.58	50.90	74.00	-23.10	peak
6	17956.000	29.04	22.85	51.89	74.00	-22.11	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5210
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8045.000	38.74	5.76	44.50	74.00	-29.50	peak
2	10168.000	35.84	9.99	45.83	74.00	-28.17	peak
3	11884.000	34.36	15.65	50.01	74.00	-23.99	peak
4	13897.000	31.14	19.49	50.63	74.00	-23.37	peak
5	17582.000	28.69	20.24	48.93	74.00	-25.07	peak
6	17989.000	27.53	23.07	50.60	74.00	-23.40	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5290
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.98	8.74	46.72	74.00	-27.28	peak
2	10432.000	35.59	10.66	46.25	74.00	-27.75	peak
3	11708.000	35.84	14.85	50.69	74.00	-23.31	peak
4	13600.000	32.22	18.69	50.91	74.00	-23.09	peak
5	13919.000	30.89	19.51	50.40	74.00	-23.60	peak
6	17967.000	27.83	22.92	50.75	74.00	-23.25	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5290
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	36.55	8.74	45.29	74.00	-28.71	peak
2	11906.000	33.57	15.70	49.27	74.00	-24.73	peak
3	13512.000	32.53	18.38	50.91	74.00	-23.09	peak
4	13985.000	30.23	19.58	49.81	74.00	-24.19	peak
5	17252.000	30.06	19.54	49.60	74.00	-24.40	peak
6	17747.000	29.25	21.88	51.13	74.00	-22.87	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5530
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8958.000	37.20	8.05	45.25	74.00	-28.75	peak
2	11906.000	34.13	15.70	49.83	74.00	-24.17	peak
3	12643.000	34.14	15.65	49.79	74.00	-24.21	peak
4	13919.000	31.31	19.51	50.82	74.00	-23.18	peak
5	14271.000	30.07	18.88	48.95	74.00	-25.05	peak
6	17967.000	28.06	22.92	50.98	74.00	-23.02	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5530
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	36.83	8.52	45.35	74.00	-28.65	peak
2	11785.000	33.87	15.27	49.14	74.00	-24.86	peak
3	13523.000	31.68	18.41	50.09	74.00	-23.91	peak
4	13886.000	29.95	19.48	49.43	74.00	-24.57	peak
5	17120.000	30.14	18.65	48.79	74.00	-25.21	peak
6	17978.000	27.96	23.00	50.96	74.00	-23.04	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5610
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.13	8.52	45.65	74.00	-28.35	peak
2	10421.000	35.41	10.64	46.05	74.00	-27.95	peak
3	11796.000	33.41	15.34	48.75	74.00	-25.25	peak
4	13919.000	31.44	19.51	50.95	74.00	-23.05	peak
5	14458.000	31.01	17.51	48.52	74.00	-25.48	peak
6	17956.000	27.17	22.85	50.02	74.00	-23.98	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5610
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7814.000	39.32	5.89	45.21	74.00	-28.79	peak
2	11466.000	33.63	14.20	47.83	74.00	-26.17	peak
3	11895.000	33.79	15.69	49.48	74.00	-24.52	peak
4	13589.000	31.11	18.65	49.76	74.00	-24.24	peak
5	14315.000	29.15	18.73	47.88	74.00	-26.12	peak
6	17989.000	28.42	23.07	51.49	74.00	-22.51	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5690
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	7759.000	38.78	5.54	44.32	74.00	-29.68	peak
2	10168.000	35.53	9.99	45.52	74.00	-28.48	peak
3	11840.000	35.63	15.50	51.13	74.00	-22.87	peak
4	13380.000	32.30	18.18	50.48	74.00	-23.52	peak
5	14205.000	32.22	18.87	51.09	74.00	-22.91	peak
6	17769.000	29.08	22.13	51.21	74.00	-22.79	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5690
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8991.000	37.63	8.74	46.37	74.00	-27.63	peak
2	10674.000	36.07	11.29	47.36	74.00	-26.64	peak
3	11796.000	35.44	15.34	50.78	74.00	-23.22	peak
4	13413.000	33.32	18.25	51.57	74.00	-22.43	peak
5	14084.000	31.86	19.09	50.95	74.00	-23.05	peak
6	18000.000	28.43	23.15	51.58	74.00	-22.42	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5775
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.33	8.52	45.85	74.00	-28.15	peak
2	10839.000	35.82	11.46	47.28	74.00	-26.72	peak
3	11653.000	35.85	14.67	50.52	74.00	-23.48	peak
4	13842.000	31.94	19.39	51.33	74.00	-22.67	peak
5	14073.000	31.48	19.16	50.64	74.00	-23.36	peak
6	17736.000	29.56	21.76	51.32	74.00	-22.68	peak




7GHz-18GHz			
Test Mode:	802.11ax HE80	Channel:	5775
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	8980.000	37.55	8.52	46.07	74.00	-27.93	peak
2	10762.000	35.25	11.35	46.60	74.00	-27.40	peak
3	11763.000	35.72	15.16	50.88	74.00	-23.12	peak
4	14007.000	32.38	19.55	51.93	74.00	-22.07	peak
5	14469.000	32.31	17.45	49.76	74.00	-24.24	peak
6	17967.000	28.39	22.92	51.31	74.00	-22.69	peak




9 kHz-150 kHz			
Test Mode:	802.11a20	Channel:	5180
Polarity:	LOOP ANTENNA FACE ON TO THE EUT		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.0100	75.72	-101.40	-25.68	47.60	-77.18	-3.90	-73.28	peak
2	0.0131	72.47	-101.38	-28.91	45.25	-80.41	-6.25	-74.16	peak
3	0.0171	69.38	-101.36	-31.98	42.94	-83.48	-8.56	-74.92	peak
4	0.0279	67.17	-101.38	-34.21	38.69	-85.71	-12.81	-72.90	peak
5	0.0492	61.55	-101.47	-39.92	33.76	-91.42	-17.74	-73.68	peak
6	0.0981	58.27	-101.78	-43.51	27.77	-95.01	-23.73	-71.28	peak




150 kHz-490 kHz			
Test Mode:	802.11a20	Channel:	5180
Polarity:	LOOP ANTENNA FACE ON TO THE EUT		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.1554	75.27	-101.65	-26.38	23.77	-77.88	-27.73	-50.15	peak
2	0.1794	72.27	-101.68	-29.41	22.53	-80.91	-28.97	-51.94	peak
3	0.2190	68.27	-101.75	-33.48	20.79	-84.98	-30.71	-54.27	peak
4	0.2530	65.64	-101.80	-36.16	19.54	-87.66	-31.96	-55.70	peak
5	0.3163	62.20	-101.87	-39.67	17.6	-91.17	-33.90	-57.27	peak
6	0.3800	59.02	-101.94	-42.92	16.01	-94.42	-35.49	-58.93	peak




490 kHz-30 MHz			
Test Mode:	802.11a20	Channel:	5180
Polarity:	LOOP ANTENNA FACE ON TO THE EUT		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	FCC Result (dBuV/m)	FCC Limit (dBuV/m)	ISED Result (dBuA/m)	ISED Limit (dBuA/m)	Margin (dB)	Remark
1	0.5039	63.93	-62.07	1.86	33.56	-49.64	-17.94	-31.70	peak
2	0.8296	62.94	-62.17	0.77	29.23	-50.73	-22.27	-28.46	peak
3	1.2459	58.25	-62.16	-3.91	25.7	-55.41	-25.80	-29.61	peak
4	3.7100	54.70	-61.41	-6.71	29.54	-58.21	-21.96	-36.25	peak
5	11.8513	54.06	-60.88	-6.82	29.54	-58.32	-21.96	-36.36	peak
6	23.4783	53.74	-60.56	-6.82	29.54	-58.32	-21.96	-36.36	peak




30MHz-1GHz			
Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	118.2700	52.21	-19.97	32.24	43.50	-11.26	QP
2	289.9600	44.18	-15.91	28.27	46.00	-17.73	QP
3	440.3100	38.05	-12.56	25.49	46.00	-20.51	QP
4	480.0800	41.84	-11.79	30.05	46.00	-15.95	QP
5	823.4600	36.60	-6.83	29.77	46.00	-16.23	QP
6	983.5100	46.22	-4.32	41.90	54.00	-12.10	QP




30MHz-1GHz			
Test Mode:	802.11a20	Channel:	5180
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	114.3900	47.85	-20.20	27.65	43.50	-15.85	QP
2	480.0800	42.99	-11.79	31.20	46.00	-14.80	QP
3	800.1800	36.43	-7.33	29.10	46.00	-16.90	QP
4	847.7100	33.94	-6.31	27.63	46.00	-18.37	QP
5	903.9700	39.39	-5.12	34.27	46.00	-11.73	QP
6	990.3000	35.78	-4.28	31.50	54.00	-22.50	QP




18GHz-26GHz			
Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	19392.000	50.12	-5.57	44.55	74.00	-29.45	peak
2	20016.000	50.06	-5.47	44.59	74.00	-29.41	peak
3	21600.000	49.52	-4.54	44.98	74.00	-29.02	peak
4	22160.000	49.08	-4.31	44.77	74.00	-29.23	peak
5	24208.000	47.71	-2.81	44.90	74.00	-29.10	peak
6	25616.000	46.18	-1.24	44.94	74.00	-29.06	peak




18GHz-26GHz			
Test Mode:	802.11a20	Channel:	5180
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	18536.000	49.60	-5.27	44.33	74.00	-29.67	peak
2	19784.000	49.57	-5.28	44.29	74.00	-29.71	peak
3	21456.000	48.85	-4.70	44.15	74.00	-29.85	peak
4	22976.000	46.76	-3.46	43.30	74.00	-30.70	peak
5	24568.000	46.60	-2.33	44.27	74.00	-29.73	peak
6	25728.000	46.11	-0.72	45.39	74.00	-28.61	peak




26GHz-40GHz			
Test Mode:	802.11a20	Channel:	5180
Polarity:	Horizontal		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26490.000	50.79	-4.74	46.05	74.00	-27.95	peak
2	28786.000	47.49	-0.64	46.85	74.00	-27.15	peak
3	31670.000	48.86	-1.21	47.65	74.00	-26.35	peak
4	35366.000	46.90	2.59	49.49	74.00	-24.51	peak
5	38068.000	45.06	3.42	48.48	74.00	-25.52	peak
6	39958.000	43.58	5.12	48.70	74.00	-25.30	peak



26GHz-40GHz			
Test Mode:	802.11a20	Channel:	5180
Polarity:	Vertical		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Remark
1	26476.000	51.53	-4.78	46.75	74.00	-27.25	peak
2	31040.000	48.45	-0.72	47.73	74.00	-26.27	peak
3	32104.000	48.99	-1.75	47.24	74.00	-26.76	peak
4	35828.000	45.75	3.67	49.42	74.00	-24.58	peak
5	38278.000	44.82	3.82	48.64	74.00	-25.36	peak
6	39972.000	44.45	5.13	49.58	74.00	-24.42	peak



9. ANTENNA REQUIREMENT

APPLICABLE REQUIREMENTS

Please refer to FCC §15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC §15.247(b)(4)

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

RESULTS

Complies

10. AC POWER LINE CONDUCTED EMISSION

LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISED RSS-Gen Clause 8.8

FREQUENCY (MHz)	Quasi-peak	Average
0.15 -0.5	66 - 56 *	56 - 46 *
0.50 -5.0	56.00	46.00
5.0 -30.0	60.00	50.00


TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

TEST SETUP




**TEST ENVIRONMENT**

Temperature	25.9°C	Relative Humidity	63.7%
Atmosphere Pressure	101kPa	Test Voltage	AC 120 V, 60Hz

TEST RESULTS

Test Mode:	802.11a20	Channel:	5180
Line:	Line		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1524	38.59	9.59	48.18	65.87	-17.69	QP
2	0.1524	11.75	9.59	21.34	55.87	-34.53	AVG
3	0.2022	34.68	9.59	44.27	63.52	-19.25	QP
4	0.2022	15.33	9.59	24.92	53.52	-28.60	AVG
5	0.3325	23.38	9.46	32.84	59.39	-26.55	QP
6	0.3325	8.52	9.46	17.98	49.39	-31.41	AVG
7	3.1705	21.10	9.61	30.71	56.00	-25.29	QP
8	3.1705	12.39	9.61	22.00	46.00	-24.00	AVG
9	4.7174	22.28	9.61	31.89	56.00	-24.11	QP
10	4.7174	14.31	9.61	23.92	46.00	-22.08	AVG
11	17.7609	27.92	9.74	37.66	60.00	-22.34	QP
12	17.7609	22.65	9.74	32.39	50.00	-17.61	AVG

Note: 1. Result = Reading + Correct Factor.


2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).

4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.



Test Mode:	802.11a20	Channel:	5180
Line:	Neutral		



No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1516	38.72	9.59	48.31	65.91	-17.60	QP
2	0.1516	13.08	9.59	22.67	55.91	-33.24	AVG
3	0.1845	38.99	9.59	48.58	64.28	-15.70	QP
4	0.1845	24.10	9.59	33.69	54.28	-20.59	AVG
5	0.2777	26.60	9.51	36.11	60.88	-24.77	QP
6	0.2777	11.16	9.51	20.67	50.88	-30.21	AVG
7	1.8932	23.76	9.62	33.38	56.00	-22.62	QP
8	1.8932	14.04	9.62	23.66	46.00	-22.34	AVG
9	4.0017	24.64	9.60	34.24	56.00	-21.76	QP
10	4.0017	13.47	9.60	23.07	46.00	-22.93	AVG
11	17.6175	26.26	9.74	36.00	60.00	-24.00	QP
12	17.6175	21.03	9.74	30.77	50.00	-19.23	AVG

- Note: 1. Result = Reading + Correct Factor.
 2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
 3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
 4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.



11. TEST DATA

11.1. APPENDIX A1: EMISSION BANDWIDTH

11.1.1. Test Result

Test Mode	Antenna	Channel	26db EBW [MHz]	FL[MHz]	FH[MHz]	Verdict
11A	Ant1	5180	18.080	5170.840	5188.920	PASS
	Ant2	5180	18.480	5170.760	5189.240	PASS
	Ant1	5200	18.280	5190.800	5209.080	PASS
	Ant2	5200	18.160	5190.840	5209.000	PASS
	Ant1	5240	18.280	5231.000	5249.280	PASS
	Ant2	5240	18.080	5230.880	5248.960	PASS
	Ant1	5260	18.160	5250.920	5269.080	PASS
	Ant2	5260	18.520	5250.720	5269.240	PASS
	Ant1	5280	15.680	5270.560	5286.240	PASS
	Ant2	5280	18.080	5270.960	5289.040	PASS
	Ant1	5320	18.720	5310.680	5329.400	PASS
	Ant2	5320	18.480	5310.680	5329.160	PASS
	Ant1	5500	17.840	5491.120	5508.960	PASS
	Ant2	5500	18.280	5490.960	5509.240	PASS
	Ant1	5580	18.080	5571.080	5589.160	PASS
	Ant2	5580	18.040	5570.960	5589.000	PASS
	Ant1	5700	18.040	5690.840	5708.880	PASS
	Ant2	5700	18.400	5690.840	5709.240	PASS
	Ant1	5720	18.280	5710.920	5729.200	PASS
	Ant2	5720	18.360	5710.680	5729.040	PASS
	Ant1	5720 UNII-2C	14.08	5710.920	5725	PASS
	Ant2	5720 UNII-2C	14.32	5710.680	5725	PASS
	Ant1	5720 UNII-3	4.20	5725	5729.200	PASS
	Ant2	5720 UNII-3	4.04	5725	5729.040	PASS
	Ant1	5745	18.360	5735.880	5754.240	PASS
	Ant2	5745	18.120	5735.960	5754.080	PASS
	Ant1	5785	18.160	5775.840	5794.000	PASS
	Ant2	5785	18.200	5775.520	5793.720	PASS
	Ant1	5825	17.920	5816.120	5834.040	PASS
	Ant2	5825	18.360	5815.840	5834.200	PASS
11N20MIMO	Ant1	5180	19.400	5170.240	5189.640	PASS
	Ant2	5180	18.920	5170.520	5189.440	PASS
	Ant1	5200	19.240	5190.440	5209.680	PASS
	Ant2	5200	18.960	5190.520	5209.480	PASS
	Ant1	5240	19.680	5230.160	5249.840	PASS
	Ant2	5240	19.400	5230.400	5249.800	PASS
	Ant1	5260	19.320	5250.360	5269.680	PASS
	Ant2	5260	18.880	5250.760	5269.640	PASS
	Ant1	5280	19.360	5270.280	5289.640	PASS
	Ant2	5280	19.240	5270.320	5289.560	PASS
	Ant1	5320	19.280	5310.440	5329.720	PASS
	Ant2	5320	19.320	5310.200	5329.520	PASS
	Ant1	5500	19.320	5490.320	5509.640	PASS
	Ant2	5500	19.360	5490.320	5509.680	PASS
	Ant1	5580	19.320	5570.360	5589.680	PASS
	Ant2	5580	19.360	5570.280	5589.640	PASS
	Ant1	5700	19.160	5690.400	5709.560	PASS
	Ant2	5700	19.440	5690.200	5709.640	PASS
	Ant1	5720	19.640	5710.120	5729.760	PASS
	Ant2	5720	19.280	5710.320	5729.600	PASS
	Ant1	5720 UNII-2C	14.88	5710.120	5725	PASS
	Ant2	5720 UNII-2C	14.68	5710.320	5725	PASS
	Ant1	5720 UNII-3	4.76	5725	5729.760	PASS
	Ant2	5720 UNII-3	4.6	5725	5729.600	PASS