PANEL FUNCTION



9.MIC2	17.VOICE CUT
10.LINE IN	18.REC
11.DC5V OUT\MAX 1A	19.REC PLAY
12.TF CARD	20.Sound Change
13.USB	21.PREV
14.TREBLE	22.PLAY
15.BASS	23.NEXT
	10.LINE IN 11.DC5V OUT\MAX 1A 12.TF CARD 13.USB 14.TREBLE

REMOTE CONTROL FUNCTION

16.TWS



8.MIC1

1.POWER
2.MODE
3.LED
4.MUTE
5.Control prev key
6.Play/pause control key
7.VOL+
8.Control next key
9.VOL10.REPE
11.E/Q
12.0-9

OPERATION MANUAL

IQ sound®

IQ-6812DJBT



Carefully read operating manual to operate this unit properly, and keep this manual handy for further reference.

FUNCTION DESCRIPTION

OPERATION INSTRUCTION FOR KARAOKE & WIRELESS MICROPHONE

- 1. Insert the microphone plug into the microphone input MIC2.
- 2. Adjust the microphone volume knob MIC VOL for proper volume. Then adjust the echo depth to the proper position. Now you can start the karaoke.
- 3. Open wireless MIC "on & off" button, Adjust the microphone volume knob MIC VOL for proper volume. and adjust the echo depth to the proper position. The you can start the wireless Microphone.

BT Connection

- 1. When using the Bluetooth, please tap Settings, then open "Bluetooth"
- 2.Scan from your phone, tablet, notebook for "IQ-6812DJBT" and pair the device to listen audio files through speaker.
- 3. Unpair from speaker when finished listenning.

FM FUNCTION

- 1.Choose"MODE"to switch to FM radio
- 2.Choose"PLAY/PAUSE"forautomatic searching and saving.
- 3. Choose "PREV" and "NEXT" to switch channels.

Using Microphone

- 1. When using Microphone-plug your microphone into the microphone jack on unit main control panel.
- 2. Use the MIC VOL knob to control the voice level of the microphone
- 3. Use the "ECHO" knob to control microphone echo.

Using Aux(LINE IN 3.5mm)

- 1. Press the audio input on unit main panel on the top
- 2. Insert the Aux cable plug into the Aux input, then connect with your phone, tablet, notebook for using.
- 3. Pull out the cable when finished listenning.

Using Guitar Jack.

- 1. When using Guitar-plug your guitar into the guitar jack on unit main control panel.
- 2. Use the Guitar VOL knob to control the volume level of the Guitar.

"BASS" & "TREBLE" on unit control panel can be used to adjust sound when using MICRO SD, USB, FM. "EQ" button on unit control panel or remote control can be used to adjust sound effect to preset levels.

USB AND MICRO SD CARD

- 1.MP3 playback via USB (Max 64GB)
- 2.MP3 play back via Micro SD (Max 64GB)

Charging Instructions;

- 1. The IQ-6812DJBT takes approximately 8 hours to fully charge.
- 2.The IQ-6812DJBT will automatically begin charging once the power cord is connected to a power source and power switch is set to ON.

The unit will also power on when connected to a power source even if the battery power is low. When the battery is full, the charging indicator light on the front panel will OFF 3.with standard usage, a fully charged battery can play for about 1.6 hours..

Accessories included package contains

1.Instruction book1PC	4.Remote control	1PC
2.Power Line1PC	5.Aux Line	1PC
3.Wireless Mic1PC		

MAINTECHNICAL PARAMETER

Output power (RMS): 80W
Output Impedance: 4 (ohm)
S/N: 76dB
Input sensitivity: 500mV
Frequency response: 40Hz-20kHz
Rating voltage: ~ 110V-240V 50/60Hz

Warranty

Basic Warranty Statement

Supersonic Inc. ("Supersonic") warrants this product to the original purchaser ONLY, to be free from defects in materials and workmanship under normal use, for ninety (90) DAYS from the date of original purchase. Proof of purchase (receipt) required.

Please visit http://www.supersonicinc.com/warranty for additional information.

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and

(2) This device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- - Reorient or relocate the receiving antenna.
- - Increase the separation between the equipment and receiver.
- - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- - Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with the FCC RF radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator and any part of your body.