INSTRUCTION MANUAL

Portable mobile video speaker

MODEL NO:IQ-8008K




- Thank you very much for using our speakers.
- In order to make you fully understand all the functions provided by this brand speaker, please read this instruction carefully and use it correctly.
- Please keep this instruction properly for future reference.

1.Amplifier pannel introduction



1 Power switch 2 DC 9V/2A 3 USB 4 TF CARD 5 AUX INPUT 6 Mic Input 7 Aux output 8 Mic Volume 9 Echo 10 Main Volume 11.Menu 12.Return 13.Video 14.Music 15.Bluetooth 16.Melody 17.Micro phone priority 18.Previous. 19.Play/Pause 20.Next

2.Remote introduction



1Audio Input 2. Mic priority 3. Boweth 3. Boweth 5. Setting 5. Loft. Fast backward 6. Loft. Fast backward 9. Loft. Fast backward 9. Loft. Fast backward 12. Ziccene witch 12. Ziccene witch 12. Ziccene witch 12. Ziccene witch 12. July Conf. Conf. 12. Setting 1

26 REPEAT 27 e-book 28 SCAN PHOTOS 29 VOLUME+ 30 VOLUME-

Setting

Select the "Selfings" icon on the main interface, or press.² H^{*} which to entric the submanu. Language selection: press "builtot to select threes of English at the system language. Reading having Selfings addet," ye' to reading to factory Selfings. The system is the self of the select the select three of the display (note: the more Selfing): The more power comparish the select. These of the display (note: the the select the select the select the select three of the display (note: the the select the select the select three selects). The select three selects. The main select the select three selects in number, Cardiomer Information Software version number, For management three parts the select three selects the select the select the select the select the select the select three selects the select the select the select three selects the select the select the select three selects the select three selects the select the sele

Functions

Prover:10% Interactual UP3 WMAAPE (baseless compression)AAC LFAC Maces ago of the second of the seco

Feature

Bass:Binch Screen:8 inch Battery:7:4V 2400maH Cabinet: ABS, top handle and trolley, with two pcs wheels. Button natificalisticon, red sheet with white word. Knobs: three pcs with black cotor. Charging:DC 29/ZA

Accessories

Adaptor with charge cable*1 Usere manual *1 Remote*1 Wireless mic*1

MUSIC

MOVIE

Insert the USB or TF card with video files into the interface on the panel,and the system will automatically identify the USB or TF card And automatically play video, press " ter ' or ' ter ' key to select the isst video and the next video to play, long press the "ter" or " th' tourn, it will be the fast back and fast forward functions.

To play the video file list, press the return key to the file list, and press " H " or " H "button to select the file, press "H" to play or pause the video of your choice.

In the playing status, you can press "we" or "we" button to select the video.

RECORD

Insert USB or TF. to choose the "record" to enter the recording interface, press "hell" button to start recording, and press" tet "hell" to choose the stops, axe, list, type(MPB or WAV formast) and sound quality grade(pcor, normali or good), and then press" tet "hell confirm saving the recording file. Select the playlist from the recording interface/Hay the recording file or delete the recording file.

FΜ

Select the FM menu from the main interface by "M M", then press" M "button to enter the FM, and press" MI " for manual search station, long press " MI " to search all (87-108mhz) stations automatically and save them automatically

BLUETOOTH

To Select the bluetooth on the main interface or press the "BT" button, user can search the bluetooth name " $B \, {}^{\rm osc}$ from mobile phone.

AV INPUT

To select the AV input on the main interface and into it, then use AV cable to connect the DVD, TV, etc. on the top panel of speaker,

Warm tips:

Mirroring Function: Android & IOS compatible

IOS system phone to be the mirror function, it ony connect the speaker by USB cable directly.

Android system phone:

1.To press the M , to select the "mobile phone" on the speaker's screen, then use you Android system phone scan the QR code to download the APP name called "Mirroring".





mobile phone



music





.....

bluetooth



ťm



record



av input



setting



For IOS users, there is no need to use QR code to install the App. Connect your USB cable directly to USB port for screen mirroring.

For ANDRD users:

Step1: Scan OR code on this screen to download the autolink app. Step 2: Enter phone settings and search for "build number". Tap 7 times to enable developer options. Step 3: Enter phone settings and search for "USB debugging" toggle switch to on. Step 4: Open App and connect USB cable to USB port for screen mirroring.

2.Open Setting in you android phone, and open the "Developer options". If there is no this one, please open System---About Phone--- Build Number(click six time) in you phone. The Developer Option fuction will in you phone.

and Open the "USB" debugging and "Apps installed by ADB".


	(電 Ks ● 2 回 □ 2 3 世 図 米 10169% ■0 203	← About phone	
0	Display Brightness, Eye comfort, Text and display size	>	
1)	Sounds Do not disturb, Ringtone, Vibrate	>	
Д.	Notifications Badges, Lock screen notifications	>	MUI
8	Apps Permissions, Default apps, App twin	>	
Ī	Battery Power saving mode, Battery usage	>	
	Storage Storage cleaner	click 6 time	es by you finger
8	Digital balance Screen time management	> Device name	HUAWEI Mate 20 X >
9)	Security & privacy Face recognition, Fingerprint ID, Lock screen password, Password vault	Model	EVR-AL00
9	Smart assistance Accessibility, HiTouch, Motion control	Build number	9.1.0.135(C00E133R1P17) GPU Turbo
2	Users & accounts Users, Accounts	EMUI version	9.1.0
3	Google Google services	Android version	9
ו	System System navigation, Software update, About phone,	IMEI	864723048822110 864723048855748
	Language & Input	MEID	A00000A0544851

🖬 "af 🕾 👫 🎭 🎽 🎧 💷 🖓	₩ 🕅 🕸 🗐 89% 페 20:32	■ ".dl 元 14.4 So ≥ □ □ Q W [2] \$ 10189% ■0 20.33	
← System	Q	← Developer options	
System navigation	>	Enable multi-process WebView Run WebView renders in an isolated process.	
Language & input	>	Automatic system updates	
Date & time	>	Demo mode >	
Phone Clone	>	DEBUGGING	
Backup & restore	>	USB debugging Debug mode when USB is connected.	
Reset	>	Revoke USB debugging authorizations	
Simple mode	>	Always prompt when connecting to USB	
Developer options	>	Monitor apps installed by ADB Require user confirmation when apps are installed by ADB	
HUAWEI HIAI	On >	Allow ADB debugging in charge only mode	
User experience improvement		Select mock location app > No mock location app set	
Certification logos	>	Enable view attribute inspection	
Looking for other settings?		Select debug app set >	
Accessibility		Restore default settings	
~ < 0		~ ⊲ ○ □ ₹	

3.To press BT button on the top panel into the bluetooth mode, then use you phone to connect the bluetooth name: ${\bf IQ}{-}{\bf 8008K}$



4.Use you phone connect the speaker by USB cable and open the App" Mirroring " which you have downloaded just now.



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different
- from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction