


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-58.09	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.74	-13	Pass	2985
30	500	0.1	Peak	481.196	-44.88	-13	Pass	4700
500	1000	0.1	Peak	824.065	31.83	-13	N/A	5000
1000	10000	1	Peak	7997.854	-18.32	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.71	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.88	-13	Pass	2985
30	500	0.1	Peak	453.69	-45.68	-13	Pass	4700
500	1000	0.1	Peak	836.667	31.41	-13	N/A	5000
1000	10000	1	Peak	7960.85	-18.21	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.62	-13	Pass	401
0.15	30	0.01	Peak	0.48	-52.53	-13	Pass	2985
30	500	0.1	Peak	448.789	-45.7	-13	Pass	4700
500	1000	0.1	Peak	848.87	32.05	-13	N/A	5000
1000	10000	1	Peak	8804.953	-18.37	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-63.4	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.63	-13	Pass	2985
30	1000	0.1	Peak	964.052	-50.72	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.61	-13	N/A	2000
3000	20000	1	Peak	7401.537	-44.89	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.46	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.51	-13	Pass	2985
30	1000	0.1	Peak	737.386	-50.59	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.66	-13	N/A	2000
3000	20000	1	Peak	14551.41	-45.46	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.73	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.05	-13	Pass	2985
30	1000	0.1	Peak	870.528	-50.89	-13	Pass	9699
1000	3000	1	Peak	1909.455	29.65	-13	N/A	2000
3000	20000	1	Peak	14996.464	-44.57	-13	Pass	17000



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-57.64	-13	Pass	401
0.15	30	0.01	Peak	0.19	-52.59	-13	Pass	2985
30	500	0.1	Peak	489.298	-45.68	-13	Pass	4700
500	1000	0.1	Peak	824.265	27.82	-13	N/A	5000
1000	10000	1	Peak	7801.83	-18.25	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-57.81	-13	Pass	401
0.15	30	0.01	Peak	0.16	-54.09	-13	Pass	2985
30	500	0.1	Peak	138.723	-45.26	-13	Pass	4700
500	1000	0.1	Peak	836.667	25.06	-13	N/A	5000
1000	10000	1	Peak	8001.855	-18.28	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-56.73	-13	Pass	401
0.15	30	0.01	Peak	0.44	-54.41	-13	Pass	2985
30	500	0.1	Peak	443.888	-45.21	-13	Pass	4700
500	1000	0.1	Peak	848.87	25.63	-13	N/A	5000
1000	10000	1	Peak	7927.846	-18.28	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.82	-13	Pass	401
0.15	30	0.01	Peak	0.2	-60.32	-13	Pass	2985
30	1000	0.1	Peak	878.639	-50.66	-13	Pass	9699
1000	3000	1	Peak	1850.425	28.45	-13	N/A	2000
3000	20000	1	Peak	16185.61	-44.92	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.93	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.36	-13	Pass	2985
30	1000	0.1	Peak	968.859	-49.99	-13	Pass	9699
1000	3000	1	Peak	1880.44	25.92	-13	N/A	2000
3000	20000	1	Peak	19458.12	-45.18	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.95	-13	Pass	401
0.15	30	0.01	Peak	0.21	-59.48	-13	Pass	2985
30	1000	0.1	Peak	843.099	-50.88	-13	Pass	9699
1000	3000	1	Peak	1909.455	27.35	-13	N/A	2000
3000	20000	1	Peak	14891.452	-45.13	-13	Pass	17000



5. CDMA BC0_CH1013(FCC)

5.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.78	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.32	-13	Pass	2985
30	500	0.1	Peak	405.58	-45.27	-13	Pass	4700
500	1000	0.1	Peak	824.965	22.03	-13	N/A	5000
1000	3000	1	Peak	2947.974	-27.85	-13	Pass	2000
3000	10000	1	Peak	7986.712	-17.64	-13	Pass	7000



6. CDMA BC0_CH384(FCC)

6.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.06	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.64	-13	Pass	2985
30	500	0.1	Peak	461.092	-44.86	-13	Pass	4700
500	1000	0.1	Peak	836.867	21.92	-13	N/A	5000
1000	3000	1	Peak	2960.98	-27.39	-13	Pass	2000
3000	10000	1	Peak	7737.677	-17.7	-13	Pass	7000



7. CDMA BC0_CH777(FCC)

7.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.44	-13	Pass	401
0.15	30	0.01	Peak	0.25	-52.96	-13	Pass	2985
30	500	0.1	Peak	368.272	-45.5	-13	Pass	4700
500	1000	0.1	Peak	848.67	21.46	-13	N/A	5000
1000	3000	1	Peak	2932.966	-27.46	-13	Pass	2000
3000	10000	1	Peak	8012.716	-18.39	-13	Pass	7000



8. EVDO BC0_CH1013(FCC)

8.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.17	-13	Pass	401
0.15	30	0.01	Peak	0.37	-53.75	-13	Pass	2985
30	500	0.1	Peak	456.591	-44.6	-13	Pass	4700
500	1000	0.1	Peak	825.165	21	-13	N/A	5000
1000	3000	1	Peak	2473.737	-26.3	-13	Pass	2000
3000	10000	1	Peak	7989.713	-17.85	-13	Pass	7000



9. EVDO BC0_CH384(FCC)

9.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.42	-13	Pass	401
0.15	30	0.01	Peak	0.35	-53.36	-13	Pass	2985
30	500	0.1	Peak	455.691	-45.21	-13	Pass	4700
500	1000	0.1	Peak	836.767	21.07	-13	N/A	5000
1000	3000	1	Peak	2496.748	-27.58	-13	Pass	2000
3000	10000	1	Peak	7948.707	-18.12	-13	Pass	7000



10. EVDO BC0_CH777(FCC)

10.1. Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.17	-13	Pass	401
0.15	30	0.01	Peak	0.23	-53.35	-13	Pass	2985
30	500	0.1	Peak	354.769	-44.72	-13	Pass	4700
500	1000	0.1	Peak	848.07	22.61	-13	N/A	5000
1000	3000	1	Peak	2954.977	-26.81	-13	Pass	2000
3000	10000	1	Peak	7939.706	-17.75	-13	Pass	7000



11. WCDMA_Band2


11.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.61	-13	Pass	2985
30	1000	0.1	Peak	490.756	-55.07	-13	Pass	9699
1000	3000	1	Peak	1851.426	22.86	-13	N/A	2000
3000	20000	1	Peak	16104.6	-24.18	-13	Pass	17000




11.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.62	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.21	-13	Pass	2985
30	1000	0.1	Peak	898.165	-54.58	-13	Pass	9699
1000	3000	1	Peak	1878.439	22.82	-13	N/A	2000
3000	20000	1	Peak	19284.988	-25.02	-13	Pass	17000



11.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.9	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.46	-13	Pass	2985
30	1000	0.1	Peak	900.869	-54.37	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.02	-13	N/A	2000
3000	20000	1	Peak	15450.52	-24.37	-13	Pass	17000



12. WCDMA_Band5


12.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.35	-13	Pass	401
0.15	30	0.01	Peak	0.25	-63.49	-13	Pass	2985
30	500	0.1	Peak	495.099	-55.63	-13	Pass	4700
500	1000	0.1	Peak	827.065	17.06	-13	N/A	5000
1000	10000	1	Peak	7971.851	-28.09	-13	Pass	9000




12.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-67.08	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.11	-13	Pass	2985
30	500	0.1	Peak	494.899	-55.34	-13	Pass	4700
500	1000	0.1	Peak	836.367	16.86	-13	N/A	5000
1000	10000	1	Peak	7947.848	-27.59	-13	Pass	9000



12.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.09	-13	Pass	2985
30	500	0.1	Peak	473.394	-55.48	-13	Pass	4700
500	1000	0.1	Peak	846.569	17.66	-13	N/A	5000
1000	10000	1	Peak	7975.852	-28.54	-13	Pass	9000



13. LTE_Band5


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.77	-13	Pass	2985
30	814	0.1	RMS	813.5	-66.01	-13	Pass	7840
814	860	0.1	RMS	824.222	19.47	60	Pass	460
860	1000	0.1	RMS	901.43	-66.52	-13	Pass	1400
1000	3000	1	RMS	2959.98	-49.78	-13	Pass	2000
3000	10000	1	RMS	7952.708	-40.29	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.63	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.63	-13	Pass	2985
30	814	0.1	RMS	813.5	-66.52	-13	Pass	7840
814	860	0.1	RMS	824.222	18.37	60	Pass	460
860	1000	0.1	RMS	866.905	-66.66	-13	Pass	1400
1000	3000	1	RMS	2959.98	-49.81	-13	Pass	2000
3000	10000	1	RMS	7956.708	-40.18	-13	Pass	7000




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.05	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.82	-13	Pass	2985
30	814	0.1	RMS	646.079	-67.05	-13	Pass	7840
814	860	0.1	RMS	836.048	19.91	60	Pass	460
860	1000	0.1	RMS	888.62	-66.54	-13	Pass	1400
1000	3000	1	RMS	2956.978	-49.76	-13	Pass	2000
3000	10000	1	RMS	7952.708	-40.33	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.01	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.32	-13	Pass	2985
30	814	0.1	RMS	476.757	-66.97	-13	Pass	7840
814	860	0.1	RMS	836.048	18.82	60	Pass	460
860	1000	0.1	RMS	906.533	-66.67	-13	Pass	1400
1000	3000	1	RMS	2952.976	-49.77	-13	Pass	2000
3000	10000	1	RMS	7959.709	-40.21	-13	Pass	7000




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.84	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.9	-13	Pass	2985
30	814	0.1	RMS	474.257	-67.09	-13	Pass	7840
814	860	0.1	RMS	847.874	19.9	60	Pass	460
860	1000	0.1	RMS	884.117	-66.64	-13	Pass	1400
1000	3000	1	RMS	2957.979	-49.81	-13	Pass	2000
3000	10000	1	RMS	7952.708	-40.23	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.41	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.93	-13	Pass	2985
30	814	0.1	RMS	811.8	-66.9	-13	Pass	7840
814	860	0.1	RMS	847.874	18.88	60	Pass	460
860	1000	0.1	RMS	898.928	-66.66	-13	Pass	1400
1000	3000	1	RMS	2961.981	-49.81	-13	Pass	2000
3000	10000	1	RMS	7949.707	-40.24	-13	Pass	7000




**13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.17	-13	Pass	2985
30	814	0.1	RMS	813.5	-65.91	-13	Pass	7840
814	860	0.1	RMS	824.222	19.6	60	Pass	460
860	1000	0.1	RMS	883.617	-66.53	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.75	-13	Pass	2000
3000	10000	1	RMS	7957.708	-40.3	-13	Pass	7000




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.91	-13	Pass	2985
30	814	0.1	RMS	813.5	-66.51	-13	Pass	7840
814	860	0.1	RMS	824.222	18.82	60	Pass	460
860	1000	0.1	RMS	991.494	-66.62	-13	Pass	1400
1000	3000	1	RMS	2962.981	-49.82	-13	Pass	2000
3000	10000	1	RMS	7950.707	-40.22	-13	Pass	7000




**13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2985
30	814	0.1	RMS	732.79	-66.97	-13	Pass	7840
814	860	0.1	RMS	835.246	19.85	60	Pass	460
860	1000	0.1	RMS	989.893	-66.55	-13	Pass	1400
1000	3000	1	RMS	2955.978	-49.79	-13	Pass	2000
3000	10000	1	RMS	7951.707	-40.3	-13	Pass	7000




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.58	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.9	-13	Pass	2985
30	814	0.1	RMS	709.087	-67.12	-13	Pass	7840
814	860	0.1	RMS	835.246	18.91	60	Pass	460
860	1000	0.1	RMS	883.917	-66.67	-13	Pass	1400
1000	3000	1	RMS	2958.979	-49.78	-13	Pass	2000
3000	10000	1	RMS	7951.707	-40.3	-13	Pass	7000




**13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.36	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.25	-13	Pass	2985
30	814	0.1	RMS	628.676	-66.97	-13	Pass	7840
814	860	0.1	RMS	846.27	19.72	60	Pass	460
860	1000	0.1	RMS	987.491	-66.71	-13	Pass	1400
1000	3000	1	RMS	2959.98	-49.76	-13	Pass	2000
3000	10000	1	RMS	7956.708	-40.25	-13	Pass	7000




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2985
30	814	0.1	RMS	642.178	-67.03	-13	Pass	7840
814	860	0.1	RMS	846.27	18.72	60	Pass	460
860	1000	0.1	RMS	902.931	-66.57	-13	Pass	1400
1000	3000	1	RMS	2957.979	-49.75	-13	Pass	2000
3000	10000	1	RMS	7962.709	-40.11	-13	Pass	7000




**13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.82	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.49	-13	Pass	2985
30	814	0.1	RMS	813.6	-65.91	-13	Pass	7840
814	860	0.1	RMS	824.322	19.51	60	Pass	460
860	1000	0.1	RMS	896.126	-65.32	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.28	-13	Pass	2000
3000	10000	1	RMS	7949.707	-40.11	-13	Pass	7000




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.67	-13	Pass	2985
30	814	0.1	RMS	813.6	-66.05	-13	Pass	7840
814	860	0.1	RMS	824.322	18.78	60	Pass	460
860	1000	0.1	RMS	990.193	-66.6	-13	Pass	1400
1000	3000	1	RMS	2959.98	-49.71	-13	Pass	2000
3000	10000	1	RMS	7955.708	-40.07	-13	Pass	7000




**13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.54	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.09	-13	Pass	2985
30	814	0.1	RMS	474.757	-65.5	-13	Pass	7840
814	860	0.1	RMS	834.344	19.86	60	Pass	460
860	1000	0.1	RMS	902.53	-66.59	-13	Pass	1400
1000	3000	1	RMS	2959.98	-49.66	-13	Pass	2000
3000	10000	1	RMS	7954.708	-40.18	-13	Pass	7000




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2985
30	814	0.1	RMS	742.391	-66.99	-13	Pass	7840
814	860	0.1	RMS	834.344	19.04	60	Pass	460
860	1000	0.1	RMS	901.53	-65.22	-13	Pass	1400
1000	3000	1	RMS	2959.98	-49.67	-13	Pass	2000
3000	10000	1	RMS	7951.707	-40.28	-13	Pass	7000




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.42	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.8	-13	Pass	2985
30	814	0.1	RMS	469.256	-66.92	-13	Pass	7840
814	860	0.1	RMS	844.366	19.59	60	Pass	460
860	1000	0.1	RMS	893.124	-66.48	-13	Pass	1400
1000	3000	1	RMS	2955.978	-49.74	-13	Pass	2000
3000	10000	1	RMS	7954.708	-40.25	-13	Pass	7000




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.31	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.66	-13	Pass	2985
30	814	0.1	RMS	528.864	-66.19	-13	Pass	7840
814	860	0.1	RMS	844.366	18.88	60	Pass	460
860	1000	0.1	RMS	997.098	-66.56	-13	Pass	1400
1000	3000	1	RMS	2955.978	-49.75	-13	Pass	2000
3000	10000	1	RMS	7950.707	-40.13	-13	Pass	7000




13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.38	-13	Pass	2985
30	814	0.1	RMS	813.9	-65.94	-13	Pass	7840
814	860	0.1	RMS	824.623	19.54	60	Pass	460
860	1000	0.1	RMS	889.921	-66.55	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.63	-13	Pass	2000
3000	10000	1	RMS	7952.708	-40.27	-13	Pass	7000




13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.83	-13	Pass	2985
30	814	0.1	RMS	813.9	-65.88	-13	Pass	7840
814	860	0.1	RMS	824.623	18.81	60	Pass	460
860	1000	0.1	RMS	861.901	-66	-13	Pass	1400
1000	3000	1	RMS	2956.978	-49.68	-13	Pass	2000
3000	10000	1	RMS	7953.708	-40.1	-13	Pass	7000




13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.93	-13	Pass	2985
30	814	0.1	RMS	485.158	-65.51	-13	Pass	7840
814	860	0.1	RMS	832.139	19.32	60	Pass	460
860	1000	0.1	RMS	977.184	-65.48	-13	Pass	1400
1000	3000	1	RMS	2956.978	-49.69	-13	Pass	2000
3000	10000	1	RMS	7954.708	-40.13	-13	Pass	7000




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.04	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.78	-13	Pass	2985
30	814	0.1	RMS	809.499	-65.56	-13	Pass	7840
814	860	0.1	RMS	832.039	18.32	60	Pass	460
860	1000	0.1	RMS	893.424	-65.09	-13	Pass	1400
1000	3000	1	RMS	2956.978	-49.65	-13	Pass	2000
3000	10000	1	RMS	7950.707	-40.08	-13	Pass	7000




13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.1	-13	Pass	2985
30	814	0.1	RMS	640.378	-65.67	-13	Pass	7840
814	860	0.1	RMS	839.556	19.81	60	Pass	460
860	1000	0.1	RMS	991.994	-65.22	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.11	-13	Pass	2000
3000	10000	1	RMS	7948.707	-40.11	-13	Pass	7000



**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.46	-13	Pass	2985
30	814	0.1	RMS	363.443	-65.49	-13	Pass	7840
814	860	0.1	RMS	839.556	18.72	60	Pass	460
860	1000	0.1	RMS	981.787	-65.41	-13	Pass	1400
1000	3000	1	RMS	2959.98	-49.67	-13	Pass	2000
3000	10000	1	RMS	7948.707	-40.17	-13	Pass	7000



14. LTE_Band7


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-25	Pass	2985
30	1000	0.1	RMS	989.186	-66.65	-25	Pass	9699
1000	2490	1	RMS	2490	-50.33	-25	Pass	1490
2490	2580	1	RMS	2500.125	22.77	60	Pass	401
2580	3000	1	RMS	2963.914	-49.83	-25	Pass	420
3000	12000	1	RMS	7500.549	-47.18	-25	Pass	9000
12000	26000	1	RMS	25502.914	-47.13	-25	Pass	14000




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.14	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-25	Pass	2985
30	1000	0.1	RMS	539.662	-66.42	-25	Pass	9699
1000	2490	1	RMS	2490	-50.45	-25	Pass	1490
2490	2580	1	RMS	2500.125	22.07	60	Pass	401
2580	3000	1	RMS	2961.909	-49.82	-25	Pass	420
3000	12000	1	RMS	7500.549	-47.82	-25	Pass	9000
12000	26000	1	RMS	25520.918	-47.09	-25	Pass	14000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-25	Pass	2985
30	1000	0.1	RMS	881.443	-66.61	-25	Pass	9699
1000	2490	1	RMS	2490	-50.96	-25	Pass	1490
2490	2580	1	RMS	2532.75	23.34	60	Pass	401
2580	3000	1	RMS	2956.897	-49.81	-25	Pass	420
3000	12000	1	RMS	7598.561	-47.29	-25	Pass	9000
12000	26000	1	RMS	25498.914	-47.15	-25	Pass	14000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.83	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.54	-25	Pass	2985
30	1000	0.1	RMS	998.398	-66.39	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.05	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.59	60	Pass	401
2580	3000	1	RMS	2961.909	-49.81	-25	Pass	420
3000	12000	1	RMS	7598.561	-47.7	-25	Pass	9000
12000	26000	1	RMS	25504.915	-47.08	-25	Pass	14000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-25	Pass	2985
30	1000	0.1	RMS	991.589	-66.6	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.1	-25	Pass	1490
2490	2580	1	RMS	2565.15	23.21	60	Pass	401
2580	3000	1	RMS	2961.909	-49.83	-25	Pass	420
3000	12000	1	RMS	7695.573	-48.98	-25	Pass	9000
12000	26000	1	RMS	25500.914	-47.03	-25	Pass	14000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-25	Pass	2985
30	1000	0.1	RMS	993.892	-66.61	-25	Pass	9699
1000	2490	1	RMS	2490	-51.2	-25	Pass	1490
2490	2580	1	RMS	2565.15	22.54	60	Pass	401
2580	3000	1	RMS	2952.888	-49.77	-25	Pass	420
3000	12000	1	RMS	7695.573	-49.23	-25	Pass	9000
12000	26000	1	RMS	25509.916	-47.08	-25	Pass	14000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.36	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.82	-25	Pass	2985
30	1000	0.1	RMS	539.862	-66.37	-25	Pass	9699
1000	2490	1	RMS	2490	-49.6	-25	Pass	1490
2490	2580	1	RMS	2500.575	23.11	60	Pass	401
2580	3000	1	RMS	2952.888	-49.82	-25	Pass	420
3000	12000	1	RMS	7501.55	-46.3	-25	Pass	9000
12000	26000	1	RMS	25530.919	-46.99	-25	Pass	14000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.39	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.75	-25	Pass	2985
30	1000	0.1	RMS	908.378	-66.25	-25	Pass	9699
1000	2490	1	RMS	2490	-49.94	-25	Pass	1490
2490	2580	1	RMS	2500.575	22.34	60	Pass	401
2580	3000	1	RMS	2953.89	-49.74	-25	Pass	420
3000	12000	1	RMS	7501.55	-47.09	-25	Pass	9000
12000	26000	1	RMS	25499.914	-47.06	-25	Pass	14000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.2	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-25	Pass	2985
30	1000	0.1	RMS	905.875	-66.63	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.11	-25	Pass	1490
2490	2580	1	RMS	2530.5	23.55	60	Pass	401
2580	3000	1	RMS	2961.909	-49.83	-25	Pass	420
3000	12000	1	RMS	7591.56	-47.29	-25	Pass	9000
12000	26000	1	RMS	25504.915	-47.1	-25	Pass	14000




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.86	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.44	-25	Pass	2985
30	1000	0.1	RMS	895.061	-66.61	-25	Pass	9699
1000	2490	1	RMS	2490	-51.11	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.44	60	Pass	401
2580	3000	1	RMS	2956.897	-49.8	-25	Pass	420
3000	12000	1	RMS	7591.56	-47.85	-25	Pass	9000
12000	26000	1	RMS	25503.915	-47.09	-25	Pass	14000




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.15	-25	Pass	401
0.15	30	0.01	RMS	0.25	-71.48	-25	Pass	2985
30	1000	0.1	RMS	913.986	-66.64	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.05	-25	Pass	1490
2490	2580	1	RMS	2560.425	23.47	60	Pass	401
2580	3000	1	RMS	2962.912	-49.81	-25	Pass	420
3000	12000	1	RMS	7681.571	-48.51	-25	Pass	9000
12000	26000	1	RMS	25509.916	-47.15	-25	Pass	14000




14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-25	Pass	2985
30	1000	0.1	RMS	885.248	-66.48	-25	Pass	9699
1000	2490	1	RMS	2490	-51.11	-25	Pass	1490
2490	2580	1	RMS	2560.425	22.75	60	Pass	401
2580	3000	1	RMS	2961.909	-49.84	-25	Pass	420
3000	12000	1	RMS	7681.571	-49.04	-25	Pass	9000
12000	26000	1	RMS	25526.919	-47.09	-25	Pass	14000




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-25	Pass	2985
30	1000	0.1	RMS	872.631	-66.64	-25	Pass	9699
1000	2490	1	RMS	2487.999	-40.15	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.91	60	Pass	401
2580	3000	1	RMS	2957.9	-49.86	-25	Pass	420
3000	12000	1	RMS	7502.55	-46.45	-25	Pass	9000
12000	26000	1	RMS	25498.914	-47.04	-25	Pass	14000




14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.17	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.26	-25	Pass	2985
30	1000	0.1	RMS	908.579	-66.66	-25	Pass	9699
1000	2490	1	RMS	2487.999	-41.41	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.17	60	Pass	401
2580	3000	1	RMS	2959.905	-49.84	-25	Pass	420
3000	12000	1	RMS	7502.55	-47.1	-25	Pass	9000
12000	26000	1	RMS	25496.913	-47.06	-25	Pass	14000




14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.62	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.67	-25	Pass	2985
30	1000	0.1	RMS	997.597	-66.58	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.06	-25	Pass	1490
2490	2580	1	RMS	2528.25	23.2	60	Pass	401
2580	3000	1	RMS	2957.9	-49.79	-25	Pass	420
3000	12000	1	RMS	7584.56	-48.17	-25	Pass	9000
12000	26000	1	RMS	25493.913	-47.12	-25	Pass	14000




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.8	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.66	-25	Pass	2985
30	1000	0.1	RMS	995.494	-66.56	-25	Pass	9699
1000	2490	1	RMS	2490	-50.99	-25	Pass	1490
2490	2580	1	RMS	2528.25	22.23	60	Pass	401
2580	3000	1	RMS	2958.902	-49.83	-25	Pass	420
3000	12000	1	RMS	7584.56	-48.67	-25	Pass	9000
12000	26000	1	RMS	25514.916	-47.14	-25	Pass	14000




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-25	Pass	2985
30	1000	0.1	RMS	905.274	-66.63	-25	Pass	9699
1000	2490	1	RMS	2490	-51.08	-25	Pass	1490
2490	2580	1	RMS	2555.7	23.23	60	Pass	401
2580	3000	1	RMS	2582.005	-49.64	-25	Pass	420
3000	12000	1	RMS	7667.57	-47.47	-25	Pass	9000
12000	26000	1	RMS	25519.917	-47.1	-25	Pass	14000




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-25	Pass	2985
30	1000	0.1	RMS	875.635	-66.51	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.08	-25	Pass	1490
2490	2580	1	RMS	2555.7	22.19	60	Pass	401
2580	3000	1	RMS	2953.89	-49.83	-25	Pass	420
3000	12000	1	RMS	7667.57	-48.47	-25	Pass	9000
12000	26000	1	RMS	25506.915	-47.14	-25	Pass	14000




14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-25	Pass	2985
30	1000	0.1	RMS	890.154	-66.68	-25	Pass	9699
1000	2490	1	RMS	2482.995	-40.39	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.9	60	Pass	401
2580	3000	1	RMS	2966.921	-49.81	-25	Pass	420
3000	12000	1	RMS	7503.55	-47.03	-25	Pass	9000
12000	26000	1	RMS	25503.915	-47.09	-25	Pass	14000




14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.66	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-25	Pass	2985
30	1000	0.1	RMS	911.983	-66.56	-25	Pass	9699
1000	2490	1	RMS	2482.995	-41.63	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.23	60	Pass	401
2580	3000	1	RMS	2958.902	-49.8	-25	Pass	420
3000	12000	1	RMS	7503.55	-47.42	-25	Pass	9000
12000	26000	1	RMS	25506.915	-47.08	-25	Pass	14000




14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.22	-25	Pass	2985
30	1000	0.1	RMS	881.943	-66.44	-25	Pass	9699
1000	2490	1	RMS	2490	-50.45	-25	Pass	1490
2490	2580	1	RMS	2526	23.22	60	Pass	401
2580	3000	1	RMS	2955.895	-49.83	-25	Pass	420
3000	12000	1	RMS	7578.559	-46.77	-25	Pass	9000
12000	26000	1	RMS	25492.913	-47.13	-25	Pass	14000




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.78	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.06	-25	Pass	2985
30	1000	0.1	RMS	899.667	-66.52	-25	Pass	9699
1000	2490	1	RMS	2490	-50.78	-25	Pass	1490
2490	2580	1	RMS	2526	22.12	60	Pass	401
2580	3000	1	RMS	2957.9	-49.8	-25	Pass	420
3000	12000	1	RMS	7578.559	-47.66	-25	Pass	9000
12000	26000	1	RMS	25473.909	-47.17	-25	Pass	14000




14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-25	Pass	2985
30	1000	0.1	RMS	996.195	-66.6	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.19	-25	Pass	1490
2490	2580	1	RMS	2550.975	23.45	60	Pass	401
2580	3000	1	RMS	2950.883	-49.83	-25	Pass	420
3000	12000	1	RMS	7653.568	-47.79	-25	Pass	9000
12000	26000	1	RMS	25517.917	-47.13	-25	Pass	14000



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-25	Pass	2985
30	1000	0.1	RMS	984.68	-66.52	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.1	-25	Pass	1490
2490	2580	1	RMS	2550.975	22.31	60	Pass	401
2580	3000	1	RMS	2586.014	-48.77	-25	Pass	420
3000	12000	1	RMS	7653.568	-48.57	-25	Pass	9000
12000	26000	1	RMS	25491.913	-47.11	-25	Pass	14000



15. LTE_Band38


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.31	-25	Pass	2985
30	1000	0.1	RMS	896.763	-61.61	-25	Pass	9699
1000	2560	1	RMS	2550.994	-41.83	-25	Pass	1560
2560	2630	1	RMS	2570.325	23.46	60	Pass	401
2630	3000	1	RMS	2960.225	-45.74	-25	Pass	401
3000	12000	1	RMS	7711.575	-44.9	-25	Pass	9000
12000	26500	1	RMS	25509.843	-40.29	-25	Pass	14500




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.87	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.81	-25	Pass	2985
30	1000	0.1	RMS	894.46	-61.48	-25	Pass	9699
1000	2560	1	RMS	2551.995	-44.68	-25	Pass	1560
2560	2630	1	RMS	2570.15	22.88	60	Pass	401
2630	3000	1	RMS	2957.45	-45.69	-25	Pass	401
3000	12000	1	RMS	7710.575	-45.56	-25	Pass	9000
12000	26500	1	RMS	25498.841	-40.31	-25	Pass	14500




**15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.01	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.64	-25	Pass	2985
30	1000	0.1	RMS	866.022	-61.47	-25	Pass	9699
1000	2560	1	RMS	2511.969	-46.8	-25	Pass	1560
2560	2630	1	RMS	2592.9	23	60	Pass	401
2630	3000	1	RMS	2958.375	-45.68	-25	Pass	401
3000	12000	1	RMS	7778.583	-44.53	-25	Pass	9000
12000	26500	1	RMS	25496.841	-40.37	-25	Pass	14500




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.78	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.76	-25	Pass	2985
30	1000	0.1	RMS	878.539	-61.64	-25	Pass	9699
1000	2560	1	RMS	2506.966	-46.78	-25	Pass	1560
2560	2630	1	RMS	2592.9	22.85	60	Pass	401
2630	3000	1	RMS	2961.15	-45.75	-25	Pass	401
3000	12000	1	RMS	7778.583	-45.1	-25	Pass	9000
12000	26500	1	RMS	25500.842	-40.34	-25	Pass	14500




**15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.94	-25	Pass	2985
30	1000	0.1	RMS	654.576	-61.49	-25	Pass	9699
1000	2560	1	RMS	2512.97	-46.65	-25	Pass	1560
2560	2630	1	RMS	2615.125	23.84	60	Pass	401
2630	3000	1	RMS	2633.7	-42.41	-25	Pass	401
3000	12000	1	RMS	7949.604	-46.07	-25	Pass	9000
12000	26500	1	RMS	25499.841	-40.37	-25	Pass	14500




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.08	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.05	-25	Pass	2985
30	1000	0.1	RMS	903.873	-61.93	-25	Pass	9699
1000	2560	1	RMS	2512.97	-46.73	-25	Pass	1560
2560	2630	1	RMS	2615.125	23.07	60	Pass	401
2630	3000	1	RMS	2634.625	-43.44	-25	Pass	401
3000	12000	1	RMS	7946.604	-46.09	-25	Pass	9000
12000	26500	1	RMS	25500.842	-40.46	-25	Pass	14500




15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.27	-67.6	-25	Pass	2985
30	1000	0.1	RMS	893.859	-61.69	-25	Pass	9699
1000	2560	1	RMS	2550.994	-43.75	-25	Pass	1560
2560	2630	1	RMS	2570.325	23.12	60	Pass	401
2630	3000	1	RMS	2956.525	-45.72	-25	Pass	401
3000	12000	1	RMS	7711.575	-44.19	-25	Pass	9000
12000	26500	1	RMS	25502.842	-40.43	-25	Pass	14500




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.43	-25	Pass	2985
30	1000	0.1	RMS	982.777	-61.67	-25	Pass	9699
1000	2560	1	RMS	2551.995	-43.2	-25	Pass	1560
2560	2630	1	RMS	2570.675	22.62	60	Pass	401
2630	3000	1	RMS	2960.225	-45.7	-25	Pass	401
3000	12000	1	RMS	7951.604	-46.09	-25	Pass	9000
12000	26500	1	RMS	25530.846	-40.36	-25	Pass	14500




15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.88	-25	Pass	2985
30	1000	0.1	RMS	994.393	-61.77	-25	Pass	9699
1000	2560	1	RMS	2503.964	-46.81	-25	Pass	1560
2560	2630	1	RMS	2590.625	23.04	60	Pass	401
2630	3000	1	RMS	2962.075	-45.69	-25	Pass	401
3000	12000	1	RMS	7771.582	-44.21	-25	Pass	9000
12000	26500	1	RMS	25500.842	-40.38	-25	Pass	14500




15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.19	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.56	-25	Pass	2985
30	1000	0.1	RMS	629.873	-61.77	-25	Pass	9699
1000	2560	1	RMS	2507.967	-46.76	-25	Pass	1560
2560	2630	1	RMS	2590.625	22.64	60	Pass	401
2630	3000	1	RMS	2958.375	-45.64	-25	Pass	401
3000	12000	1	RMS	7771.582	-44.57	-25	Pass	9000
12000	26500	1	RMS	25508.843	-40.26	-25	Pass	14500




15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.61	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.74	-25	Pass	2985
30	1000	0.1	RMS	649.876	-61.26	-25	Pass	9699
1000	2560	1	RMS	2507.967	-46.83	-25	Pass	1560
2560	2630	1	RMS	2610.4	24.09	60	Pass	401
2630	3000	1	RMS	2630	-44.52	-25	Pass	401
3000	12000	1	RMS	7952.605	-46.1	-25	Pass	9000
12000	26500	1	RMS	25526.846	-40.32	-25	Pass	14500




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.76	-25	Pass	2985
30	1000	0.1	RMS	905.775	-61.63	-25	Pass	9699
1000	2560	1	RMS	2506.966	-46.82	-25	Pass	1560
2560	2630	1	RMS	2610.575	23.25	60	Pass	401
2630	3000	1	RMS	2630	-44.08	-25	Pass	401
3000	12000	1	RMS	7947.604	-46.08	-25	Pass	9000
12000	26500	1	RMS	25495.841	-40.34	-25	Pass	14500




15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.14	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.17	-25	Pass	2985
30	1000	0.1	RMS	991.989	-61.89	-25	Pass	9699
1000	2560	1	RMS	2557.999	-41.76	-25	Pass	1560
2560	2630	1	RMS	2570.85	23.1	60	Pass	401
2630	3000	1	RMS	2963.925	-45.76	-25	Pass	401
3000	12000	1	RMS	7712.575	-45.45	-25	Pass	9000
12000	26500	1	RMS	25898.905	-40.41	-25	Pass	14500




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.28	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.94	-25	Pass	2985
30	1000	0.1	RMS	484.956	-62.14	-25	Pass	9699
1000	2560	1	RMS	2556.998	-41.28	-25	Pass	1560
2560	2630	1	RMS	2570.675	22.34	60	Pass	401
2630	3000	1	RMS	2962.075	-45.7	-25	Pass	401
3000	12000	1	RMS	7949.604	-45.99	-25	Pass	9000
12000	26500	1	RMS	25494.841	-40.37	-25	Pass	14500




15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.15	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.19	-25	Pass	2985
30	1000	0.1	RMS	627.673	-61.5	-25	Pass	9699
1000	2560	1	RMS	2560	-45.79	-25	Pass	1560
2560	2630	1	RMS	2588.175	23.11	60	Pass	401
2630	3000	1	RMS	2957.45	-45.7	-25	Pass	401
3000	12000	1	RMS	7765.582	-44.83	-25	Pass	9000
12000	26500	1	RMS	25489.84	-40.4	-25	Pass	14500




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.64	-25	Pass	2985
30	1000	0.1	RMS	906.776	-61.92	-25	Pass	9699
1000	2560	1	RMS	2511.969	-46.69	-25	Pass	1560
2560	2630	1	RMS	2588.175	21.81	60	Pass	401
2630	3000	1	RMS	2952.825	-45.73	-25	Pass	401
3000	12000	1	RMS	7955.605	-46.01	-25	Pass	9000
12000	26500	1	RMS	25488.84	-40.34	-25	Pass	14500




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.53	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.66	-25	Pass	2985
30	1000	0.1	RMS	993.692	-61.99	-25	Pass	9699
1000	2560	1	RMS	2507.967	-46.83	-25	Pass	1560
2560	2630	1	RMS	2605.85	23.04	60	Pass	401
2630	3000	1	RMS	2957.45	-45.66	-25	Pass	401
3000	12000	1	RMS	7817.588	-45.84	-25	Pass	9000
12000	26500	1	RMS	25536.847	-40.34	-25	Pass	14500




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.07	-25	Pass	2985
30	1000	0.1	RMS	870.328	-61.98	-25	Pass	9699
1000	2560	1	RMS	2528.98	-46.21	-25	Pass	1560
2560	2630	1	RMS	2605.675	22.68	60	Pass	401
2630	3000	1	RMS	2959.3	-45.73	-25	Pass	401
3000	12000	1	RMS	7957.605	-46.08	-25	Pass	9000
12000	26500	1	RMS	25501.842	-40.33	-25	Pass	14500




15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.44	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.26	-25	Pass	2985
30	1000	0.1	RMS	896.863	-61.89	-25	Pass	9699
1000	2560	1	RMS	2553.996	-40.66	-25	Pass	1560
2560	2630	1	RMS	2570.85	23.36	60	Pass	401
2630	3000	1	RMS	2957.45	-45.74	-25	Pass	401
3000	12000	1	RMS	7713.575	-45.32	-25	Pass	9000
12000	26500	1	RMS	25493.84	-40.36	-25	Pass	14500




15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.87	-25	Pass	2985
30	1000	0.1	RMS	895.361	-61.89	-25	Pass	9699
1000	2560	1	RMS	2552.996	-39.87	-25	Pass	1560
2560	2630	1	RMS	2570.85	22.61	60	Pass	401
2630	3000	1	RMS	2959.3	-45.73	-25	Pass	401
3000	12000	1	RMS	7713.575	-44.94	-25	Pass	9000
12000	26500	1	RMS	25487.84	-40.28	-25	Pass	14500




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.65	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.88	-25	Pass	2985
30	1000	0.1	RMS	889.453	-61.93	-25	Pass	9699
1000	2560	1	RMS	2560	-46.21	-25	Pass	1560
2560	2630	1	RMS	2586.075	23.5	60	Pass	401
2630	3000	1	RMS	2954.675	-45.7	-25	Pass	401
3000	12000	1	RMS	7758.581	-46.02	-25	Pass	9000
12000	26500	1	RMS	25513.844	-40.4	-25	Pass	14500




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.8	-25	Pass	2985
30	1000	0.1	RMS	863.819	-61.9	-25	Pass	9699
1000	2560	1	RMS	2558.999	-46.11	-25	Pass	1560
2560	2630	1	RMS	2585.9	22.77	60	Pass	401
2630	3000	1	RMS	2960.225	-45.67	-25	Pass	401
3000	12000	1	RMS	7758.581	-45.47	-25	Pass	9000
12000	26500	1	RMS	25491.84	-40.34	-25	Pass	14500




15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.8	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.94	-25	Pass	2985
30	1000	0.1	RMS	996.595	-61.71	-25	Pass	9699
1000	2560	1	RMS	2523.977	-46.46	-25	Pass	1560
2560	2630	1	RMS	2600.95	23.28	60	Pass	401
2630	3000	1	RMS	2960.225	-45.65	-25	Pass	401
3000	12000	1	RMS	7964.606	-46.11	-25	Pass	9000
12000	26500	1	RMS	25491.84	-40.33	-25	Pass	14500



**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.82	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.73	-25	Pass	2985
30	1000	0.1	RMS	640.375	-61.84	-25	Pass	9699
1000	2560	1	RMS	2523.977	-46.52	-25	Pass	1560
2560	2630	1	RMS	2601.125	22.79	60	Pass	401
2630	3000	1	RMS	2959.3	-45.67	-25	Pass	401
3000	12000	1	RMS	7960.606	-46.11	-25	Pass	9000
12000	26500	1	RMS	25495.841	-40.37	-25	Pass	14500



16. LTE_Band41 100M


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.79	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.65	-25	Pass	2985
30	1000	0.1	RMS	881.843	-62.1	-25	Pass	9699
1000	2486	1	RMS	2486	-47.17	-25	Pass	1486
2486	2700	1	RMS	2555.015	21.97	60	Pass	401
2700	3000	1	RMS	2961.75	-45.8	-25	Pass	401
3000	12000	1	RMS	7665.57	-43.69	-25	Pass	9000
12000	27000	1	RMS	25498.779	-40.4	-25	Pass	15000




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.72	-25	Pass	401
0.15	30	0.01	RMS	0.26	-67.31	-25	Pass	2985
30	1000	0.1	RMS	991.789	-61.91	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.09	-25	Pass	1486
2486	2700	1	RMS	2555.015	22.32	60	Pass	401
2700	3000	1	RMS	2956.5	-45.71	-25	Pass	401
3000	12000	1	RMS	7955.605	-46.03	-25	Pass	9000
12000	27000	1	RMS	25500.78	-40.44	-25	Pass	15000




**16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.75	-25	Pass	2985
30	1000	0.1	RMS	642.075	-61.57	-25	Pass	9699
1000	2486	1	RMS	2486	-47.18	-25	Pass	1486
2486	2700	1	RMS	2602.63	23	60	Pass	401
2700	3000	1	RMS	2958.75	-45.68	-25	Pass	401
3000	12000	1	RMS	7957.605	-46.04	-25	Pass	9000
12000	27000	1	RMS	25504.78	-40.3	-25	Pass	15000




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.77	-25	Pass	2985
30	1000	0.1	RMS	901.569	-61.74	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.2	-25	Pass	1486
2486	2700	1	RMS	2602.63	22.49	60	Pass	401
2700	3000	1	RMS	2959.5	-45.73	-25	Pass	401
3000	12000	1	RMS	7808.587	-45.59	-25	Pass	9000
12000	27000	1	RMS	25512.782	-40.33	-25	Pass	15000




**16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.77	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.17	-25	Pass	2985
30	1000	0.1	RMS	885.048	-61.89	-25	Pass	9699
1000	2486	1	RMS	2486	-47.09	-25	Pass	1486
2486	2700	1	RMS	2650.245	23.53	60	Pass	401
2700	3000	1	RMS	2952.75	-45.73	-25	Pass	401
3000	12000	1	RMS	7955.605	-46.09	-25	Pass	9000
12000	27000	1	RMS	25496.779	-40.33	-25	Pass	15000




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.78	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.79	-25	Pass	2985
30	1000	0.1	RMS	996.095	-61.91	-25	Pass	9699
1000	2486	1	RMS	2481.997	-47.17	-25	Pass	1486
2486	2700	1	RMS	2650.245	21.99	60	Pass	401
2700	3000	1	RMS	2956.5	-45.69	-25	Pass	401
3000	12000	1	RMS	7946.604	-45.94	-25	Pass	9000
12000	27000	1	RMS	25500.78	-40.32	-25	Pass	15000




16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.76	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.99	-25	Pass	2985
30	1000	0.1	RMS	972.463	-61.97	-25	Pass	9699
1000	2486	1	RMS	2482.998	-47.14	-25	Pass	1486
2486	2700	1	RMS	2555.015	22.32	60	Pass	401
2700	3000	1	RMS	2963.25	-45.63	-25	Pass	401
3000	12000	1	RMS	7666.57	-45.7	-25	Pass	9000
12000	27000	1	RMS	25496.779	-40.31	-25	Pass	15000




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.69	-25	Pass	2985
30	1000	0.1	RMS	893.959	-61.95	-25	Pass	9699
1000	2486	1	RMS	2482.998	-47.16	-25	Pass	1486
2486	2700	1	RMS	2555.015	21.92	60	Pass	401
2700	3000	1	RMS	2950.5	-45.69	-25	Pass	401
3000	12000	1	RMS	7953.605	-45.89	-25	Pass	9000
12000	27000	1	RMS	25502.78	-40.28	-25	Pass	15000




16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.62	-25	Pass	2985
30	1000	0.1	RMS	920.895	-61.64	-25	Pass	9699
1000	2486	1	RMS	2486	-47.07	-25	Pass	1486
2486	2700	1	RMS	2599.955	22.24	60	Pass	401
2700	3000	1	RMS	2961	-45.69	-25	Pass	401
3000	12000	1	RMS	7801.586	-45.49	-25	Pass	9000
12000	27000	1	RMS	25502.78	-40.39	-25	Pass	15000




16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.9	-25	Pass	2985
30	1000	0.1	RMS	639.874	-61.89	-25	Pass	9699
1000	2486	1	RMS	2480.997	-47.13	-25	Pass	1486
2486	2700	1	RMS	2600.49	22.31	60	Pass	401
2700	3000	1	RMS	2959.5	-45.75	-25	Pass	401
3000	12000	1	RMS	7801.586	-45.54	-25	Pass	9000
12000	27000	1	RMS	25497.779	-40.36	-25	Pass	15000




16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.89	-25	Pass	2985
30	1000	0.1	RMS	879.34	-61.75	-25	Pass	9699
1000	2486	1	RMS	2486	-47.15	-25	Pass	1486
2486	2700	1	RMS	2645.43	23.41	60	Pass	401
2700	3000	1	RMS	2960.25	-45.75	-25	Pass	401
3000	12000	1	RMS	7954.605	-46.09	-25	Pass	9000
12000	27000	1	RMS	25492.779	-40.37	-25	Pass	15000




16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.01	-25	Pass	2985
30	1000	0.1	RMS	889.353	-61.89	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.1	-25	Pass	1486
2486	2700	1	RMS	2645.43	21.7	60	Pass	401
2700	3000	1	RMS	2960.25	-45.65	-25	Pass	401
3000	12000	1	RMS	7949.604	-46.04	-25	Pass	9000
12000	27000	1	RMS	25500.78	-40.34	-25	Pass	15000




16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.62	-25	Pass	401
0.15	30	0.01	RMS	0.25	-67.78	-25	Pass	2985
30	1000	0.1	RMS	878.639	-61.74	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.16	-25	Pass	1486
2486	2700	1	RMS	2555.55	23.51	60	Pass	401
2700	3000	1	RMS	2961	-45.68	-25	Pass	401
3000	12000	1	RMS	7667.57	-44.5	-25	Pass	9000
12000	27000	1	RMS	25502.78	-40.4	-25	Pass	15000




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.6	-25	Pass	2985
30	1000	0.1	RMS	999.9	-61.56	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.15	-25	Pass	1486
2486	2700	1	RMS	2555.55	22.54	60	Pass	401
2700	3000	1	RMS	2958	-45.73	-25	Pass	401
3000	12000	1	RMS	7667.57	-45.6	-25	Pass	9000
12000	27000	1	RMS	25498.779	-40.35	-25	Pass	15000




16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.69	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.66	-25	Pass	2985
30	1000	0.1	RMS	637.574	-61.75	-25	Pass	9699
1000	2486	1	RMS	2486	-47.04	-25	Pass	1486
2486	2700	1	RMS	2597.815	22.16	60	Pass	401
2700	3000	1	RMS	2957.25	-45.73	-25	Pass	401
3000	12000	1	RMS	7795.585	-44.97	-25	Pass	9000
12000	27000	1	RMS	25526.784	-40.32	-25	Pass	15000




16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.84	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.8	-25	Pass	2985
30	1000	0.1	RMS	910.481	-61.59	-25	Pass	9699
1000	2486	1	RMS	2486	-47.03	-25	Pass	1486
2486	2700	1	RMS	2597.815	22.12	60	Pass	401
2700	3000	1	RMS	2958	-45.65	-25	Pass	401
3000	12000	1	RMS	7956.605	-45.98	-25	Pass	9000
12000	27000	1	RMS	25510.781	-40.34	-25	Pass	15000




16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.61	-25	Pass	2985
30	1000	0.1	RMS	885.048	-61.8	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.12	-25	Pass	1486
2486	2700	1	RMS	2640.615	22.35	60	Pass	401
2700	3000	1	RMS	2958.75	-45.65	-25	Pass	401
3000	12000	1	RMS	7922.601	-45.4	-25	Pass	9000
12000	27000	1	RMS	25571.79	-40.41	-25	Pass	15000




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.62	-25	Pass	2985
30	1000	0.1	RMS	994.993	-61.86	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.16	-25	Pass	1486
2486	2700	1	RMS	2640.615	21.71	60	Pass	401
2700	3000	1	RMS	2958.75	-45.69	-25	Pass	401
3000	12000	1	RMS	7953.605	-46.09	-25	Pass	9000
12000	27000	1	RMS	25506.781	-40.33	-25	Pass	15000




16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.68	-25	Pass	2985
30	1000	0.1	RMS	918.192	-61.95	-25	Pass	9699
1000	2486	1	RMS	2486	-47.08	-25	Pass	1486
2486	2700	1	RMS	2556.085	22.04	60	Pass	401
2700	3000	1	RMS	2961	-45.71	-25	Pass	401
3000	12000	1	RMS	7668.57	-44.46	-25	Pass	9000
12000	27000	1	RMS	25497.779	-40.35	-25	Pass	15000




16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.27	-67.55	-25	Pass	2985
30	1000	0.1	RMS	990.287	-62.01	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.13	-25	Pass	1486
2486	2700	1	RMS	2555.55	21.65	60	Pass	401
2700	3000	1	RMS	2958.75	-45.7	-25	Pass	401
3000	12000	1	RMS	7668.57	-44.34	-25	Pass	9000
12000	27000	1	RMS	25498.779	-40.35	-25	Pass	15000




16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.41	-25	Pass	2985
30	1000	0.1	RMS	993.892	-62.06	-25	Pass	9699
1000	2486	1	RMS	2486	-47.18	-25	Pass	1486
2486	2700	1	RMS	2595.675	22.81	60	Pass	401
2700	3000	1	RMS	2960.25	-45.7	-25	Pass	401
3000	12000	1	RMS	7787.584	-46.09	-25	Pass	9000
12000	27000	1	RMS	25498.779	-40.39	-25	Pass	15000




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-71.13	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.56	-25	Pass	2985
30	1000	0.1	RMS	635.374	-61.9	-25	Pass	9699
1000	2486	1	RMS	2486	-47.08	-25	Pass	1486
2486	2700	1	RMS	2595.675	21.66	60	Pass	401
2700	3000	1	RMS	2957.25	-45.74	-25	Pass	401
3000	12000	1	RMS	7788.585	-45.6	-25	Pass	9000
12000	27000	1	RMS	25510.781	-40.43	-25	Pass	15000




16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.06	-25	Pass	2985
30	1000	0.1	RMS	478.555	-61.92	-25	Pass	9699
1000	2486	1	RMS	2486	-47.2	-25	Pass	1486
2486	2700	1	RMS	2635.8	22.47	60	Pass	401
2700	3000	1	RMS	2963.25	-45.74	-25	Pass	401
3000	12000	1	RMS	7907.599	-45.96	-25	Pass	9000
12000	27000	1	RMS	25511.781	-40.35	-25	Pass	15000



**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.03	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.9	-25	Pass	2985
30	1000	0.1	RMS	369.241	-61.9	-25	Pass	9699
1000	2486	1	RMS	2486	-47.11	-25	Pass	1486
2486	2700	1	RMS	2635.8	21.22	60	Pass	401
2700	3000	1	RMS	2961	-45.71	-25	Pass	401
3000	12000	1	RMS	7907.599	-46.06	-25	Pass	9000
12000	27000	1	RMS	25504.78	-40.3	-25	Pass	15000



END