Report No.: SUHR/2022/1000602 Rev.: 01 1 of 97 Page:



TEST REPORT

Application No.:	HR/2022/10006
Applicant:	SEUIC Technologies Co., Ltd.
Address of Applicant:	NO.15 Xinghuo Road,Nanjing New & High Technology Industry Development Zone,210061,Nanjing City,Jiangsu Province,China
Manufacturer:	SEUIC Technologies Co., Ltd.
Address of Manufacturer:	NO.15 Xinghuo Road,Nanjing New & High Technology Industry Development Zone,210061,Nanjing City,Jiangsu Province,China
EUT Description:	Portable Data Collection Terminal
Model No.:	CRUISE2 5GA
Trade Mark:	CRUISE
FCC ID:	2AC68-CRUISE25GA
Standards:	FCC 47 CFR Part 2, Subpart J FCC 47 CFR Part 15, Subpart C
Date of Receipt:	2022/2/7
Date of Test:	2022/2/10 to 2022/2/28
Date of Issue:	2022/3/3
Test Result :	PASS *

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Sun

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/ferms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/ferms-and-Conditions/Ferms-en-Documentaspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection reports & certificate, plasse contact us at Lebentoms (66.755) 15307 1443. a: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Janosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 2 of 97

1 Version

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2022/3/3		Original

Prepared By	weller lin
	(Weller Liu) / Engineer
	well wei
Checked By	
	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 3 of 97

2 Test Summary

SG

Test Item	Test Requirement	Test Method	Test Result	Result
Antenna Requirement	FCC 47 CFR 15.203/15.247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	FCC 47 CFR 15.207	ANSI C63.10 (2013)	Clause 4.3	PASS
Conducted Peak Output Power	FCC 47 CFR 15.247 (b)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS
20dB Emission Bandwidth & 99% Occupied Bandwidth	FCC 47 CFR 15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS
Carrier Frequencies Separation	FCC 47 CFR 15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS
Hopping Channel Number	FCC 47 CFR 15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS
Dwell Time	FCC 47 CFR 15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.8	PASS
Band-edge for RF Conducted Emissions	FCC 47 CFR 15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS
RF Conducted Spurious Emissions	FCC 47 CFR 15.247(d)	ANSI C63.10 (2013)	Clause 4.10	PASS
Radiated Spurious emissions	FCC 47 CFR 15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.11	PASS
Restricted bands around fundamental frequency (Radiated Emission)	FCC 47 CFR 15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 4 of 97

Contents

1	Versio	n	2
2	Test S	Summary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment	8
	3.6	Description of Support Units	8
4	Test re	esults and Measurement Data	9
	4.1	Antenna Requirement	9
	4.2	Other requirements Frequency Hopping Spread Spectrum System	Hopping
	Seque	ence	10
	4	.2.1 Test Requirement:	10
	4	.2.2 Conclusion	10
	4.3	AC Power Line Conducted Emissions	12
	4.4	Conducted Output Power	16
	4.5	20dB Emission Bandwidth & 99% Occupied Bandwidth	17
	4.6	Carrier Frequencies Separationy	18
	4.7	Hopping Channel Number	19
	4.8	Dwell Time	20
	4.9	Band-edge for RF Conducted Emissions	21
	4.10	Spurious RF Conducted Emissions	22
	4.11	Radiated Spurious Emissions	23
	4.12	Restricted bands around fundamental frequency	26
5	Measu	urement Uncertainty (95% confidence levels, k=2)	28
6	Equip	ment List	29
7	Photog	graphs - Setup Photos Constructional Details	31



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南都 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 5 of 97

3 General Information

3.1 Details of Client

Applicant:	SEUIC Technologies Co., Ltd.
Address of Applicant:	NO.15 Xinghuo Road,Nanjing New & High Technology Industry Development Zone,210061,Nanjing City,Jiangsu Province,China
Manufacturer:	SEUIC Technologies Co., Ltd.
Address of Manufacturer:	NO.15 Xinghuo Road,Nanjing New & High Technology Industry Development Zone,210061,Nanjing City,Jiangsu Province,China

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.	
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone	
Post code:	215000	
Test engineer:	Weller Liu, King-p Li, Nature Shen, Tizzy Song	

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6336.01)
SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.
Innovation, Science and Economic Development Canada
SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.
CAB identifier: CN0120.
IC#: 27594.
FCC –Designation Number: CN1312
SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.
Designation Number: CN1312.
Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, xtitention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: To ensek the authenticity of teasing inspection report & certificate, places contact us at telephoner. (86-75) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jkangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区湖胜路(号約6号厂房南都 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sqs.china@sqs.com

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 6 of 97

3.4 General Description of EUT

S

EUT Description:	Portable Data Collection Terminal	
Model No.:	CRUISE2 5GA	
Trade Mark:	CRUISE	
Hardware Version:	MC902A-4A_MB_PCBA_V1.01-A4A	
Software Version:	D740_V1.0.76	
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78.	
Bluetooth version:	Bluetooth V5.1	
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)	
Modulation Type:	GFSK, π/4DQPSK, 8DPSK	
Number of Channel:	79	
Hopping Channel Type:	Adaptive Frequency Hopping systems	
Sample Type:	⊠Portable Device,	
Antenna Type:	□External, ⊠Integrated	
Antenna Gain*:	⊠Provided by client	
	1dBi(Ant3);	
RF Cable*:	⊠Provided by client	
	1dB	
N 4 *0' 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	and the second devices of the different second s	

Note: *Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information, SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/ferms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/ferms-and-Conditions/Ferms-en-Documentaspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing inspection reports & certificate, plasse contact us at Lebentoms (66.755) 15307 1443. e: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn sqs.china@sqs.com

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 7 of 97

Operation Frequency of each channel							
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz
19	2421MHz	39	2441MHz	59	2461MHz		

Remark:

S

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH39)	2441MHz
The Highest channel(CH78)	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. e: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 8 of 97

3.5 Test Environment

Environment Parameter	101.0 kPa Selected Values During Tests		
Relative Humidity	44-46 % RH Ambient		
value Temperature(℃) Voltage(Voltage(V)	
NTNV	22~23	3.85	
LTNV	-20	3.85	
HTNV	50	3.85	
Remark:			
NV: Normal Voltage			
NT: Normal Temperature			
LT: Low Extreme Test Temperatu	Ire		
HT: High Extreme Test Temperature			

3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Impection report & certificate, plasse contact us at telephone; (66-755) 5307 1443, e: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 9 of 97

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated antenna and no consideration of replacement. The best case gain of the antenna is 1dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions

中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Member of the SGS Group (SGS SA)

sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 10 of 97

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.


> Number of shift register stages: 9

> Length of pseudo-random sequence: 29 -1 = 511 bits

> Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:

20 62 46 77	7 64 8 73	16 75 1



	Unless otherwise agreed in writing, this document is issued by overleaf, available on request or accessible at <u>http://www.sgc.coi</u> subject to Terms and Conditions for Electronic Documents at <u>h</u> Attention is drawn to the limitation of liability, indemnification at advised that information contained hereon reflects the Company Client's instructions, if any. The Company's sole responsibility except in full, without prior writter in provide of the Concentry A appearance of this document is unlawful and offenders may be p results shown in this lest report refer only to the sample(s) lested Attention. To check the authenticity of testing /impaction rep or email: CN Doccheck@ess.com	m/e ttp: nd) 's is er t ny ros	n/Terms-and-C //www.sgs.com urisdiction iss findings at the to its Client a he transaction unauthorized ecuted to the f such sample(s	<u>anditions.sspx</u> and, for electri- ign/Terms-and-Conditions/Te ues defined therein. Any hold time of its intervention only ind this document does not documents. This document alteration, forgery or falsific: 'uliest extent of the law. Unleis) are retained for 30 days only	onic format documents, rms-e-Document.aspx. fer of this document is and within the limits of exonerate parties to a cannot be reproduced ation of the content or as otherwise stated the y.
d.	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Z	one	215000	t (86-512) 62992980	www.sgsgroup.com.cn
	中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮	编:	215000	t (86-512) 62992980	sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 11 of 97

Each frequency used equally on the average by each transmitter.

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system.

Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents after the transaction formations and the transaction formation on the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawifue and off the sample(s) tested and such sample(s) are relatined for 30 days only. Attention: to check the authenticity of testing fingection report & certificate, places contact us at tempore: (86-755) 8307 1443, or email: Ch.Ococheck@sgs.com

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Member of the SGS Group (SGS SA)

sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 12 of 97

4.3 AC Power Line Conducted Emissions

S

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013				
Test Frequency Range:	150kHz to 30MHz				
Limit:		Limit (dł	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:					




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 13 of 97





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document is unawill and offenders may be prosecuted to the fullest extent of the law. Theis sotherwise stated the results shown in this test report feer only to the sample(s) are relatined for 30 days only. Attention: to check the authenticity of testing Inspection report & certificate, plass contact us at telephone: (86-512) 62992980 www.sgsgroup.com.on


South of No. 6 Plant, No. 1, Runsheng Reat, Sudow Industrial Park, Sudow Anea, China (Jangsa) Plot Free Tacle Zore 215000 t (86-512) 62992980 www.sgsgroup.com. 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区涡胜路(号的6月厂房角部 単编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUHR/2022/1000602 Rev.: 01 14 of 97 Page:

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live Line:



Final	Final Data List								
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1770	10.75	46.93	64.63	17.70	29.16	54.63	25.47	PASS
2	0.6180	10.51	37.87	56.00	18.13	31.94	46.00	14.06	PASS
3	1.3335	10.78	28.20	56.00	27.80	22.03	46.00	23.97	PASS
4	1.6395	10.74	26.47	56.00	29.53	20.25	46.00	25.75	PASS
5	3.8535	10.73	25.75	56.00	30.25	18.30	46.00	27.70	PASS
6	9.6855	10.64	31.40	60.00	28.60	20.12	50.00	29.88	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Reading + Factor(Lisn factor + cable loss).



(86-755) 8307 1443


www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 15 of 97



Final I	Final Data List								
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1545	10.72	50.71	65.75	15.04	32.60	55.75	23.15	PASS
2	0.6315	10.72	38.71	56.00	17.29	33.24	46.00	12.76	PASS
3	1.9950	10.77	25.21	56.00	30.79	18.65	46.00	27.35	PASS
4	3.9210	10.73	23.91	56.00	32.09	17.06	46.00	28.94	PASS
5	10.5360	10.67	32.34	60.00	27.66	21.14	50.00	28.86	PASS
6	19.3335	10.42	24.96	60.00	35.04	18.11	50.00	31.89	PASS

Remark:

1. The following Quasi-Peak and Average measurements were performed on the EUT:

2. Final Test Level =Reading + Factor(Lisn factor + cable loss).



Unless otherwise agreed in writing, this document is issued by the overleaf, available on request or accessible at http://www.sgs.com/esublect to Terms and Conditions for Electronic Documents at http://www.sgs.com/esublect to Terms and Conditions for Electronic Documents at http://www.sgs.com/esublect to Terms and Conditions for Electronic Documents at http://www.sgs.com/esublect to the drawn to the limitation of liability, indowninfteation and advised that information contained hereon reflects the Company's Client's instructions, if any. The Company's sole responsibility is transaction from exercising all their rights and obligations under in except in full, without prior written approval of the Company. Any appearance of this document is unlawful and offenders may be prose results shown in this test report refer only to the sample(s) tested and Attention: To check the authenticity of testing /inspection report or email: <0.N Doccheck@assa.com	en/Terms-and- i//www.sgs.co jurisdiction is findings at th to its Client the transactio unauthorized secuted to the d such sample	- <u>Conditions.aspx</u> and, for electru- mien/Terms-and-Conditions/Te sues defined therein. Any hold e time of its intervention only and this document does not n documents. This document a lateration, forgery or falsifica- fullest extent of the law. Unles (s) are retained for 30 days only	onic format documents, <u>ims-e-Document.aspx</u> . ler of this document is and within the limits of exonerate parties to a cannot be reproduced ation of the content or is otherwise stated the A
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone	215000	t (86-512) 62992980	www.sgsgroup.com.cn
中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区海路省号的6号厂房南部 邮编:	215000	t (86-512) 62992980	sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 16 of 97

Test Requirement:	47 CFR Part 15C Section 15.247 (b)(1)				
Test Method:	ANSI C63.10:2013 Section 7.8.5				
Test Setup:	PC PC PC PC PC Conmunication FF Control Unit FF Co				
Test Instruments:	Refer to section 6 for details				
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.				
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 				
Limit:	For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels: 1 watt. For all other frequency hopping systems in the 2400-2483.5 MHz band: 0.125 watts.				
Test Results:	Pass				
The detailed test data see: A	ppendix				

4.4 Conducted Output Power

SG



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: to check the authenticity of testing inspection report & certificate, phase contact us at telenhome: (86-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路(号约6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 17 of 97

4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth

S

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)				
Test Method:	ANSI C63.10:2013 Section 6.9.2 and 6.9.3				
Test Setup:	PC FF Control Unit FF				
Instruments Used:	Refer to section 6 for details				
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.				
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 				
Limit:	NA				
Test Results:	Pass				
The detailed test data see:	Appendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions,aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection report & certificate, plasse contact us at telephone: (86-755) 8307 1443. ne: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

t (86-512) 62992980

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 18 of 97

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)			
Test Method:	ANSI C63.10:2013 Section 7.8.2			
Test Setup:	PC FC FC FC FC FC FC FC FC FC F			
Test Instruments:	Refer to section 6 for details			
Exploratory Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.			
Final Test Mode:	 Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. 			
Limit:	2/3 of the 20dB bandwidth			
	Remark: the transmission power is less than 0.125W.			
Test Results:	Pass			
The detailed test data see:	Appendix			

4.6 Carrier Frequencies Separationy

SG



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend for 30 days only. Attention: to check the authenticity of testing Inspection report & certificate, plass contact us at telephone; (66-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 19 of 97

Test Requirement: 47 CFR Part 15C Section 15.247 (a)(1) Test Method: ANSI C63.10:2013 Section 7.8.3 Test Setup: SGS Test system Vector Signal Genera 0 Spectrum Analyzer PC 000 Communication Terter RF Control Unit 0 0 0 E.U.T Analog Signal Generator 0 DC Powe 00000 **Ground Reference Plane** Instruments Used: Refer to section 6 for details Test Mode: Hopping transmitting with all kind of modulation At least 15 channels Limit: Test Results: Pass The detailed test data see: Appendix

4.7 Hopping Channel Number

S



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980

Member of the SGS Group (SGS SA)


sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 20 of 97

4.8 Dwell Time





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereion reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawiful and offenders may be prosecuted to the fullest extend for 30 days only. Attention: <u>Check the authenticity of testing Inspection report & certificate, places contact us at telephone</u>: (86-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000 contact us at telephone: (86-755) 8307 1443, t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 21 of 97

4.9 Band-edge for RF Conducted Emissions

SG

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	ANSI C63.10:2013 Section 7.8.6				
Test Setup:	PC E.U.T ANSWER MERCENCE Plane				
Instruments Used:	Refer to section 6 for details				
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type.				
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of $\pi/4DQPSK$ modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend for 30 days only. Attention to the subtencified of testing inspection report & certificate, places contact us at telephore: (86-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 22 of 97

4.10 Spurious RF Conducted Emissions

SG

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	ANSI C63.10:2013 Section 7.8.8				
Test Setup:	PC PC Communication PC Communication PC Communication PC Communication PC Communication PC Communication Communic				
Instruments Used:	Refer to section 6 for details				
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.				
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of $\pi/4DQPSK$ modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection report & certificate, plasse contact us at telephone: (66-755) 5307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Stazhou Industrial Park, Stazhou Anea, China (Jiangsu) Pikol Free Trade Zone 2150000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01


 Page:
 23 of 97

4.11 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10 :2013 Section	ANSI C63.10 :2013 Section 11.12					
Test Site:	Measurement Distance: 3	m (Semi-Anechoic	Chamber)				
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)		
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300		
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30		
	1.705MHz-30MHz	30	-	-	30		
	30MHz-88MHz	100	40.0	Quasi-peak	3		
	88MHz-216MHz	150	43.5	Quasi-peak	3		
	216MHz-960MHz	200	46.0	Quasi-peak	3		
	960MHz-1GHz	500	54.0	Quasi-peak	3		
	Above 1GHz	500	54.0	Average	3		
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio fro emissions is 20dB above the maximum permitted average emission lim						
	applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.						

Test Setup:

S





	Report No.: SUHR/2022/1000602 Rev.: 01 Page: 24 of 97
	Antenna Tower Im or 3m FUT Turntable Ground Reference Plane Test Receiver For the formula for the formula formula for the formula formul
	Figure 3. Above 1 GHz
Test Procedure:	 a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
	c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	 f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be retested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
	h. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
	i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	j. Repeat above procedures until all frequencies measured was complete.
	k. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
	 I. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
Test Configuration:	Measurements Below 1000MHz
	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Juriadiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing imspection report & certificate, please contact us at telephone: (86-75) 8307 1443.

South of No. 6 Plant, No. 1, Runsheng Read, Stachou Industrial Park, Stachou Anea, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业团区消胜路1号的4号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 25 of 97

	Page: 25 01 97
	 Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	 Detector = Peak
	 Sweep time = auto
	 Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	 VBW = 10 Hz, when duty cycle is no less than 98 percent.
	 VBW ≥ 1/T, when duty cycle is less than 98 percent where T is the minimum
	transmission duration over which the transmitter is on and is transmitting at its
	maximum power control level for the tested mode of operation.
	Value = Reading + Factor(Antenna Factor + Cable loss – Preamplifier Factor).
Exploratory Test	Non-hopping transmitting mode with all kind of modulation and all kind of
Mode:	data type
	Charge + Transmitting mode.
	Through Pre-scan, find the
	DH5 of data type and GFSK modulation is the worst case.
Final Test Mode:	Pretest the EUT at Charge + Transmitting mode
	For below 1GHz part, through pre-scan, the worst case is the lowest channel.
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	a see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Documents as subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Document as the titution is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend for 30 days only. Attention: Conteck the authenticity of testing/inspection report & certificate, places contact us at telephone: (66-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业团区消胜路(号約6号厂房南部 邮编: 215000

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 26 of 97

4.12Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10: 2013					
Test Site:	Measurement Distance: 3m	Measurement Distance: 3m (Semi-Anechoic Chamber)				
Limit:	Frequency Limit (dBuV/m) Remark					
	30MHz-88MHz	40.0	Quasi-peak			
	88MHz-216MHz	43.5	Quasi-peak			
	216MHz-960MHz	46.0	Quasi-peak			
	960MHz-1GHz	54.0	Quasi-peak			
	Above 1GHz	54.0	Average Value			
		74.0	Peak Value			

Test Setup:

SG




	Figure 1	. 30MHz to 1GHz	Figure 2. Above 1 GHz
Test Procedure:		above the ground at	EUT was placed on the top of a rotating table 0.8 meters a 3 or 10 meter semi-anechoic camber. The table was to determine the position of the highest radiation.
		meters above the gro	EUT was placed on the top of a rotating table 1.5 bund at a 3 meter semi-anechoic camber. The table was to determine the position of the highest radiation.
			or 10 meters away from the interference-receiving mounted on the top of a variable-height antenna tower.
		to determine the max	s varied from one meter to four meters above the ground kimum value of the field strength. Both horizontal and of the antenna are set to make the measurement.
		then the antenna was	emission, the EUT was arranged to its worst case and s tuned to heights from 1 meter to 4 meters and the urned from 0 degrees to 360 degrees to find the
		f. The test-receiver sys Bandwidth with Maxi	tem was set to Peak Detect Function and Specified mum Hold Mode.
		g. Place a marker at the	e end of the restricted band closest to the transmit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sag.com/en/Terma-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at Intitle//www.sag.com/en/Terma-and-Conditions/Terma-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: C thesk the authenticity of testing inspection report & certificate, plasse contact us at telephone; (66-755) 5307 1443. e: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn

t (86-512) 62992980

sgs.china@sgs.com

Report No.: SUHR/2022/1000602

	Rev.: 01				
	Page: 27 of 97				
	 frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the X axis positioning which it is worse case. j. Repeat above procedures until all frequencies measured was complete. 				
Test Configuration:	Measurements Below 1000MHz				
	• RBW = 120 kHz				
	• VBW = 300 kHz				
	 Detector = Peak 				
	 Trace mode = max hold 				
	Peak Measurements Above 1000 MHz				
	• RBW = 1 MHz				
	• VBW ≥ 3 MHz				
	Detector = Peak				
	Sweep time = auto				
	 Trace mode = max hold Average Measurements Above 1000MHz 				
	RBW = 1 MHz				
	 VBW = 10 Hz, when duty cycle is no less than 98 percent. 				
	• VBW \geq 1/T, when duty cycle is less than 98 percent where T is the minimum				
	transmission duration over which the transmitter is on and is transmitting at its				
	maximum power control level for the tested mode of operation.				
	Value = Reading + Factor(Antenna Factor + Cable loss).				
Exploratory Test Mode:	Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode.				
	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst				
Final Test Mode:	case.				
T mar rest mode.	Pretest the EUT at Charge + Transmitting mode,				
	Only the worst case is recorded in the report.				
Instruments Used:	Refer to section 6 for details				
Test Results:	Pass				
The detailed test data see	e: Appendix				



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jkangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区湖胜路(号約6号厂房南都 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 28 of 97

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	±7.25 x 10 ⁻⁸
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	±7.25 x 10 ⁻⁸
7	Conduction Emission	± 2.9dB (150kHz to 30MHz)
		± 3.13dB (9kHz - 30MHz)
8	Radiated Emission	± 4.8dB (30MHz - 1GHz)
0		± 4.8dB (1GHz to 18GHz)
		± 4.8dB (Above 18GHz)



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend for 30 days only. Attention: to these the authenticity of testing inspection report & certificate, glasse contact us at telephoner.(66-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 29 of 97

Equipment List 6

Tonscend Test System								
_				Cal. date	Cal.Due date			
Equipment	Manufacturer	Model No.	Inventory No.	(yyyy-mm- dd)	(yyyy-mm- dd)			
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/5/8	2024/5/7			
Temperature and	MingGao	TH101B	SUWI-01-01-07	2021/2/20	2022/2/19			
humidity meter	wiingGao	ППОТВ	3000-01-01-07	2022/2/16	2023/2/15			
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2021/5/28	2022/5/27			
		HY3005B		2021/2/20	2022/2/19			
DC Power Supply	HYELEC		SUWI-01-18-01	2022/2/15	2023/2/14			
Measurement	Tonscend	JS1120-3 Test System	SUWI-02-09-09	NCR	NCR			
Software		V 2.6.88.0336						
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2021/12/4	2022/12/3			
Power Meter	Anritsu	ML2495A	SUWI-01-31-01	2021/12/4	2022/12/3			
Pulse power Sensor Anritsu		MA2411B	SUWI-01-32-01	2021/12/4	2022/12/3			

CE Test Equipment								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date			
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021/5/8	2024/5/7			
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-01	2021/2/20	2022/2/19			
Antificial network	KUNDEQSCHWARZ	EINVZIO	3000-01-19-01	2022/2/19	2023/2/18			
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2021/2/20	2022/2/19			
Antificial Hetwork			30001-01-19-02	2022/2/19	2023/2/18			
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR			
Test ressiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2021/2/20	2022/2/19			
Test receiver			30001-01-10-01	2022/2/19	2023/2/18			
Temperature and	MingGao	TH101B	SUWI-01-01-06	2021/2/20	2022/2/19			
humidity meter				2022/2/16	2023/2/15			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

t (86-512) 62992980

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 30 of 97

RSE Test Equipment							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/5/8	2024/5/7		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2021/2/20 2022/2/16	2022/2/19 2023/2/15		
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2021/5/28	2022/5/27		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2021/2/20 2022/2/19	2022/2/19 2023/2/18		
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/5/16	2022/5/15		
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/5/16	2022/5/15		
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/5/14	2022/5/13		
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2021/2/20 2022/2/15	2022/2/19 2023/2/14		
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2021/2/20 2022/2/15	2022/2/19 2023/2/14		
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2021/2/20 2022/2/19	2022/2/19 2023/2/18		
Active Loop Antenna	SCHWRZBECK MESS-ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/6/10	2022/6/9		
Measurement Software	Tonscend	JS32-RE V3.0.0.3	SUWI-02-09-04	NCR	NCR		



SG

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 31 of 97

7 **Photographs - Setup Photos Constructional Details**

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawiful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection report & certificate, plasse contact us at telephone; (66-755) 5307 1443, ne: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 32 of 97

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Com-Advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and therein. Any holder of this document is ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alleration, forgery or faisification of the content or represented in the terms to the sample(s) lested and such sample(s) are related for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jkangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区湖胜路(号約6号厂房南都 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 33 of 97

20dB Emission Bandwidth

Test Result

TestMode	Antenna	Frequency[MHz]	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	0.94	2401.55	2402.49		
DH5	Ant3	2441	0.94	2440.55	2441.49		
		2480	0.94	2479.54	2480.49		
		2402	1.28	2401.38	2402.66		
2DH5	Ant3	2441	1.29	2440.38	2441.66		
		2480	1.29	2479.38	2480.66		
		2402	1.29	2401.36	2402.66		
3DH5	Ant3	2441	1.29	2440.36	2441.66		
		2480	1.29	2479.36	2480.66		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01


 Page:
 34 of 97

Test Graphs





Report No.: SUHR/2022/1000602 Rev.: 01 Page: 35 of 97





 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 36 of 97





Report No.: SUHR/2022/1000602 Rev.: 01 Page: 37 of 97 3DH5 Ant3 2402 8 MultiView Spectrum .
 Ref Level
 15.00 dBm
 Offset
 4.50 dB
 RBW
 30 kHz

 Att
 20 dB
 SWT
 1.05 ms
 VBW
 100 kHz
 Count 100/100 MI[1] -14.73 dB 0136400 GI 4.64 dB M2[1] 1 99700 6 HI -15.350 60 dBr F 2.402 GH 1001 pts 300.0 kHz/ Span 3.0 MHz 2.401 364 GHz 2.401 997 GHz 1.293 MHz Value
 -14.73 dBm
 4.64 dBm
 -0.51 dB 11:32:27 18.02.2022 3DH5 Ant3 2441 8 MultiView Spectrum
 RefLevel
 15.00 dBm
 Offset
 4.50 dB
 RBW
 30 kHz

 Att
 20 dB
 SWT
 1.05 ms
 VBW
 100 kHz
 Count 100/100 M2[1] 4.28 d 9700 6 H1 -15,720 F 2.441 GH 1001 pts 300.0 kHz/ Span 3.0 MHz 2.440 364 GHz 2.440 997 GHz 1.293 MHz -15.08 dBm 4.28 dBm -0.45 dB 11:34:46 18.02.2022



Report No.: SUHR/2022/1000602 Rev.: 01 Page: 38 of 97





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents as subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereion reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Impection report & certificate, plasse contact us at telehome: (66-755) 5307 1443, ne: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

t (86-512) 62992980

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 39 of 97

Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	0.829	2401.592	2402.421		
DH5	Ant3	2441	0.830	2440.592	2441.422		
		2480	0.830	2479.590	2480.420		
	Ant3	2402	1.166	2401.422	2402.588		
2DH5		2441	1.167	2440.422	2441.588		
		2480	1.167	2479.421	2480.588		
3DH5	Ant3	2402	1.171	2401.425	2402.595		
		2441	1.170	2440.425	2441.595		
		2480	1.171	2479.424	2480.595		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业团区消胜路(号約6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 40 of 97

Test Graphs






 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 41 of 97






 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 42 of 97






 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 43 of 97





Report No.: SUHR/2022/1000602 Rev.: 01 Page: 44 of 97





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents as subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereion reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Impection report & certificate, plasse contact us at telehome: (66-755) 5307 1443, ne: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

t (86-512) 62992980

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 45 of 97

Maximum conducted output power Test Result Peak

Test Mode	Antenna	Frequency[MHz]	Conducted Peak Powert[dBm]	Conducted Limit[dBm]	Verdict	
		2402	5.75	≤30.00	PASS	
DH5	Ant3	2441	5.54	≤30.00	PASS	
		2480	6.24	≤30.00	PASS	
	Ant3		2402	8.65	≤20.97	PASS
2DH5		2441	8.27	≤20.97	PASS	
		2480	8.99	≤20.97	PASS	
		2402	10.02	≤20.97	PASS	
3DH5	Ant3	2441	9.78	≤20.97	PASS	
		2480	10.36	≤20.97	PASS	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 46 of 97

Carrier frequency separation

Test Result

TestMode	Antenna	Frequency[MHz]	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant3	Нор	1.144	≥0.940	PASS
2DH5	Ant3	Нор	0.998	≥0.860	PASS
3DH5	Ant3	Нор	0.996	≥0.860	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Ana, China (Jangsu) Plot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 47 of 97

DH5 Ant3 Hop \$. MultiView Spectrum Ref Level 15.00 dBm Offset 4.50 dB RBW 300 kHz Att 20 dB SWT 1.01 ms VBW 300 kHz Mode M1[1] D2 D2[1] 0.15 d 1.14400 MH 2.440 5 GHz 1001 pts 200.0 kHz/ 2.442 5 GHz 13:00:27 18.02.2022 2DH5 Ant3 Hop MultiView Spectrum Ref Level 15.00 dBm Offset 4.50 dB RBW 300 kHz Att 20 dB SWT 1.01 ms VBW 300 kHz Mode D2[1] Tommer 1001 pt 200.0 kHz/ 2.4425 GHz 2.440 5 GHz 13:32:45 18.02.2022

Test Graphs



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawifue and the sample(s) are retained for 30 days only. Attention: Do theck the authenticity of testing Jinspection report & certificate, places contact us at telephore: (66-755) 5307 1443, ne: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

Member of the SGS Group (SGS SA)

t (86-512) 62992980

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 48 of 97





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection report & certificate, plazes contact us at telephore: (66-755) 5307 1443, ne: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

t (86-512) 62992980

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 49 of 97

Time of occupancy

Test Result

TestMode	Antenna	Frequency[MHz]	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH1	Ant3	Нор	0.38	320	0.122	≤0.4	PASS
DH3	Ant3	Нор	1.64	160	0.262	≤0.4	PASS
DH5	Ant3	Нор	2.89	106.67	0.308	≤0.4	PASS
2DH1	Ant3	Нор	0.37	320	0.118	≤0.4	PASS
2DH3	Ant3	Нор	1.62	160	0.259	≤0.4	PASS
2DH5	Ant3	Нор	2.86	106.67	0.305	≤0.4	PASS
3DH1	Ant3	Нор	0.37	320	0.118	≤0.4	PASS
3DH3	Ant3	Нор	1.62	160	0.259	≤0.4	PASS
3DH5	Ant3	Нор	2.87	106.67	0.306	≤0.4	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 50 of 97

Test Graphs





Report No.: SUHR/2022/1000602 Rev.: 01 Page: 51 of 97 DH5 Ant3 Hop 8 MultiView Spectrum *
 Ref Level
 15.00 dBm
 Offset
 4.50 dB
 RBW
 1 MHz

 Att
 20 dB
 SWT
 10 ms
 VBW
 3 MHz
 SGL Count 1/1 M1[1] 19.41.4 20.00 µ 23.61 di D2[1] -TRG 2.400 Appring-Approximation and provide the antime Konfalmer Johner whantum MYMMM CF 2.441 GHz 1001 pts 1.0 ms/ 13:27:12 18.02.2022 2DH1 Ant3 Hop \$ MultiView Spectrum .
 Ref Level
 15.00 dBm
 Offset
 4.50 dB
 RBW
 1 MHz

 Att
 20 dB
 SWT
 10 ms
 VBW
 3 MHz
 SGL Count 1/1 TRG 5.600 2[1]-1.05 370.00 -Mestre analyticationany for any how they have been been been been and the second RAMR AND LAN WMMMW CF 2.441 GH 1001 pts 1.0 ms/ 13:34:01 18.02.2022



Report No.: SUHR/2022/1000602 Rev.: 01 Page: 52 of 97 2DH3 Ant3 Hop \$ MultiView Spectrum *
 Ref Level
 15.00 dBm
 Offset
 4.50 dB
 RBW
 1 MHz

 Att
 20 dB
 SWT
 10 ms
 VBW
 3 MHz
 SGL Count 1/1 M1[1] 6.13 d -1.19 0 TRG 5.600 D2[1] 1,620 00 m MYM when which which which hoge and the second and the second John Stallada VANAMAN -194Mpharam CF 2.441 GHz 1001 pts 1.0 ms/ 13:34:25 18.02.2022 2DH5 Ant3 Hop 8 MultiView Spectrum *
 Ref Level
 15.00 dBm
 Offset
 4.50 dB
 RBW
 1 MHz


 Att
 20 dB
 SWT
 10 ms
 VBW
 3 MHz
 SGL Count 1/1 TRG 5.600 02(1 -0.69 2.860.00 distantial and a the physical prothe high our full reaction and the second second second second second CF 2.441 GHz 1001 pts 1.0 ms/ 13:33:38 18.02.2022



 Report No.:
 SUHR/2022/1000602


 Rev.:
 01

 Page:
 53 of 97





Report No.: SUHR/2022/1000602 Rev.: 01 Page: 54 of 97





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u> (for electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>). The terms and Conditions for Terms and Conditions for the Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions</u>. There are the terms and Conditions is the terms of the intervention of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>Check the authenticity of testing Inspection report & certificate, plazes contact us at telephone</u> (86-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

t (86-512) 62992980

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 55 of 97

Number of hopping channels Test Result

TestMode	Antenna	Frequency[MHz]	Result[Num]	Limit[Num]	Verdict
DH5	Ant3	Нор	79	≥15	PASS
2DH5	Ant3	Нор	79	≥15	PASS
3DH5	Ant3	Нор	79	≥15	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业团区消胜路(号約6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com


 Report No.:
 SUHR/2022/1000602

 Rev.:
 01


 Page:
 56 of 97

Test Graphs





Report No.: SUHR/2022/1000602 Rev.: 01 Page: 57 of 97





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection report & certificate, plazes contact us at telephore: (66-755) 5307 1443, ne: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

t (86-512) 62992980

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 58 of 97

Band edge measurements

Test Result

TestMode	Antenna	ChName	Frequency[MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
		Low	2402	4.88	-55.3	≤-15.12	PASS
		High	2480	5.15	-60.64	≤-14.85	PASS
DH5	Ant3	Low	Hop_2402	4.61	-65.99	≤-15.39	PASS
		High	Hop_2480	5.67	-62.91	≤-14.33	PASS
		Low	2402	5.43	-54.22	≤-14.57	PASS
		High	2480	4.98	-60.62	≤-15.02	PASS
2DH5	Ant3	Low	Hop_2402	4.10	-65.64	≤-15.9	PASS
		High	Hop_2480	5.44	-63.7	≤-14.56	PASS
		Low	2402	6.92	-51.1	≤-13.08	PASS
3DH5	Ant3	High	2480	5.72	-60.77	≤-14.28	PASS
		Low	Hop_2402	6.42	-64.07	≤-13.58	PASS
		High	Hop_2480	6.03	-63.27	≤-13.97	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, China (Jiangsu) Pilol Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602


 Rev.:
 01

 Page:
 59 of 97

Test Graphs












Report No.: SUHR/2022/1000602 Rev.: 01 Page: 61 of 97









Report No.: SUHR/2022/1000602 Rev.: 01 63 of 97 Page: 3DH5 Ant3 Low 2402 8 MultiView Spectrum .
 Ref Level
 15.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz

 Att
 20 dB
 SWT
 1.08 ms
 VBW
 300 kHz
 Mode MI[1] M2[1] -H1 -13.09 Mar Mark Marken Mania Markenhola 5.5 MHz/ 2.35 GHz 1001 pts 2.405 GHz X-Value 2.402 17 GHz 2.4 GHz 2.39 GHz 2.399 94 GHz V-Value 6.92 dBm -50.63 dBm -66.81 dBm -51.10 dBm M2 M3 11:32:53 18.02.2022 3DH5 Ant3 High 2480 8 * MultiView Spectrum
 Ref Level
 15.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz

 Att
 20 dB
 SWT
 1.07 ms
 VBW
 300 kHz
 M1[1] 5.72 d 2,479 950 0 M2[1] -60.18 d 83 500 0 G 14.20 10 dB and the second sec WANNAN AN mounterthe ma meloundonto in Amis No MMunos 2,47 GHz 1001 pts 8.0 MHz/ 2.55 GHz X Value 2.479 95 GHz 2.483 5 GHz 2.5 GHz 2.484 GHz V-Value 5.72 dBm -60.18 dBm -65.02 dBm -60.77 dBm 11:36:36 18.02.2022



Report No.: SUHR/2022/1000602 Rev.: 01 64 of 97 Page: 3DH5 Ant3 Low Hop 2402 8 MultiView - Spectrum .
 Ref Level
 15.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz

 Att
 20 dB
 SWT
 1.08 ms
 VBW
 300 kHz
 Mode M2[1] -01-13/500 30 dB an Revortenteda Martin male CHENRY WWW 5.5 MHz/ 2.35 GHz 1001 pts 2.405 GHz X-Value 2.402 83 GHz 2.4 GHz 2.39 GHz 2.389 765 GHz V-Value 6.42 dBm -56.78 dBm -67.36 dBm -64.07 dBm M2 M3 13:36:18 18.02.2022 3DH5 Ant3 High Hop 2480 8 . MultiView . Spectrum MultiView Spectrum Ref Level 15.00 dBm Offset 4.50 dB = RBW 100 kHz 20.48. SWT 1.07 ms = VBW 300 kHz M1[1] 6.03 dB 2,472 038 0 G M2[1] postile May MA -63.42 dB 13.97 10 dB Maria myna white marken when man Add admantered mann menter 2.47 GHz 1001 pts 8.0 MHz/ 2.55 GHz X-Value 2.472 038 GHz 2.483 5 GHz 2.5 GHz 2.513 6 GHz V-Value 6.03 dBm -63.42 dBm -65.78 dBm -63.27 dBm 13:38:36 18.02.2022



 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 65 of 97

Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange	RefLevel	Result	Limit	Verdict
			[MHz]	[dBm]	[dBm]	[dBm]	
			Reference	5.42	5.42		PASS
		2402	30~1000	5.42	-58	≤-14.58	PASS
			1000~26500	5.42	-51.88	≤-14.58	PASS
			Reference	5.07	5.07		PASS
DH5	Ant3	2441	30~1000	5.07	-58.59	≤-14.93	PASS
			1000~26500	5.07	-51.81	≤-14.93	PASS
			Reference	5.72	5.72		PASS
		2480	30~1000	5.72	-57.73	≤-14.28	PASS
			1000~26500	5.72	-51.02	≤-14.28	PASS
	Ant3	2402	Reference	6.21	6.21		PASS
			30~1000	6.21	-58.04	≤-13.79	PASS
			1000~26500	6.21	-51.47	≤-13.79	PASS
		Ant3 2441 2480	Reference	5.76	5.76		PASS
2DH5			30~1000	5.76	-57.84	≤-14.24	PASS
			1000~26500	5.76	-51.9	≤-14.24	PASS
			Reference	6.58	6.58		PASS
			30~1000	6.58	-57.69	≤-13.42	PASS
			1000~26500	6.58	-51.92	≤-13.42	PASS
			Reference	7.20	7.20		PASS
		2402	30~1000	7.20	-58.02	≤-12.8	PASS
			1000~26500	7.20	-52.24	≤-12.8	PASS
			Reference	6.86	6.86		PASS
3DH5	Ant3	Ant3 2441	30~1000	6.86	-57.39	≤-13.14	PASS
			1000~26500	6.86	-51.7	≤-13.14	PASS
			Reference	7.49	7.49		PASS
		2480	30~1000	7.49	-56.71	≤-12.51	PASS
			1000~26500	7.49	-52	≤-12.51	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions


South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 66 of 97

Test Graphs






Report No.: SUHR/2022/1000602 Rev.: 01 67 of 97 Page: DH5 Ant3 2402 1000~26500 3 MultiView Spectrum
 Ref Level
 25.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz

 Att
 30 dB
 SWT
 255 ms
 VBW
 300 kHz
 .401 740 GF 51.88 dB .729 538 GF M2[1] -41 -14,580 2.55 GHz/ 1.0 GHz 52001 pts 26.5 GHz 10:19:58 18.02.2022 DH5 Ant3 2441 0~Reference 8 MultiView . Spectrum
 Ref Level 30.00 dBm
 Offset 4.50 dB = RBW 100 kHz

 Att
 30 dB
 SWT
 1.01 ms
 VBW 300 kHz
 Count 10/10 MI[1] 5.07 dB 41 170 B0 G CF 2.441 GH 1001 pt 150.0 kHz/ Span 1.5 MHz 10:21:26 18.02.2022







Report No.: SUHR/2022/1000602 Rev.: 01 69 of 97 Page: DH5 Ant3 2480 0~Reference \$ MultiView Spectrum .
 Ref Level
 30.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz

 Att
 30 dB
 SWT
 1.01 ms
 VBW
 300 kHz
 Mode
 Count 10/10 MI[1] 5.72 dB 80 161 B0 G Span 1.5 MHz CF 2.48 GHz 1001 pts 150.0 kHz/ 10:25:00 18.02.2022 DH5 Ant3 2480 30~1000 8 . MultiView . Spectrum
 Ref Level 25.00 dBm
 Offset 4.50 dB = RBW 100 kHz

 Att
 25.dB
 SWT
 9.7 ms = VBW 300 kHz
 #1 -14,280 141 A Vela un il 30.0 MHz 2001 pts 97.0 MHz/ 1.0 GHz 10:25:06 18.02.2022




Report No.: SUHR/2022/1000602 Rev.: 01 70 of 97 Page: DH5 Ant3 2480 1000~26500 3 MultiView Spectrum .
 Ref Level
 25.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz

 Att
 30 dB
 SWT
 255 ms
 VBW
 300 kHz
 -51.02 dB M2[1] #1 -14.280 2.55 GHz/ 1.0 GHz 52001 pts 26.5 GHz 10:25:28 18.02.2022 2DH5 Ant3 2402 0~Reference 8 MultiView . Spectrum
 Ref Level 30.00 dBm
 Offset 4.50 dB = RBW 100 kHz

 Att
 30 dB
 SWT
 1.01 ms
 VBW 300 kHz
 Count 10/10 6.21 dB 1001 pt 150.0 kHz/ Span 1.5 MHz CF 2.402 GH 10:33:38 18.02.2022







Report No.: SUHR/2022/1000602 Rev.: 01 72 of 97 Page: 2DH5 Ant3 2441 0~Reference 8 MultiView Spectrum .
 Ref Level 30.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz

 Att
 30 dB
 SWT
 1.01 ms
 VBW
 300 kHz
 Mode
 Count 10/10 MI[1] 5.76 dB 10 859 10 GF Span 1.5 MHz CF 2.441 GHz 1001 pts 150.0 kHz/ 11:27:09 18.02.2022 2DH5 Ant3 2441 30~1000 8 . MultiView . Spectrum
 Ref Level 25.00 dBm
 Offset 4.50 dB = RBW 100 kHz

 Att
 25 dB
 SWT
 9.7 ms = VBW 300 kHz
 #1 -14,240 60 dBm 30.0 MHz 2001 pts 97.0 MHz/ 1.0 GHz 11:27:15 18.02.2022



Report No.: SUHR/2022/1000602 Rev.: 01 73 of 97 Page: 2DH5 Ant3 2441 1000~26500 3 MultiView Spectrum .
 Ref Level
 25.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz

 Att
 30 dB
 SWT
 255 ms
 VBW
 300 kHz
 M2[1] -51.90 dB #1 -14,240 2.55 GHz/ 1.0 GHz 52001 pts 26.5 GHz 11:27:37 18.02.2022 2DH5 Ant3 2480 0~Reference 8 MultiView . Spectrum
 Ref Level 30.00 dBm
 Offset 4.50 dB = RBW 100 kHz

 Att
 30 dB
 SWT
 1.01 ms
 VBW 300 kHz
 Count 10/10 6.58 dB 1001 pt 150.0 kHz/ Span 1.5 MHz CF 2.48 GH: 11:28:54 18.02.2022




Report No.: SUHR/2022/1000602 Rev.: 01 74 of 97 Page: 2DH5 Ant3 2480 30~1000 3 MultiView . Spectrum .
 Ref Level
 25.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz


 Att
 25 dB
 SWT
 9.7 ms
 VBW
 300 kHz
 M1[1] -01 -13 420 ALANA . ulf in his Mada 97.0 MHz/ 30.0 MHz 2001 pts 1.0 GHz 11:29:00 18.02.2022 2DH5 Ant3 2480 1000~26500 8 . MultiView . Spectrum
 Ref Level
 25.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz

 Att
 30 dB
 SWT
 255 ms
 VBW
 300 kHz
 5,47 (M2[1] 51.92 d 95 923 6 -01 -13.42 1.0 GHz 52001 pts 2.55 GHz/ 26.5 GHz 11:29:21 18.02.2022

















Report No.: SUHR/2022/1000602 Rev.: 01 78 of 97 Page: 3DH5 Ant3 2480 0~Reference 8 MultiView . Spectrum .
 Ref Level 30.00 dBm
 Offset
 4.50 dB
 RBW
 100 kHz

 Att
 30 dB
 SWT
 1.01 ms
 VBW
 300 kHz
 Mode
 Count 10/10 MI[1] 7.49 dB 80 164 80 GF CF 2.48 GHz 1001 pts 150.0 kHz/ Span 1.5 MHz 11:36:42 18.02.2022 3DH5 Ant3 2480 30~1000 8 . MultiView . Spectrum
 Ref Level 25.00 dBm
 Offset 4.50 dB = RBW 100 kHz

 Att
 25 dB
 SWT
 9.7 ms = VBW 300 kHz
 +1 -12.51 MI 1140 30.0 MHz 2001 pts 97.0 MHz/ 1.0 GHz 11:36:48 18.02.2022







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection report & certificate, plazes contact us at telephore: (66-755) 5307 1443, ne: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 80 of 97

Duty Cycle Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]	Duty Cycle Factor[dB]
		2402	2.88	3.75	76.80	1.15
DH5	Ant3	2441	2.88	3.75	76.80	1.15
		2480	2.88	3.75	76.80	1.15
		2402	2.89	3.76	76.86	1.14
2DH5	Ant3	2441	2.89	3.75	77.07	1.13
		2480	2.88	3.75	76.80	1.15
		2402	2.88	3.75	76.80	1.15
3DH5	Ant3	2441	2.89	3.76	76.86	1.14
		2480	2.89	3.76	76.86	1.14



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and Jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company, any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) testing linespection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CO Appscherming.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Suchou Anea, Chine (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Report No.: SUHR/2022/1000602 Rev.: 01 81 of 97 Page:



Test Graphs



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Documents as subject to Terms and Conditions for Electronic Documents at *http://www.sgs.com/en/Terms-and-Conditions.aspx* and, for electronic Document as the titution is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein, Any holder of this document is advised that information contained hereion reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>Check the authenticity of testing Inspection report & certificate, plazes contact us at telephone</u>: (66-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

t (86-512) 62992980

Report No.: SUHR/2022/1000602 Rev.: 01 82 of 97 Page:





S

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents as subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereion reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Impection report & certificate, plasse contact us at telehome: (66-755) 5307 1443, ne: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980

Member of the SGS Group (SGS SA)


sgs.china@sgs.com

S

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 83 of 97






 Report No.:
 SUHR/2022/1000602


 Rev.:
 01

 Page:
 84 of 97





Report No.: SUHR/2022/1000602 Rev.: 01 Page: 85 of 97





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Documents as subject to Terms and Conditions for Electronic Documents at *http://www.sgs.com/en/Terms-and-Conditions.aspx* and, for electronic Document as the titution is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein, Any holder of this document is advised that information contained hereion reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>Check the authenticity of testing Inspection report & certificate, plazes contact us at telephone</u>: (66-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区满胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)

 Report No.:
 SUHR/2022/1000602


 Rev.:
 01

 Page:
 86 of 97

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: GFSK_Channel 00



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	38.0025	47.26	-22.56	24.70	40.00	15.30	168	156	Horizontal					
2	103.235	50.16	-25.42	24.74	43.50	18.76	184	299	Horizontal					
3	142.035	51.33	-21.91	29.42	43.50	14.08	126	177	Horizontal					
4	209.935	59.64	-24.78	34.86	43.50	8.64	196	349	Horizontal					
5	299.175	47.66	-21.54	26.12	46.00	19.88	174	8	Horizontal					
6	608.8475	36.26	-13.92	22.34	46.00	23.66	221	338	Horizontal					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-to-Comments, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only. Attention: To check the authenticity of testing/Inspection report & certificate, plazes contact us at telephore: (66-755) 5307 1443.


South of No.6 Plant, No.1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 87 of 97



Worst case Mode: GFSK_Channel 00

Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	37.76	56.78	-22.60	34.18	40.00	5.82	145	225	Vertical					
2	66.1325	51.33	-24.91	26.42	40.00	13.58	129	163	Vertical					
3	99.84	51.99	-25.63	26.36	43.50	17.14	135	122	Vertical					
4	203.145	56.33	-25.11	31.22	43.50	12.28	144	80	Vertical					
5	299.4175	46.29	-21.54	24.75	46.00	21.25	160	61	Vertical					
6	396.175	38.24	-18.64	19.60	46.00	26.40	237	360	Vertical					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions,aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn

t (86-512) 62992980


sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 88 of 97

Transmitter emission above 1GHz 802.GFSK_Channel 00



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4804.0000	49.41	-13.21	36.20	74.00	37.80	185	85	Horizontal					
2	4804.0000	-	-	11.35	54.00	42.65	-	-	Horizontal					
3	7206.0000	47.37	-6.84	40.53	74.00	33.47	236	125	Horizontal					
4	7206.0000	-	-	15.68	54.00	38.32	-	-	Horizontal					
5	9608.0000	42.92	-1.22	41.70	74.00	32.30	149	335	Horizontal					
6	9608.0000	-	-	16.85	54.00	37.15	-	-	Horizontal					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980


Member of the SGS Group (SGS SA)

sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 89 of 97



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4804.0000	49.04	-13.21	35.83	74.00	38.17	147	128	Vertical				
2	4804.0000	-	-	10.98	54.00	43.02	-	-	Vertical				
3	7206.0000	46.90	-6.84	40.06	74.00	33.94	188	196	Vertical				
4	7206.0000	-	-	15.21	54.00	38.79	-	-	Vertical				
5	9608.0000	43.56	-1.22	42.34	74.00	31.66	230	234	Vertical				
6	9608.0000	-	-	17.49	54.00	36.51	-	-	Vertical				

802.GFSK_Channel 00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions are reasonable to the service printed documents and the service printed documents and the service printed document as a divised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is infavirui and offenders may be prosecuted to the fullest extent of the lass content or responsibility is sole responsibility is to the fullest extent of the leads of the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawifue and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>Check the authenticity of testing fungeed to accept a scentificate, plases contact us at telephore</u> (86-755) S307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 90 of 97



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4882.0000	48.64	-12.98	35.66	74.00	38.34	120	165	Horizontal					
2	4882.0000	-	-	10.81	54.00	43.19	-	-	Horizontal					
3	7323.0000	47.31	-7.14	40.17	74.00	33.83	235	214	Horizontal					
4	7323.0000	-	-	15.32	54.00	38.68	-	-	Horizontal					
5	9764.0000	41.02	-1.21	39.81	74.00	34.19	178	196	Horizontal					
6	9764.0000	-	-	14.96	54.00	39.04	-	-	Horizontal					

802.GFSK_Channel 39



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions are reasonable to the service printed documents and the service printed documents and the service printed document as a divised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is infavirui and offenders may be prosecuted to the fullest extent of the lass content or responsibility is sole responsibility is to the fullest extent of the leads of the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawifue and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>Check the authenticity of testing fungeed to accept a scentificate, plases contact us at telephore</u> (86-755) S307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Piee Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn


t (86-512) 62992980

sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 91 of 97



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4882.0000	49.38	-12.98	36.40	74.00	37.60	187	125	Vertical				
2	4882.0000	-	-	11.55	54.00	42.45	-	-	Vertical				
3	7323.0000	46.67	-7.14	39.53	74.00	34.47	149	166	Vertical				
4	7323.0000	-	-	14.68	54.00	39.32	-	-	Vertical				
5	9764.0000	41.34	-1.21	40.13	74.00	33.87	231	147	Vertical				
6	9764.0000	-	-	15.28	54.00	38.72	-	-	Vertical				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions are reasonable to the service printed documents and the service printed documents and the service printed document as a divised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is infavirui and offenders may be prosecuted to the fullest extent of the lass content or responsibility is sole responsibility is to the fullest extent of the leads of the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawifue and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>Check the authenticity of testing fungeed to accept a scentificate, plases contact us at telephore</u> (86-755) S307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Piee Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn

t (86-512) 62992980


Member of the SGS Group (SGS SA)

sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 92 of 97



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	4960.0000	49.77	-12.83	36.94	74.00	37.06	142	4	Horizontal					
2	4960.0000	-	-	12.09	54.00	41.91	-	-	Horizontal					
3	7440.0000	47.57	-6.83	40.74	74.00	33.26	155	204	Horizontal					
4	7440.0000	-	-	15.89	54.00	38.11	-	-	Horizontal					
5	9920.0000	42.53	-0.93	41.60	74.00	32.40	196	53	Horizontal					
6	9920.0000	-	-	16.75	54.00	37.25	-	-	Horizontal					

802.GFSK_Channel 78



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions are reasonable to the service printed documents and the service printed documents and the service printed document as a divised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is infavirui and offenders may be prosecuted to the fullest extent of the lass content or responsibility is sole responsibility is to the fullest extent of the leads of the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawifue and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>Check the authenticity of testing fungeed to accept a scentificate, plases contact us at telephore</u> (86-755) S307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn


t (86-512) 62992980

sgs.china@sgs.com

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 93 of 97



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4960.0000	49.73	-12.83	36.90	74.00	37.10	198	320	Vertical				
2	4960.0000	-	-	12.05	54.00	41.95	-	-	Vertical				
3	7440.0000	47.69	-6.83	40.86	74.00	33.14	124	48	Vertical				
4	7440.0000	-	-	16.01	54.00	37.99	-	-	Vertical				
5	9920.0000	42.19	-0.93	41.26	74.00	32.74	166	187	Vertical				
6	9920.0000	-	-	16.41	54.00	37.59	-	-	Vertical				

802.GFSK_Channel 78



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions are reasonable to the service printed documents and the service printed documents and the service printed document as a divised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is infavirui and offenders may be prosecuted to the fullest extent of the lass content or responsibility is sole responsibility is to the fullest extent of the leads of the company of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawifue and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>Check the authenticity of testing fungeed to accept a scentificate, plases contact us at telephore</u> (86-755) S307 1443,


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

sgs.china@sgs.com

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 94 of 97

Restricted bands around fundamental frequency

802.GFSK Channel 00




Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	2339.3367	39.16	3.09	42.25	74.00	31.75	235	110	Horizontal					
2	2339.3367	-	-	17.40	54.00	36.60	-	-	Horizontal					
3	2385.8767	40.75	3.07	43.82	74.00	30.18	235	110	Horizontal					
4	2385.8767	-	-	18.97	54.00	35.03	-	-	Horizontal					
5	2402.0000	97.18	3.08	100.26	-	-	235	110	Horizontal					
6	2402.0000	-	-	75.41	-	-	-	-	Horizontal					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions e: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 95 of 97



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	2333.3567	39.32	3.09	42.41	74.00	31.59	148	271	Vertical					
2	2333.3567	-	-	17.56	54.00	36.44	-	-	Vertical					
3	2386.1367	41.44	3.07	44.51	74.00	29.49	148	271	Vertical					
4	2386.1367	-	-	19.66	54.00	34.34	-	-	Vertical					
5	2402.0000	92.28	3.08	95.36	-	-	148	271	Vertical					
6	2402.0000	-	-	70.51	-	-	-	-	Vertical					

802.GFSK_Channel 00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic Documents as the titut of the service printed documents, subject to Terms and Conditions for Terms cand Conditions or Telectronic Documents and the titut of the service printed documents and the titut of the service printed documents and the titut of the service printed document as the titut of the service printed document as the titut of the service printed document as the titut of the service printed control of the service printed document is advised that information contained herein reflects the Company's findings at the time of its intervention not and with the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unawriting and the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawritin and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report freed only to the sample(s) tested and such sample(s) are retained for 30 days only. e: (86-755) 8307 1443.


South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com

t (86-512) 62992980

 Report No.:
 SUHR/2022/1000602

 Rev.:
 01

 Page:
 96 of 97



Final	Final Data List													
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity					
1	2480.0000	96.24	3.57	99.81	-	-	128	144	Horizontal					
2	2480.0000	-	-	74.96	-	-	-	-	Horizontal					
3	2483.5000	38.21	3.60	41.81	74.00	32.19	128	144	Horizontal					
4	2483.5000	-	-	16.96	54.00	37.04	-	-	Horizontal					
5	2490.9325	39.50	3.64	43.14	74.00	30.86	128	144	Horizontal					
6	2490.9325	-	-	18.29	54.00	35.71	-	-	Horizontal					




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic Documents as subject to Terms and Conditions for Electronic Documents at *http://www.sgs.com/en/Terms-and-Conditions.aspx* and, for electronic Document as the titution is drawn to the limitation of liability, indemnification and jurigdiction issues defined therein, Any holder of this document is advised that information contained hereion reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only. Attention: <u>Check the authenticity of testing Inspection report & certificate, plazes contact us at telephone</u>: (66-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Park, Stuchou Anea, China (Jiangsu) Pilot Free Trade Zone 2150000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区湖胜路1号约6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn

t (86-512) 62992980

sgs.china@sgs.com

Report No.: SUHR/2022/1000602 Rev.: 01 Page: 97 of 97



Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2480.0000	91.11	3.57	94.68	-	-	188	195	Vertical
2	2480.0000	-	-	69.83	-	-	-	-	Vertical
3	2483.5000	37.41	3.60	41.01	74.00	32.99	188	195	Vertical
4	2483.5	-	-	16.16	54.00	37.84	-	-	Vertical
5	2491.2625	39.48	3.64	43.12	74.00	30.88	188	195	Vertical
6	2491.2625	-	-	18.27	54.00	35.73	-	-	Vertical

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions aspx and, for electronic Documents as the titut of the service printed documents, subject to Terms and Conditions for Terms cand Conditions or Telectronic Documents and the titut of the service printed documents and the titut of the service printed documents and the titut of the service printed document as the titut of the service printed document as the titut of the service printed document as the titut of the service printed control of the service printed document is advised that information contained herein reflects the Company's findings at the time of its intervention not and with the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document is unawriting and the company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawritin and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report freed only to the sample(s) tested and such sample(s) are retained for 30 days only. e: (86-755) 8307 1443.

South of No. 6 Plant, No. 1, Runsheno Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sasaroup.com.cn sgs.china@sgs.com

t (86-512) 62992980