

Report No.: SUHR/2022/1000603

Rev.: 01 Page: 1 of 83





### **TEST REPORT**

Application No.: HR/2022/10006

Applicant: SEUIC Technologies Co., Ltd.

Address of Applicant: NO.15 Xinghuo Road, Nanjing New & High Technology Industry Development

Zone,210061,Nanjing City,Jiangsu Province,China

Manufacturer: SEUIC Technologies Co., Ltd.

Address of Manufacturer: NO.15 Xinghuo Road, Nanjing New & High Technology Industry Development

Zone,210061,Nanjing City,Jiangsu Province,China

**EUT Description:** Portable Data Collection Terminal

Model No.: CRUISE2 5GA

Trade Mark: CRUISE

FCC ID: 2AC68-CRUISE25GA

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

**Date of Receipt:** 2022/2/7

**Date of Test:** 2022/2/10 to 2022/2/28

**Date of Issue:** 2022/3/3

Test Result : PASS \*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions [Felectronic Documents at http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Cocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的0号厂房南部 邮编: 215000

<sup>\*</sup> In the configuration tested, the EUT detailed in this report complied with the standards specified above.



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 2 of 83

### 1 Version

Revision Record							
Version Chapter Date Modifier Remark							
	2022/3/3		Original				
	Chapter	Chapter Date	Chapter Date Modifier				

Prepared By	weller lin		
	(Weller Liu) / Engineer		
Checked By	mell mei,		
	(Well Wei) / Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443, remail: CD Docscheck@pss.com.



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 3 of 83

2 Test Summary

Test Item	Test Requirement	Test Method	Test Result	Result
Antenna Requirement	FCC 47 CFR 15.203/15.247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	FCC 47 CFR 15.207	ANSI C63.10 2013	Clause 4.2	PASS
Conducted Output Power	FCC 47 CFR 15.247 (b)(3)	ANSI C63.10 2013	Clause 4.3	PASS
DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	FCC 47 CFR 15.247 (a)(2)	ANSI C63.10 2013	Clause 4.4	PASS
Power Spectral Density	FCC 47 CFR 15.247 (e)	ANSI C63.10 2013	Clause 4.5	PASS
Band-edge for RF Conducted Emissions	FCC 47 CFR 15.247(d)	ANSI C63.10 2013	Clause 4.6	PASS
RF Conducted Spurious Emissions	FCC 47 CFR 15.247(d)	ANSI C63.10 2013	Clause 4.7	PASS
Radiated Spurious Emissions	FCC 47 CFR 15.205/15.209	ANSI C63.10 2013	Clause 4.8	PASS
Restricted bands around fundamental frequency (Radiated Emission)	FCC 47 CFR 15.205/15.209	ANSI C63.10 2013	Clause 4.9	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443, remail: CD Docscheck@pss.com.



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 4 of 83

### **Contents**

1	Versio	n	2
2	Test S	Summary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment	8
	3.6	Description of Support Units	8
4	Test re	esults and Measurement Data	9
	4.1	Antenna Requirement	9
	4.2	AC Power Line Conducted Emissions	10
	4.3	Duty Cycle	16
	4.4	Conducted Output Power	17
	4.5	DTS (6 dB) Bandwidth & 99% Occupied Bandwidth	18
	4.6	Power Spectral Density	19
	4.7	Band-edge for RF Conducted Emissions	20
	4.8	RF Conducted Spurious Emissions	21
	4.9	Radiated Spurious Emissions	22
	4.10	Restricted bands around fundamental frequency	25
5	Measu	urement Uncertainty (95% confidence levels, k=2)	27
6	Equipr	ment List	28
7	Photog	graphs - Setup Photos	30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443, remail: CD Docscheck@pss.com.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jengsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉錦: 215000



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 5 of 83

### 3 General Information

### 3.1 Details of Client

Applicant:	SEUIC Technologies Co., Ltd.
Address of Applicant:	NO.15 Xinghuo Road, Nanjing New & High Technology Industry Development Zone, 210061, Nanjing City, Jiangsu Province, China
Manufacturer:	SEUIC Technologies Co., Ltd.
Address of Manufacturer:	NO.15 Xinghuo Road, Nanjing New & High Technology Industry Development Zone, 210061, Nanjing City, Jiangsu Province, China

#### 3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address: South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Area, China (Jiangsu) Pilot Free Trade Zone	
Post code:	215000
Test engineer:	Weller Liu, King-p Li, Nature Shen, Tizzy Song

### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### • FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 6 of 83

### 3.4 General Description of EUT

EUT Description:	Portable Data Collection Terminal		
Model No.:	CRUISE2 5GA		
Trade Mark:	CRUISE		
Hardware Version:	MC902A-4A_MB_PCBA_V1.01-A4A		
Software Version:	D740_V1.0.76		
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.		
Bluetooth version:	Bluetooth V5.1		
Modulation Type:	GFSK		
Number of Channel:	40		
Rates Type*:	⊠Provided by client		
Nates Type .	1M PHY 2M PHY		
Sample Type:	⊠Portable Device,		
Antenna Type:	□External, ⊠Integrated		
Antenna Gain*:	⊠Provided by client		
Antenna Gain .	1dBi(Ant3);		
RF Cable*:	⊠Provided by client		
RE Capie .	1dB		

Note: \*Since the above data and/or information is provided by the client relevant results or conclusions of this report are only made for these data and/or information , SGS is not responsible for the authenticity, integrity and results of the data and information and/or the validity of the conclusion.

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sps.com/en/Terms-and-Conditions.aspx.and">http://www.sps.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-and-Co



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 7 of 83

	Operation Frequency of each channel							
Channel	nnel Frequency Ch		Frequency Channel Frequency Channel Fre		Frequency	Channel	Frequency	
0	2402MHz	10	2422MHz	20	2442MHz	30	2462MHz	
1	2404MHz	11	2424MHz	21	2444MHz	31	2464MHz	
2	2406MHz	12	2426MHz	22	2446MHz	32	2466MHz	
3	2408MHz	13	2428MHz	23	2448MHz	33	2468MHz	
4	2410MHz	14	2430MHz	24	2450MHz	34	2470MHz	
5	2412MHz	15	2432MHz	25	2452MHz	35	2472MHz	
6	2414MHz	16	2434MHz	26	2454MHz	36	2474MHz	
7	2416MHz	17	2436MHz	27	2456MHz	37	2476MHz	
8	2418MHz	18	2438MHz	28	2458MHz	38	2478MHz	
9	2420MHz	19	2440MHz	29	2460MHz	39	2480MHz	

#### Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH19)	2440MHz
The Highest channel(CH39)	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Decuments at Inttr.//www.sps.com/en/Terms-and-Conditions/Terms-en/Decument as public to Terms and Conditions (Terms-en/Decument as public to Terms and Conditions (Terms-en/Decument as public to Terms-and-Conditions) (Terms-en/Decument as advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend to the law Luness at the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 8 of 83

### 3.5 Test Environment

Environment Parameter	101.0 kPa Selected Values During Tests				
Relative Humidity	44-46 % RH Ambient				
Value	Temperature(℃) Voltage(V)				
NTNV	22~23	3.85			
LTNV	-20	3.85			
HTNV	50	3.85			

Remark:

NV: Normal Voltage
NT: Normal Temperature

LT: Low Extreme Test Temperature HT: High Extreme Test Temperature

### 3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Decuments at Inttr.//www.sps.com/en/Terms-and-Conditions/Terms-en/Decument as public to Terms and Conditions (Terms-en/Decument as public to Terms and Conditions (Terms-en/Decument as public to Terms-and-Conditions) (Terms-en/Decument as advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend to the law Luness at the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 9 of 83

### 4 Test results and Measurement Data

### 4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated antenna and no consideration of replacement. The best case gain of the antenna is 1dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is forward to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that Information contained nearon reflects the Company's findings at the time of its integration only and within the limits of transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attentions To chark the substantiation of the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980



Report No.: SUHR/2022/1000603

Rev.: 01

Page: 10 of 83

### 4.2 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013				
Test Frequency Range:	150kHz to 30MHz				
Limit:	Fragueray range/MUz)	Limit (dBuV)			
	Frequency range(MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:	room.	listurbance voltage test was			
	<ul> <li>room.</li> <li>2) The EUT was connected to AC power source through a LISN 1 (Li Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω line impedance. The power cables of all other units of the EUT we connected to a second LISN 2, which was bonded to the ground referen plane in the same way as the LISN 1 for the unit being measured. multiple socket outlet strip was used to connect multiple power cables to single LISN provided the rating of the LISN was not exceeded.</li> <li>3) The tabletop EUT was placed upon a non-metallic table 0.8m above to ground reference plane. And for floor-standing arrangement, the EUT we placed on the horizontal ground reference plane.</li> <li>4) The test was performed with a vertical ground reference plane. The rear the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISI mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the El and associated equipment was at least 0.8 m from the LISN 2.</li> <li>5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to</li> </ul>				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.for">http://www.sgs.com/en/Terms-and-Conditions.for</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sgs.com/en/Terms-en/T

South of No. F Plant, No. 1, Planshering Toad, Suzhou Industrial Park, Suzhou Area, Chine (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房商部 鄉鄉: 215000


t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 11 of 83





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.for">http://www.sgs.com/en/Terms-and-Conditions.for</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sgs.com/en/Terms-en/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 12 of 83


#### Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

#### **BLE 1M**

#### Live Line:



Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1680	10.71	47.61	65.06	17.45	24.95	55.06	30.11	PASS
2	0.3975	10.50	28.89	57.91	29.02	20.65	47.91	27.26	PASS
3	0.6450	10.54	33.85	56.00	22.15	25.40	46.00	20.60	PASS
4	1.6710	10.75	25.82	56.00	30.18	19.54	46.00	26.46	PASS
5	8.8710	10.66	30.10	60.00	29.90	18.67	50.00	31.33	PASS
6	17.2410	10.47	23.77	60.00	36.23	16.90	50.00	33.10	PASS

#### Remark

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Reading + Factor(Lisn factor + cable loss).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and


 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 13 of 83

#### **Neutral Line:**



Final I	Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.1815	10.70	45.80	64.42	18.62	27.12	54.42	27.30	PASS	
2	0.6315	10.72	36.26	56.00	19.74	30.69	46.00	15.31	PASS	
3	2.0760	10.77	22.71	56.00	33.29	16.96	46.00	29.04	PASS	
4	5.1135	10.63	23.30	60.00	36.70	17.29	50.00	32.71	PASS	
5	13.5600	10.62	31.99	60.00	28.01	22.66	50.00	27.34	PASS	
6	20.1435	10.40	26.93	60.00	33.07	20.42	50.00	29.58	PASS	

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Reading + Factor(Lisn factor + cable loss).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions/lerms-en/conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-en/centrollerms-and-Conditions/lerms-en/centrol

South of No. 6 Plant, No. 1, Runsteing Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商(号的6号厂房商部 鄉鄉: 215000

t (86-512) 62992980 t (86-512) 62992980




Report No.: SUHR/2022/1000603

Rev.: 01 Page: 14 of 83

#### BLE 2M

#### Live Line:



Final	Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.1590	10.67	48.34	65.52	17.18	26.67	55.52	28.85	PASS	
2	0.1860	10.77	45.11	64.21	19.10	24.89	54.21	29.32	PASS	
3	0.6000	10.50	34.31	56.00	21.69	26.41	46.00	19.59	PASS	
4	1.5900	10.76	27.82	56.00	28.18	21.91	46.00	24.09	PASS	
5	9.5775	10.64	30.11	60.00	29.89	19.31	50.00	30.69	PASS	
6	20.0355	10.42	24.85	60.00	35.15	18.01	50.00	31.99	PASS	

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Reading + Factor(Lisn factor + cable loss).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions/lerms-en/conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-and-Conditions/lerms-en/centrollerms-en/centrollerms-and-Conditions/lerms-en/centrol

South of No. 6 Plant, No. 1, Runsteing Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜商(号的6号厂房商部 鄉鄉: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 15 of 83

#### **Neutral Line:**



Final I	Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.2130	10.68	42.22	63.09	20.87	24.13	53.09	28.96	PASS	
2	0.6090	10.69	38.69	56.00	17.31	35.39	46.00	10.61	PASS	
3	1.3425	10.78	23.96	56.00	32.04	17.48	46.00	28.52	PASS	
4	2.5080	10.78	21.72	56.00	34.28	14.84	46.00	31.16	PASS	
5	10.6665	10.66	30.41	60.00	29.59	23.92	50.00	26.08	PASS	
6	20.7240	10.41	26.75	60.00	33.25	20.39	50.00	29.61	PASS	

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Reading + Factor(Lisn factor + cable loss).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/com/en/lerms-and-Conditions/lerms-en/conditions/lerms-en/

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUHR/2022/1000603

Rev.: 01

Page: 16 of 83

### 4.3 Duty Cycle

The detailed test data see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agox and, for electronic Decuments at http://www.ags.com/en/Terms-and-Conditions/Terms-en/Decument as place. The conditions of Terms and Conditions (Terms-en/Decument as place). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes of the company. Attention: To check the autheriticity of testing furgection report & certificate places contact us at Leghone (86-755) \$307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄭編: 215000



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 17 of 83

### 4.4 Conducted Output Power






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 18 of 83

### 4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sps.com/en/Terms-and-Conditions.aspx.and">http://www.sps.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-and-Co



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 19 of 83

### 4.6 Power Spectral Density






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 20 of 83

### 4.7 Band-edge for RF Conducted Emissions






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sps.com/en/Terms-and-Conditions.aspx.and">http://www.sps.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sps.com/en/Terms-and-Conditions/Terms-and-Co



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 21 of 83

### 4.8 RF Conducted Spurious Emissions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and




Report No.: SUHR/2022/1000603

Rev.: 01 Page: 22 of 83

### 4.9 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10 :2013 Sec	ANSI C63.10 :2013 Section 11.12						
Test Site:	Measurement Distance:	3m (Semi-Anecho	ic Chamber)	)				
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)			
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300			
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30			
	1.705MHz-30MHz 30 30							
	30MHz-88MHz	30MHz-88MHz 100 40.0 C		Quasi-peak	3			
	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz	500	54.0	Average	3			
	Remark: 15.35(b),Unles							
	emissions is 20dB above	•		•				
	applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.							

#### Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-And



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 23 of 83




Figure 3. Above 1 GHz

#### Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
- j. Repeat above procedures until all frequencies measured was complete.
- k. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported
- I. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.

#### **Test Configuration:**

Measurements Below 1000MHz

- RBW = 120 kHz
- VBW = 300 kHz
- Detector = Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsteng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 24 of 83

-	Fage. 24 01 03
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	• VBW ≥ [3 *RBW]
	• Detector = RMS (power averaging), if span / (# of points in sweep) ≤ (RBW / 2). Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
	Sweep time = auto
	Perform a trace average of at least 100 traces.
	Value = Reading + Factor(Antenna Factor + Cable loss – Preamplifier Factor).
Exploratory Test	Transmitting with GFSK modulation.
Mode:	Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode,
	For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only
	the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443, remail: CD Docscheck@pss.com.




Report No.: SUHR/2022/1000603

Rev.: 01 Page: 25 of 83

### 4.10Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10: 2013 Section	ANSI C63.10: 2013 Section 11.12						
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Cham	ber)					
Limit:	Frequency	Limit (dBuV/m)	Remark					
	30MHz-88MHz	40.0	Quasi-peak					
	88MHz-216MHz	43.5	Quasi-peak					
	216MHz-960MHz	46.0	Quasi-peak					
	960MHz-1GHz	54.0	Quasi-peak					
	Above 1GHz	54.0	Average Value					
	Above IGHZ	74.0	Peak Value					

#### Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

### Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Place a marker at the end of the restricted band closest to the transmit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en/Conditions/Terms-en/Cocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsteing Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 26 of 83

	frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel  h. Test the EUT in the lowest channel, the Highest channel  i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode,And found the X axis positioning which it is worse case.  j. Repeat above procedures until all frequencies measured was complete.
Test Configuration:	Measurements Below 1000MHz
r oot oormgaration.	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Peak
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	• Sweep time = auto
	Trace mode = max hold     Alegan and Alegan 1000MHz
	Average Measurements Above 1000MHz  • RBW = 1 MHz
	• VBW ≥ [3 *RBW]
	• Detector = RMS (power averaging), if span / (# of points in sweep) ≤ (RBW / 2). Satisfying this condition may require increasing the number of points in the sweep or reducing the span. If this condition cannot be satisfied, then the detector mode shall be set to peak.
	Sweep time = auto
	Perform a trace average of at least 100 traces.
	Value = Reading + Factor(Antenna Factor + Cable loss).
Exploratory Test Mode:	Transmitting with GFSK modulation.
	Charge + Transmitting mode.
Final Test Mode:	Transmitting with GFSK modulation.
	Pretest the EUT at Charge + Transmitting mode.
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data see	e: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions.apx</a> and, for electronic Document as thittp://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the autheritierly of testing funspection report & certificate, please contact us at telephone: (86-755) \$307 1443.



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 27 of 83

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.54dB
2	RF power density, conducted	±1.03dB
3	Spurious emissions, conducted	±0.54dB
4	Radio Frequency	±7.25 x 10 <sup>-8</sup>
5	Duty Cycle	±0.37%
6	Occupied Bandwidth	±7.25 x 10 <sup>-8</sup>
7	Conduction Emission	± 2.9dB (150kHz to 30MHz)
		± 3.13dB (9kHz - 30MHz)
	Radiated Emission	± 4.8dB (30MHz - 1GHz)
8	Radiated Emission	± 4.8dB (1GHz to 18GHz)
		± 4.8dB (Above 18GHz)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.sgx. aspx. and to relectronic Document as http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.sgx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the authenticity of testing fungeetion report & certificate, please contact us at telephone: (86-755) \$307 1443.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Anea, China (Jengsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号约6号厂房南部 柳编: 215000



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 28 of 83

6 Equipment List

•	Tonscend Test System									
				Cal. date	Cal.Due date					
Equipment	Manufacturer	Model No.	Inventory No.	(yyyy-mm- dd)	(yyyy-mm- dd)					
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/5/8	2024/5/7					
Temperature and	MingGao	TH101B	SUWI-01-01-07	2021/2/20	2022/2/19					
humidity meter	IVIIIIgGao	1111016	30771-01-01	2022/2/16	2023/2/15					
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2021/5/28	2022/5/27					
DC Davier Comple	HYELEC	HY3005B	CLIMI 04 40 04	2021/2/20	2022/2/19					
DC Power Supply	HIELEC	H 1 3000 D	SUWI-01-18-01	2022/2/15	2023/2/14					
Magaurament		JS1120-3								
Measurement Software	Tonscend	Test System	SUWI-02-09-09	NCR	NCR					
Software		V 2.6.88.0336								
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-05	2021/12/4	2022/12/3					
Power Meter	Anritsu	ML2495A	SUWI-01-31-01	2021/12/4	2022/12/3					
Pulse power Sensor	Anritsu	MA2411B	SUWI-01-32-01	2021/12/4	2022/12/3					

	CE Test Equipment										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date						
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021/5/8	2024/5/7						
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-01	2021/2/20	2022/2/19						
Artificial fietwork	RUNDEASCHWARZ	ENVZIO	30001-01-19-01	2022/2/19	2023/2/18						
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2021/2/20	2022/2/19						
Artificial fietwork	ROTIDEASCITWARZ	ENVZIO	30001-01-19-02	2022/2/19	2023/2/18						
Measurement Software	Tonscend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR						
Test receiver	DOUDE & COUMADA	ECD7	CLIMI 04 40 04	2021/2/20	2022/2/19						
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/2/19	2023/2/18						
Temperature and	MingGao	TH101B	SUWI-01-01-06	2021/2/20	2022/2/19						
humidity meter	9040		20111310100	2022/2/16	2023/2/15						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443, remail: CD Docscheck@pss.com.



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 29 of 83

1			Page: 4	29 01 83						
	RSE Test Equipment									
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/5/8	2024/5/7					
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2021/2/20 2022/2/16	2022/2/19 2023/2/15					
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2021/5/28	2022/5/27					
	DOLIDE & COLIMA DZ	EOD7	CLINA/I 04 40 04	2021/2/20	2022/2/19					
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2022/2/19	2023/2/18					
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/5/16	2022/5/15					
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/5/16	2022/5/15					
Receiving antenna	SCHWRZBECK MESS-ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/5/14	2022/5/13					
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2021/2/20	2022/2/19					
Ampilliel	ronscend	TAP9N3G40	30771-01-14-01	2022/2/15	2023/2/14					
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2021/2/20	2022/2/19					
Ampimei	Toriscend	1AF01016030	30771-01-14-02	2022/2/15	2023/2/14					
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2021/2/20	2022/2/19					
Ampimei	ronscend	TAF 10040040	30771-01-14-03	2022/2/19	2023/2/18					
Active Loop Antenna	SCHWRZBECK MESS-ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/6/10	2022/6/9					
Measurement Software	Tonscend	JS32-RE V3.0.0.3	SUWI-02-09-04	NCR	NCR					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443, remail: CD Docscheck@pss.com.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路(号的6号厂房南部 邮编: 215000



Report No.: SUHR/2022/1000603

Rev.: 01

Page: 30 of 83

### 7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agox and, for electronic Decuments at http://www.ags.com/en/Terms-and-Conditions/Terms-en/Decument as place. The conditions of Terms and Conditions (Terms-en/Decument as place). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes of the company. Attention: To check the autheriticity of testing furgection report & certificate places contact us at Leghone (86-755) \$307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000



Report No.: SUHR/2022/1000603

Rev.: 01

Page: 31 of 83

# **Appendix**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

South of No. 6 Plant, No. 1, Runsteng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6月厂房南部 邮编: 215000



Report No.: SUHR/2022/1000603

Rev.: 01

Page: 32 of 83

### **DTS Bandwidth**

### **Test Result**

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
		2402	0.68	2401.67	2402.34	0.5	PASS
BLE_1M	Ant3	2440	0.68	2439.67	2440.34	0.5	PASS
_		2480	0.68	2479.67	2480.34	0.5	PASS
		2402	1.16	2401.44	2402.59	0.5	PASS
BLE 2M	Ant3	2440	1.15	2439.44	2440.59	0.5	PASS
		2480	1.15	2479.44	2480.59	0.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration; forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (66-755) 8307 1443, remail: CD Docscheck@pss.com.




Report No.: SUHR/2022/1000603

Rev.: 01

Page: 33 of 83

### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

To cental: CRL Doc Check (Rangus Comm South of No. Finth, No. Thursher and Subrou Installarian's, Subrou Area, Chira (Jángsu) Phd Free Trade Zone 中国・苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区周胜路(号約6号厂房南部 邮集: 215000



Report No.: SUHR/2022/1000603

Rev.: 01





### BLE 2M Ant3 2402



04:38:36 18.02.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agox.and, for electronic Decuments at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Decument.agox. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention:\*\*To check the autheriticity of testing Impaction report & certificate please contact us at telephone: (86-755) \$307 1443,


South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Anea, China (Jengsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号约6号厂房南部 柳编: 215000



Report No.: SUHR/2022/1000603

Rev.: 01





09:01:19 18.02.2022

### BLE 2M Ant3 2480



09:05:09 18.02.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agox.and, for electronic Decuments at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Decument.agox. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the autheriticity of testing Impaction report & certificate please contact us at telephone: (86-755) \$307 1443,

or email: CM. Doscheck@sgs.com | South of No. 6 Plant, No. 1, Runsheng Road, Sudhou Industria Park, Sudhou Ansa, China (Jiangsu) Pikot Free Trade Zone 215000 中国・苏州・中国(江苏)自由限易试验区苏州片区苏州工业国区消胜数1号的4号厂房南部 解集: 215000



Report No.: SUHR/2022/1000603

Rev.: 01

Page: 36 of 83

## Occupied Channel Bandwidth Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant3	2402	1.017	2401.506	2402.523		
		2440	1.019	2439.506	2440.525		
		2480	1.019	2479.504	2480.524		
BLE_2M	Ant3	2402	2.002	2401.024	2403.026		
		2440	2.004	2439.022	2441.027		
		2480	2.003	2479.018	2481.022		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or Terms and Conditions for Electronic Document as full the subject or the subject of the subject or the subject of the

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路(号的6号厂房南部 邮编: 215000




Report No.: SUHR/2022/1000603

Rev.: 01

Page: 37 of 83

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agox.and, for electronic Decuments at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Decument.agox. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the autheriticity of testing Impaction report & certificate please contact us at telephone: (86-755) \$307 1443,

or email: CN.Doccheck@sgs.com | South rivide Fireth No. Flursherg Read. Subtou Indastrial Park, Subrou Area, China (Jiangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由長島は第区苏州上区苏州工业園区海胜路(号約6号厂房南部 郷第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01





#### BLE 2M Ant3 2402



04:38:53 18.02.202



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.sp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*Orchack the authenticity of testing furgection report & certificate please contact us at telephone: (86-755) \$307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jengsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国 (江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号约6号厂房南部 邮编: 215000



Report No.: SUHR/2022/1000603

Rev.: 01





#### BLE 2M Ant3 2480



09:05:26 18.02.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.sp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*Orchack the authenticity of testing furgection report & certificate please contact us at telephone: (86-755) \$307 1443,

or email: CN\_Doscheck@sgs\_com | Sound vNa.6Pixt, N. [Instrater] cond. Johno Indistral Park, Suchou Area, Chira (Jángsa) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上公園区海胜路1号的6号厂房南部 - 鄭卓: 215000



Report No.: SUHR/2022/1000603

Rev.: 01

Page: 40 of 83

#### Maximum conducted output power Test Result Peak

TestMode	Antenna	Frequency[MHz]	Conducted Peak Powert[dBm]	Conducted Limit[dBm]	Verdict
		2402	0.48	≤30	PASS
BLE_1M	Ant3	2440	-0.42	≤30	PASS
		2480	-0.3	≤30	PASS
		2402	0.55	≤30	PASS
BLE_2M	Ant3	2440	-0.39	≤30	PASS
		2480	-0.25	≤30	PASS





Report No.: SUHR/2022/1000603

Rev.: 01

Page: 41 of 83

#### Maximum power spectral density Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
		2402	-14.63	≤8.00	PASS
BLE_1M	Ant3	2440	-15.73	≤8.00	PASS
		2480	-15.55	≤8.00	PASS
		2402	-17.7	≤8.00	PASS
BLE_2M	Ant3	2440	-18.87	≤8.00	PASS
		2480	-18.65	≤8.00	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration regret or freger or falls infections to the surface of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CO. Docscheck@ses.com.




Report No.: SUHR/2022/1000603

Rev.: 01

Page: 42 of 83

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.appx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) area cretained for 30 days only.


\*\*Attention:\*To check the authericity of testing Impaction report & certificate please contact us at telephone: (86-755) \$307 1443, \*\*Attention:\*To check the authericity of the sample of the company are retained for 30 days only.

or email: CM, Doccheck@sgs.com Schndrko Farko, N, Funziera (mat. Suchon Industrial Park, Suchou Area, Chine (Aingsu) Piol Free Track Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(日約6号厂房南部 脚第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 43 of 83





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agox.and, for electronic Decuments at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Decument.agox. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention:\*\*To check the autheriticity of testing Impaction report & certificate please contact us at telephone: (86-755) \$307 1443,

or email: CN. <u>Doccheck@sgs.com</u> | South of No. F. Runsherg Road, Sudow Industrial Park, Sudow Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 赤州・中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜数1号的6号厂房南部 鄭編: 215000



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 44 of 83





09:05:57 18.02.2022

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agox.and, for electronic Decuments at http://www.ags.com/en/Terms-and-Conditions/Terms-en-Decument.agox. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the autheriticity of testing Impaction report & certificate please contact us at telephone: (86-755) \$307 1443,

or email: CM, Doccheck@sgs.com South of No. 6 Plant, No. 1, Runsheng Road, Sudhou Industrial Park, Sudhou Ansa, Chima (Jiangsu) Pikul Free Trade Zone 215000 中国・苏州・中国(江苏) 自由限制试验区苏州上区苏州工业国区消胜数1号的4号厂房南部 鄭塢: 215000



Report No.: SUHR/2022/1000603

Rev.: 01

Page: 45 of 83

## Band edge measurements Test Result

TestMode	Antenna	ChName	Frequency[MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
	M Ant3	Low	2402	-0.15	-53.99	≤-20.15	PASS
BLE_1M		High	2480	-0.90	-57.1	≤-20.9	PASS
D. E. 014	SLE_2M Ant3	Low	2402	-0.01	-50.94	≤-20.01	PASS
BLE_2M		High	2480	-0.95	-56.88	≤-20.95	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.sp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*Orchack the authenticity of testing furgection report & certificate please contact us at telephone: (86-755) \$307 1443,




Report No.: SUHR/2022/1000603

Rev.: 01

Page: 46 of 83

#### **Test Graphs**





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention:\*\*To check the authenticity of testing fungection report & certificate, please contact us at telephone: (86-755) \$307 1443.

or email: CN.Doccheck@sgs.com | South rivide Fireth No. Flursherg Read. Subtou Indastrial Park, Subrou Area, China (Jiangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由長島は第区苏州上区苏州工业園区海胜路(号約6号厂房南部 郷第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the authenticity of testing fungection report & certificate, please contact us at telephone: (86-755) \$307 1443.

or email: CM, <u>Doscheck@ass.com</u> South of No. 6 Part, No. 1, Runshang Raad, Sudhou Industrial Park, Sudhou Area, China (Mangsu) Phol Free Trade Zone 中国・苏州・中国(江苏)自由原献社会区苏州广泛苏州丁全國区温性数号的均号「房南蓼 鄭瑜: 215000



Report No.: SUHR/2022/1000603

Rev.: 01

Page: 48 of 83

# **Conducted Spurious Emission Test Result**

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	RefLevel	Result[dBm]	Limit[dBm]	Verdict
			Reference	0.04	0.04		PASS
		2402	30~1000	0.04	-59.75	≤-19.96	PASS
			1000~26500	0.04	-55.13	≤-19.96	PASS
			Reference	-0.91	-0.91		PASS
BLE_1M	Ant3	2440	30~1000	-0.91	-59.39	≤-20.91	PASS
			1000~26500	-0.91	-54.62	≤-20.91	PASS
			Reference	-0.80	-0.80	80 PASS 0.8 ≤-20.8 PASS	
		2480	30~1000	-0.80	-59.8	≤-20.8	PASS PASS PASS PASS PASS PASS PASS PASS
			1000~26500	-0.80	-54.92	≤-20.8	PASS
			Reference	0.09	0.09		PASS
		2402	30~1000	0.09	-59.83	≤-19.91	PASS
			1000~26500	0.09	-46.15	≤-19.91	PASS
			Reference	-0.98	-0.98		PASS
BLE_2M	Ant3	2440	30~1000	-0.98	-59.99	≤-20.98	PASS
			1000~26500	-0.98	-55.24	≤-20.98	PASS
			Reference	-0.82	-0.82		PASS
		2480	30~1000	-0.82	-59.73	≤-20.82	PASS
			1000~26500	-0.82	-54.88	≤-20.82	PASS






Report No.: SUHR/2022/1000603

Rev.: 01

Page: 49 of 83

#### **Test Graphs**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

or email: CN.Doccheck@sgs.com | South rivide Fireth No. Flursherg Read. Subtou Indastrial Park, Subrou Area, China (Jiangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由長島は第区苏州上区苏州工业園区海胜路(号約6号厂房南部 郷第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 50 of 83





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.subject to Terms and Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention: To check the authenticity of testing furney the report & certificate, please contact us at telephone: (66-755) \$307 1443,

or email: CN.Doccheck@sgs.com | South rivide Fireth No. Flursherg Read. Subtou Indastrial Park, Subrou Area, China (Jiangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由長島は第区苏州上区苏州工业園区海胜路(号約6号厂房南部 郷第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.subject to Terms and Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention: To check the authenticity of testing furney the report & certificate, please contact us at telephone: (66-755) \$307 1443,


or email: CM, Doccheck@sgs.com Schndrko Farko, N, Funziera (mat. Suchon Industrial Park, Suchou Area, Chine (Aingsu) Piol Free Track Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(日約6号厂房南部 脚第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.subject to Terms and Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention: To check the authenticity of testing furney the report & certificate, please contact us at telephone: (66-755) \$307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6月厂房南部 邮编:215000



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 53 of 83





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.subject to Terms and Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention: To check the authenticity of testing furney the report & certificate, please contact us at telephone: (66-755) \$307 1443,

or email: CN.Doccheck@sgs.com | South risk 6 Prink to, Taursherg Read, Subtou Indatair lark, Subrou Area, China (Jángsal) Pku Free Trade Zone 中国・苏州・中国(江苏)自由長島は第区苏州上区苏州工业園区海胜路(号約6号厂房南部 郷第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.sgx. aspx. and to relectronic Document as http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.sgx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*To check the authenticity of testing fungeetion report & certificate, please contact us at telephone: (66-755) \$307 1443.

or email: CN, <u>Doccheck@segs.com</u> South rhk.6 Fixth th, T, Rursheng Reud, Subtou Indatalia Park, Subrou Area, China (Jiangsu) Pkt Free Trade Zone 中国・苏州・中国(江苏)自由贸易省独区苏州上区苏州工业国区海胜路(号約6号厂房南部 郷第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01



09:02:19 18.02.2022



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.subject to Terms and Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing furney the report & certificate, please contact us at telephone: (66-755) \$307 1443,


97.0 MHz/

or email: CN.Doccheck@sgs.com | South risk 6 Prink to, Taursherg Read, Subtou Indatair lark, Subrou Area, China (Jángsal) Pku Free Trade Zone 中国・苏州・中国(江苏)自由長島は第区苏州上区苏州工业園区海胜路(号約6号厂房南部 郷第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.subject to Terms and Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention: To check the authenticity of testing furney the report & certificate, please contact us at telephone: (66-755) \$307 1443,

or email: CM, Doscheck@sgs.com South of No. 6 Part, No. 1, Rursherg Road, Suchou hotostria Park, Suchou Area, Chira (Mangsul Pilot Free Trade Zone 215000 中国・苏州・中国(江苏) 自由限制试验区苏州ド区苏州工业园区湖胜数1号的6号厂房南部 解集: 215000



Report No.: SUHR/2022/1000603

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.subject to Terms and Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing furney the report & certificate, please contact us at telephone: (66-755) \$307 1443,

or email: CM, Doccheck@sgs.com South of No. 6 Plant, No. 1, Runsheng Road, Sudhou Industrial Park, Sudhou Ansa, Chima (Jiangsu) Pikul Free Trade Zone 215000 中国・苏州・中国(江苏) 自由限制试验区苏州上区苏州工业国区消胜数1号的4号厂房南部 鄭塢: 215000



Report No.: SUHR/2022/1000603

Rev.: 01

Page: 58 of 83

#### **Duty Cycle** Test Result

TestMode	Antenna	Frequency[MHz]	ON Time	Period	Duty Cycle	Duty Cycle
			[ms]	[ms]	[%]	Factor[dB]
		2402	0.39	0.63	61.90	2.08
BLE_1M	Ant3	2440	0.39	0.63	61.90	2.08
		2480	0.39	0.63	61.90	2.08
		2402	0.20	0.63	31.75	4.98
BLE_2M	Ant3	2440	0.20	0.62	32.26	4.91
_		2480	0.20	0.63	31.75	4.98



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.sp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction forcement cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\*Orchack the authenticity of testing furgection report & certificate please contact us at telephone: (86-755) \$307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000




Report No.: SUHR/2022/1000603

Rev.: 01

Page: 59 of 83

#### **Test Graphs**






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditions-And-Conditions-and-Conditions-and-Conditions-An


or e mail: CM, <u>Doccheck@sus\_com</u> South of No. Fleat, No. 1, Rursherg Road, Suchou Indistrial Park, Suchou Ness, Chris (Jiangss) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区港胜数号的0号厂房商等 柳第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.subject to Terms and Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


\*\*Attention: To check the authenticity of testing furney the report & certificate, please contact us at telephone: (66-755) \$307 1443,


or email: CM, Doccheck@sgs.com Schndrko Farko, N, Funziera (mat. Suchon Industrial Park, Suchou Area, Chine (Aingsu) Piol Free Track Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(日約6号厂房南部 脚第: 215000



Report No.: SUHR/2022/1000603

Rev.: 01







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en-Documents.subject to Terms and Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law Lunes states the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing furney the report & certificate, please contact us at telephone: (66-755) \$307 1443,

or email: CN, <u>Doscheck@sgs.com</u> SchndrNo Fibra, N, Fansheng Rost, Jubou Indastriel Park, Suchou Area, China (Jängsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由展展试验区苏州上公园区湾胜路1号的5号 「房南部 柳塢: 215000




Report No.: SUHR/2022/1000603

Rev.: 01 Page: 62 of 83

#### **Radiated Spurious Emissions**

#### Radiated emission below 1GHz

Worst case Mode: BLE 1M\_Channel 00



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	38.0025	47.22	-22.56	24.66	40.00	15.34	178	81	Horizontal		
2	104.205	50.19	-25.36	24.83	43.50	18.67	146	318	Horizontal		
3	142.035	50.12	-21.91	28.21	43.50	15.29	239	338	Horizontal		
4	207.025	58.56	-24.92	33.64	43.50	9.86	142	188	Horizontal		
5	291.415	47.36	-21.50	25.86	46.00	20.14	155	4	Horizontal		
6	390.1125	40.19	-18.66	21.53	46.00	24.47	102	21	Horizontal		






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 63 of 83

Worst case Mode: BLE 1M\_Channel 00



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	37.76	55.29	-22.60	32.69	40.00	7.31	184	204	Vertical		
2	66.375	50.13	-24.96	25.17	40.00	14.83	235	41	Vertical		
3	207.025	55.19	-24.92	30.27	43.50	13.23	149	61	Vertical		
4	292.385	47.12	-21.51	25.61	46.00	20.39	238	61	Vertical		
5	397.8725	39.16	-18.64	20.52	46.00	25.48	142	360	Vertical		
6	687.66	33.28	-12.56	20.72	46.00	25.28	188	345	Vertical		






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 64 of 83

# Transmitter emission above 1GHz 802.BLE 1M Channel 00



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4804.0000	48.80	-13.21	35.59	74.00	38.41	148	201	Horizontal		
2	4804.0000	40.67	-13.21	27.46	54.00	26.54	155	280	Horizontal		
3	7206.0000	47.20	-6.84	40.36	74.00	33.64	235	123	Horizontal		
4	7206.0000	39.11	-6.84	32.27	54.00	21.73	236	99	Horizontal		
5	9608.0000	35.28	-1.22	34.06	54.00	19.94	172	123	Horizontal		
6	9608.0000	42.03	-1.22	40.81	74.00	33.19	194	358	Horizontal		






Report No.: SUHR/2022/1000603

Rev.: 01

Page: 65 of 83

#### 802.BLE 1M\_Channel 00



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4804.0000	48.66	-13.21	35.45	74.00	38.55	146	256	Vertical		
2	4804.0000	40.57	-13.21	27.36	54.00	26.64	155	282	Vertical		
3	7206.0000	46.67	-6.84	39.83	74.00	34.17	235	102	Vertical		
4	7206.0000	38.81	-6.84	31.97	54.00	22.03	203	26	Vertical		
5	9608.0000	35.17	-1.22	33.95	54.00	20.05	172	52	Vertical		
6	9608.0000	43.03	-1.22	41.81	74.00	32.19	194	359	Vertical		






Report No.: SUHR/2022/1000603

Rev.: 01

Page: 66 of 83

#### 802.BLE 1M\_Channel 19



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4880.0000	49.80	-12.99	36.81	74.00	37.19	184	154	Horizontal		
2	4880.0000	41.81	-12.99	28.82	54.00	25.18	102	352	Horizontal		
3	7320.0000	39.49	-7.15	32.34	54.00	21.66	234	25	Horizontal		
4	7320.0000	46.58	-7.15	39.43	74.00	34.57	235	311	Horizontal		
5	9760.0000	33.64	-1.20	32.44	54.00	21.56	175	78	Horizontal		
6	9760.0000	41.60	-1.20	40.40	74.00	33.60	199	284	Horizontal		






Report No.: SUHR/2022/1000603

Rev.: 01

Page: 67 of 83

#### 802.BLE 1M\_Channel 19



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4880.0000	49.45	-12.99	36.46	74.00	37.54	188	282	Vertical		
2	4880.0000	41.96	-12.99	28.97	54.00	25.03	201	156	Vertical		
3	7320.0000	46.88	-7.15	39.73	74.00	34.27	125	360	Vertical		
4	7320.0000	39.25	-7.15	32.10	54.00	21.90	126	258	Vertical		
5	9760.0000	34.79	-1.20	33.59	54.00	20.41	234	206	Vertical		
6	9760.0000	42.39	-1.20	41.19	74.00	32.81	175	156	Vertical		






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 68 of 83

#### 802.BLE 1M Channel 39



Final	Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	4960.0000	49.72	-12.83	36.89	74.00	37.11	148	294	Horizontal		
2	4960.0000	41.74	-12.83	28.91	54.00	25.09	235	4	Horizontal		
3	7440.0000	39.94	-6.83	33.11	54.00	20.89	149	294	Horizontal		
4	7440.0000	46.66	-6.83	39.83	74.00	34.17	188	243	Horizontal		
5	9920.0000	34.62	-0.93	33.69	54.00	20.31	255	319	Horizontal		
6	9920.0000	43.84	-0.93	42.91	74.00	31.09	164	62	Horizontal		






Report No.: SUHR/2022/1000603

Rev.: 01

Page: 69 of 83

#### 802.BLE 1M\_Channel 39



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4960.0000	49.07	-12.83	36.24	74.00	37.76	102	310	Vertical			
2	4960.0000	41.23	-12.83	28.40	54.00	25.60	234	256	Vertical			
3	7440.0000	47.32	-6.83	40.49	74.00	33.51	259	4	Vertical			
4	7440.0000	38.88	-6.83	32.05	54.00	21.95	129	78	Vertical			
5	9920.0000	34.65	-0.93	33.72	54.00	20.28	175	103	Vertical			
6	9920.0000	42.86	-0.93	41.93	74.00	32.07	184	78	Vertical			






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 70 of 83

#### 802.BLE 2M Channel 00



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4804.0000	48.18	-13.21	34.97	74.00	39.03	125	283	Horizontal				
2	4804.0000	39.80	-13.21	26.59	54.00	27.41	111	360	Horizontal				
3	7206.0000	48.15	-6.84	41.31	74.00	32.69	142	334	Horizontal				
4	7206.0000	38.26	-6.84	31.42	54.00	22.58	172	257	Horizontal				
5	9608.0000	35.29	-1.22	34.07	54.00	19.93	199	283	Horizontal				
6	9608.0000	43.84	-1.22	42.62	74.00	31.38	135	103	Horizontal				






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 71 of 83

#### 802.BLE 2M\_Channel 00



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4804.0000	47.95	-13.21	34.74	74.00	39.26	178	331	Vertical				
2	4804.0000	40.48	-13.21	27.27	54.00	26.73	205	100	Vertical				
3	7206.0000	47.10	-6.84	40.26	74.00	33.74	194	228	Vertical				
4	7206.0000	38.96	-6.84	32.12	54.00	21.88	148	176	Vertical				
5	9608.0000	35.65	-1.22	34.43	54.00	19.57	235	351	Vertical				
6	9608.0000	44.07	-1.22	42.85	74.00	31.15	122	127	Vertical				






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 72 of 83

#### 802.BLE 2M Channel 19



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4880.0000	48.56	-12.99	35.57	74.00	38.43	128	258	Horizontal				
2	4880.0000	41.29	-12.99	28.30	54.00	25.70	178	359	Horizontal				
3	7320.0000	38.82	-7.15	31.67	54.00	22.33	105	208	Horizontal				
4	7320.0000	46.73	-7.15	39.58	74.00	34.42	199	28	Horizontal				
5	9760.0000	33.58	-1.20	32.38	54.00	21.62	114	80	Horizontal				
6	9760.0000	41.78	-1.20	40.58	74.00	33.42	231	310	Horizontal				






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 73 of 83

#### 802.BLE 2M Channel 19



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4880.0000	49.91	-12.99	36.92	74.00	37.08	189	145	Vertical			
2	4880.0000	40.98	-12.99	27.99	54.00	26.01	210	177	Vertical			
3	7320.0000	38.92	-7.15	31.77	54.00	22.23	170	203	Vertical			
4	7320.0000	47.09	-7.15	39.94	74.00	34.06	235	25	Vertical			
5	9760.0000	33.40	-1.20	32.20	54.00	21.80	195	359	Vertical			
6	9760.0000	40.35	-1.20	39.15	74.00	34.85	144	352	Vertical			






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 74 of 83

#### 802.BLE 2M Channel 39



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	4960.0000	49.00	-12.83	36.17	74.00	37.83	185	204	Horizontal				
2	4960.0000	41.96	-12.83	29.13	54.00	24.87	201	25	Horizontal				
3	7440.0000	39.53	-6.83	32.70	54.00	21.30	148	103	Horizontal				
4	7440.0000	47.45	-6.83	40.62	74.00	33.38	149	180	Horizontal				
5	9920.0000	35.38	-0.93	34.45	54.00	19.55	235	231	Horizontal				
6	9920.0000	43.31	-0.93	42.38	74.00	31.62	176	180	Horizontal				






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 75 of 83

#### 802.BLE 2M\_Channel 39



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	4960.0000	49.25	-12.83	36.42	74.00	37.58	148	53	Vertical			
2	4960.0000	41.83	-12.83	29.00	54.00	25.00	119	260	Vertical			
3	7440.0000	38.77	-6.83	31.94	54.00	22.06	234	158	Vertical			
4	7440.0000	46.59	-6.83	39.76	74.00	34.24	196	53	Vertical			
5	9920.0000	33.48	-0.93	32.55	54.00	21.45	175	359	Vertical			
6	9920.0000	42.21	-0.93	41.28	74.00	32.72	258	312	Vertical			






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 76 of 83

# Restricted bands around fundamental frequency 802.BLE 1M Channel 00



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2324.2133	39.78	3.09	42.87	74.00	31.13	264	314	Horizontal				
2	2331.4933	27.80	3.09	30.89	54.00	23.11	264	314	Horizontal				
3	2386.05	40.00	3.07	43.07	74.00	30.93	264	314	Horizontal				
4	2387.0033	28.08	3.07	31.15	54.00	22.85	264	314	Horizontal				
5	2402.0000	87.44	3.08	90.52	-	-	264	314	Horizontal				
6	2402.0000	88.95	3.08	92.03	-	-	264	314	Horizontal				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.apx; and, for electronic Document as flat the first of the company subject to Terms and Conditions (Terms-and-Conditions) (Te



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 77 of 83

#### 802.BLE 1M\_Channel 00



Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2336.1733	39.36	3.09	42.45	74.00	31.55	124	226	Vertical			
2	2343.4967	27.77	3.09	30.86	54.00	23.14	124	226	Vertical			
3	2382.9733	40.67	3.08	43.75	74.00	30.25	124	226	Vertical			
4	2384.2733	28.04	3.07	31.11	54.00	22.89	124	226	Vertical			
5	2402.0000	93.14	3.08	96.22	-	-	124	226	Vertical			
6	2402.0000	92.42	3.08	95.50	-	-	124	226	Vertical			






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 78 of 83

#### 802.BLE 1M Channel 39



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2480.0000	89.23	3.57	92.80	-	-	158	124	Horizontal				
2	2480.0000	88.52	3.57	92.09	-	-	158	124	Horizontal				
3	2483.5000	37.60	3.60	41.20	74.00	32.80	158	124	Horizontal				
4	2483.5000	27.89	3.60	31.49	54.00	22.51	158	124	Horizontal				
5	2487.3925	40.39	3.62	44.01	74.00	29.99	158	124	Horizontal				
6	2487.79	28.79	3.62	32.41	54.00	21.59	158	124	Horizontal				






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 79 of 83

#### 802.BLE 1M\_Channel 39



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2480.0000	86.65	3.57	90.22	-	-	149	262	Vertical			
2	2480.0000	85.90	3.57	89.47	-	-	149	262	Vertical			
3	2483.5000	27.92	3.60	31.52	54.00	22.48	149	262	Vertical			
4	2483.5000	37.82	3.60	41.42	74.00	32.58	149	262	Vertical			
5	2492.0575	39.74	3.65	43.39	74.00	30.61	149	262	Vertical			
6	2492.0575	28.57	3.65	32.22	54.00	21.78	149	262	Vertical			






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 80 of 83

#### 802.BLE 2M\_Channel 00



Final	Final Data List												
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	2337.82	27.78	3.09	30.87	54.00	23.13	145	352	Horizontal				
2	2345.0567	39.71	3.09	42.80	74.00	31.20	145	352	Horizontal				
3	2385.9633	28.09	3.07	31.16	54.00	22.84	145	352	Horizontal				
4	2388.5633	40.32	3.07	43.39	74.00	30.61	145	352	Horizontal				
5	2402.0000	85.96	3.08	89.04	-	-	145	352	Horizontal				
6	2402.0000	89.97	3.08	93.05	-	-	145	352	Horizontal				




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.apx; and, for electronic Document as flat the first of the company subject to Terms and Conditions (Terms-and-Conditions) (Te



Report No.: SUHR/2022/1000603

Rev.: 01 Page: 81 of 83

#### 802.BLE 2M\_Channel 00



Final	Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	2346.27	27.77	3.09	30.86	54.00	23.14	235	179	Vertical	
2	2346.3567	39.99	3.09	43.08	74.00	30.92	235	179	Vertical	
3	2384.5767	28.06	3.07	31.13	54.00	22.87	235	179	Vertical	
4	2385.4	39.79	3.07	42.86	74.00	31.14	235	179	Vertical	
5	2402.0000	89.55	3.08	92.63	-	-	235	179	Vertical	
6	2402.0000	86.78	3.08	89.86	-	-	235	179	Vertical	






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 82 of 83

#### 802.BLE 2M\_Channel 39



Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2480.0000	88.29	3.57	91.86	-	-	196	123	Horizontal
2	2480.0000	85.62	3.57	89.19	-	-	196	123	Horizontal
3	2483.5000	37.40	3.60	41.00	74.00	33.00	196	123	Horizontal
4	2483.5000	28.42	3.60	32.02	54.00	21.98	196	123	Horizontal
5	2491.7575	28.56	3.65	32.21	54.00	21.79	196	123	Horizontal
6	2494.54	40.49	3.67	44.16	74.00	29.84	196	123	Horizontal






Report No.: SUHR/2022/1000603

Rev.: 01 Page: 83 of 83

#### 802.BLE 2M\_Channel 39



Final Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2480.0000	87.93	3.57	91.50	-	-	114	274	Vertical
2	2480.0000	84.68	3.57	88.25	-	-	114	274	Vertical
3	2483.5000	37.43	3.60	41.03	74.00	32.97	114	274	Vertical
4	2483.5000	28.61	3.60	32.21	54.00	21.79	114	274	Vertical
5	2489.41	28.44	3.63	32.07	54.00	21.93	114	274	Vertical
6	2490.5875	39.17	3.64	42.81	74.00	31.19	114	274	Vertical

The End

