

		1	0	20.58	20.53	20.59	21.00
		1	7	20.79	20.69	20.71	21.00
		1	14	20.63	20.63	20.67	21.00
	64QAM	8	0	19.65	19.50	19.71	20.00
		8	4	19.66	19.62	19.62	20.00
		8	7	19.68	19.65	19.84	20.00
		15	0	19.77	19.89	19.74	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26715	26865	27015	
5MHz	QPSK	1	0	22.68	22.76	22.79	23.00
		1	13	22.94	22.83	22.97	23.00
		1	24	22.88	22.84	22.88	23.00
		12	0	22.69	22.59	22.85	23.00
		12	6	22.49	22.56	22.51	23.00
		12	13	22.67	22.72	22.77	23.00
		25	0	22.54	22.49	22.46	23.00
	16QAM	1	0	22.46	22.72	22.67	23.00
		1	13	22.68	22.57	22.73	23.00
		1	24	21.57	21.51	21.59	22.00
		12	0	21.61	21.78	21.71	22.00
		12	6	21.68	21.72	21.7	22.00
		12	13	21.68	21.71	21.75	22.00
		25	0	21.5	21.46	21.66	22.00
	64QAM	1	0	20.55	20.63	20.55	21.00
		1	13	20.77	20.70	20.61	21.00
		1	24	20.80	20.61	20.87	21.00
		12	0	19.67	19.59	19.71	20.00
		12	6	19.84	19.68	19.61	20.00
		12	13	19.73	19.55	19.79	20.00
		25	0	19.61	19.75	19.64	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				26750	26865	26990	
10MHz	QPSK	1	0	22.79	22.81	22.78	23.00
		1	25	22.93	22.86	22.8	23.00
		1	49	22.91	22.84	22.86	23.00
		25	0	22.57	22.7	22.71	23.00
		25	13	22.42	22.56	22.68	23.00
		25	25	22.8	22.8	22.61	23.00
		50	0	22.53	22.53	22.64	23.00
	16QAM	1	0	22.64	22.56	22.59	23.00
		1	25	22.59	22.49	22.59	23.00
		1	49	21.65	21.57	21.5	22.00
		25	0	21.64	21.71	21.68	22.00
		25	13	21.71	21.68	21.69	22.00
		25	25	21.63	21.59	21.86	22.00
		50	0	21.44	21.54	21.69	22.00
	64QAM	1	0	20.44	20.59	20.74	21.00
		1	25	20.73	20.52	20.58	21.00

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				26775	26865	26965		
15MHz	QPSK	1	49	20.68	20.65	20.81	21.00	
		25	0	19.78	19.51	19.58	20.00	
		25	13	19.67	19.69	19.50	20.00	
		25	25	19.67	19.58	19.83	20.00	
		50	0	19.57	19.74	19.79	20.00	
	16QAM	16QAM	1	0	22.75	22.98	22.86	23.00
			1	38	22.75	22.76	22.84	23.00
			1	74	22.95	22.89	22.94	23.00
			36	0	22.77	22.79	22.66	23.00
			36	18	22.62	22.68	22.78	23.00
			36	39	22.49	22.59	22.58	23.00
			75	0	22.75	22.78	22.69	23.00
	64QAM	64QAM	1	0	22.57	22.53	22.54	23.00
			1	38	22.55	22.64	22.65	23.00
			1	74	22.68	22.59	22.66	23.00
			36	0	21.56	21.59	21.56	22.00
			36	18	21.65	21.68	21.73	22.00
			36	39	21.71	21.77	21.79	22.00
			75	0	21.71	21.69	21.77	22.00
	64QAM	64QAM	1	0	20.54	20.53	20.65	21.00
			1	38	20.73	20.62	20.66	21.00
1			74	20.73	20.68	20.77	21.00	
36			0	19.66	19.59	19.60	20.00	
36			18	19.75	19.65	19.59	20.00	
36			39	19.76	19.62	19.81	20.00	
75			0	19.65	19.77	19.73	20.00	

LTE Band 38				Conducted Power(dBm)				
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				37775	38000	38225		
5MHz	QPSK	1	0	22.52	22.77	22.73	23.00	
		1	13	22.58	22.97	22.75	23.00	
		1	24	22.55	22.83	22.8	23.00	
		12	0	21.62	21.99	21.87	22.00	
		12	6	21.73	21.9	21.84	22.00	
		12	13	21.7	22	21.9	22.00	
		25	0	21.59	21.94	21.8	22.00	
	16QAM	16QAM	1	0	21.65	21.91	21.96	22.00
			1	13	21.82	21.95	21.91	22.00
			1	24	21.72	21.97	21.87	22.00
			12	0	20.62	20.81	20.86	21.00
			12	6	20.72	20.86	20.96	21.00
			12	13	20.68	21	20.93	21.00
			25	0	20.65	21	20.9	21.00

		1	0	20.81	20.75	20.86	21.00
		1	13	20.74	20.74	20.74	21.00
		1	24	20.88	20.86	20.7	21.00
	64QAM	12	0	20.84	20.72	20.81	21.00
		12	6	19.87	19.78	19.85	20.00
		12	13	19.85	19.83	19.71	20.00
		25	0	19.74	19.8	19.72	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37800	38000	38200	
10MHz	QPSK	1	0	22.27	22.72	22.81	23.00
		1	25	22.53	22.95	22.87	23.00
		1	49	22.19	22.9	22.87	23.00
		25	0	21.61	21.83	21.83	22.00
		25	13	21.73	21.97	21.96	22.00
		25	25	21.63	21.86	21.96	22.00
		50	0	21.69	21.96	21.85	22.00
	16QAM	1	0	21.56	22	21.95	22.00
		1	25	21.83	21.96	21.8	22.00
		1	49	21.41	21.99	21.89	22.00
		25	0	20.68	20.94	20.85	21.00
		25	13	20.62	20.94	20.98	21.00
		25	25	20.73	20.88	20.87	21.00
		50	0	20.63	20.9	20.89	21.00
	64QAM	1	0	20.79	20.83	20.72	21.00
		1	25	20.82	20.81	20.86	21.00
		1	49	20.72	20.76	20.82	21.00
		25	0	20.77	20.78	20.84	21.00
		25	13	19.83	19.86	19.81	20.00
		25	25	19.83	19.8	19.86	20.00
		50	0	19.81	19.84	19.83	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37825	38000	38175	
15MHz	QPSK	1	0	22.57	22.84	22.86	23.00
		1	38	22.63	22.68	22.66	23.00
		1	74	22.64	22.87	22.72	23.00
		36	0	21.45	21.74	21.74	22.00
		36	18	21.64	21.87	21.85	22.00
		36	39	21.68	21.82	21.82	22.00
		75	0	21.6	21.74	21.82	22.00
	16QAM	1	0	21.79	21.92	21.91	22.00
		1	38	21.79	22	21.83	22.00
		1	74	21.82	21.92	21.88	22.00
		36	0	20.43	20.72	20.75	21.00
		36	18	20.61	20.78	20.82	21.00
		36	39	20.59	20.84	20.73	21.00
		75	0	20.64	20.81	20.84	21.00

		1	0	20.7	20.78	20.74	21.00
		1	38	20.8	20.71	20.71	21.00
		1	74	20.81	20.74	20.84	21.00
	64QAM	36	0	20.81	20.77	20.86	21.00
		36	18	19.83	19.8	19.87	20.00
		36	39	19.79	19.79	19.83	20.00
		75	0	19.81	19.82	19.75	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				37850	38000	38150	
20MHz	QPSK	1	0	22.55	22.86	22.84	23.00
		1	50	22.57	22.77	22.75	23.00
		1	99	22.66	22.77	22.83	23.00
		50	0	21.48	21.95	21.83	22.00
		50	25	21.67	21.74	21.9	22.00
		50	50	21.72	21.86	21.81	22.00
		100	0	21.57	21.71	21.68	22.00
	16QAM	1	0	21.76	21.98	21.93	22.00
		1	50	21.77	21.84	21.89	22.00
		1	99	21.89	21.89	21.87	22.00
		50	0	20.57	20.69	20.79	21.00
		50	25	20.72	20.87	20.81	21.00
		50	50	20.78	20.89	20.82	21.00
		100	0	20.62	20.75	20.85	21.00
	64QAM	1	0	20.73	20.75	20.79	21.00
		1	50	20.81	20.87	20.81	21.00
		1	99	20.83	20.83	20.72	21.00
		50	0	20.77	20.81	20.71	21.00
		50	25	19.73	19.8	19.79	20.00
		50	50	19.85	19.78	19.71	20.00
		100	0	19.76	19.72	19.84	20.00

LTE Band 41				Conducted Power(dBm)					
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up
				39675	40148	40620	41093	41565	
5MHz	QPSK	1	0	23.45	23.37	23.46	23.39	23.26	25.00
		1	13	23.08	23.08	23.06	23.08	23.06	25.00
		1	24	23.07	23.15	23.02	23.03	23.07	25.00
		12	0	22.37	22.55	22.47	22.42	22.59	24.00
		12	6	22.92	22.72	22.83	22.84	22.85	24.00
		12	13	22.64	22.65	22.75	22.78	22.54	24.00
		25	0	22.78	22.59	22.67	22.58	22.68	24.00
	16QAM	1	0	22.1	22.15	22.18	22.34	22.18	24.00
		1	13	22.6	22.57	22.54	22.54	22.5	24.00
		1	24	22.3	22.11	22.32	22.22	22.33	24.00
		12	0	21.2	21.15	21.03	21.14	21.06	23.00
		12	6	21.83	21.79	21.94	21.93	21.88	23.00

		12	13	21.44	21.46	21.37	21.37	21.36	23.00
		25	0	21.58	21.52	21.43	21.5	21.55	23.00
	64QAM	1	0	21.24	21.14	21.20	21.14	21.20	23.00
		1	13	21.92	21.93	21.78	21.83	21.82	23.00
		1	24	21.53	21.52	21.43	21.42	21.50	23.00
		12	0	20.34	20.03	20.07	20.23	20.23	22.00
		12	6	20.73	20.88	21.04	20.98	20.81	22.00
		12	13	20.44	20.52	20.44	20.51	20.23	22.00
		25	0	20.59	20.39	20.65	20.34	20.43	22.00
Bandwidth	Modulation	RB size	RB offset	Channel 39700	Channel 40160	Channel 40620	Channel 41080	Channel 41540	Tune up
10MHz	QPSK	1	0	23.14	23.08	23.01	23.19	23.04	25.00
		1	25	23.39	23.23	23.42	23.21	23.26	25.00
		1	49	23.06	23.2	23.02	23.03	23.07	25.00
		25	0	22.53	22.55	22.54	22.59	22.68	24.00
		25	13	23	22.84	22.85	23.01	22.72	24.00
		25	25	22.59	22.67	22.77	22.78	22.7	24.00
		50	0	22.6	22.66	22.62	22.75	22.77	24.00
	16QAM	1	0	22.14	22.08	22.29	22.39	22.13	24.00
		1	25	22.57	22.54	22.46	22.69	22.57	24.00
		1	49	22.32	22.29	22.27	22.22	22.15	24.00
		25	0	21.13	21.1	21.07	21.13	21.14	23.00
		25	13	21.75	21.75	21.89	21.84	21.89	23.00
		25	25	21.31	21.52	21.43	21.45	21.26	23.00
	64QAM	50	0	21.49	21.5	21.41	21.53	21.54	23.00
		1	0	21.32	21.09	21.17	21.06	21.00	23.00
		1	25	21.88	21.97	21.70	22.03	21.95	23.00
		1	49	21.57	21.57	21.51	21.44	21.41	23.00
		25	0	20.31	20.04	20.19	20.08	20.20	22.00
		25	13	20.70	20.86	20.97	20.94	20.80	22.00
		25	25	20.44	20.43	20.42	20.47	20.42	22.00
	50	0	20.59	20.48	20.57	20.45	20.40	22.00	
Bandwidth	Modulation	RB size	RB offset	Channel 39725	Channel 40173	Channel 40620	Channel 41068	Channel 41515	Tune up
15MHz	QPSK	1	0	23.1	23.08	23.09	23.01	23.08	25.00
		1	38	23.38	23.22	23.31	23.39	23.33	25.00
		1	74	23.02	23.11	23.02	23.05	23.09	25.00
		36	0	22.55	22.72	22.53	22.44	22.5	24.00
		36	18	22.94	22.77	22.84	22.91	22.82	24.00
		36	39	22.62	22.7	22.75	22.76	22.57	24.00
		75	0	22.63	22.63	22.58	22.58	22.69	24.00
	16QAM	1	0	22.19	22.1	22.28	22.39	22.1	24.00
		1	38	22.58	22.42	22.56	22.71	22.43	24.00
		1	74	22.36	22.28	22.19	22.21	22.24	24.00
		36	0	21.21	21.16	21.04	21.08	21.14	23.00
		36	18	21.82	21.76	21.78	21.81	21.99	23.00
		36	39	21.31	21.54	21.52	21.49	21.27	23.00

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Channel	Channel	Tune up	
				39750	40185	40620	41055	41490		
20MHz	64QAM	75	0	21.58	21.53	21.44	21.41	21.58	23.00	
		1	0	21.20	21.18	21.17	21.22	21.01	23.00	
		1	38	21.91	21.97	21.78	21.84	21.81	23.00	
		1	74	21.48	21.58	21.45	21.41	21.39	23.00	
		36	0	20.33	20.05	20.20	20.23	20.32	22.00	
		36	18	20.69	20.91	21.05	20.84	20.76	22.00	
		36	39	20.51	20.53	20.58	20.61	20.37	22.00	
		75	0	20.72	20.50	20.48	20.42	20.56	22.00	
	QPSK	1	0	23.36	23.31	23.43	23.29	23.3	25.00	
		1	50	23.16	23.09	23.06	23.09	23.08	25.00	
		1	99	23.09	23.11	23.01	23.08	23.08	25.00	
		50	0	22.46	22.65	22.93	22.52	22.59	24.00	
		50	25	22.9	22.79	22.83	22.91	22.77	24.00	
		50	50	22.68	22.61	22.69	22.76	22.64	24.00	
		100	0	22.69	22.63	22.78	22.67	22.77	24.00	
		16QAM	1	0	22.18	22.15	22.2	22.29	22.11	24.00
			1	50	22.57	22.47	22.54	22.64	22.51	24.00
			1	99	22.34	22.21	22.24	22.23	22.24	24.00
			50	0	21.18	21.09	21.09	21.14	21.11	23.00
			50	25	21.79	21.85	21.86	21.89	21.92	23.00
			50	50	21.38	21.52	21.46	21.45	21.36	23.00
		64QAM	100	0	21.54	21.49	21.49	21.45	21.56	23.00
			1	0	21.21	21.10	21.18	21.11	21.09	23.00
			1	50	21.80	21.89	21.79	21.91	21.84	23.00
			1	99	21.50	21.59	21.44	21.43	21.47	23.00
			50	0	20.22	20.09	20.14	20.18	20.22	22.00
			50	25	20.75	20.91	20.93	20.94	20.84	22.00
			50	50	20.50	20.49	20.46	20.55	20.32	22.00
100	0	20.64	20.42	20.54	20.41	20.46	22.00			

LTE Band 66				Conducted Power(dBm)			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				131979	132322	132665	
1.4MHz	QPSK	1	0	22.56	22.51	22.52	23.00
		1	2	22.61	22.56	22.52	23.00
		1	5	22.45	22.43	22.49	23.00
		3	0	22.61	22.57	22.58	23.00
		3	1	22.67	22.57	22.62	23.00
		3	3	22.52	22.46	22.49	23.00
	16QAM	6	0	21.61	21.61	21.65	22.00
		1	0	21.72	21.66	21.70	22.00
		1	2	21.94	21.84	21.85	22.00
		1	5	21.88	21.85	21.90	22.00
		3	0	21.76	21.72	21.69	22.00
		3	1	21.75	21.75	21.75	22.00

		3	3	21.75	21.67	21.67	22.00	
		6	0	20.81	20.75	20.76	21.00	
		64QAM						
			1	0	20.48	20.74	20.41	21.00
			1	2	20.62	20.93	20.46	21.00
			1	5	20.55	20.38	20.43	21.00
			3	0	19.56	19.90	19.35	20.00
			3	1	19.59	19.79	19.28	20.00
			3	3	19.32	19.80	19.34	20.00
6	0	19.57	19.76	19.42	20.00			
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				131987	132322	132657		
3MHz	QPSK	1	0	22.94	22.91	22.81	23.00	
		1	7	22.91	22.88	22.74	23.00	
		1	14	22.85	22.82	22.73	23.00	
		8	0	21.64	21.61	21.50	22.00	
		8	4	21.76	21.73	21.59	22.00	
		8	7	21.61	21.58	21.50	22.00	
		15	0	21.62	21.59	21.48	22.00	
	16QAM	1	0	21.87	21.84	21.79	22.00	
		1	7	21.96	21.93	21.86	22.00	
		1	14	20.67	20.64	20.51	22.00	
		8	0	20.80	20.77	20.66	21.00	
		8	4	20.87	20.84	20.71	21.00	
		8	7	20.67	20.64	20.51	21.00	
		15	0	20.64	20.61	20.55	21.00	
	64QAM	1	0	20.53	20.79	20.45	21.00	
		1	7	20.67	20.97	20.58	21.00	
		1	14	20.44	20.86	20.28	21.00	
		8	0	19.60	19.84	19.42	20.00	
		8	4	19.49	19.89	19.40	20.00	
		8	7	19.32	19.83	19.43	20.00	
		15	0	19.41	19.73	19.50	20.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				131997	132322	132647		
5MHz	QPSK	1	0	22.71	22.56	22.66	23.00	
		1	13	22.81	22.61	22.51	23.00	
		1	24	22.62	22.45	22.32	23.00	
		12	0	21.89	21.72	21.58	22.00	
		12	6	21.80	21.68	21.55	22.00	
		12	13	21.68	21.58	21.52	22.00	
		25	0	21.73	21.61	21.52	22.00	
	16QAM	1	0	21.95	21.84	21.77	22.00	
		1	13	21.97	21.81	21.70	22.00	
		1	24	21.77	21.66	21.55	22.00	
		12	0	20.89	20.73	20.63	21.00	
		12	6	20.81	20.71	20.60	21.00	
		12	13	20.87	20.67	20.59	21.00	
		25	0	20.81	20.64	20.49	21.00	

		1	0	20.55	20.68	20.48	21.00
		1	13	20.71	20.84	20.52	21.00
		1	24	20.42	20.81	20.30	21.00
	64QAM	12	0	19.60	19.81	19.53	20.00
		12	6	19.54	19.85	19.27	20.00
		12	13	19.27	19.65	19.43	20.00
		25	0	19.31	19.69	19.32	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132022	132322	132622	
10MHz	QPSK	1	0	22.26	22.36	22.43	23.00
		1	25	22.70	22.59	22.67	23.00
		1	49	22.26	22.17	22.23	23.00
		25	0	21.70	21.55	21.66	22.00
		25	13	21.81	21.66	21.72	22.00
		25	25	21.60	21.54	21.68	22.00
		50	0	21.58	21.52	21.58	22.00
	16QAM	1	0	21.92	21.80	21.89	22.00
		1	25	21.96	21.81	21.91	22.00
		1	49	21.75	21.66	21.77	22.00
		25	0	20.73	20.64	20.77	21.00
		25	13	20.82	20.68	20.80	21.00
		25	25	20.68	20.56	20.63	21.00
		50	0	20.59	20.51	20.66	21.00
	64QAM	1	0	20.40	20.89	20.48	21.00
		1	25	20.59	20.75	20.43	21.00
		1	49	20.45	20.95	20.45	21.00
		25	0	19.54	19.89	19.37	20.00
		25	13	19.53	19.70	19.23	20.00
		25	25	19.53	19.70	19.37	20.00
		50	0	19.47	19.63	19.44	20.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				132047	132322	132597	
15MHz	QPSK	1	0	22.46	22.41	22.81	23.00
		1	38	22.61	22.51	22.95	23.00
		1	74	22.32	22.22	22.60	23.00
		36	0	21.59	21.55	21.97	22.00
		36	18	21.56	21.51	21.93	22.00
		36	39	21.51	21.44	21.83	22.00
		75	0	21.62	21.53	21.93	22.00
	16QAM	1	0	21.45	21.42	21.77	22.00
		1	38	21.73	21.64	21.99	22.00
		1	74	21.55	21.48	21.85	22.00
		36	0	20.55	20.55	20.90	21.00
		36	18	20.55	20.55	20.91	21.00
		36	39	20.50	20.43	20.83	21.00
		75	0	20.51	20.42	20.77	21.00
	64QAM	1	0	20.38	20.82	20.42	21.00
		1	38	20.63	20.94	20.53	21.00

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				132072	132322	132572		
20MHz	QPSK	1	74	20.41	20.76	20.20	21.00	
		36	0	19.46	19.85	19.44	20.00	
		36	18	19.56	19.87	19.21	20.00	
		36	39	19.45	19.87	19.49	20.00	
		75	0	19.47	19.67	19.38	20.00	
	16QAM	16QAM	1	0	22.62	22.94	22.51	23.00
			1	50	22.33	22.68	22.22	23.00
			1	99	22.34	22.72	22.22	23.00
			50	0	21.62	21.99	21.47	22.00
			50	25	21.64	21.93	21.52	22.00
			50	50	21.56	21.87	21.44	22.00
			100	0	21.55	21.92	21.47	22.00
	64QAM	64QAM	1	0	20.80	21.18	20.69	22.00
			1	50	21.81	21.87	21.74	22.00
			1	99	21.51	21.87	21.43	22.00
			50	0	20.68	20.94	20.52	21.00
			50	25	20.54	20.94	20.46	21.00
			50	50	20.54	20.86	20.39	21.00
			100	0	20.40	20.83	20.34	21.00
	64QAM	64QAM	1	0	20.49	20.81	20.44	21.00
			1	50	20.56	20.86	20.49	21.00
1			99	20.47	20.90	20.32	21.00	
50			0	19.51	19.82	19.42	20.00	
50			25	19.55	19.80	19.32	20.00	
50			50	19.40	19.80	19.40	20.00	
100			0	19.45	19.72	19.41	20.00	

2 Conducted Power of NR Antenna

2.1 Conducted Power of NR Antenna (Ant0)

N2				Conducted Power(dBm)				
SCS 15kHz								
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				372000	376000	380000		
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	1860	1880	1900		
		1	1	23.56	23.71	23.55	24.00	
		1	53	23.61	23.88	23.61	24.00	
		1	104	23.44	23.81	23.50	24.00	
		50	0	23.52	23.71	23.48	24.00	
		50	28	23.61	23.62	23.42	24.00	
		50	56	23.45	23.67	23.35	24.00	
	DFT-s-OFDM QPSK	DFT-s-OFDM QPSK	100	0	23.61	23.71	23.42	24.00
			1	1	23.75	23.84	23.55	24.00
			1	53	23.66	23.81	23.61	24.00
			1	104	23.72	23.75	23.71	24.00
			50	0	23.59	23.62	23.65	24.00
			50	28	23.61	23.78	23.44	24.00
			50	56	23.58	23.71	23.72	24.00
	DFT-s-OFDM 16QAM	DFT-s-OFDM 16QAM	100	0	23.62	23.67	23.58	24.00
			1	1	23.58	23.77	23.44	24.00

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
	DFT-s-OFDM 64QAM	1	1	22.29	22.38	22.22	22.50
	DFT-s-OFDM 256QAM	1	1	20.42	20.32	20.28	20.50
20MHz	CP-OFDM QPSK	1	1	21.25	21.31	21.29	21.50
				372000	376000	380000	
15MHz	DFT-s-OFDM QPSK	1	1	23.65	23.22	23.58	24.00
				371500	376000	380500	
10MHz	DFT-s-OFDM QPSK	1	1	23.41	23.65	23.44	24.00
				371000	376000	381000	
5MHz	DFT-s-OFDM QPSK	1	1	23.61	23.58	23.65	24.00
				370500	376000	381500	

N5				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				166800	167300	167800	
				834	836.5	839	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	23.78	23.89	23.88	24.00
		1	53	23.85	23.92	23.84	24.00
		1	104	23.81	23.91	23.84	24.00
		50	0	23.88	23.97	23.95	24.00
		50	28	23.71	23.92	23.82	24.00
		50	56	23.89	23.88	23.82	24.00
		100	0	23.90	23.98	23.88	24.00
	DFT-s-OFDM QPSK	1	1	23.81	23.97	23.88	24.00
		1	53	23.78	23.95	23.78	24.00
		1	104	23.65	23.92	23.85	24.00
		50	0	23.82	23.89	23.91	24.00
		50	28	23.91	23.96	23.80	24.00
		50	56	23.85	23.82	23.77	24.00
		DFT-s-OFDM 16QAM	1	1	23.88	23.78	23.85
	DFT-s-OFDM 64QAM	1	1	22.42	22.45	22.42	22.50
	DFT-s-OFDM 256QAM	1	1	20.38	20.45	20.39	20.50
20MHz	CP-OFDM QPSK	1	1	21.35	21.48	21.42	21.50
				344000	349500	355000	
15MHz	DFT-s-OFDM QPSK	1	1	23.78	23.82	23.91	24.00
				343500	349500	355500	
10MHz	DFT-s-OFDM QPSK	1	1	23.88	23.90	23.78	24.00
				343000	349500	356000	
5MHz	DFT-s-OFDM QPSK	1	1	23.85	23.78	23.64	24.00
				342500	349500	356500	

N66				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
				1720	1745	1770	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	23.94	23.85	23.81	24.00

		1	53	23.89	23.71	23.80	24.00
		1	104	23.92	23.65	23.84	24.00
		50	0	23.81	23.88	23.78	24.00
		50	28	23.87	23.67	23.79	24.00
		50	56	23.85	23.78	23.84	24.00
		100	0	23.96	23.89	23.87	24.00
	DFT-s-OFDM QPSK	1	1	23.95	23.87	23.72	24.00
		1	53	23.92	23.78	23.69	24.00
		1	104	23.78	23.91	23.81	24.00
		50	0	23.86	23.88	23.72	24.00
		50	28	23.89	23.79	23.85	24.00
		50	56	23.82	23.78	23.66	24.00
	DFT-s-OFDM 16QAM	1	1	23.87	22.69	22.71	24.00
		1	1	22.48	22.39	22.41	22.50
1		1	20.49	20.31	20.45	20.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				344000	349000	354000	
20MHz	CP-OFDM QPSK	1	1	21.40	21.39	21.48	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343500	349000	354500	
15MHz	DFT-s-OFDM QPSK	1	1	23.89	23.91	23.88	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				343000	349000	355000	
10MHz	DFT-s-OFDM QPSK	1	1	23.81	23.88	23.78	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				342500	349000	355500	
5MHz	DFT-s-OFDM QPSK	1	1	23.84	23.84	23.85	24.00

N71				Conducted Power(dBm)			
SCS 15kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				134600	136100	137600	
20MHz	DFT-s-OFDM PI/2 BPSK	1	1	673	680.5	688	
		1	53	23.88	23.78	23.85	24.00
		1	104	23.91	23.88	23.61	24.00
		1	104	23.82	23.67	23.59	24.00
		50	0	23.94	23.81	23.71	24.00
		50	28	23.91	23.79	23.86	24.00
	DFT-s-OFDM QPSK	50	56	23.87	23.68	23.84	24.00
		100	0	23.81	23.84	23.48	24.00
		1	1	23.92	22.89	22.83	24.00
		1	53	23.89	23.71	23.68	24.00
		1	104	23.78	23.65	23.61	24.00
		50	0	23.88	23.88	23.71	24.00
	DFT-s-OFDM 16QAM	50	28	23.91	23.81	23.85	24.00
		50	56	23.82	23.78	23.80	24.00
		100	0	23.79	23.69	23.67	24.00
	DFT-s-OFDM 64QAM	1	1	23.61	23.68	23.58	24.00
	DFT-s-OFDM 64QAM	1	1	22.38	22.42	22.25	22.50
	DFT-s-OFDM 256QAM	1	1	20.31	20.44	20.19	20.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				134600	136100	137600	
20MHz	CP-OFDM QPSK	1	1	21.42	21.39	21.34	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				134100	136100	138100	

15MHz	DFT-s-OFDM QPSK	1	1	23.88	23.67	23.91	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				133600	136100	138600	
10MHz	DFT-s-OFDM QPSK	1	1	23.82	23.87	23.81	24.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				133100	136100	139100	
5MHz	DFT-s-OFDM QPSK	1	1	23.85	23.91	23.75	24.00

N41 Power Class 2				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				509202	518598	528000	
				2546.01	2592.99	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	26.14	26.14	26.04	27.00
		1	137	26.07	26.14	26.18	27.00
		1	271	26.04	26.17	26.03	27.00
		135	0	26.18	26.12	26.17	27.00
		135	69	26.17	26.26	26.18	27.00
		135	138	26.08	26.10	26.16	27.00
	DFT-s-OFDM QPSK	270	0	25.99	26.25	26.04	27.00
		1	1	26.20	26.26	25.97	27.00
		1	137	25.82	25.72	25.87	27.00
		1	271	25.40	25.36	25.29	27.00
		135	0	26.20	26.00	26.14	27.00
		135	69	25.95	26.22	25.80	27.00
	DFT-s-OFDM 16QAM	135	138	25.86	25.84	25.77	27.00
		270	0	25.74	25.97	25.81	27.00
		1	1	26.11	26.16	26.15	27.00
		1	1	24.86	24.96	24.84	25.50
1		1	22.84	22.89	22.88	23.50	
DFT-s-OFDM 256QAM							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				509202	518598	528000	
100MHz	CP-OFDM QPSK	1	1	24.11	24.05	24.11	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				507204	518598	529998	
80MHz	DFT-s-OFDM QPSK	1	1	26.07	26.06	26.08	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				505200	518598	531996	
60MHz	DFT-s-OFDM QPSK	1	1	25.87	25.96	26.13	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				503202	518598	534000	
40MHz	DFT-s-OFDM QPSK	1	1	26.00	25.92	25.85	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				501204	518598	535998	
20MHz	DFT-s-OFDM QPSK	1	1	25.88	25.91	25.86	27.00

N41 Power Class 3				Conducted Power(dBm)			
SCS 30kHz							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				509202	518598	528000	
				2546.01	2592.99	2640	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	24.11	24.23	24.05	25.00
		1	137	24.09	24.06	24.19	25.00
		1	271	24.01	24.22	24.01	25.00
		135	0	24.15	24.20	24.12	25.00
		135	69	24.11	24.18	24.15	25.00

	DFT-s-OFDM QPSK	135	138	24.05	24.17	24.09	25.00
		270	0	24.09	24.25	24.11	25.00
		1	1	24.13	24.28	23.97	25.00
		1	137	23.84	23.74	23.91	25.00
		1	271	23.42	23.26	23.35	25.00
		135	0	24.11	24.03	24.11	25.00
		135	69	23.97	24.12	23.89	25.00
		135	138	23.89	23.77	23.79	25.00
	270	0	23.79	23.92	23.88	25.00	
	DFT-s-OFDM 16QAM	1	1	24.15	24.22	24.19	25.00
DFT-s-OFDM 64QAM	1	1	22.89	22.91	22.85	23.50	
DFT-s-OFDM 256QAM	1	1	20.91	20.88	20.92	21.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
100MHz	CP-OFDM QPSK	1	1	509202	518598	528000	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	507204	518598	529998	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
60MHz	DFT-s-OFDM QPSK	1	1	505200	518598	531996	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	503202	518598	534000	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	501204	518598	535998	25.00
				23.91	23.85	23.88	25.00

2.2 Conducted Power of NR Antenna (Ant6)

N77 Power Class 2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	25.47	/	27.00
		1	137	/	25.29	/	27.00
		1	271	/	25.51	/	27.00
		135	0	/	25.02	/	27.00
		135	69	/	25.36	/	27.00
		135	138	/	25.43	/	27.00
		270	0	/	25.28	/	26.50
	DFT-s-OFDM QPSK	1	1	/	25.63	/	27.00
		1	137	/	25.60	/	27.00
		1	271	/	25.35	/	27.00
		135	0	/	25.11	/	27.00
		135	69	/	25.40	/	27.00
		135	138	/	25.08	/	27.00
		270	0	/	25.12	/	26.00
	DFT-s-OFDM 16QAM	1	1	/	25.03	/	27.00
DFT-s-OFDM 64QAM	1	1	/	23.78	/	25.50	
DFT-s-OFDM 256QAM	1	1	/	21.63	/	23.50	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	

100MHz	CP-OFDM QPSK	1	1	/	23.18	/	24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	25.47	25.18	25.41	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	25.41	25.33	25.29	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	25.16	25.22	25.35	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	25.35	25.35	25.25	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	25.29	25.20	25.34	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	25.25	25.42	25.21	27.00

N77 Power Class 3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	23.38	/	25.00
		1	137	/	23.35	/	25.00
		1	271	/	23.55	/	25.00
		135	0	/	23.05	/	25.00
		135	69	/	23.40	/	25.00
		135	138	/	23.39	/	25.00
		270	0	/	23.23	/	24.50
	DFT-s-OFDM QPSK	1	1	/	23.58	/	25.00
		1	137	/	23.57	/	25.00
		1	271	/	23.39	/	25.00
		135	0	/	23.09	/	25.00
		135	69	/	23.37	/	25.00
		135	138	/	23.03	/	25.00
		270	0	/	23.03	/	24.00
	DFT-s-OFDM 16QAM	1	1	/	23.11	/	25.00
	DFT-s-OFDM 64QAM	1	1	/	21.72	/	23.50
	DFT-s-OFDM 256QAM	1	1	/	19.68	/	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	21.22	/	22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up

				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	23.38	23.21	23.42	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	23.34	23.30	23.28	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	23.18	23.22	23.35	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	23.44	23.35	23.25	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	23.34	23.28	23.31	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	23.28	23.34	23.29	25.00

Receiver On N77 Power Class 2/3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	19.54	/	21.00
		1	137	/	19.61	/	21.00
		1	271	/	20.05	/	21.00
		135	0	/	19.50	/	21.00
		135	69	/	20.21	/	21.00
		135	138	/	20.10	/	21.00
	DFT-s-OFDM QPSK	270	0	/	20.08	/	21.00
		1	1	/	20.56	/	21.00
		1	137	/	20.38	/	21.00
		1	271	/	19.49	/	21.00
		135	0	/	19.35	/	21.00
		135	69	/	20.19	/	21.00
		135	138	/	19.57	/	21.00
	270	0	/	20.18	/	21.00	
	DFT-s-OFDM 16QAM	1	1	/	19.93	/	21.00
	DFT-s-OFDM 64QAM	1	1	/	19.53	/	21.00
DFT-s-OFDM 256QAM	1	1	/	19.62	/	21.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1	/	17.50	/	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	19.56	19.55	19.53	21.00

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	19.41	19.47	19.40	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	20.01	19.97	19.91	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	19.46	19.56	19.54	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	19.44	19.45	19.51	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	19.58	19.54	19.49	21.00

N77 Power Class 2				Conducted Power(dBm)				
SCS 30kHz(3700~3980)								
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				650000	656000	662000		
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	3750	3840	3930	27.00	
		1	137	26.36	26.15	26.30	27.00	
		1	271	26.08	26.41	26.27	27.00	
		135	0	26.19	26.18	26.05	27.00	
		135	69	26.22	26.10	26.28	27.00	
		135	138	26.43	26.38	26.28	27.00	
		270	0	26.09	26.38	26.39	27.00	
	DFT-s-OFDM QPSK	1	1	26.51	26.60	26.36	27.00	
		1	137	26.32	26.20	26.16	27.00	
		1	271	26.20	26.46	26.31	27.00	
		135	0	26.16	26.34	26.14	27.00	
		135	69	26.17	26.48	26.12	27.00	
		135	138	26.45	26.26	26.27	27.00	
		270	0	26.29	26.40	26.28	27.00	
	DFT-s-OFDM 16QAM	1	1	26.11	26.17	26.06	27.00	
	DFT-s-OFDM 64QAM	1	1	24.58	24.63	24.60	25.50	
	DFT-s-OFDM 256QAM	1	1	22.91	22.81	22.66	23.50	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					650000	656000	662000	
	100MHz	CP-OFDM QPSK	1	1		24.10		24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				649668	656000	662334		
90MHz	DFT-s-OFDM QPSK	1	1	26.27	26.24	26.18	27.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				649334	656000	662668		

80MHz	DFT-s-OFDM QPSK	1	1	26.14	26.21	26.04	27.00
Bandwidth	Modulation	RB size	RB offset	Channel 648668	Channel 656000	Channel 663334	Tune up
60MHz	DFT-s-OFDM QPSK	1	1	26.27	26.26	26.42	27.00
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 656000	Channel 663668	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	26.24	26.46	26.40	27.00
Bandwidth	Modulation	RB size	RB offset	Channel 648000	Channel 656000	Channel 664000	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	26.36	26.20	26.35	27.00
Bandwidth	Modulation	RB size	RB offset	Channel 647334	Channel 656000	Channel 664668	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	26.19	26.34	26.37	27.00

N77 Power Class 3				Conducted Power(dBm)				
SCS 30kHz(3700~3980)								
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				650000	656000	662000		
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	3750	3840	3930		
		1	137	24.16	24.40	24.31	25.00	
		1	271	24.34	24.18	24.22	25.00	
		135	0	24.15	24.24	24.17	25.00	
		135	69	24.09	24.26	24.16	25.00	
		135	138	24.35	24.36	24.24	25.00	
		270	0	24.36	24.19	24.32	25.00	
	DFT-s-OFDM QPSK	1	1	24.23	24.35	24.24	25.00	
		1	137	24.43	24.58	24.37	25.00	
		1	271	24.21	24.26	24.28	25.00	
		135	0	24.41	24.31	24.32	25.00	
		135	69	24.26	24.18	24.11	25.00	
		135	138	24.27	24.37	24.20	25.00	
	DFT-s-OFDM 16QAM	1	1	24.36	24.34	24.33	25.00	
		1	1	24.26	24.37	24.36	25.00	
		1	1	24.23	24.23	24.18	25.00	
		1	1	22.69	22.64	22.66	23.50	
	DFT-s-OFDM 64QAM	1	1	20.82	20.79	20.77	21.50	
		1	1	20.82	20.79	20.77	21.50	
	Bandwidth	Modulation	RB size	RB offset	Channel 650000	Channel 656000	Channel 662000	Tune up
	100MHz	CP-OFDM QPSK	1	1		22.12		22.50
Bandwidth	Modulation	RB size	RB offset	Channel 649668	Channel 656000	Channel 662334	Tune up	
90MHz	DFT-s-OFDM QPSK	1	1	24.30	24.34	24.19	25.00	
Bandwidth	Modulation	RB size	RB offset	Channel 649334	Channel 656000	Channel 662668	Tune up	
80MHz	DFT-s-OFDM QPSK	1	1	24.11	24.23	24.08	25.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	

				648668	656000	663334	
60MHz	DFT-s-OFDM QPSK	1	1	24.32	24.21	24.35	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	656000	663668	
50MHz	DFT-s-OFDM QPSK	1	1	24.15	24.38	24.40	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	656000	664000	
40MHz	DFT-s-OFDM QPSK	1	1	24.30	24.12	24.38	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	656000	664668	
20MHz	DFT-s-OFDM QPSK	1	1	24.26	24.41	24.30	25.00

Receiver On N77 Power Class 2/3				Conducted Power(dBm)			
SCS 30kHz(3700~3980)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				650000	656000	662000	
				3750	3840	3930	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	20.60	20.65	20.38	21.00
		1	137	20.26	20.46	20.52	21.00
		1	271	20.36	20.32	20.28	21.00
		135	0	20.74	20.57	20.38	21.00
		135	69	20.61	20.35	20.52	21.00
		135	138	20.41	20.48	20.44	21.00
		270	0	20.59	20.62	20.47	21.00
	DFT-s-OFDM QPSK	1	1	20.74	20.84	20.74	21.00
		1	137	20.59	20.52	20.60	21.00
		1	271	20.20	20.41	20.74	21.00
		135	0	20.23	20.22	20.32	21.00
		135	69	20.40	20.59	20.25	21.00
		135	138	20.25	20.53	20.30	21.00
		270	0	20.50	20.62	20.49	21.00
	DFT-s-OFDM 16QAM	1	1	20.37	20.40	20.57	21.00
	DFT-s-OFDM 64QAM	1	1	20.13	20.65	20.21	21.00
	DFT-s-OFDM 256QAM	1	1	20.46	20.36	20.24	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				650000	656000	662000	
100MHz	CP-OFDM QPSK	1	1	18.33	18.46	18.31	18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649668	656000	662334	
90MHz	DFT-s-OFDM QPSK	1	1	20.41	20.48	20.37	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				649334	656000	662668	
80MHz	DFT-s-OFDM QPSK	1	1	20.39	20.47	20.81	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648668	656000	663334	
60MHz	DFT-s-OFDM QPSK	1	1	20.43	20.32	20.46	21.00

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648334	656000	663668	
50MHz	DFT-s-OFDM QPSK	1	1	20.55	20.76	20.69	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				648000	656000	664000	
40MHz	DFT-s-OFDM QPSK	1	1	20.99	20.42	20.55	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				647334	656000	664668	
20MHz	DFT-s-OFDM QPSK	1	1	20.29	20.46	20.56	21.00

N78 Power Class 2				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	25.17	/	27.00
		1	137	/	25.18	/	27.00
		1	271	/	25.24	/	27.00
		135	0	/	25.02	/	27.00
		135	69	/	25.07	/	27.00
		135	138	/	25.01	/	27.00
		270	0	/	24.88	/	26.50
	DFT-s-OFDM QPSK	1	1	/	25.60	/	27.00
		1	137	/	25.21	/	27.00
		1	271	/	25.09	/	27.00
		135	0	/	25.15	/	27.00
		135	69	/	25.29	/	27.00
		135	138	/	25.20	/	27.00
		270	0	/	24.66	/	26.00
	DFT-s-OFDM 16QAM	1	1	/	25.19	/	27.00
	DFT-s-OFDM 64QAM	1	1	/	23.59	/	25.50
	DFT-s-OFDM 256QAM	1	1	/	21.86	/	23.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		22.60		24.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	25.30	25.41	25.10	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	25.11	25.39	25.30	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	25.21	25.32	25.36	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	

50MHz	DFT-s-OFDM QPSK	1	1	25.24	25.41	25.16	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	25.41	25.49	25.37	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631000	633334	635668	
30MHz	DFT-s-OFDM QPSK	1	1	25.33	25.34	25.13	27.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	25.27	25.34	25.26	27.00

N78 Power Class 3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	23.18	/	25.00
		1	137	/	23.12	/	25.00
		1	271	/	23.18	/	25.00
		135	0	/	23.01	/	25.00
		135	69	/	23.11	/	25.00
		135	138	/	23.01	/	25.00
		270	0	/	22.98	/	24.50
	DFT-s-OFDM QPSK	1	1	/	23.51	/	25.00
		1	137	/	23.31	/	25.00
		1	271	/	23.17	/	25.00
		135	0	/	23.01	/	25.00
		135	69	/	23.38	/	25.00
		135	138	/	23.19	/	25.00
		270	0	/	22.65	/	24.00
	DFT-s-OFDM 16QAM	1	1	/	23.09	/	25.00
	DFT-s-OFDM 64QAM	1	1	/	21.58	/	23.50
	DFT-s-OFDM 256QAM	1	1	/	19.78	/	21.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		20.61		22.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	23.28	23.31	23.15	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	23.21	23.38	23.25	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	23.29	23.25	23.31	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up

				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	23.22	23.31	23.21	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	23.43	23.41	23.31	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631000	633334	635668	
30MHz	DFT-s-OFDM QPSK	1	1	23.35	23.40	23.22	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	23.28	23.42	23.31	25.00

Receiver On N78 Power Class 2/3				Conducted Power(dBm)			
SCS 30kHz(3450~3550)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
				/	3500	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	19.47	/	21.00
		1	137	/	20.12	/	21.00
		1	271	/	20.14	/	21.00
		135	0	/	19.32	/	21.00
		135	69	/	19.21	/	21.00
		135	138	/	19.41	/	21.00
		270	0	/	20.24	/	21.00
	DFT-s-OFDM QPSK	1	1	/	20.73	/	21.00
		1	137	/	19.39	/	21.00
		1	271	/	19.57	/	21.00
		135	0	/	19.50	/	21.00
		135	69	/	20.36	/	21.00
		135	138	/	20.09	/	21.00
		270	0	/	20.34	/	21.00
DFT-s-OFDM 16QAM	1	1	/	19.39	/	21.00	
DFT-s-OFDM 64QAM	1	1	/	19.84	/	21.00	
DFT-s-OFDM 256QAM	1	1	/	19.65	/	21.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	633334	/	
100MHz	CP-OFDM QPSK	1	1		18.33		18.50
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				633000	633334	633668	
90MHz	DFT-s-OFDM QPSK	1	1	19.66	20.00	19.24	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632668	633334	634000	
80MHz	DFT-s-OFDM QPSK	1	1	19.25	19.72	20.10	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				632000	633334	634668	
60MHz	DFT-s-OFDM QPSK	1	1	20.04	20.06	19.90	21.00

Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631668	633334	635000	
50MHz	DFT-s-OFDM QPSK	1	1	19.79	19.60	19.47	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631334	633334	635334	
40MHz	DFT-s-OFDM QPSK	1	1	19.88	20.27	20.12	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				631000	633334	635668	
30MHz	DFT-s-OFDM QPSK	1	1	19.40	19.65	19.79	21.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				630668	633334	636000	
20MHz	DFT-s-OFDM QPSK	1	1	19.48	19.72	19.45	21.00

N78 Power Class 2				Conducted Power(dBm)				
SCS 30kHz(3700~3800)								
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				/	650000	/		
				/	3750.00	/		
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	25.12	/	27.00	
		1	137	/	25.24	/	27.00	
		1	271	/	25.14	/	27.00	
		135	0	/	25.09	/	27.00	
		135	69	/	25.07	/	27.00	
		135	138	/	25.15	/	27.00	
		270	0	/	24.55	/	26.50	
	DFT-s-OFDM QPSK	1	1	/	25.33	/	27.00	
		1	137	/	25.21	/	27.00	
		1	271	/	25.20	/	27.00	
		135	0	/	25.18	/	27.00	
		135	69	/	25.20	/	27.00	
		135	138	/	25.15	/	27.00	
		270	0	/	24.06	/	26.00	
	DFT-s-OFDM 16QAM	1	1	/	25.21	/	27.00	
	DFT-s-OFDM 64QAM	1	1	/	23.61	/	25.50	
	DFT-s-OFDM 256QAM	1	1	/	21.95	/	23.50	
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
					/	650000	/	
	100MHz	CP-OFDM QPSK	1	1	/	22.78	/	24.50
	Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
649668					650000	650334		
90MHz	DFT-s-OFDM QPSK	1	1	25.51	25.56	25.59	27.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				649334	650000	650668		
80MHz	DFT-s-OFDM QPSK	1	1	25.27	25.23	25.36	27.00	
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up	
				648668	650000	651334		

60MHz	DFT-s-OFDM QPSK	1	1	25.50	25.21	25.51	27.00
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 650000	Channel 651668	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	25.14	25.47	25.51	27.00
Bandwidth	Modulation	RB size	RB offset	Channel 648000	Channel 650000	Channel 652000	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	25.22	25.30	25.32	27.00
Bandwidth	Modulation	RB size	RB offset	Channel 647668	Channel 650000	Channel 652334	Tune up
30MHz	DFT-s-OFDM QPSK	1	1	25.15	25.26	25.48	27.00
Bandwidth	Modulation	RB size	RB offset	Channel 647334	Channel 650000	Channel 652668	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	25.23	25.35	25.42	27.00

N78 Power Class 3				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	23.13	/	25.00
		1	137	/	23.15	/	25.00
		1	271	/	23.12	/	25.00
		135	0	/	23.04	/	25.00
		135	69	/	23.09	/	25.00
		135	138	/	23.10	/	25.00
		270	0	/	22.59	/	24.50
	DFT-s-OFDM QPSK	1	1	/	23.20	/	25.00
		1	137	/	23.19	/	25.00
		1	271	/	23.16	/	25.00
		135	0	/	23.09	/	25.00
		135	69	/	23.14	/	25.00
		135	138	/	23.09	/	25.00
		270	0	/	22.06	/	24.00
	DFT-s-OFDM 16QAM	1	1	/	23.14	/	25.00
	DFT-s-OFDM 64QAM	1	1	/	21.69	/	23.50
	DFT-s-OFDM 256QAM	1	1	/	19.89	/	21.50
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 650000	Channel /	Tune up
100MHz	CP-OFDM QPSK	1	1	/	20.68	/	22.50
Bandwidth	Modulation	RB size	RB offset	Channel 649668	Channel 650000	Channel 650334	Tune up
90MHz	DFT-s-OFDM QPSK	1	1	23.41	23.59	23.61	25.00
Bandwidth	Modulation	RB size	RB offset	Channel 649334	Channel 650000	Channel 650668	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	23.19	23.28	23.34	25.00
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up

				648668	650000	651334	
60MHz	DFT-s-OFDM QPSK	1	1	23.43	23.29	23.44	25.00
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 650000	Channel 651668	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	23.16	23.42	23.61	25.00
Bandwidth	Modulation	RB size	RB offset	Channel 648000	Channel 650000	Channel 652000	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	23.29	23.34	23.25	25.00
Bandwidth	Modulation	RB size	RB offset	Channel 647668	Channel 650000	Channel 652334	Tune up
30MHz	DFT-s-OFDM QPSK	1	1	23.15	23.24	23.46	25.00
Bandwidth	Modulation	RB size	RB offset	Channel 647334	Channel 650000	Channel 652668	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	23.22	23.31	23.52	25.00

Receiver On N78 Power Class 2/3				Conducted Power(dBm)			
SCS 30kHz(3700~3800)							
Bandwidth	Modulation	RB size	RB offset	Channel	Channel	Channel	Tune up
				/	650000	/	
				/	3750.00	/	
100MHz	DFT-s-OFDM PI/2 BPSK	1	1	/	19.86	/	21.00
		1	137	/	19.75	/	21.00
		1	271	/	19.84	/	21.00
		135	0	/	19.85	/	21.00
		135	69	/	19.79	/	21.00
		135	138	/	19.48	/	21.00
		270	0	/	19.10	/	21.00
	DFT-s-OFDM QPSK	1	1	/	20.64	/	21.00
		1	137	/	19.82	/	21.00
		1	271	/	19.59	/	21.00
		135	0	/	19.86	/	21.00
		135	69	/	20.33	/	21.00
		135	138	/	19.92	/	21.00
	DFT-s-OFDM 16QAM	1	1	/	19.83	/	21.00
		1	1	/	19.31	/	21.00
1		1	/	19.94	/	21.00	
Bandwidth	Modulation	RB size	RB offset	Channel /	Channel 650000	Channel /	Tune up
100MHz	CP-OFDM QPSK	1	1	/	18.34	/	18.50
Bandwidth	Modulation	RB size	RB offset	Channel 649668	Channel 650000	Channel 650334	Tune up
90MHz	DFT-s-OFDM QPSK	1	1	20.01	20.30	20.26	21.00
Bandwidth	Modulation	RB size	RB offset	Channel 649334	Channel 650000	Channel 650668	Tune up
80MHz	DFT-s-OFDM QPSK	1	1	20.00	19.55	20.26	21.00
Bandwidth	Modulation	RB size	RB offset	Channel 648668	Channel 650000	Channel 651334	Tune up

60MHz	DFT-s-OFDM QPSK	1	1	19.99	19.38	20.19	21.00
Bandwidth	Modulation	RB size	RB offset	Channel 648334	Channel 650000	Channel 651668	Tune up
50MHz	DFT-s-OFDM QPSK	1	1	19.36	19.90	19.73	21.00
Bandwidth	Modulation	RB size	RB offset	Channel 648000	Channel 650000	Channel 652000	Tune up
40MHz	DFT-s-OFDM QPSK	1	1	19.63	20.21	19.70	21.00
Bandwidth	Modulation	RB size	RB offset	Channel 647668	Channel 650000	Channel 652334	Tune up
30MHz	DFT-s-OFDM QPSK	1	1	19.86	20.07	19.98	21.00
Bandwidth	Modulation	RB size	RB offset	Channel 647334	Channel 650000	Channel 652668	Tune up
20MHz	DFT-s-OFDM QPSK	1	1	20.15	19.46	20.22	21.00

3 Conducted Power of WiFi and Bluetooth

3.1 Conducted Power of WiFi(MIMO)

Mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11b	1	2412	1	13.62	15.00
	6	2437		13.60	15.00
	11	2462		13.42	15.00
802.11g	1	2412	6	13.21	14.50
	6	2437		13.20	14.50
	11	2462		13.18	14.50
802.11n HT20	1	2412	6.5	12.80	14.00
	6	2437		12.81	14.00
	11	2462		12.72	14.00
802.11n HT40	3	2422	13.5	12.62	14.00
	6	2437		12.76	14.00
	9	2452		12.70	14.00

5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11a	U-NII-1	36	5180	6	13.49	15.00
		40	5200		13.43	15.00
		44	5220		13.63	15.00
		48	5240		13.74	15.00
	U-NII-2A	52	5260		13.77	15.00
		56	5280		13.71	15.00
		60	5300		13.89	15.00
		64	5320		13.80	15.00
	U-NII-2C	100	5500		13.63	15.00
		104	5520		13.57	15.00
		108	5540		13.58	15.00
		112	5560		13.61	15.00
		116	5580		13.73	15.00

		132	5660		13.65	15.00
		136	5680		16.57	15.00
		140	5700		13.51	15.00
	U-NII-3	149	5745		13.39	15.00
		153	5765		13.33	15.00
		157	5785		13.36	15.00
		161	5805		13.31	15.00
		165	5825		13.61	15.00
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT20	U-NII-1	36	5180	MCS0	13.26	15.00
		40	5200		13.21	15.00
		44	5220		13.45	15.00
		48	5240		13.60	15.00
	U-NII-2A	52	5260		13.72	15.00
		56	5280		13.71	15.00
		60	5300		13.89	15.00
		64	5320		13.62	15.00
	U-NII-2C	100	5500		13.62	15.00
		104	5520		13.59	15.00
		108	5540		13.55	15.00
		112	5560		13.56	15.00
		116	5580		13.71	15.00
		132	5660		13.58	15.00
		136	5680		13.59	15.00
		140	5700		13.60	15.00
	U-NII-3	149	5745		13.54	15.00
		153	5765		13.51	15.00
		157	5785		13.49	15.00
		161	5805		13.44	15.00
165		5825	13.71	15.00		
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11n-HT40	U-NII-1	38	5190	MCS0	14.06	15.50
		46	5230		14.14	15.50
	U-NII-2A	54	5270		14.38	15.50
		62	5310		14.46	15.50
		102	5510		14.11	15.50
	U-NII-2C	110	5550		14.20	15.50
		118	5590		14.17	15.50
		134	5670		14.12	15.50
		U-NII-3	151		5755	13.95
	159		5795		13.65	14.50
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac-20	U-NII-1	36	5180	MCS0	12.46	14.00
		40	5200		12.44	14.00
		44	5220		12.62	14.00
		48	5240		12.79	14.00

	U-NII-2A	52	5260		12.83	14.00
		56	5280		12.79	14.00
		60	5300		12.95	14.00
		64	5320		13.08	14.00
	U-NII-2C	100	5500		12.66	14.00
		104	5520		12.51	14.00
		108	5540		12.58	14.00
		112	5560		12.55	14.00
		116	5580		12.66	14.00
		132	5660		12.59	14.00
		136	5680		12.54	14.00
	U-NII-3	140	5700		12.44	14.00
		149	5745		12.40	14.00
		153	5765		12.36	14.00
		157	5785		12.22	14.00
161		5805	12.18	14.00		
165	5825	12.45	14.00			
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac-40	U-NII-1	38	5190	MCS0	13.81	15.50
		46	5230		13.95	15.50
	U-NII-2A	54	5270		14.11	15.50
		62	5310		14.15	15.50
	U-NII-2C	102	5510		13.79	15.50
		110	5550		13.90	15.50
		118	5590		13.87	15.50
		134	5670		13.82	15.50
	U-NII-3	151	5755		13.83	15.50
		159	5795		13.77	15.50
5GHz	mode	Channel	Frequency(MHz)	Data Rate(Mbps)	Average Power (dBm)	Tune up
802.11ac 80M	U-NII-1	42	5210	MCS0	12.79	14.00
	U-NII-2A	58	5290		12.98	14.00
	U-NII-2C	106	5530		12.72	14.00
		138	5690		12.54	14.00
	U-NII-3	155	5775		12.54	14.00

3.2 Conducted Power of Bluetooth

BT		Average Conducted Power(dBm)			Tune up
Band	Channel	0	39	78	
BT	GFSK	6.45	6.96	6.87	8.00
	$\pi/4$ DQPSK	6.37	6.59	6.78	8.00
	8DPSK	6.33	6.52	6.71	8.00
Band	Channel	0	19	39	Tune up
BLE 1M	GFSK	-1.25	-1.03	-0.38	2.00
BLE 2M	GFSK	-1.24	-1.13	-0.58	2.00