


# **Annex A.5 Spurious Emission at Antenna Terminals**

# 1. GSM\_GSM850


## 1.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.67	-13	Pass	2986
30	500	0.1	Peak	410.7	-42.88	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.58	-13	N/A	5001
1000	10000	1	Peak	8192	-20.99	-13	Pass	9001




## 1.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.07	-13	Pass	401
0.15	30	0.01	Peak	0.15	-34.39	-13	Pass	2986
30	500	0.1	Peak	488.1	-42.14	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.7	-13	N/A	5001
1000	10000	1	Peak	9602	-20.55	-13	Pass	9001



### 1.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.22	-13	Pass	401
0.15	30	0.01	Peak	0.17	-35.88	-13	Pass	2986
30	500	0.1	Peak	393.4	-42.37	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.79	-13	N/A	5001
1000	10000	1	Peak	9504	-20.92	-13	Pass	9001



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.02	-13	Pass	2986
30	1000	0.1	Peak	968.2	-46.79	-13	Pass	9701
1000	3000	1	Peak	1850	29.19	-13	N/A	2001
3000	20000	1	Peak	19772	-38.54	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.24	-13	Pass	401
0.15	30	0.01	Peak	0.17	-40.89	-13	Pass	2986
30	1000	0.1	Peak	960.5	-46.58	-13	Pass	9701
1000	3000	1	Peak	1880	29.21	-13	N/A	2001
3000	20000	1	Peak	19988	-38.37	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.93	-13	Pass	2986
30	1000	0.1	Peak	909.2	-46.67	-13	Pass	9701
1000	3000	1	Peak	1910	29.4	-13	N/A	2001
3000	20000	1	Peak	19002	-38.32	-13	Pass	17001



### 3. EGPRS\_GSM850

#### 3.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.91	-13	Pass	2986
30	500	0.1	Peak	443	-43.08	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.13	-13	N/A	5001
1000	10000	1	Peak	7803	-20.02	-13	Pass	9001






### 3.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.03	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.78	-13	Pass	2986
30	500	0.1	Peak	443.1	-43.31	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.95	-13	N/A	5001
1000	10000	1	Peak	7758	-20.61	-13	Pass	9001



### 3.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.02	-13	Pass	401
0.15	30	0.01	Peak	0.16	-33.21	-13	Pass	2986
30	500	0.1	Peak	474.2	-42.78	-13	Pass	4701
500	1000	0.1	Peak	848.9	26.09	-13	N/A	5001
1000	10000	1	Peak	7701	-20.59	-13	Pass	9001



## 4. EGPRS\_PCS


### 4.1. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-39.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.52	-13	Pass	2986
30	1000	0.1	Peak	895.9	-46.84	-13	Pass	9701
1000	3000	1	Peak	1850	22.29	-13	N/A	2001
3000	20000	1	Peak	19996	-38.26	-13	Pass	17001




## 4.2. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-39.62	-13	Pass	401
0.15	30	0.01	Peak	0.16	-40.13	-13	Pass	2986
30	1000	0.1	Peak	991.6	-46.72	-13	Pass	9701
1000	3000	1	Peak	1880	27.17	-13	N/A	2001
3000	20000	1	Peak	19775	-37.59	-13	Pass	17001



### 4.3. EGPRS Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.46	-13	Pass	2986
30	1000	0.1	Peak	961.3	-46.96	-13	Pass	9701
1000	3000	1	Peak	1910	24.57	-13	N/A	2001
3000	20000	1	Peak	19994	-37.93	-13	Pass	17001



## 5. WCDMA\_Band2


### 5.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-44.83	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.72	-13	Pass	2986
30	1000	0.1	Peak	941	-51.44	-13	Pass	9701
1000	3000	1	Peak	1851	22.51	-13	N/A	2001
3000	20000	1	Peak	19362	-16.69	-13	Pass	17001




## 5.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-44.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.65	-13	Pass	2986
30	1000	0.1	Peak	972	-51.25	-13	Pass	9701
1000	3000	1	Peak	1879	22.72	-13	N/A	2001
3000	20000	1	Peak	19980	-16.31	-13	Pass	17001



### 5.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9538)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.28	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.71	-13	Pass	2986
30	1000	0.1	Peak	991.2	-51.23	-13	Pass	9701
1000	3000	1	Peak	1906	23.23	-13	N/A	2001
3000	20000	1	Peak	19236	-16.41	-13	Pass	17001






## 6. WCDMA\_Band4


### 6.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.98	-13	Pass	2986
30	1000	0.1	Peak	995.1	-50.74	-13	Pass	9701
1000	3000	1	Peak	1714	21.7	-13	N/A	2001
3000	20000	1	Peak	19923	-15.92	-13	Pass	17001




## 6.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.75	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.77	-13	Pass	2986
30	1000	0.1	Peak	963.8	-50.7	-13	Pass	9701
1000	3000	1	Peak	1731	22.01	-13	N/A	2001
3000	20000	1	Peak	19985	-15.15	-13	Pass	17001



### 6.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.23	-13	Pass	2986
30	1000	0.1	Peak	931.5	-51.06	-13	Pass	9701
1000	3000	1	Peak	1751	21.64	-13	N/A	2001
3000	20000	1	Peak	19986	-16.33	-13	Pass	17001



## 7. WCDMA\_Band5


### 7.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.94	-13	Pass	2986
30	500	0.1	Peak	439.7	-52.36	-13	Pass	4701
500	1000	0.1	Peak	826.8	17.8	-13	N/A	5001
1000	10000	1	Peak	7694	-30.78	-13	Pass	9001




## 7.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.95	-13	Pass	2986
30	500	0.1	Peak	432.3	-53.09	-13	Pass	4701
500	1000	0.1	Peak	837	17.4	-13	N/A	5001
1000	10000	1	Peak	7787	-31.3	-13	Pass	9001



### 7.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.19	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.78	-13	Pass	2986
30	500	0.1	Peak	483	-52.57	-13	Pass	4701
500	1000	0.1	Peak	845.8	17.29	-13	N/A	5001
1000	10000	1	Peak	7680	-31.16	-13	Pass	9001



## 8. LTE\_Band2


### 8.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.51	-13	Pass	2986
30	1000	0.1	RMS	949.6	-62.1	-13	Pass	9701
1000	1840	1	RMS	1839	-50.36	-13	Pass	841
1840	1920	1	RMS	1850.2	22.65	60	Pass	401
1920	3000	1	RMS	2642	-46.39	-13	Pass	1081
3000	12000	1	RMS	11847	-40.2	-13	Pass	9001
12000	20000	1	RMS	19996	-28.3	-13	Pass	8001



**8.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.88	-13	Pass	2986
30	1000	0.1	RMS	981.3	-62.01	-13	Pass	9701
1000	1840	1	RMS	1839	-50.35	-13	Pass	841
1840	1920	1	RMS	1850.2	21.72	60	Pass	401
1920	3000	1	RMS	2651	-46.43	-13	Pass	1081
3000	12000	1	RMS	11847	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-28.33	-13	Pass	8001






**8.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.31	-13	Pass	2986
30	1000	0.1	RMS	905.6	-62.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1920	1	RMS	1879.6	22.75	60	Pass	401
1920	3000	1	RMS	2645	-46.4	-13	Pass	1081
3000	12000	1	RMS	11850	-40.19	-13	Pass	9001
12000	20000	1	RMS	19996	-28.38	-13	Pass	8001




**8.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.51	-13	Pass	2986
30	1000	0.1	RMS	944.9	-62.11	-13	Pass	9701
1000	1840	1	RMS	1838	-50.41	-13	Pass	841
1840	1920	1	RMS	1879.6	21.82	60	Pass	401
1920	3000	1	RMS	2643	-46.46	-13	Pass	1081
3000	12000	1	RMS	11852	-40.17	-13	Pass	9001
12000	20000	1	RMS	19999	-28.27	-13	Pass	8001




**8.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.76	-13	Pass	2986
30	1000	0.1	RMS	948.6	-62.05	-13	Pass	9701
1000	1840	1	RMS	1832	-50.34	-13	Pass	841
1840	1920	1	RMS	1908.8	22.96	60	Pass	401
1920	3000	1	RMS	2645	-46.31	-13	Pass	1081
3000	12000	1	RMS	11849	-40.19	-13	Pass	9001
12000	20000	1	RMS	19997	-28.33	-13	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.32	-13	Pass	2986
30	1000	0.1	RMS	996.6	-61.99	-13	Pass	9701
1000	1840	1	RMS	1840	-50.43	-13	Pass	841
1840	1920	1	RMS	1908.8	22.15	60	Pass	401
1920	3000	1	RMS	2639	-46.38	-13	Pass	1081
3000	12000	1	RMS	11851	-40.17	-13	Pass	9001
12000	20000	1	RMS	19995	-28.42	-13	Pass	8001




**8.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.37	-13	Pass	2986
30	1000	0.1	RMS	927.8	-61.73	-13	Pass	9701
1000	1840	1	RMS	1840	-50.29	-13	Pass	841
1840	1920	1	RMS	1850.2	22.78	60	Pass	401
1920	3000	1	RMS	2645	-46.34	-13	Pass	1081
3000	12000	1	RMS	11846	-40.2	-13	Pass	9001
12000	20000	1	RMS	20000	-28.2	-13	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.09	-13	Pass	2986
30	1000	0.1	RMS	991.3	-62	-13	Pass	9701
1000	1840	1	RMS	1838	-50.38	-13	Pass	841
1840	1920	1	RMS	1850.2	22.06	60	Pass	401
1920	3000	1	RMS	2653	-46.41	-13	Pass	1081
3000	12000	1	RMS	11845	-40.19	-13	Pass	9001
12000	20000	1	RMS	19998	-28.3	-13	Pass	8001



**8.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.04	-13	Pass	2986
30	1000	0.1	RMS	939.6	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-50.33	-13	Pass	841
1840	1920	1	RMS	1878.8	22.86	60	Pass	401
1920	3000	1	RMS	2654	-46.34	-13	Pass	1081
3000	12000	1	RMS	11849	-40.18	-13	Pass	9001
12000	20000	1	RMS	19994	-28.35	-13	Pass	8001



### 8.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.78	-13	Pass	2986
30	1000	0.1	RMS	995.2	-62.07	-13	Pass	9701
1000	1840	1	RMS	1838	-50.42	-13	Pass	841
1840	1920	1	RMS	1878.8	21.97	60	Pass	401
1920	3000	1	RMS	2650	-46.36	-13	Pass	1081
3000	12000	1	RMS	11851	-40.18	-13	Pass	9001
12000	20000	1	RMS	19992	-28.31	-13	Pass	8001






### 8.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.85	-13	Pass	2986
30	1000	0.1	RMS	929.2	-61.95	-13	Pass	9701
1000	1840	1	RMS	1838	-50.36	-13	Pass	841
1840	1920	1	RMS	1907.2	23.33	60	Pass	401
1920	3000	1	RMS	2645	-46.41	-13	Pass	1081
3000	12000	1	RMS	11854	-40.2	-13	Pass	9001
12000	20000	1	RMS	20000	-28.28	-13	Pass	8001



### 8.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.52	-13	Pass	2986
30	1000	0.1	RMS	983	-61.81	-13	Pass	9701
1000	1840	1	RMS	1836	-50.43	-13	Pass	841
1840	1920	1	RMS	1907.2	22.31	60	Pass	401
1920	3000	1	RMS	2654	-46.37	-13	Pass	1081
3000	12000	1	RMS	11847	-40.18	-13	Pass	9001
12000	20000	1	RMS	19996	-28.31	-13	Pass	8001



### 8.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.6	-13	Pass	2986
30	1000	0.1	RMS	939.2	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1850.4	22.9	60	Pass	401
1920	3000	1	RMS	2652	-46.42	-13	Pass	1081
3000	12000	1	RMS	11848	-40.22	-13	Pass	9001
12000	20000	1	RMS	19998	-28.25	-13	Pass	8001



### 8.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.62	-13	Pass	2986
30	1000	0.1	RMS	963.4	-62.07	-13	Pass	9701
1000	1840	1	RMS	1839	-50.27	-13	Pass	841
1840	1920	1	RMS	1850.4	21.89	60	Pass	401
1920	3000	1	RMS	2659	-46.43	-13	Pass	1081
3000	12000	1	RMS	11849	-40.18	-13	Pass	9001
12000	20000	1	RMS	19994	-28.32	-13	Pass	8001



### 8.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.15	-13	Pass	2986
30	1000	0.1	RMS	964.3	-61.82	-13	Pass	9701
1000	1840	1	RMS	1838	-50.41	-13	Pass	841
1840	1920	1	RMS	1877.8	22.91	60	Pass	401
1920	3000	1	RMS	2648	-46.44	-13	Pass	1081
3000	12000	1	RMS	11850	-40.22	-13	Pass	9001
12000	20000	1	RMS	19999	-28.35	-13	Pass	8001



### 8.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	1000	0.1	RMS	917.8	-61.93	-13	Pass	9701
1000	1840	1	RMS	1839	-50.37	-13	Pass	841
1840	1920	1	RMS	1877.8	22.18	60	Pass	401
1920	3000	1	RMS	2647	-46.42	-13	Pass	1081
3000	12000	1	RMS	11846	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-28.21	-13	Pass	8001



### 8.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.88	-13	Pass	2986
30	1000	0.1	RMS	974.4	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.44	-13	Pass	841
1840	1920	1	RMS	1905.4	22.86	60	Pass	401
1920	3000	1	RMS	2661	-46.43	-13	Pass	1081
3000	12000	1	RMS	11847	-40.18	-13	Pass	9001
12000	20000	1	RMS	19999	-28.32	-13	Pass	8001



### 8.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.95	-13	Pass	2986
30	1000	0.1	RMS	931.9	-61.99	-13	Pass	9701
1000	1840	1	RMS	1839	-50.41	-13	Pass	841
1840	1920	1	RMS	1905.4	22.2	60	Pass	401
1920	3000	1	RMS	2651	-46.35	-13	Pass	1081
3000	12000	1	RMS	11839	-40.2	-13	Pass	9001
12000	20000	1	RMS	19997	-28.36	-13	Pass	8001






### 8.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.96	-13	Pass	2986
30	1000	0.1	RMS	950	-62.03	-13	Pass	9701
1000	1840	1	RMS	1833	-50.15	-13	Pass	841
1840	1920	1	RMS	1850.6	22.96	60	Pass	401
1920	3000	1	RMS	2658	-46.41	-13	Pass	1081
3000	12000	1	RMS	11847	-40.15	-13	Pass	9001
12000	20000	1	RMS	20000	-28.34	-13	Pass	8001



### 8.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.47	-13	Pass	2986
30	1000	0.1	RMS	981.6	-61.93	-13	Pass	9701
1000	1840	1	RMS	1833	-50.31	-13	Pass	841
1840	1920	1	RMS	1850.6	22.24	60	Pass	401
1920	3000	1	RMS	2644	-46.38	-13	Pass	1081
3000	12000	1	RMS	11850	-40.17	-13	Pass	9001
12000	20000	1	RMS	20000	-28.22	-13	Pass	8001



### 8.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.53	-13	Pass	2986
30	1000	0.1	RMS	954.5	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	Pass	841
1840	1920	1	RMS	1875.6	22.91	60	Pass	401
1920	3000	1	RMS	2645	-46.37	-13	Pass	1081
3000	12000	1	RMS	11844	-40.22	-13	Pass	9001
12000	20000	1	RMS	19998	-28.27	-13	Pass	8001



### 8.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.14	-13	Pass	2986
30	1000	0.1	RMS	952.1	-61.87	-13	Pass	9701
1000	1840	1	RMS	1837	-50.39	-13	Pass	841
1840	1920	1	RMS	1875.6	22.02	60	Pass	401
1920	3000	1	RMS	2660	-46.42	-13	Pass	1081
3000	12000	1	RMS	11864	-40.21	-13	Pass	9001
12000	20000	1	RMS	19999	-28.3	-13	Pass	8001



### 8.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.56	-13	Pass	2986
30	1000	0.1	RMS	940.2	-61.92	-13	Pass	9701
1000	1840	1	RMS	1836	-50.36	-13	Pass	841
1840	1920	1	RMS	1900.6	23.18	60	Pass	401
1920	3000	1	RMS	2652	-46.39	-13	Pass	1081
3000	12000	1	RMS	11850	-40.2	-13	Pass	9001
12000	20000	1	RMS	19996	-28.37	-13	Pass	8001



### 8.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.28	-13	Pass	2986
30	1000	0.1	RMS	933.4	-61.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.43	-13	Pass	841
1840	1920	1	RMS	1900.6	22.51	60	Pass	401
1920	3000	1	RMS	2658	-46.41	-13	Pass	1081
3000	12000	1	RMS	11849	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-28.3	-13	Pass	8001



### 8.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.61	-13	Pass	2986
30	1000	0.1	RMS	934.4	-62.08	-13	Pass	9701
1000	1840	1	RMS	1838	-45.54	-13	Pass	841
1840	1920	1	RMS	1850.8	22.78	60	Pass	401
1920	3000	1	RMS	2648	-46.39	-13	Pass	1081
3000	12000	1	RMS	11852	-40.23	-13	Pass	9001
12000	20000	1	RMS	19997	-28.3	-13	Pass	8001



### 8.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.77	-13	Pass	2986
30	1000	0.1	RMS	967.4	-62.04	-13	Pass	9701
1000	1840	1	RMS	1838	-45.94	-13	Pass	841
1840	1920	1	RMS	1850.8	21.96	60	Pass	401
1920	3000	1	RMS	2650	-46.37	-13	Pass	1081
3000	12000	1	RMS	11847	-40.23	-13	Pass	9001
12000	20000	1	RMS	19997	-28.35	-13	Pass	8001






### 8.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.63	-13	Pass	2986
30	1000	0.1	RMS	944.2	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	Pass	841
1840	1920	1	RMS	1873.4	22.84	60	Pass	401
1920	3000	1	RMS	2648	-46.37	-13	Pass	1081
3000	12000	1	RMS	11854	-40.23	-13	Pass	9001
12000	20000	1	RMS	19998	-28.39	-13	Pass	8001



### 8.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.28	-13	Pass	2986
30	1000	0.1	RMS	976.5	-61.98	-13	Pass	9701
1000	1840	1	RMS	1838	-50.43	-13	Pass	841
1840	1920	1	RMS	1873.4	21.98	60	Pass	401
1920	3000	1	RMS	2650	-46.37	-13	Pass	1081
3000	12000	1	RMS	11849	-40.17	-13	Pass	9001
12000	20000	1	RMS	19998	-28.35	-13	Pass	8001



### 8.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.96	-13	Pass	2986
30	1000	0.1	RMS	995.8	-61.98	-13	Pass	9701
1000	1840	1	RMS	1839	-50.37	-13	Pass	841
1840	1920	1	RMS	1895.8	22.99	60	Pass	401
1920	3000	1	RMS	1922	-41.73	-13	Pass	1081
3000	12000	1	RMS	11857	-40.11	-13	Pass	9001
12000	20000	1	RMS	19995	-28.4	-13	Pass	8001



### 8.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.25	-13	Pass	2986
30	1000	0.1	RMS	965.7	-61.95	-13	Pass	9701
1000	1840	1	RMS	1840	-50.33	-13	Pass	841
1840	1920	1	RMS	1895.8	22.29	60	Pass	401
1920	3000	1	RMS	1922	-42.2	-13	Pass	1081
3000	12000	1	RMS	11850	-40.15	-13	Pass	9001
12000	20000	1	RMS	19996	-28.29	-13	Pass	8001



### 8.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.57	-13	Pass	2986
30	1000	0.1	RMS	936	-61.85	-13	Pass	9701
1000	1840	1	RMS	1833	-49.46	-13	Pass	841
1840	1920	1	RMS	1851	22.61	60	Pass	401
1920	3000	1	RMS	2654	-46.42	-13	Pass	1081
3000	12000	1	RMS	11850	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-28.38	-13	Pass	8001



### 8.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.44	-13	Pass	2986
30	1000	0.1	RMS	969.8	-61.82	-13	Pass	9701
1000	1840	1	RMS	1833	-49.67	-13	Pass	841
1840	1920	1	RMS	1851	21.85	60	Pass	401
1920	3000	1	RMS	2649	-46.42	-13	Pass	1081
3000	12000	1	RMS	11839	-40.2	-13	Pass	9001
12000	20000	1	RMS	19986	-28.37	-13	Pass	8001



### 8.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2986
30	1000	0.1	RMS	982.3	-62.01	-13	Pass	9701
1000	1840	1	RMS	1836	-50.03	-13	Pass	841
1840	1920	1	RMS	1871	22.84	60	Pass	401
1920	3000	1	RMS	2649	-46.37	-13	Pass	1081
3000	12000	1	RMS	11840	-40.22	-13	Pass	9001
12000	20000	1	RMS	19998	-28.31	-13	Pass	8001



### 8.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.28	-13	Pass	2986
30	1000	0.1	RMS	991.4	-62.03	-13	Pass	9701
1000	1840	1	RMS	1835	-50.2	-13	Pass	841
1840	1920	1	RMS	1871	21.93	60	Pass	401
1920	3000	1	RMS	2647	-46.34	-13	Pass	1081
3000	12000	1	RMS	11857	-40.12	-13	Pass	9001
12000	20000	1	RMS	19998	-28.38	-13	Pass	8001






### 8.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.74	-13	Pass	2986
30	1000	0.1	RMS	995	-61.98	-13	Pass	9701
1000	1840	1	RMS	1836	-50.39	-13	Pass	841
1840	1920	1	RMS	1891	22.83	60	Pass	401
1920	3000	1	RMS	2649	-46.4	-13	Pass	1081
3000	12000	1	RMS	11854	-40.21	-13	Pass	9001
12000	20000	1	RMS	19999	-28.29	-13	Pass	8001



### 8.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.92	-13	Pass	2986
30	1000	0.1	RMS	947.5	-61.96	-13	Pass	9701
1000	1840	1	RMS	1838	-50.39	-13	Pass	841
1840	1920	1	RMS	1891	22.04	60	Pass	401
1920	3000	1	RMS	2640	-46.38	-13	Pass	1081
3000	12000	1	RMS	11851	-40.15	-13	Pass	9001
12000	20000	1	RMS	20000	-28.31	-13	Pass	8001



## 9. LTE\_Band4


### 9.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.71	-13	Pass	2986
30	1000	0.1	RMS	971.8	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.79	-13	Pass	701
1700	1765	1	RMS	1710.238	21.03	60	Pass	401
1765	3000	1	RMS	2649	-46.39	-13	Pass	1236
3000	12000	1	RMS	11847	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-28.27	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.37	-13	Pass	2986
30	1000	0.1	RMS	965.6	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1765	1	RMS	1710.238	20.18	60	Pass	401
1765	3000	1	RMS	2658	-46.42	-13	Pass	1236
3000	12000	1	RMS	11850	-40.1	-13	Pass	9001
12000	20000	1	RMS	19999	-28.37	-13	Pass	8001




**9.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.02	-13	Pass	2986
30	1000	0.1	RMS	924.2	-61.98	-13	Pass	9701
1000	1700	1	RMS	1689	-50.91	-13	Pass	701
1700	1765	1	RMS	1732.013	21.52	60	Pass	401
1765	3000	1	RMS	2657	-46.43	-13	Pass	1236
3000	12000	1	RMS	11850	-40.23	-13	Pass	9001
12000	20000	1	RMS	20000	-28.36	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-13	Pass	2986
30	1000	0.1	RMS	920.7	-61.9	-13	Pass	9701
1000	1700	1	RMS	1689	-50.89	-13	Pass	701
1700	1765	1	RMS	1732.013	20.68	60	Pass	401
1765	3000	1	RMS	2649	-46.33	-13	Pass	1236
3000	12000	1	RMS	11845	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-28.38	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.16	-13	Pass	2986
30	1000	0.1	RMS	967.8	-61.96	-13	Pass	9701
1000	1700	1	RMS	1632	-50.88	-13	Pass	701
1700	1765	1	RMS	1753.788	21.58	60	Pass	401
1765	3000	1	RMS	2659	-46.38	-13	Pass	1236
3000	12000	1	RMS	11850	-40.16	-13	Pass	9001
12000	20000	1	RMS	19993	-28.33	-13	Pass	8001



**9.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.01	-13	Pass	2986
30	1000	0.1	RMS	977.9	-62.04	-13	Pass	9701
1000	1700	1	RMS	1689	-50.92	-13	Pass	701
1700	1765	1	RMS	1753.788	20.68	60	Pass	401
1765	3000	1	RMS	2648	-46.36	-13	Pass	1236
3000	12000	1	RMS	11848	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-28.28	-13	Pass	8001






**9.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2986
30	1000	0.1	RMS	966.7	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.78	-13	Pass	701
1700	1765	1	RMS	1710.238	21.15	60	Pass	401
1765	3000	1	RMS	2647	-46.36	-13	Pass	1236
3000	12000	1	RMS	11849	-40.12	-13	Pass	9001
12000	20000	1	RMS	19998	-28.27	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.98	-13	Pass	2986
30	1000	0.1	RMS	954.5	-62.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1765	1	RMS	1710.238	20.35	60	Pass	401
1765	3000	1	RMS	2653	-46.36	-13	Pass	1236
3000	12000	1	RMS	11849	-40.13	-13	Pass	9001
12000	20000	1	RMS	19993	-28.29	-13	Pass	8001



**9.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.21	-13	Pass	2986
30	1000	0.1	RMS	968.3	-62.01	-13	Pass	9701
1000	1700	1	RMS	1698	-50.88	-13	Pass	701
1700	1765	1	RMS	1731.2	21.62	60	Pass	401
1765	3000	1	RMS	2642	-46.38	-13	Pass	1236
3000	12000	1	RMS	11846	-40.15	-13	Pass	9001
12000	20000	1	RMS	19999	-28.41	-13	Pass	8001



### 9.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.76	-13	Pass	2986
30	1000	0.1	RMS	987.6	-61.99	-13	Pass	9701
1000	1700	1	RMS	1684	-50.93	-13	Pass	701
1700	1765	1	RMS	1731.2	20.62	60	Pass	401
1765	3000	1	RMS	2650	-46.42	-13	Pass	1236
3000	12000	1	RMS	11854	-40.23	-13	Pass	9001
12000	20000	1	RMS	20000	-28.33	-13	Pass	8001



### 9.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.76	-13	Pass	2986
30	1000	0.1	RMS	935.6	-61.92	-13	Pass	9701
1000	1700	1	RMS	1694	-50.89	-13	Pass	701
1700	1765	1	RMS	1752.163	21.55	60	Pass	401
1765	3000	1	RMS	2657	-46.38	-13	Pass	1236
3000	12000	1	RMS	11850	-40.16	-13	Pass	9001
12000	20000	1	RMS	19999	-28.38	-13	Pass	8001



### 9.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.71	-13	Pass	2986
30	1000	0.1	RMS	991.3	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1765	1	RMS	1752.325	20.79	60	Pass	401
1765	3000	1	RMS	2640	-46.38	-13	Pass	1236
3000	12000	1	RMS	11849	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-28.31	-13	Pass	8001



### 9.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.17	-13	Pass	2986
30	1000	0.1	RMS	998.9	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.67	-13	Pass	701
1700	1765	1	RMS	1710.4	21.2	60	Pass	401
1765	3000	1	RMS	2644	-46.37	-13	Pass	1236
3000	12000	1	RMS	11844	-40.18	-13	Pass	9001
12000	20000	1	RMS	19998	-28.31	-13	Pass	8001



### 9.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.1	-13	Pass	2986
30	1000	0.1	RMS	974	-61.97	-13	Pass	9701
1000	1700	1	RMS	1700	-50.76	-13	Pass	701
1700	1765	1	RMS	1710.4	20.19	60	Pass	401
1765	3000	1	RMS	2650	-46.4	-13	Pass	1236
3000	12000	1	RMS	11847	-40.13	-13	Pass	9001
12000	20000	1	RMS	19998	-28.34	-13	Pass	8001






### 9.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.75	-13	Pass	2986
30	1000	0.1	RMS	961.9	-62.06	-13	Pass	9701
1000	1700	1	RMS	1589	-50.92	-13	Pass	701
1700	1765	1	RMS	1730.388	21.54	60	Pass	401
1765	3000	1	RMS	2658	-46.37	-13	Pass	1236
3000	12000	1	RMS	11850	-40.16	-13	Pass	9001
12000	20000	1	RMS	20000	-28.33	-13	Pass	8001



### 9.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.58	-13	Pass	2986
30	1000	0.1	RMS	944.7	-61.97	-13	Pass	9701
1000	1700	1	RMS	1608	-50.93	-13	Pass	701
1700	1765	1	RMS	1730.388	20.79	60	Pass	401
1765	3000	1	RMS	2643	-46.45	-13	Pass	1236
3000	12000	1	RMS	11852	-40.16	-13	Pass	9001
12000	20000	1	RMS	19997	-28.38	-13	Pass	8001



### 9.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.31	-13	Pass	2986
30	1000	0.1	RMS	942	-61.86	-13	Pass	9701
1000	1700	1	RMS	1679	-50.92	-13	Pass	701
1700	1765	1	RMS	1750.375	21.75	60	Pass	401
1765	3000	1	RMS	2653	-46.38	-13	Pass	1236
3000	12000	1	RMS	11851	-40.14	-13	Pass	9001
12000	20000	1	RMS	19995	-28.35	-13	Pass	8001



### 9.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.19	-13	Pass	2986
30	1000	0.1	RMS	938.8	-61.98	-13	Pass	9701
1000	1700	1	RMS	1681	-50.94	-13	Pass	701
1700	1765	1	RMS	1750.375	21.1	60	Pass	401
1765	3000	1	RMS	2657	-46.44	-13	Pass	1236
3000	12000	1	RMS	11848	-40.23	-13	Pass	9001
12000	20000	1	RMS	19998	-28.31	-13	Pass	8001



### 9.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.47	-13	Pass	2986
30	1000	0.1	RMS	926.6	-61.92	-13	Pass	9701
1000	1700	1	RMS	1693	-46.82	-13	Pass	701
1700	1765	1	RMS	1710.563	21.3	60	Pass	401
1765	3000	1	RMS	2651	-46.4	-13	Pass	1236
3000	12000	1	RMS	11847	-40.22	-13	Pass	9001
12000	20000	1	RMS	19997	-28.31	-13	Pass	8001



### 9.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-13	Pass	2986
30	1000	0.1	RMS	953.7	-62.12	-13	Pass	9701
1000	1700	1	RMS	1693	-48.3	-13	Pass	701
1700	1765	1	RMS	1710.563	20.31	60	Pass	401
1765	3000	1	RMS	2651	-46.32	-13	Pass	1236
3000	12000	1	RMS	11849	-40.22	-13	Pass	9001
12000	20000	1	RMS	19999	-28.39	-13	Pass	8001



### 9.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.38	-13	Pass	2986
30	1000	0.1	RMS	908.3	-62.01	-13	Pass	9701
1000	1700	1	RMS	1618	-50.89	-13	Pass	701
1700	1765	1	RMS	1728.113	21.78	60	Pass	401
1765	3000	1	RMS	2640	-46.38	-13	Pass	1236
3000	12000	1	RMS	11853	-40.19	-13	Pass	9001
12000	20000	1	RMS	19999	-28.39	-13	Pass	8001



### 9.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.09	-13	Pass	2986
30	1000	0.1	RMS	971.7	-61.99	-13	Pass	9701
1000	1700	1	RMS	1699	-50.91	-13	Pass	701
1700	1765	1	RMS	1728.113	20.72	60	Pass	401
1765	3000	1	RMS	2645	-46.36	-13	Pass	1236
3000	12000	1	RMS	11851	-40.19	-13	Pass	9001
12000	20000	1	RMS	20000	-28.29	-13	Pass	8001






### 9.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.89	-13	Pass	2986
30	1000	0.1	RMS	997.2	-61.85	-13	Pass	9701
1000	1700	1	RMS	1679	-50.89	-13	Pass	701
1700	1765	1	RMS	1745.5	21.61	60	Pass	401
1765	3000	1	RMS	2647	-46.35	-13	Pass	1236
3000	12000	1	RMS	11851	-40.18	-13	Pass	9001
12000	20000	1	RMS	19995	-28.35	-13	Pass	8001



### 9.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.47	-13	Pass	2986
30	1000	0.1	RMS	983.1	-62.05	-13	Pass	9701
1000	1700	1	RMS	1695	-50.89	-13	Pass	701
1700	1765	1	RMS	1745.663	20.73	60	Pass	401
1765	3000	1	RMS	2651	-46.4	-13	Pass	1236
3000	12000	1	RMS	11838	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-28.35	-13	Pass	8001



### 9.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.78	-13	Pass	2986
30	1000	0.1	RMS	984.1	-61.97	-13	Pass	9701
1000	1700	1	RMS	1697	-39.47	-13	Pass	701
1700	1765	1	RMS	1710.888	21.38	60	Pass	401
1765	3000	1	RMS	2655	-46.4	-13	Pass	1236
3000	12000	1	RMS	11847	-40.17	-13	Pass	9001
12000	20000	1	RMS	19989	-28.4	-13	Pass	8001



### 9.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.61	-13	Pass	2986
30	1000	0.1	RMS	955	-61.99	-13	Pass	9701
1000	1700	1	RMS	1698	-40.4	-13	Pass	701
1700	1765	1	RMS	1710.888	20.61	60	Pass	401
1765	3000	1	RMS	2652	-46.37	-13	Pass	1236
3000	12000	1	RMS	11837	-40.21	-13	Pass	9001
12000	20000	1	RMS	19999	-28.29	-13	Pass	8001



### 9.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.75	-13	Pass	2986
30	1000	0.1	RMS	964.7	-62.07	-13	Pass	9701
1000	1700	1	RMS	1699	-45.94	-13	Pass	701
1700	1765	1	RMS	1725.838	21.78	60	Pass	401
1765	3000	1	RMS	2652	-46.39	-13	Pass	1236
3000	12000	1	RMS	11851	-40.07	-13	Pass	9001
12000	20000	1	RMS	19996	-28.33	-13	Pass	8001



### 9.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.59	-13	Pass	2986
30	1000	0.1	RMS	997.9	-62.01	-13	Pass	9701
1000	1700	1	RMS	1699	-46.53	-13	Pass	701
1700	1765	1	RMS	1725.838	20.71	60	Pass	401
1765	3000	1	RMS	2652	-46.41	-13	Pass	1236
3000	12000	1	RMS	11853	-40.15	-13	Pass	9001
12000	20000	1	RMS	19999	-28.24	-13	Pass	8001



### 9.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.52	-13	Pass	2986
30	1000	0.1	RMS	986.3	-62.02	-13	Pass	9701
1000	1700	1	RMS	1605	-50.87	-13	Pass	701
1700	1765	1	RMS	1740.788	21.54	60	Pass	401
1765	3000	1	RMS	1767	-23.78	-13	Pass	1236
3000	12000	1	RMS	11853	-40.11	-13	Pass	9001
12000	20000	1	RMS	19999	-28.43	-13	Pass	8001



### 9.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.72	-13	Pass	2986
30	1000	0.1	RMS	927.4	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-50.88	-13	Pass	701
1700	1765	1	RMS	1740.788	21.07	60	Pass	401
1765	3000	1	RMS	1767	-21.95	-13	Pass	1236
3000	12000	1	RMS	11847	-40.18	-13	Pass	9001
12000	20000	1	RMS	19996	-28.33	-13	Pass	8001






### 9.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.35	-13	Pass	2986
30	1000	0.1	RMS	986.1	-62	-13	Pass	9701
1000	1700	1	RMS	1693	-40.93	-13	Pass	701
1700	1765	1	RMS	1711.05	21.28	60	Pass	401
1765	3000	1	RMS	2648	-46.38	-13	Pass	1236
3000	12000	1	RMS	11851	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-28.42	-13	Pass	8001



### 9.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.63	-13	Pass	2986
30	1000	0.1	RMS	962.7	-62.06	-13	Pass	9701
1000	1700	1	RMS	1693	-42.83	-13	Pass	701
1700	1765	1	RMS	1711.05	20.45	60	Pass	401
1765	3000	1	RMS	2657	-46.42	-13	Pass	1236
3000	12000	1	RMS	11848	-40.14	-13	Pass	9001
12000	20000	1	RMS	20000	-28.28	-13	Pass	8001



### 9.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.46	-13	Pass	2986
30	1000	0.1	RMS	983.8	-61.99	-13	Pass	9701
1000	1700	1	RMS	1688	-50.56	-13	Pass	701
1700	1765	1	RMS	1723.563	21.59	60	Pass	401
1765	3000	1	RMS	2648	-46.43	-13	Pass	1236
3000	12000	1	RMS	11850	-40.13	-13	Pass	9001
12000	20000	1	RMS	20000	-28.31	-13	Pass	8001



### 9.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-13	Pass	2986
30	1000	0.1	RMS	996.8	-62.01	-13	Pass	9701
1000	1700	1	RMS	1694	-50.81	-13	Pass	701
1700	1765	1	RMS	1723.563	20.63	60	Pass	401
1765	3000	1	RMS	2643	-46.41	-13	Pass	1236
3000	12000	1	RMS	11854	-40.14	-13	Pass	9001
12000	20000	1	RMS	19998	-28.37	-13	Pass	8001



### 9.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.05	-13	Pass	2986
30	1000	0.1	RMS	950.2	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-47.68	-13	Pass	701
1700	1765	1	RMS	1736.075	21.72	60	Pass	401
1765	3000	1	RMS	1772	-19.83	-13	Pass	1236
3000	12000	1	RMS	11849	-40.2	-13	Pass	9001
12000	20000	1	RMS	19999	-28.42	-13	Pass	8001



### 9.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.95	-13	Pass	2986
30	1000	0.1	RMS	996.9	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-45.96	-13	Pass	701
1700	1765	1	RMS	1736.075	20.87	60	Pass	401
1765	3000	1	RMS	1772	-23.2	-13	Pass	1236
3000	12000	1	RMS	11848	-40.24	-13	Pass	9001
12000	20000	1	RMS	19998	-28.33	-13	Pass	8001



## 10. LTE\_Band5


### 10.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.27	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.25	-13	Pass	7841
814	860	0.1	RMS	824.2	19.43	60	Pass	461
860	1000	0.1	RMS	995.3	-62.2	-13	Pass	1401
1000	3000	1	RMS	2648	-46.38	-13	Pass	2001
3000	10000	1	RMS	7738	-42.51	-13	Pass	7001



**10.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.25	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.4	-13	Pass	7841
814	860	0.1	RMS	824.3	18.34	60	Pass	461
860	1000	0.1	RMS	988.4	-62.3	-13	Pass	1401
1000	3000	1	RMS	2645	-46.4	-13	Pass	2001
3000	10000	1	RMS	7734	-42.45	-13	Pass	7001






**10.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.25	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.43	-13	Pass	7841
814	860	0.1	RMS	836.1	19.45	60	Pass	461
860	1000	0.1	RMS	989.7	-62.2	-13	Pass	1401
1000	3000	1	RMS	2651	-46.41	-13	Pass	2001
3000	10000	1	RMS	7726	-42.4	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.41	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.41	-13	Pass	7841
814	860	0.1	RMS	836.1	18.56	60	Pass	461
860	1000	0.1	RMS	973.9	-62.28	-13	Pass	1401
1000	3000	1	RMS	2643	-46.41	-13	Pass	2001
3000	10000	1	RMS	7723	-42.35	-13	Pass	7001




**10.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2986
30	814	0.1	RMS	781.1	-62.41	-13	Pass	7841
814	860	0.1	RMS	847.9	19.46	60	Pass	461
860	1000	0.1	RMS	977.5	-62.15	-13	Pass	1401
1000	3000	1	RMS	2645	-46.36	-13	Pass	2001
3000	10000	1	RMS	7737	-42.47	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.39	-13	Pass	2986
30	814	0.1	RMS	796.3	-62.46	-13	Pass	7841
814	860	0.1	RMS	847.9	18.52	60	Pass	461
860	1000	0.1	RMS	929.7	-62.3	-13	Pass	1401
1000	3000	1	RMS	2648	-46.42	-13	Pass	2001
3000	10000	1	RMS	7729	-42.48	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.42	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.18	-13	Pass	7841
814	860	0.1	RMS	824.2	19.58	60	Pass	461
860	1000	0.1	RMS	939.6	-62.2	-13	Pass	1401
1000	3000	1	RMS	2651	-46.4	-13	Pass	2001
3000	10000	1	RMS	7734	-42.5	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.19	-13	Pass	2986
30	814	0.1	RMS	804.4	-62.34	-13	Pass	7841
814	860	0.1	RMS	824.2	18.56	60	Pass	461
860	1000	0.1	RMS	971.4	-62.21	-13	Pass	1401
1000	3000	1	RMS	2648	-46.34	-13	Pass	2001
3000	10000	1	RMS	7728	-42.51	-13	Pass	7001



**10.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.46	-13	Pass	2986
30	814	0.1	RMS	812.2	-62.47	-13	Pass	7841
814	860	0.1	RMS	835.2	19.74	60	Pass	461
860	1000	0.1	RMS	952.1	-62.28	-13	Pass	1401
1000	3000	1	RMS	2648	-46.41	-13	Pass	2001
3000	10000	1	RMS	9549	-42.5	-13	Pass	7001



### 10.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.2	-13	Pass	2986
30	814	0.1	RMS	801	-62.4	-13	Pass	7841
814	860	0.1	RMS	835.2	18.75	60	Pass	461
860	1000	0.1	RMS	986	-62.23	-13	Pass	1401
1000	3000	1	RMS	2658	-46.37	-13	Pass	2001
3000	10000	1	RMS	7735	-42.46	-13	Pass	7001






### 10.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.87	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.38	-13	Pass	7841
814	860	0.1	RMS	846.2	19.7	60	Pass	461
860	1000	0.1	RMS	975.2	-62.32	-13	Pass	1401
1000	3000	1	RMS	2651	-46.38	-13	Pass	2001
3000	10000	1	RMS	7719	-42.44	-13	Pass	7001



### 10.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.18	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.56	-13	Pass	7841
814	860	0.1	RMS	846.2	18.71	60	Pass	461
860	1000	0.1	RMS	922.7	-62.29	-13	Pass	1401
1000	3000	1	RMS	2648	-46.41	-13	Pass	2001
3000	10000	1	RMS	7732	-42.53	-13	Pass	7001



### 10.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.4	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.35	-13	Pass	7841
814	860	0.1	RMS	824.3	19.56	60	Pass	461
860	1000	0.1	RMS	940.8	-62.11	-13	Pass	1401
1000	3000	1	RMS	2648	-46.41	-13	Pass	2001
3000	10000	1	RMS	7728	-42.5	-13	Pass	7001



### 10.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.73	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.29	-13	Pass	7841
814	860	0.1	RMS	824.3	18.45	60	Pass	461
860	1000	0.1	RMS	928	-62.36	-13	Pass	1401
1000	3000	1	RMS	2651	-46.44	-13	Pass	2001
3000	10000	1	RMS	7737	-42.53	-13	Pass	7001



### 10.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.19	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.48	-13	Pass	7841
814	860	0.1	RMS	834.3	19.69	60	Pass	461
860	1000	0.1	RMS	993.1	-62.2	-13	Pass	1401
1000	3000	1	RMS	2651	-46.44	-13	Pass	2001
3000	10000	1	RMS	7741	-42.5	-13	Pass	7001



### 10.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.43	-13	Pass	7841
814	860	0.1	RMS	834.3	18.78	60	Pass	461
860	1000	0.1	RMS	955	-62.36	-13	Pass	1401
1000	3000	1	RMS	2643	-46.42	-13	Pass	2001
3000	10000	1	RMS	7747	-42.48	-13	Pass	7001



### 10.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.27	-13	Pass	2986
30	814	0.1	RMS	797.2	-62.37	-13	Pass	7841
814	860	0.1	RMS	844.3	19.9	60	Pass	461
860	1000	0.1	RMS	944.8	-62.25	-13	Pass	1401
1000	3000	1	RMS	2641	-46.41	-13	Pass	2001
3000	10000	1	RMS	7731	-42.53	-13	Pass	7001



### 10.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.9	-13	Pass	2986
30	814	0.1	RMS	801.8	-62.49	-13	Pass	7841
814	860	0.1	RMS	844.3	19.08	60	Pass	461
860	1000	0.1	RMS	998	-62.29	-13	Pass	1401
1000	3000	1	RMS	2648	-46.39	-13	Pass	2001
3000	10000	1	RMS	7727	-42.53	-13	Pass	7001






### 10.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.9	-13	Pass	2986
30	814	0.1	RMS	813	-62.21	-13	Pass	7841
814	860	0.1	RMS	824.6	20.16	60	Pass	461
860	1000	0.1	RMS	974.2	-62.24	-13	Pass	1401
1000	3000	1	RMS	2654	-46.37	-13	Pass	2001
3000	10000	1	RMS	7726	-42.52	-13	Pass	7001



### 10.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.87	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.38	-13	Pass	7841
814	860	0.1	RMS	824.6	19.53	60	Pass	461
860	1000	0.1	RMS	952.3	-62.36	-13	Pass	1401
1000	3000	1	RMS	2651	-46.43	-13	Pass	2001
3000	10000	1	RMS	7732	-42.45	-13	Pass	7001



### 10.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.75	-13	Pass	2986
30	814	0.1	RMS	812.9	-61.86	-13	Pass	7841
814	860	0.1	RMS	832.1	20.35	60	Pass	461
860	1000	0.1	RMS	998.7	-62.22	-13	Pass	1401
1000	3000	1	RMS	2654	-46.42	-13	Pass	2001
3000	10000	1	RMS	7732	-42.45	-13	Pass	7001



### 10.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.85	-13	Pass	2986
30	814	0.1	RMS	812.9	-61.86	-13	Pass	7841
814	860	0.1	RMS	832.1	19.35	60	Pass	461
860	1000	0.1	RMS	978.5	-62.32	-13	Pass	1401
1000	3000	1	RMS	2646	-46.4	-13	Pass	2001
3000	10000	1	RMS	7723	-42.57	-13	Pass	7001



### 10.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.98	-13	Pass	2986
30	814	0.1	RMS	792.7	-62.48	-13	Pass	7841
814	860	0.1	RMS	839.6	20.45	60	Pass	461
860	1000	0.1	RMS	994	-62.32	-13	Pass	1401
1000	3000	1	RMS	2651	-46.35	-13	Pass	2001
3000	10000	1	RMS	7735	-42.53	-13	Pass	7001



### 10.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.88	-13	Pass	2986
30	814	0.1	RMS	798.8	-62.4	-13	Pass	7841
814	860	0.1	RMS	839.6	19.47	60	Pass	461
860	1000	0.1	RMS	997.1	-62.27	-13	Pass	1401
1000	3000	1	RMS	2654	-46.4	-13	Pass	2001
3000	10000	1	RMS	7729	-42.52	-13	Pass	7001



## 11. LTE\_Band7


### 11.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.75	-25	Pass	2986
30	1000	0.1	RMS	937.3	-62.08	-25	Pass	9701
1000	2490	1	RMS	2490	-47.59	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.67	60	Pass	401
2580	3000	1	RMS	2647	-46.43	-25	Pass	421
3000	12000	1	RMS	7501	-63.35	-25	Pass	9001
12000	26000	1	RMS	25015	-42.17	-25	Pass	14001



**11.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.59	-25	Pass	2986
30	1000	0.1	RMS	966.1	-61.85	-25	Pass	9701
1000	2490	1	RMS	2490	-47.66	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.7	60	Pass	401
2580	3000	1	RMS	2649	-46.49	-25	Pass	421
3000	12000	1	RMS	11842	-63.54	-25	Pass	9001
12000	26000	1	RMS	25017	-41.4	-25	Pass	14001






**11.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.83	-25	Pass	2986
30	1000	0.1	RMS	964	-61.9	-25	Pass	9701
1000	2490	1	RMS	2490	-47.84	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.02	60	Pass	401
2580	3000	1	RMS	2655	-46.41	-25	Pass	421
3000	12000	1	RMS	5066	-53.29	-25	Pass	9001
12000	26000	1	RMS	25012	-41.28	-25	Pass	14001




**11.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.52	-25	Pass	2986
30	1000	0.1	RMS	972.1	-61.95	-25	Pass	9701
1000	2490	1	RMS	2486	-47.93	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.31	60	Pass	401
2580	3000	1	RMS	2656	-46.43	-25	Pass	421
3000	12000	1	RMS	5066	-54.31	-25	Pass	9001
12000	26000	1	RMS	25012	-41.34	-25	Pass	14001




**11.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.18	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.82	-25	Pass	2986
30	1000	0.1	RMS	975.3	-62.02	-25	Pass	9701
1000	2490	1	RMS	2490	-47.87	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.38	60	Pass	401
2580	3000	1	RMS	2648	-46.46	-25	Pass	421
3000	12000	1	RMS	5131	-48.78	-25	Pass	9001
12000	26000	1	RMS	25009	-41.38	-25	Pass	14001




**11.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.32	-25	Pass	2986
30	1000	0.1	RMS	938.6	-62.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.86	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.7	60	Pass	401
2580	3000	1	RMS	2652	-46.47	-25	Pass	421
3000	12000	1	RMS	5131	-49.79	-25	Pass	9001
12000	26000	1	RMS	25011	-41.32	-25	Pass	14001




**11.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.43	-25	Pass	2986
30	1000	0.1	RMS	954.4	-62	-25	Pass	9701
1000	2490	1	RMS	2490	-47.62	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.86	60	Pass	401
2580	3000	1	RMS	2640	-46.46	-25	Pass	421
3000	12000	1	RMS	7502	-63.45	-25	Pass	9001
12000	26000	1	RMS	25016	-41.32	-25	Pass	14001




**11.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.39	-25	Pass	2986
30	1000	0.1	RMS	995.3	-62.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.61	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.21	60	Pass	401
2580	3000	1	RMS	2652	-46.47	-25	Pass	421
3000	12000	1	RMS	11854	-63.49	-25	Pass	9001
12000	26000	1	RMS	25011	-41.28	-25	Pass	14001



**11.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.4	-25	Pass	2986
30	1000	0.1	RMS	996.8	-61.91	-25	Pass	9701
1000	2490	1	RMS	2489	-47.82	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.23	60	Pass	401
2580	3000	1	RMS	2658	-46.37	-25	Pass	421
3000	12000	1	RMS	5061	-52.51	-25	Pass	9001
12000	26000	1	RMS	25011	-41.34	-25	Pass	14001



### 11.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.58	-25	Pass	2986
30	1000	0.1	RMS	934.3	-61.96	-25	Pass	9701
1000	2490	1	RMS	2489	-47.81	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.16	60	Pass	401
2580	3000	1	RMS	2651	-46.33	-25	Pass	421
3000	12000	1	RMS	5061	-53.18	-25	Pass	9001
12000	26000	1	RMS	25014	-41.21	-25	Pass	14001






### 11.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.38	-25	Pass	2986
30	1000	0.1	RMS	935.5	-62.01	-25	Pass	9701
1000	2490	1	RMS	2487	-47.87	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.72	60	Pass	401
2580	3000	1	RMS	2638	-46.53	-25	Pass	421
3000	12000	1	RMS	5121	-51.76	-25	Pass	9001
12000	26000	1	RMS	25013	-41.26	-25	Pass	14001



### 11.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.98	-25	Pass	2986
30	1000	0.1	RMS	999.3	-62.06	-25	Pass	9701
1000	2490	1	RMS	2490	-47.84	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.03	60	Pass	401
2580	3000	1	RMS	2649	-46.49	-25	Pass	421
3000	12000	1	RMS	5121	-52.59	-25	Pass	9001
12000	26000	1	RMS	25013	-41.34	-25	Pass	14001



### 11.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.32	-25	Pass	2986
30	1000	0.1	RMS	988.8	-61.99	-25	Pass	9701
1000	2490	1	RMS	2487	-41.28	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.46	60	Pass	401
2580	3000	1	RMS	2641	-46.47	-25	Pass	421
3000	12000	1	RMS	11853	-63.49	-25	Pass	9001
12000	26000	1	RMS	25015	-41.32	-25	Pass	14001



### 11.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.27	-25	Pass	2986
30	1000	0.1	RMS	920.4	-61.98	-25	Pass	9701
1000	2490	1	RMS	2487	-39.94	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.1	60	Pass	401
2580	3000	1	RMS	2648	-46.45	-25	Pass	421
3000	12000	1	RMS	11854	-63.47	-25	Pass	9001
12000	26000	1	RMS	25012	-41.3	-25	Pass	14001



### 11.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.77	-25	Pass	2986
30	1000	0.1	RMS	939.7	-62.04	-25	Pass	9701
1000	2490	1	RMS	2490	-47.84	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.14	60	Pass	401
2580	3000	1	RMS	2659	-46.38	-25	Pass	421
3000	12000	1	RMS	5057	-53.93	-25	Pass	9001
12000	26000	1	RMS	25015	-41.38	-25	Pass	14001



### 11.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.84	-25	Pass	2986
30	1000	0.1	RMS	971.3	-61.99	-25	Pass	9701
1000	2490	1	RMS	2487	-47.92	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.32	60	Pass	401
2580	3000	1	RMS	2650	-46.31	-25	Pass	421
3000	12000	1	RMS	5057	-55.74	-25	Pass	9001
12000	26000	1	RMS	25013	-41.19	-25	Pass	14001



### 11.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.29	-25	Pass	2986
30	1000	0.1	RMS	977.4	-61.97	-25	Pass	9701
1000	2490	1	RMS	2490	-47.88	-25	Pass	1491
2490	2580	1	RMS	2555.925	22.42	60	Pass	401
2580	3000	1	RMS	2582	-44.97	-25	Pass	421
3000	12000	1	RMS	5112	-53.37	-25	Pass	9001
12000	26000	1	RMS	25014	-41.38	-25	Pass	14001



### 11.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.03	-25	Pass	2986
30	1000	0.1	RMS	915.2	-62.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.87	-25	Pass	1491
2490	2580	1	RMS	2555.925	21.87	60	Pass	401
2580	3000	1	RMS	2582	-45.33	-25	Pass	421
3000	12000	1	RMS	5112	-54.13	-25	Pass	9001
12000	26000	1	RMS	25012	-41.28	-25	Pass	14001






### 11.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.91	-25	Pass	2986
30	1000	0.1	RMS	938.6	-62.01	-25	Pass	9701
1000	2490	1	RMS	2483	-41.1	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.46	60	Pass	401
2580	3000	1	RMS	2638	-46.47	-25	Pass	421
3000	12000	1	RMS	11851	-63.5	-25	Pass	9001
12000	26000	1	RMS	25010	-41.4	-25	Pass	14001



### 11.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.53	-25	Pass	2986
30	1000	0.1	RMS	937.5	-62.05	-25	Pass	9701
1000	2490	1	RMS	2483	-43.62	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.79	60	Pass	401
2580	3000	1	RMS	2637	-46.42	-25	Pass	421
3000	12000	1	RMS	11853	-63.44	-25	Pass	9001
12000	26000	1	RMS	25010	-41.27	-25	Pass	14001



### 11.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.58	-25	Pass	2986
30	1000	0.1	RMS	996.9	-62.01	-25	Pass	9701
1000	2490	1	RMS	2490	-47.09	-25	Pass	1491
2490	2580	1	RMS	2526	22.99	60	Pass	401
2580	3000	1	RMS	2650	-46.37	-25	Pass	421
3000	12000	1	RMS	5052	-52.69	-25	Pass	9001
12000	26000	1	RMS	25007	-41.35	-25	Pass	14001



### 11.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.93	-25	Pass	2986
30	1000	0.1	RMS	1000	-62.09	-25	Pass	9701
1000	2490	1	RMS	2490	-46.73	-25	Pass	1491
2490	2580	1	RMS	2526	22.2	60	Pass	401
2580	3000	1	RMS	2648	-46.39	-25	Pass	421
3000	12000	1	RMS	5052	-54.06	-25	Pass	9001
12000	26000	1	RMS	25010	-41.39	-25	Pass	14001



### 11.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.46	-25	Pass	2986
30	1000	0.1	RMS	966.6	-62.06	-25	Pass	9701
1000	2490	1	RMS	2490	-47.86	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.86	60	Pass	401
2580	3000	1	RMS	2587	-45.05	-25	Pass	421
3000	12000	1	RMS	5102	-56.88	-25	Pass	9001
12000	26000	1	RMS	25012	-41.31	-25	Pass	14001



### 11.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.34	-25	Pass	2986
30	1000	0.1	RMS	999.9	-62.09	-25	Pass	9701
1000	2490	1	RMS	2485	-47.91	-25	Pass	1491
2490	2580	1	RMS	2551.2	21.87	60	Pass	401
2580	3000	1	RMS	2587	-45.22	-25	Pass	421
3000	12000	1	RMS	5102	-58.15	-25	Pass	9001
12000	26000	1	RMS	25008	-41.27	-25	Pass	14001



## 12. LTE\_Band12


12.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.43	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.28	-13	Pass	6591
689	726	0.1	RMS	699.268	20.53	60	Pass	401
726	1000	0.1	RMS	955.7	-62.02	-13	Pass	2741
1000	3000	1	RMS	2647	-46.44	-13	Pass	2001
3000	10000	1	RMS	7731	-42.46	-13	Pass	7001



**12.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.97	-13	Pass	2986
30	689	0.1	RMS	685.7	-63.08	-13	Pass	6591
689	726	0.1	RMS	699.268	19.42	60	Pass	401
726	1000	0.1	RMS	921.3	-62.08	-13	Pass	2741
1000	3000	1	RMS	2663	-46.42	-13	Pass	2001
3000	10000	1	RMS	7729	-42.41	-13	Pass	7001






**12.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.58	-13	Pass	2986
30	689	0.1	RMS	687.4	-63.33	-13	Pass	6591
689	726	0.1	RMS	707.038	20.41	60	Pass	401
726	1000	0.1	RMS	959.5	-61.8	-13	Pass	2741
1000	3000	1	RMS	2645	-46.43	-13	Pass	2001
3000	10000	1	RMS	7733	-42.46	-13	Pass	7001




**12.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.73	-13	Pass	2986
30	689	0.1	RMS	517.9	-63.37	-13	Pass	6591
689	726	0.1	RMS	707.038	19.27	60	Pass	401
726	1000	0.1	RMS	999.4	-61.97	-13	Pass	2741
1000	3000	1	RMS	2653	-46.44	-13	Pass	2001
3000	10000	1	RMS	7734	-42.42	-13	Pass	7001




**12.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.58	-13	Pass	2986
30	689	0.1	RMS	510.9	-63.31	-13	Pass	6591
689	726	0.1	RMS	714.808	19.9	60	Pass	401
726	1000	0.1	RMS	922.7	-61.98	-13	Pass	2741
1000	3000	1	RMS	2649	-46.41	-13	Pass	2001
3000	10000	1	RMS	7727	-42.43	-13	Pass	7001




**12.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.81	-13	Pass	2986
30	689	0.1	RMS	522.7	-63.29	-13	Pass	6591
689	726	0.1	RMS	714.808	19.1	60	Pass	401
726	1000	0.1	RMS	998.9	-61.92	-13	Pass	2741
1000	3000	1	RMS	2652	-46.45	-13	Pass	2001
3000	10000	1	RMS	7728	-42.43	-13	Pass	7001




**12.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.64	-13	Pass	2986
30	689	0.1	RMS	675.9	-63.27	-13	Pass	6591
689	726	0.1	RMS	699.268	20.45	60	Pass	401
726	1000	0.1	RMS	946.8	-62.04	-13	Pass	2741
1000	3000	1	RMS	2645	-46.43	-13	Pass	2001
3000	10000	1	RMS	7730	-42.46	-13	Pass	7001




**12.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.59	-13	Pass	2986
30	689	0.1	RMS	686.2	-63.29	-13	Pass	6591
689	726	0.1	RMS	699.268	19.71	60	Pass	401
726	1000	0.1	RMS	980.2	-62.15	-13	Pass	2741
1000	3000	1	RMS	2648	-46.43	-13	Pass	2001
3000	10000	1	RMS	7720	-42.45	-13	Pass	7001



**12.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.3	-13	Pass	2986
30	689	0.1	RMS	500	-63.33	-13	Pass	6591
689	726	0.1	RMS	706.205	20.29	60	Pass	401
726	1000	0.1	RMS	966	-61.94	-13	Pass	2741
1000	3000	1	RMS	2647	-46.44	-13	Pass	2001
3000	10000	1	RMS	7729	-42.47	-13	Pass	7001



### 12.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-13	Pass	2986
30	689	0.1	RMS	514.7	-63.32	-13	Pass	6591
689	726	0.1	RMS	706.205	19.18	60	Pass	401
726	1000	0.1	RMS	879.7	-62.03	-13	Pass	2741
1000	3000	1	RMS	2652	-46.46	-13	Pass	2001
3000	10000	1	RMS	7729	-42.45	-13	Pass	7001






### 12.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2986
30	689	0.1	RMS	672.8	-63.31	-13	Pass	6591
689	726	0.1	RMS	713.235	20.47	60	Pass	401
726	1000	0.1	RMS	918.1	-62.07	-13	Pass	2741
1000	3000	1	RMS	2651	-46.46	-13	Pass	2001
3000	10000	1	RMS	7742	-42.52	-13	Pass	7001



### 12.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.93	-13	Pass	2986
30	689	0.1	RMS	666.2	-63.4	-13	Pass	6591
689	726	0.1	RMS	713.235	19.63	60	Pass	401
726	1000	0.1	RMS	961.2	-62.03	-13	Pass	2741
1000	3000	1	RMS	2650	-46.46	-13	Pass	2001
3000	10000	1	RMS	7738	-42.5	-13	Pass	7001



### 12.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.24	-13	Pass	2986
30	689	0.1	RMS	507.5	-63.3	-13	Pass	6591
689	726	0.1	RMS	699.36	20.43	60	Pass	401
726	1000	0.1	RMS	950.7	-61.95	-13	Pass	2741
1000	3000	1	RMS	2640	-46.47	-13	Pass	2001
3000	10000	1	RMS	7714	-42.55	-13	Pass	7001



### 12.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.63	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.2	-13	Pass	6591
689	726	0.1	RMS	699.36	19.67	60	Pass	401
726	1000	0.1	RMS	928.8	-61.98	-13	Pass	2741
1000	3000	1	RMS	2650	-46.47	-13	Pass	2001
3000	10000	1	RMS	7730	-42.59	-13	Pass	7001



### 12.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.31	-13	Pass	2986
30	689	0.1	RMS	512.1	-63.31	-13	Pass	6591
689	726	0.1	RMS	705.373	20.34	60	Pass	401
726	1000	0.1	RMS	919.9	-62.06	-13	Pass	2741
1000	3000	1	RMS	2651	-46.48	-13	Pass	2001
3000	10000	1	RMS	7731	-42.58	-13	Pass	7001



### 12.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.61	-13	Pass	2986
30	689	0.1	RMS	667.3	-63.39	-13	Pass	6591
689	726	0.1	RMS	705.373	19.63	60	Pass	401
726	1000	0.1	RMS	940.5	-61.93	-13	Pass	2741
1000	3000	1	RMS	2643	-46.48	-13	Pass	2001
3000	10000	1	RMS	7729	-42.6	-13	Pass	7001



### 12.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2986
30	689	0.1	RMS	523	-63.17	-13	Pass	6591
689	726	0.1	RMS	711.293	20.08	60	Pass	401
726	1000	0.1	RMS	947.5	-62.12	-13	Pass	2741
1000	3000	1	RMS	2646	-46.46	-13	Pass	2001
3000	10000	1	RMS	7739	-42.59	-13	Pass	7001



### 12.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.51	-13	Pass	2986
30	689	0.1	RMS	505.9	-63.31	-13	Pass	6591
689	726	0.1	RMS	711.385	19.28	60	Pass	401
726	1000	0.1	RMS	949.4	-62.06	-13	Pass	2741
1000	3000	1	RMS	2649	-46.51	-13	Pass	2001
3000	10000	1	RMS	7731	-42.56	-13	Pass	7001






### 12.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.35	-13	Pass	2986
30	689	0.1	RMS	505.7	-63.22	-13	Pass	6591
689	726	0.1	RMS	699.545	20.22	60	Pass	401
726	1000	0.1	RMS	918.7	-61.77	-13	Pass	2741
1000	3000	1	RMS	2638	-46.46	-13	Pass	2001
3000	10000	1	RMS	7739	-42.54	-13	Pass	7001



### 12.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.97	-13	Pass	2986
30	689	0.1	RMS	686.2	-63.41	-13	Pass	6591
689	726	0.1	RMS	699.638	19.32	60	Pass	401
726	1000	0.1	RMS	932.7	-61.9	-13	Pass	2741
1000	3000	1	RMS	2647	-46.46	-13	Pass	2001
3000	10000	1	RMS	7732	-42.53	-13	Pass	7001



### 12.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.88	-13	Pass	2986
30	689	0.1	RMS	518.7	-63.2	-13	Pass	6591
689	726	0.1	RMS	703.06	20.86	60	Pass	401
726	1000	0.1	RMS	973.4	-61.95	-13	Pass	2741
1000	3000	1	RMS	2651	-46.45	-13	Pass	2001
3000	10000	1	RMS	7731	-42.56	-13	Pass	7001



### 12.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.72	-13	Pass	2986
30	689	0.1	RMS	680.3	-63.37	-13	Pass	6591
689	726	0.1	RMS	703.06	19.64	60	Pass	401
726	1000	0.1	RMS	944	-62.03	-13	Pass	2741
1000	3000	1	RMS	2646	-46.48	-13	Pass	2001
3000	10000	1	RMS	7736	-42.56	-13	Pass	7001



### 12.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.41	-13	Pass	2986
30	689	0.1	RMS	513.6	-63.14	-13	Pass	6591
689	726	0.1	RMS	706.575	20.63	60	Pass	401
726	1000	0.1	RMS	987.6	-62.12	-13	Pass	2741
1000	3000	1	RMS	2652	-46.47	-13	Pass	2001
3000	10000	1	RMS	7731	-42.56	-13	Pass	7001



### 12.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.81	-13	Pass	2986
30	689	0.1	RMS	512.2	-63.33	-13	Pass	6591
689	726	0.1	RMS	706.575	19.98	60	Pass	401
726	1000	0.1	RMS	996.6	-62.11	-13	Pass	2741
1000	3000	1	RMS	2649	-46.47	-13	Pass	2001
3000	10000	1	RMS	7713	-42.59	-13	Pass	7001



### 13. LTE\_Band13


#### 13.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-13	Pass	2986
30	767	0.1	RMS	765.8	-62.71	-13	Pass	7371
767	797	0.1	RMS	777.35	20.61	60	Pass	401
797	1000	0.1	RMS	957.3	-62.06	-13	Pass	2031
1000	3000	1	RMS	2648	-46.43	-13	Pass	2001
3000	10000	1	RMS	7734	-42.47	-13	Pass	7001



**13.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.13	-13	Pass	2986
30	767	0.1	RMS	766.1	-62.56	-13	Pass	7371
767	797	0.1	RMS	777.35	19.67	60	Pass	401
797	1000	0.1	RMS	995.5	-62.1	-13	Pass	2031
1000	3000	1	RMS	2649	-46.49	-13	Pass	2001
3000	10000	1	RMS	7728	-42.5	-13	Pass	7001






**13.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.81	-13	Pass	2986
30	767	0.1	RMS	763.9	-62.71	-13	Pass	7371
767	797	0.1	RMS	779.825	20.76	60	Pass	401
797	1000	0.1	RMS	976.5	-62.08	-13	Pass	2031
1000	3000	1	RMS	2649	-46.45	-13	Pass	2001
3000	10000	1	RMS	7722	-42.56	-13	Pass	7001




**13.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.25	-13	Pass	2986
30	767	0.1	RMS	762.7	-62.56	-13	Pass	7371
767	797	0.1	RMS	779.825	20.04	60	Pass	401
797	1000	0.1	RMS	996.1	-62.12	-13	Pass	2031
1000	3000	1	RMS	2645	-46.48	-13	Pass	2001
3000	10000	1	RMS	7731	-42.55	-13	Pass	7001




**13.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.22	-13	Pass	2986
30	767	0.1	RMS	757.7	-62.68	-13	Pass	7371
767	797	0.1	RMS	782.3	20.57	60	Pass	401
797	1000	0.1	RMS	992.5	-62.01	-13	Pass	2031
1000	3000	1	RMS	2649	-46.48	-13	Pass	2001
3000	10000	1	RMS	7736	-42.58	-13	Pass	7001




**13.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.48	-13	Pass	2986
30	767	0.1	RMS	765.8	-62.6	-13	Pass	7371
767	797	0.1	RMS	782.375	20.21	60	Pass	401
797	1000	0.1	RMS	959.2	-62.17	-13	Pass	2031
1000	3000	1	RMS	2647	-46.47	-13	Pass	2001
3000	10000	1	RMS	7726	-42.57	-13	Pass	7001




**13.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.46	-13	Pass	2986
30	767	0.1	RMS	765.8	-62.68	-13	Pass	7371
767	797	0.1	RMS	777.575	21.03	60	Pass	401
797	1000	0.1	RMS	966.1	-61.93	-13	Pass	2031
1000	3000	1	RMS	2649	-46.5	-13	Pass	2001
3000	10000	1	RMS	9548	-42.59	-13	Pass	7001



**13.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.01	-13	Pass	2986
30	767	0.1	RMS	766.1	-62.63	-13	Pass	7371
767	797	0.1	RMS	777.575	20.44	60	Pass	401
797	1000	0.1	RMS	968.7	-61.99	-13	Pass	2031
1000	3000	1	RMS	2647	-46.47	-13	Pass	2001
3000	10000	1	RMS	7737	-42.56	-13	Pass	7001



## 14. LTE\_Band17


### 14.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.71	-13	Pass	2986
30	694	0.1	RMS	694	-63.21	-13	Pass	6641
694	726	0.1	RMS	704.32	20.57	60	Pass	401
726	1000	0.1	RMS	947.3	-61.88	-13	Pass	2741
1000	3000	1	RMS	2651	-46.45	-13	Pass	2001
3000	10000	1	RMS	7725	-42.53	-13	Pass	7001



**14.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.35	-13	Pass	2986
30	694	0.1	RMS	691	-63.11	-13	Pass	6641
694	726	0.1	RMS	704.32	19.6	60	Pass	401
726	1000	0.1	RMS	986.7	-62.07	-13	Pass	2741
1000	3000	1	RMS	2650	-46.49	-13	Pass	2001
3000	10000	1	RMS	7732	-42.53	-13	Pass	7001






**14.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.26	-13	Pass	2986
30	694	0.1	RMS	524.8	-63.22	-13	Pass	6641
694	726	0.1	RMS	707.84	20.72	60	Pass	401
726	1000	0.1	RMS	921.7	-62.04	-13	Pass	2741
1000	3000	1	RMS	2646	-46.48	-13	Pass	2001
3000	10000	1	RMS	7734	-42.6	-13	Pass	7001




**14.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-13	Pass	2986
30	694	0.1	RMS	520	-63.36	-13	Pass	6641
694	726	0.1	RMS	707.84	19.9	60	Pass	401
726	1000	0.1	RMS	909.7	-62.08	-13	Pass	2741
1000	3000	1	RMS	2652	-46.48	-13	Pass	2001
3000	10000	1	RMS	7715	-42.54	-13	Pass	7001




**14.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.3	-13	Pass	2986
30	694	0.1	RMS	692.1	-59.91	-13	Pass	6641
694	726	0.1	RMS	711.36	20.62	60	Pass	401
726	1000	0.1	RMS	976.5	-61.99	-13	Pass	2741
1000	3000	1	RMS	2644	-46.49	-13	Pass	2001
3000	10000	1	RMS	7730	-42.54	-13	Pass	7001




**14.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.89	-13	Pass	2986
30	694	0.1	RMS	692.1	-60.2	-13	Pass	6641
694	726	0.1	RMS	711.36	20.36	60	Pass	401
726	1000	0.1	RMS	925.3	-62.07	-13	Pass	2741
1000	3000	1	RMS	2648	-46.45	-13	Pass	2001
3000	10000	1	RMS	7732	-42.54	-13	Pass	7001




**14.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-13	Pass	2986
30	694	0.1	RMS	691.4	-60.57	-13	Pass	6641
694	726	0.1	RMS	704.56	20.59	60	Pass	401
726	1000	0.1	RMS	936.4	-62.16	-13	Pass	2741
1000	3000	1	RMS	1409	-46.36	-13	Pass	2001
3000	10000	1	RMS	7729	-42.56	-13	Pass	7001




**14.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.52	-13	Pass	2986
30	694	0.1	RMS	691.3	-61.47	-13	Pass	6641
694	726	0.1	RMS	704.56	19.64	60	Pass	401
726	1000	0.1	RMS	959.9	-62.09	-13	Pass	2741
1000	3000	1	RMS	2650	-46.49	-13	Pass	2001
3000	10000	1	RMS	7730	-42.57	-13	Pass	7001



**14.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.9	-13	Pass	2986
30	694	0.1	RMS	692.4	-60.62	-13	Pass	6641
694	726	0.1	RMS	705.6	20.96	60	Pass	401
726	1000	0.1	RMS	896.1	-61.87	-13	Pass	2741
1000	3000	1	RMS	2648	-46.46	-13	Pass	2001
3000	10000	1	RMS	7751	-42.6	-13	Pass	7001



### 14.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.68	-13	Pass	2986
30	694	0.1	RMS	692.4	-60.63	-13	Pass	6641
694	726	0.1	RMS	705.6	20.06	60	Pass	401
726	1000	0.1	RMS	989.2	-62.04	-13	Pass	2741
1000	3000	1	RMS	2654	-46.5	-13	Pass	2001
3000	10000	1	RMS	7730	-42.53	-13	Pass	7001






### 14.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.3	-13	Pass	2986
30	694	0.1	RMS	693.4	-59.83	-13	Pass	6641
694	726	0.1	RMS	706.56	20.52	60	Pass	401
726	1000	0.1	RMS	986.8	-61.96	-13	Pass	2741
1000	3000	1	RMS	2651	-46.48	-13	Pass	2001
3000	10000	1	RMS	7720	-42.58	-13	Pass	7001



### 14.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.84	-13	Pass	2986
30	694	0.1	RMS	693.4	-61.02	-13	Pass	6641
694	726	0.1	RMS	706.56	19.56	60	Pass	401
726	1000	0.1	RMS	919.1	-62.06	-13	Pass	2741
1000	3000	1	RMS	2640	-46.47	-13	Pass	2001
3000	10000	1	RMS	7728	-42.51	-13	Pass	7001



## 15. LTE\_Band25


### 15.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.92	-13	Pass	2986
30	1000	0.1	RMS	937.9	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-50.29	-13	Pass	841
1840	1925	1	RMS	1850.2	22.58	60	Pass	401
1925	3000	1	RMS	2637	-46.44	-13	Pass	1076
3000	12000	1	RMS	11848	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-28.29	-13	Pass	8001




**15.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.09	-13	Pass	2986
30	1000	0.1	RMS	944.8	-61.92	-13	Pass	9701
1000	1840	1	RMS	1838	-50.41	-13	Pass	841
1840	1925	1	RMS	1850.2	21.63	60	Pass	401
1925	3000	1	RMS	2647	-46.39	-13	Pass	1076
3000	12000	1	RMS	11851	-40.1	-13	Pass	9001
12000	20000	1	RMS	20000	-28.29	-13	Pass	8001




**15.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.41	-13	Pass	2986
30	1000	0.1	RMS	932.7	-62.02	-13	Pass	9701
1000	1840	1	RMS	1835	-50.41	-13	Pass	841
1840	1925	1	RMS	1882.075	22.58	60	Pass	401
1925	3000	1	RMS	2642	-46.34	-13	Pass	1076
3000	12000	1	RMS	11849	-40.12	-13	Pass	9001
12000	20000	1	RMS	19999	-28.35	-13	Pass	8001




**15.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.02	-13	Pass	2986
30	1000	0.1	RMS	997.7	-61.98	-13	Pass	9701
1000	1840	1	RMS	1837	-50.45	-13	Pass	841
1840	1925	1	RMS	1882.075	21.62	60	Pass	401
1925	3000	1	RMS	2643	-46.44	-13	Pass	1076
3000	12000	1	RMS	11854	-40.1	-13	Pass	9001
12000	20000	1	RMS	19995	-28.33	-13	Pass	8001




**15.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.15	-13	Pass	2986
30	1000	0.1	RMS	988.3	-61.92	-13	Pass	9701
1000	1840	1	RMS	1839	-50.37	-13	Pass	841
1840	1925	1	RMS	1913.95	22.87	60	Pass	401
1925	3000	1	RMS	2658	-46.38	-13	Pass	1076
3000	12000	1	RMS	11849	-40.23	-13	Pass	9001
12000	20000	1	RMS	19999	-28.34	-13	Pass	8001



**15.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.11	-13	Pass	2986
30	1000	0.1	RMS	994.9	-61.86	-13	Pass	9701
1000	1840	1	RMS	1839	-50.38	-13	Pass	841
1840	1925	1	RMS	1913.95	21.99	60	Pass	401
1925	3000	1	RMS	2653	-46.41	-13	Pass	1076
3000	12000	1	RMS	11848	-40.13	-13	Pass	9001
12000	20000	1	RMS	19997	-28.32	-13	Pass	8001






**15.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.89	-13	Pass	2986
30	1000	0.1	RMS	938.4	-61.98	-13	Pass	9701
1000	1840	1	RMS	1840	-50.33	-13	Pass	841
1840	1925	1	RMS	1850.2	22.7	60	Pass	401
1925	3000	1	RMS	2655	-46.42	-13	Pass	1076
3000	12000	1	RMS	11854	-40.16	-13	Pass	9001
12000	20000	1	RMS	19996	-28.4	-13	Pass	8001




**15.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.12	-13	Pass	2986
30	1000	0.1	RMS	964.1	-61.95	-13	Pass	9701
1000	1840	1	RMS	1838	-50.39	-13	Pass	841
1840	1925	1	RMS	1850.2	21.91	60	Pass	401
1925	3000	1	RMS	2640	-46.44	-13	Pass	1076
3000	12000	1	RMS	11853	-40.11	-13	Pass	9001
12000	20000	1	RMS	19998	-28.3	-13	Pass	8001



**15.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.15	-13	Pass	2986
30	1000	0.1	RMS	989	-61.97	-13	Pass	9701
1000	1840	1	RMS	1834	-50.43	-13	Pass	841
1840	1925	1	RMS	1881.225	22.64	60	Pass	401
1925	3000	1	RMS	2639	-46.41	-13	Pass	1076
3000	12000	1	RMS	11852	-40.13	-13	Pass	9001
12000	20000	1	RMS	19997	-28.24	-13	Pass	8001



### 15.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.35	-13	Pass	2986
30	1000	0.1	RMS	929	-61.98	-13	Pass	9701
1000	1840	1	RMS	1839	-50.39	-13	Pass	841
1840	1925	1	RMS	1881.225	21.62	60	Pass	401
1925	3000	1	RMS	2652	-46.43	-13	Pass	1076
3000	12000	1	RMS	11850	-40.15	-13	Pass	9001
12000	20000	1	RMS	19998	-28.21	-13	Pass	8001



### 15.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.21	-13	Pass	2986
30	1000	0.1	RMS	989.3	-61.97	-13	Pass	9701
1000	1840	1	RMS	1840	-50.35	-13	Pass	841
1840	1925	1	RMS	1912.25	23.12	60	Pass	401
1925	3000	1	RMS	2655	-46.45	-13	Pass	1076
3000	12000	1	RMS	11847	-40.16	-13	Pass	9001
12000	20000	1	RMS	19994	-28.39	-13	Pass	8001



### 15.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.09	-13	Pass	2986
30	1000	0.1	RMS	947.2	-61.93	-13	Pass	9701
1000	1840	1	RMS	1838	-50.45	-13	Pass	841
1840	1925	1	RMS	1912.25	22	60	Pass	401
1925	3000	1	RMS	2644	-46.45	-13	Pass	1076
3000	12000	1	RMS	11847	-40.13	-13	Pass	9001
12000	20000	1	RMS	19995	-28.37	-13	Pass	8001



### 15.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.38	-13	Pass	2986
30	1000	0.1	RMS	942.7	-61.88	-13	Pass	9701
1000	1840	1	RMS	1840	-50.29	-13	Pass	841
1840	1925	1	RMS	1850.413	22.51	60	Pass	401
1925	3000	1	RMS	2647	-46.47	-13	Pass	1076
3000	12000	1	RMS	11846	-40.22	-13	Pass	9001
12000	20000	1	RMS	20000	-28.32	-13	Pass	8001



### 15.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.81	-13	Pass	2986
30	1000	0.1	RMS	938.4	-61.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.35	-13	Pass	841
1840	1925	1	RMS	1850.413	21.68	60	Pass	401
1925	3000	1	RMS	2653	-46.45	-13	Pass	1076
3000	12000	1	RMS	11849	-40.18	-13	Pass	9001
12000	20000	1	RMS	19998	-28.32	-13	Pass	8001






### 15.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.49	-13	Pass	2986
30	1000	0.1	RMS	992	-61.96	-13	Pass	9701
1000	1840	1	RMS	1838	-50.4	-13	Pass	841
1840	1925	1	RMS	1880.375	22.69	60	Pass	401
1925	3000	1	RMS	2648	-46.45	-13	Pass	1076
3000	12000	1	RMS	11850	-40.16	-13	Pass	9001
12000	20000	1	RMS	19998	-28.41	-13	Pass	8001



### 15.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.87	-13	Pass	2986
30	1000	0.1	RMS	997.2	-61.94	-13	Pass	9701
1000	1840	1	RMS	1830	-50.5	-13	Pass	841
1840	1925	1	RMS	1880.375	21.92	60	Pass	401
1925	3000	1	RMS	2647	-46.5	-13	Pass	1076
3000	12000	1	RMS	11851	-40.11	-13	Pass	9001
12000	20000	1	RMS	19999	-28.31	-13	Pass	8001



### 15.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.76	-13	Pass	2986
30	1000	0.1	RMS	937	-62.01	-13	Pass	9701
1000	1840	1	RMS	1839	-50.39	-13	Pass	841
1840	1925	1	RMS	1910.338	22.94	60	Pass	401
1925	3000	1	RMS	2656	-46.45	-13	Pass	1076
3000	12000	1	RMS	11862	-40.2	-13	Pass	9001
12000	20000	1	RMS	20000	-28.35	-13	Pass	8001



### 15.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.88	-13	Pass	2986
30	1000	0.1	RMS	946.3	-61.93	-13	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	Pass	841
1840	1925	1	RMS	1910.338	22.33	60	Pass	401
1925	3000	1	RMS	2654	-46.43	-13	Pass	1076
3000	12000	1	RMS	11861	-40.25	-13	Pass	9001
12000	20000	1	RMS	19999	-28.41	-13	Pass	8001



### 15.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.14	-13	Pass	2986
30	1000	0.1	RMS	944.2	-61.95	-13	Pass	9701
1000	1840	1	RMS	1840	-50.28	-13	Pass	841
1840	1925	1	RMS	1850.625	22.59	60	Pass	401
1925	3000	1	RMS	2649	-46.38	-13	Pass	1076
3000	12000	1	RMS	11849	-40.24	-13	Pass	9001
12000	20000	1	RMS	20000	-28.37	-13	Pass	8001



### 15.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.68	-13	Pass	2986
30	1000	0.1	RMS	925.8	-61.96	-13	Pass	9701
1000	1840	1	RMS	1833	-50.33	-13	Pass	841
1840	1925	1	RMS	1850.625	21.86	60	Pass	401
1925	3000	1	RMS	2640	-46.43	-13	Pass	1076
3000	12000	1	RMS	11849	-40.25	-13	Pass	9001
12000	20000	1	RMS	20000	-28.33	-13	Pass	8001



### 15.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.2	-13	Pass	2986
30	1000	0.1	RMS	943.2	-61.95	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1925	1	RMS	1878.038	22.71	60	Pass	401
1925	3000	1	RMS	2653	-46.42	-13	Pass	1076
3000	12000	1	RMS	11849	-40.16	-13	Pass	9001
12000	20000	1	RMS	20000	-28.26	-13	Pass	8001



### 15.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.38	-13	Pass	2986
30	1000	0.1	RMS	965.1	-61.99	-13	Pass	9701
1000	1840	1	RMS	1833	-50.47	-13	Pass	841
1840	1925	1	RMS	1878.038	21.71	60	Pass	401
1925	3000	1	RMS	2656	-46.46	-13	Pass	1076
3000	12000	1	RMS	11851	-40.21	-13	Pass	9001
12000	20000	1	RMS	19998	-28.38	-13	Pass	8001






### 15.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.73	-13	Pass	2986
30	1000	0.1	RMS	946.9	-61.97	-13	Pass	9701
1000	1840	1	RMS	1834	-50.42	-13	Pass	841
1840	1925	1	RMS	1905.663	23.05	60	Pass	401
1925	3000	1	RMS	2642	-46.46	-13	Pass	1076
3000	12000	1	RMS	11851	-40.25	-13	Pass	9001
12000	20000	1	RMS	19993	-28.37	-13	Pass	8001



### 15.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.36	-13	Pass	2986
30	1000	0.1	RMS	996.4	-61.85	-13	Pass	9701
1000	1840	1	RMS	1837	-50.44	-13	Pass	841
1840	1925	1	RMS	1905.663	22.24	60	Pass	401
1925	3000	1	RMS	2649	-46.43	-13	Pass	1076
3000	12000	1	RMS	11854	-40.18	-13	Pass	9001
12000	20000	1	RMS	19996	-28.33	-13	Pass	8001



### 15.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.67	-13	Pass	2986
30	1000	0.1	RMS	932.2	-62	-13	Pass	9701
1000	1840	1	RMS	1838	-44.82	-13	Pass	841
1840	1925	1	RMS	1850.838	22.68	60	Pass	401
1925	3000	1	RMS	2658	-46.46	-13	Pass	1076
3000	12000	1	RMS	11850	-40.15	-13	Pass	9001
12000	20000	1	RMS	19994	-28.27	-13	Pass	8001



### 15.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.91	-13	Pass	2986
30	1000	0.1	RMS	921.1	-62.02	-13	Pass	9701
1000	1840	1	RMS	1838	-46.71	-13	Pass	841
1840	1925	1	RMS	1850.838	21.9	60	Pass	401
1925	3000	1	RMS	2646	-46.48	-13	Pass	1076
3000	12000	1	RMS	11859	-40.2	-13	Pass	9001
12000	20000	1	RMS	19998	-28.36	-13	Pass	8001



### 15.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.08	-13	Pass	2986
30	1000	0.1	RMS	972.7	-61.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	Pass	841
1840	1925	1	RMS	1875.913	22.72	60	Pass	401
1925	3000	1	RMS	2643	-46.42	-13	Pass	1076
3000	12000	1	RMS	11848	-40.19	-13	Pass	9001
12000	20000	1	RMS	19995	-28.39	-13	Pass	8001



### 15.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.91	-13	Pass	2986
30	1000	0.1	RMS	935.7	-61.98	-13	Pass	9701
1000	1840	1	RMS	1837	-50.4	-13	Pass	841
1840	1925	1	RMS	1875.913	21.75	60	Pass	401
1925	3000	1	RMS	2647	-46.45	-13	Pass	1076
3000	12000	1	RMS	11848	-40.16	-13	Pass	9001
12000	20000	1	RMS	19996	-28.28	-13	Pass	8001



### 15.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.25	-13	Pass	2986
30	1000	0.1	RMS	997.2	-61.95	-13	Pass	9701
1000	1840	1	RMS	1838	-50.44	-13	Pass	841
1840	1925	1	RMS	1900.775	23.3	60	Pass	401
1925	3000	1	RMS	2642	-46.39	-13	Pass	1076
3000	12000	1	RMS	11850	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-28.35	-13	Pass	8001



### 15.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.24	-13	Pass	2986
30	1000	0.1	RMS	963.8	-61.83	-13	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	Pass	841
1840	1925	1	RMS	1900.775	22.55	60	Pass	401
1925	3000	1	RMS	2652	-46.36	-13	Pass	1076
3000	12000	1	RMS	11848	-40.11	-13	Pass	9001
12000	20000	1	RMS	20000	-28.32	-13	Pass	8001






### 15.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.48	-13	Pass	2986
30	1000	0.1	RMS	928.8	-61.98	-13	Pass	9701
1000	1840	1	RMS	1833	-49.67	-13	Pass	841
1840	1925	1	RMS	1851.05	22.72	60	Pass	401
1925	3000	1	RMS	2646	-46.44	-13	Pass	1076
3000	12000	1	RMS	11850	-40.18	-13	Pass	9001
12000	20000	1	RMS	19999	-28.33	-13	Pass	8001



### 15.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.24	-13	Pass	2986
30	1000	0.1	RMS	993.2	-62.01	-13	Pass	9701
1000	1840	1	RMS	1833	-49.8	-13	Pass	841
1840	1925	1	RMS	1851.05	21.75	60	Pass	401
1925	3000	1	RMS	2646	-46.46	-13	Pass	1076
3000	12000	1	RMS	11855	-40.24	-13	Pass	9001
12000	20000	1	RMS	19999	-28.36	-13	Pass	8001



### 15.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.82	-13	Pass	2986
30	1000	0.1	RMS	957.9	-61.9	-13	Pass	9701
1000	1840	1	RMS	1838	-48.54	-13	Pass	841
1840	1925	1	RMS	1873.575	22.72	60	Pass	401
1925	3000	1	RMS	2656	-46.43	-13	Pass	1076
3000	12000	1	RMS	11855	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-28.44	-13	Pass	8001



### 15.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.28	-13	Pass	2986
30	1000	0.1	RMS	938.6	-62.04	-13	Pass	9701
1000	1840	1	RMS	1838	-49.2	-13	Pass	841
1840	1925	1	RMS	1873.575	21.83	60	Pass	401
1925	3000	1	RMS	2650	-46.38	-13	Pass	1076
3000	12000	1	RMS	11851	-40.16	-13	Pass	9001
12000	20000	1	RMS	20000	-28.37	-13	Pass	8001



### 15.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.5	-13	Pass	2986
30	1000	0.1	RMS	948.3	-61.91	-13	Pass	9701
1000	1840	1	RMS	1838	-50.31	-13	Pass	841
1840	1925	1	RMS	1896.1	23.17	60	Pass	401
1925	3000	1	RMS	2655	-46.44	-13	Pass	1076
3000	12000	1	RMS	11848	-40.18	-13	Pass	9001
12000	20000	1	RMS	19995	-28.41	-13	Pass	8001



### 15.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.32	-13	Pass	2986
30	1000	0.1	RMS	930	-61.95	-13	Pass	9701
1000	1840	1	RMS	1839	-50.34	-13	Pass	841
1840	1925	1	RMS	1896.1	22.13	60	Pass	401
1925	3000	1	RMS	2650	-46.42	-13	Pass	1076
3000	12000	1	RMS	11848	-40.24	-13	Pass	9001
12000	20000	1	RMS	20000	-28.29	-13	Pass	8001



## 16. LTE\_Band26(part22)


16.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-13	Pass	2986
30	814	0.1	RMS	814	-62.14	-13	Pass	7841
814	860	0.1	RMS	824.2	19.33	60	Pass	461
860	1000	0.1	RMS	999.7	-62.18	-13	Pass	1401
1000	3000	1	RMS	2657	-46.43	-13	Pass	2001
3000	10000	1	RMS	7727	-42.38	-13	Pass	7001



**16.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.19	-13	Pass	7841
814	860	0.1	RMS	824.3	18.57	60	Pass	461
860	1000	0.1	RMS	997.3	-62.18	-13	Pass	1401
1000	3000	1	RMS	2649	-46.44	-13	Pass	2001
3000	10000	1	RMS	7727	-42.46	-13	Pass	7001






**16.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.4	-13	Pass	2986
30	814	0.1	RMS	792.5	-62.42	-13	Pass	7841
814	860	0.1	RMS	836.1	19.58	60	Pass	461
860	1000	0.1	RMS	956.3	-62.14	-13	Pass	1401
1000	3000	1	RMS	2649	-46.4	-13	Pass	2001
3000	10000	1	RMS	7737	-42.52	-13	Pass	7001




**16.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.48	-13	Pass	7841
814	860	0.1	RMS	836.1	18.69	60	Pass	461
860	1000	0.1	RMS	998.7	-62.27	-13	Pass	1401
1000	3000	1	RMS	2653	-46.43	-13	Pass	2001
3000	10000	1	RMS	7732	-42.47	-13	Pass	7001




**16.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.21	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.28	-13	Pass	7841
814	860	0.1	RMS	847.8	20.02	60	Pass	461
860	1000	0.1	RMS	998	-62.24	-13	Pass	1401
1000	3000	1	RMS	2653	-46.42	-13	Pass	2001
3000	10000	1	RMS	7739	-42.52	-13	Pass	7001




**16.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.41	-13	Pass	7841
814	860	0.1	RMS	847.9	19.13	60	Pass	461
860	1000	0.1	RMS	974.1	-62.34	-13	Pass	1401
1000	3000	1	RMS	2652	-46.42	-13	Pass	2001
3000	10000	1	RMS	7729	-42.48	-13	Pass	7001




**16.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.4	-13	Pass	2986
30	814	0.1	RMS	812.5	-61.81	-13	Pass	7841
814	860	0.1	RMS	824.2	19.68	60	Pass	461
860	1000	0.1	RMS	925.2	-62.24	-13	Pass	1401
1000	3000	1	RMS	2648	-46.43	-13	Pass	2001
3000	10000	1	RMS	7727	-42.37	-13	Pass	7001




**16.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.46	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.25	-13	Pass	7841
814	860	0.1	RMS	824.2	18.97	60	Pass	461
860	1000	0.1	RMS	990.1	-62.21	-13	Pass	1401
1000	3000	1	RMS	2657	-46.43	-13	Pass	2001
3000	10000	1	RMS	7732	-42.46	-13	Pass	7001



**16.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.7	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.44	-13	Pass	7841
814	860	0.1	RMS	835.2	19.98	60	Pass	461
860	1000	0.1	RMS	981	-62.19	-13	Pass	1401
1000	3000	1	RMS	2645	-46.39	-13	Pass	2001
3000	10000	1	RMS	7746	-42.46	-13	Pass	7001



### 16.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.7	-13	Pass	2986
30	814	0.1	RMS	793.8	-62.39	-13	Pass	7841
814	860	0.1	RMS	835.2	19.05	60	Pass	461
860	1000	0.1	RMS	960.7	-62.25	-13	Pass	1401
1000	3000	1	RMS	2657	-46.44	-13	Pass	2001
3000	10000	1	RMS	7722	-42.49	-13	Pass	7001






### 16.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.42	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.35	-13	Pass	7841
814	860	0.1	RMS	846.2	20.09	60	Pass	461
860	1000	0.1	RMS	981.3	-62.22	-13	Pass	1401
1000	3000	1	RMS	2645	-46.45	-13	Pass	2001
3000	10000	1	RMS	7733	-42.49	-13	Pass	7001



### 16.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.4	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.39	-13	Pass	7841
814	860	0.1	RMS	846.2	19.1	60	Pass	461
860	1000	0.1	RMS	952.1	-62.28	-13	Pass	1401
1000	3000	1	RMS	2651	-46.43	-13	Pass	2001
3000	10000	1	RMS	7723	-42.49	-13	Pass	7001



### 16.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.39	-13	Pass	2986
30	814	0.1	RMS	814	-62.09	-13	Pass	7841
814	860	0.1	RMS	824.3	19.89	60	Pass	461
860	1000	0.1	RMS	940.6	-62.32	-13	Pass	1401
1000	3000	1	RMS	2652	-46.45	-13	Pass	2001
3000	10000	1	RMS	7735	-42.48	-13	Pass	7001



### 16.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.93	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.27	-13	Pass	7841
814	860	0.1	RMS	824.3	18.67	60	Pass	461
860	1000	0.1	RMS	976.4	-62.3	-13	Pass	1401
1000	3000	1	RMS	2644	-46.44	-13	Pass	2001
3000	10000	1	RMS	7731	-42.5	-13	Pass	7001



### 16.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.99	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.38	-13	Pass	7841
814	860	0.1	RMS	834.3	19.97	60	Pass	461
860	1000	0.1	RMS	997.3	-62.26	-13	Pass	1401
1000	3000	1	RMS	2642	-46.45	-13	Pass	2001
3000	10000	1	RMS	7732	-42.5	-13	Pass	7001



### 16.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.58	-13	Pass	2986
30	814	0.1	RMS	802.5	-62.45	-13	Pass	7841
814	860	0.1	RMS	834.3	19.31	60	Pass	461
860	1000	0.1	RMS	998.1	-62.31	-13	Pass	1401
1000	3000	1	RMS	2650	-46.43	-13	Pass	2001
3000	10000	1	RMS	7739	-42.51	-13	Pass	7001



### 16.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.81	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.39	-13	Pass	7841
814	860	0.1	RMS	844.3	19.98	60	Pass	461
860	1000	0.1	RMS	993.2	-62.24	-13	Pass	1401
1000	3000	1	RMS	2647	-46.44	-13	Pass	2001
3000	10000	1	RMS	7732	-42.53	-13	Pass	7001



### 16.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.74	-13	Pass	2986
30	814	0.1	RMS	796.5	-62.29	-13	Pass	7841
814	860	0.1	RMS	844.3	19.26	60	Pass	461
860	1000	0.1	RMS	993	-62.22	-13	Pass	1401
1000	3000	1	RMS	2645	-46.47	-13	Pass	2001
3000	10000	1	RMS	7728	-42.48	-13	Pass	7001






### 16.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.5	-13	Pass	2986
30	814	0.1	RMS	811.4	-61.69	-13	Pass	7841
814	860	0.1	RMS	824.6	20.62	60	Pass	461
860	1000	0.1	RMS	998.2	-62.17	-13	Pass	1401
1000	3000	1	RMS	2655	-46.45	-13	Pass	2001
3000	10000	1	RMS	7737	-42.51	-13	Pass	7001



### 16.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.16	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.02	-13	Pass	7841
814	860	0.1	RMS	824.6	19.77	60	Pass	461
860	1000	0.1	RMS	985.5	-62.26	-13	Pass	1401
1000	3000	1	RMS	2653	-46.45	-13	Pass	2001
3000	10000	1	RMS	7737	-42.5	-13	Pass	7001



### 16.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.86	-13	Pass	2986
30	814	0.1	RMS	812.9	-59.64	-13	Pass	7841
814	860	0.1	RMS	832.1	20.65	60	Pass	461
860	1000	0.1	RMS	992	-62.26	-13	Pass	1401
1000	3000	1	RMS	2642	-46.41	-13	Pass	2001
3000	10000	1	RMS	7729	-42.53	-13	Pass	7001



### 16.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.99	-13	Pass	2986
30	814	0.1	RMS	812.9	-59.99	-13	Pass	7841
814	860	0.1	RMS	832.1	19.67	60	Pass	461
860	1000	0.1	RMS	986.7	-62.13	-13	Pass	1401
1000	3000	1	RMS	2644	-46.43	-13	Pass	2001
3000	10000	1	RMS	7708	-42.46	-13	Pass	7001



### 16.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.29	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.38	-13	Pass	7841
814	860	0.1	RMS	839.6	20.68	60	Pass	461
860	1000	0.1	RMS	970.6	-62.04	-13	Pass	1401
1000	3000	1	RMS	2642	-46.44	-13	Pass	2001
3000	10000	1	RMS	7728	-42.49	-13	Pass	7001



### 16.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.5	-13	Pass	2986
30	814	0.1	RMS	811.7	-62.35	-13	Pass	7841
814	860	0.1	RMS	839.6	19.92	60	Pass	461
860	1000	0.1	RMS	944.3	-62.18	-13	Pass	1401
1000	3000	1	RMS	2651	-46.43	-13	Pass	2001
3000	10000	1	RMS	7732	-42.49	-13	Pass	7001



### 16.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.85	-13	Pass	2986
30	814	0.1	RMS	811.5	-47.76	-13	Pass	7841
814	860	0.1	RMS	824.8	20.27	60	Pass	461
860	1000	0.1	RMS	945.8	-62.16	-13	Pass	1401
1000	3000	1	RMS	2644	-46.43	-13	Pass	2001
3000	10000	1	RMS	7734	-42.46	-13	Pass	7001



### 16.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.49	-13	Pass	2986
30	814	0.1	RMS	811.5	-48.51	-13	Pass	7841
814	860	0.1	RMS	824.8	19.42	60	Pass	461
860	1000	0.1	RMS	996.2	-62.11	-13	Pass	1401
1000	3000	1	RMS	2647	-46.45	-13	Pass	2001
3000	10000	1	RMS	7734	-42.5	-13	Pass	7001






### 16.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.85	-13	Pass	2986
30	814	0.1	RMS	810.7	-61.79	-13	Pass	7841
814	860	0.1	RMS	829.8	20.31	60	Pass	461
860	1000	0.1	RMS	990.5	-62.06	-13	Pass	1401
1000	3000	1	RMS	2650	-46.36	-13	Pass	2001
3000	10000	1	RMS	7735	-42.51	-13	Pass	7001



### 16.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.2	-13	Pass	2986
30	814	0.1	RMS	810.6	-62.05	-13	Pass	7841
814	860	0.1	RMS	829.8	19.45	60	Pass	461
860	1000	0.1	RMS	989.4	-62.27	-13	Pass	1401
1000	3000	1	RMS	2652	-46.45	-13	Pass	2001
3000	10000	1	RMS	7730	-42.52	-13	Pass	7001



### 16.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.41	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.32	-13	Pass	7841
814	860	0.1	RMS	834.8	20.07	60	Pass	461
860	1000	0.1	RMS	939.8	-62.12	-13	Pass	1401
1000	3000	1	RMS	2644	-46.4	-13	Pass	2001
3000	10000	1	RMS	7722	-42.49	-13	Pass	7001



### 16.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.38	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.36	-13	Pass	7841
814	860	0.1	RMS	834.8	19.34	60	Pass	461
860	1000	0.1	RMS	963.9	-62.24	-13	Pass	1401
1000	3000	1	RMS	2647	-46.42	-13	Pass	2001
3000	10000	1	RMS	7728	-42.49	-13	Pass	7001



## 17. LTE\_Band26(part90)


17.1. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.85	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.97	-13	Pass	2986
30	809	0.1	Peak	802.2	-51.16	-13	Pass	7791
809	829	0.1	Peak	814.2	25.46	60	Pass	401
829	1000	0.1	Peak	966.9	-51.57	-13	Pass	1711
1000	3000	1	Peak	2660	-35.45	-13	Pass	2001
3000	10000	1	Peak	7729	-30.56	-13	Pass	7001




**17.2. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.68	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.58	-13	Pass	2986
30	809	0.1	Peak	804.5	-51.99	-13	Pass	7791
809	829	0.1	Peak	814.2	26.24	60	Pass	401
829	1000	0.1	Peak	833.5	-49.64	-13	Pass	1711
1000	3000	1	Peak	2762	-34.75	-13	Pass	2001
3000	10000	1	Peak	7736	-30.75	-13	Pass	7001




**17.3. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.93	-13	Pass	2986
30	809	0.1	Peak	735.8	-51.9	-13	Pass	7791
809	829	0.1	Peak	818.5	25.27	60	Pass	401
829	1000	0.1	Peak	838.6	-36.73	-13	Pass	1711
1000	3000	1	Peak	2798	-34.98	-13	Pass	2001
3000	10000	1	Peak	9542	-29.96	-13	Pass	7001



**17.4. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.03	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.62	-13	Pass	2986
30	809	0.1	Peak	797.2	-51.76	-13	Pass	7791
809	829	0.1	Peak	818.6	25.69	60	Pass	401
829	1000	0.1	Peak	970.3	-50.55	-13	Pass	1711
1000	3000	1	Peak	2633	-34.95	-13	Pass	2001
3000	10000	1	Peak	8141	-30.65	-13	Pass	7001






**17.5. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.01	-13	Pass	401
0.15	30	0.01	Peak	0.17	-47.04	-13	Pass	2986
30	809	0.1	Peak	705	-52.3	-13	Pass	7791
809	829	0.1	Peak	822.85	25.06	60	Pass	401
829	1000	0.1	Peak	841.2	-35.9	-13	Pass	1711
1000	3000	1	Peak	2738	-35.04	-13	Pass	2001
3000	10000	1	Peak	7682	-30.88	-13	Pass	7001




**17.6. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.33	-13	Pass	2986
30	809	0.1	Peak	753.1	-51.22	-13	Pass	7791
809	829	0.1	Peak	822.8	26.16	60	Pass	401
829	1000	0.1	Peak	829.2	-49.62	-13	Pass	1711
1000	3000	1	Peak	2772	-34.58	-13	Pass	2001
3000	10000	1	Peak	7267	-30.6	-13	Pass	7001




**17.7. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.55	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.88	-13	Pass	2986
30	809	0.1	Peak	804.2	-51.52	-13	Pass	7791
809	829	0.1	Peak	814.2	25.26	60	Pass	401
829	1000	0.1	Peak	833.4	-50.86	-13	Pass	1711
1000	3000	1	Peak	2887	-34.15	-13	Pass	2001
3000	10000	1	Peak	7721	-30.62	-13	Pass	7001




**17.8. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.13	-13	Pass	2986
30	809	0.1	Peak	785.1	-51.96	-13	Pass	7791
809	829	0.1	Peak	814.25	26.03	60	Pass	401
829	1000	0.1	Peak	875.9	-50.84	-13	Pass	1711
1000	3000	1	Peak	2715	-34.74	-13	Pass	2001
3000	10000	1	Peak	7688	-30.82	-13	Pass	7001




**17.9. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.12	-13	Pass	2986
30	809	0.1	Peak	772.5	-51.73	-13	Pass	7791
809	829	0.1	Peak	817.7	25.26	60	Pass	401
829	1000	0.1	Peak	975	-51.64	-13	Pass	1711
1000	3000	1	Peak	2772	-34.58	-13	Pass	2001
3000	10000	1	Peak	7000	-30.02	-13	Pass	7001




**17.10. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.81	-13	Pass	2986
30	809	0.1	Peak	681.6	-51.59	-13	Pass	7791
809	829	0.1	Peak	817.75	25.64	60	Pass	401
829	1000	0.1	Peak	981.1	-51.32	-13	Pass	1711
1000	3000	1	Peak	2653	-34.97	-13	Pass	2001
3000	10000	1	Peak	8081	-30.21	-13	Pass	7001




**17.11. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.13	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.41	-13	Pass	2986
30	809	0.1	Peak	785.4	-51.62	-13	Pass	7791
809	829	0.1	Peak	821.25	25.11	60	Pass	401
829	1000	0.1	Peak	839.3	-51.57	-13	Pass	1711
1000	3000	1	Peak	2674	-34.86	-13	Pass	2001
3000	10000	1	Peak	7768	-30.82	-13	Pass	7001



**17.12. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.14	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.49	-13	Pass	2986
30	809	0.1	Peak	798.6	-51.95	-13	Pass	7791
809	829	0.1	Peak	821.2	25.99	60	Pass	401
829	1000	0.1	Peak	996.2	-51.46	-13	Pass	1711
1000	3000	1	Peak	2781	-35.21	-13	Pass	2001
3000	10000	1	Peak	9526	-29.55	-13	Pass	7001






**17.13. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.22	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.86	-13	Pass	2986
30	809	0.1	Peak	787.6	-51.87	-13	Pass	7791
809	829	0.1	Peak	814.35	25.85	60	Pass	401
829	1000	0.1	Peak	964.1	-51.22	-13	Pass	1711
1000	3000	1	Peak	2670	-34.68	-13	Pass	2001
3000	10000	1	Peak	7713	-30.21	-13	Pass	7001




**17.14. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.65	-13	Pass	401
0.15	30	0.01	Peak	0.16	-46.29	-13	Pass	2986
30	809	0.1	Peak	792.2	-50.96	-13	Pass	7791
809	829	0.1	Peak	814.3	26.32	60	Pass	401
829	1000	0.1	Peak	852	-49.86	-13	Pass	1711
1000	3000	1	Peak	2784	-35.02	-13	Pass	2001
3000	10000	1	Peak	7728	-30.8	-13	Pass	7001




**17.15. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.72	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.33	-13	Pass	2986
30	809	0.1	Peak	795.8	-51.62	-13	Pass	7791
809	829	0.1	Peak	816.85	25.58	60	Pass	401
829	1000	0.1	Peak	888.9	-51.12	-13	Pass	1711
1000	3000	1	Peak	2996	-34.95	-13	Pass	2001
3000	10000	1	Peak	8397	-30.32	-13	Pass	7001




**17.16. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.8	-13	Pass	2986
30	809	0.1	Peak	802.1	-51.49	-13	Pass	7791
809	829	0.1	Peak	816.8	25.39	60	Pass	401
829	1000	0.1	Peak	950.2	-50.89	-13	Pass	1711
1000	3000	1	Peak	2647	-35.3	-13	Pass	2001
3000	10000	1	Peak	7730	-30.8	-13	Pass	7001




**17.17. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.35	-13	Pass	2986
30	809	0.1	Peak	802.7	-51.24	-13	Pass	7791
809	829	0.1	Peak	819.3	25.23	60	Pass	401
829	1000	0.1	Peak	972.7	-51.05	-13	Pass	1711
1000	3000	1	Peak	2687	-35.31	-13	Pass	2001
3000	10000	1	Peak	8013	-30.81	-13	Pass	7001




**17.18. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.26	-13	Pass	401
0.15	30	0.01	Peak	0.16	-45.83	-13	Pass	2986
30	809	0.1	Peak	793.8	-52.06	-13	Pass	7791
809	829	0.1	Peak	819.35	25.7	60	Pass	401
829	1000	0.1	Peak	991.4	-51.29	-13	Pass	1711
1000	3000	1	Peak	2756	-35.32	-13	Pass	2001
3000	10000	1	Peak	7708	-29.74	-13	Pass	7001




**17.19. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.98	-13	Pass	2986
30	809	0.1	Peak	754.6	-51.33	-13	Pass	7791
809	829	0.1	Peak	814.6	25.67	60	Pass	401
829	1000	0.1	Peak	832.1	-37.79	-13	Pass	1711
1000	3000	1	Peak	2650	-34.6	-13	Pass	2001
3000	10000	1	Peak	7670	-30.86	-13	Pass	7001



**17.20. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.09	-13	Pass	2986
30	809	0.1	Peak	787.9	-51.34	-13	Pass	7791
809	829	0.1	Peak	814.55	26.3	60	Pass	401
829	1000	0.1	Peak	832.2	-35.26	-13	Pass	1711
1000	3000	1	Peak	2768	-34.82	-13	Pass	2001
3000	10000	1	Peak	7721	-29.72	-13	Pass	7001






## 18. LTE\_Band38


### 18.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.04	-25	Pass	2986
30	1000	0.1	RMS	973	-58.08	-25	Pass	9701
1000	2560	1	RMS	2551	-42.76	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.33	60	Pass	401
2630	3000	1	RMS	2651.275	-42.54	-25	Pass	401
3000	12000	1	RMS	5141	-56.24	-25	Pass	9001
12000	26500	1	RMS	25012	-38.54	-25	Pass	14501




**18.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-25	Pass	2986
30	1000	0.1	RMS	997	-57.99	-25	Pass	9701
1000	2560	1	RMS	2551	-42.94	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.88	60	Pass	401
2630	3000	1	RMS	2659.6	-42.55	-25	Pass	401
3000	12000	1	RMS	5141	-58.45	-25	Pass	9001
12000	26500	1	RMS	25010	-38.62	-25	Pass	14501




**18.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.98	-25	Pass	2986
30	1000	0.1	RMS	948.5	-57.97	-25	Pass	9701
1000	2560	1	RMS	2549	-43.5	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.7	60	Pass	401
2630	3000	1	RMS	2654.975	-42.55	-25	Pass	401
3000	12000	1	RMS	5186	-55.37	-25	Pass	9001
12000	26500	1	RMS	25012	-38.62	-25	Pass	14501




**18.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.27	-25	Pass	2986
30	1000	0.1	RMS	936.8	-58.01	-25	Pass	9701
1000	2560	1	RMS	2560	-43.37	-25	Pass	1561
2560	2630	1	RMS	2592.725	22.87	60	Pass	401
2630	3000	1	RMS	2639.25	-42.49	-25	Pass	401
3000	12000	1	RMS	7779	-59.63	-25	Pass	9001
12000	26500	1	RMS	25020	-38.48	-25	Pass	14501




**18.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.42	-25	Pass	2986
30	1000	0.1	RMS	958.6	-58.07	-25	Pass	9701
1000	2560	1	RMS	2559	-43.4	-25	Pass	1561
2560	2630	1	RMS	2615.475	22.87	60	Pass	401
2630	3000	1	RMS	2634.625	-42.5	-25	Pass	401
3000	12000	1	RMS	5231	-57.82	-25	Pass	9001
12000	26500	1	RMS	25016	-38.53	-25	Pass	14501




**18.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.54	-25	Pass	2986
30	1000	0.1	RMS	951.5	-57.87	-25	Pass	9701
1000	2560	1	RMS	2557	-43.46	-25	Pass	1561
2560	2630	1	RMS	2615.475	22.27	60	Pass	401
2630	3000	1	RMS	2643.875	-42.52	-25	Pass	401
3000	12000	1	RMS	7846	-57.98	-25	Pass	9001
12000	26500	1	RMS	25009	-38.6	-25	Pass	14501




**18.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.59	-25	Pass	2986
30	1000	0.1	RMS	993.2	-57.93	-25	Pass	9701
1000	2560	1	RMS	2559	-42.8	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.48	60	Pass	401
2630	3000	1	RMS	2654.975	-42.54	-25	Pass	401
3000	12000	1	RMS	5141	-58.06	-25	Pass	9001
12000	26500	1	RMS	25013	-38.55	-25	Pass	14501



**18.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.12	-25	Pass	2986
30	1000	0.1	RMS	988.9	-57.93	-25	Pass	9701
1000	2560	1	RMS	2559	-42.92	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.74	60	Pass	401
2630	3000	1	RMS	2645.725	-42.54	-25	Pass	401
3000	12000	1	RMS	5141	-58.46	-25	Pass	9001
12000	26500	1	RMS	25015	-38.65	-25	Pass	14501





**18.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.83	-25	Pass	2986
30	1000	0.1	RMS	948.7	-57.99	-25	Pass	9701
1000	2560	1	RMS	2558	-43.41	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.09	60	Pass	401
2630	3000	1	RMS	2644.8	-42.52	-25	Pass	401
3000	12000	1	RMS	5181	-57.53	-25	Pass	9001
12000	26500	1	RMS	25013	-38.57	-25	Pass	14501



### 18.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.04	-25	Pass	2986
30	1000	0.1	RMS	900.3	-58.04	-25	Pass	9701
1000	2560	1	RMS	2548	-43.54	-25	Pass	1561
2560	2630	1	RMS	2590.45	21.88	60	Pass	401
2630	3000	1	RMS	2650.35	-42.53	-25	Pass	401
3000	12000	1	RMS	7772	-58.8	-25	Pass	9001
12000	26500	1	RMS	25009	-38.65	-25	Pass	14501



### 18.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.8	-25	Pass	2986
30	1000	0.1	RMS	937.1	-57.95	-25	Pass	9701
1000	2560	1	RMS	2534	-43.52	-25	Pass	1561
2560	2630	1	RMS	2610.75	22.87	60	Pass	401
2630	3000	1	RMS	2654.975	-42.53	-25	Pass	401
3000	12000	1	RMS	5221	-57.32	-25	Pass	9001
12000	26500	1	RMS	25012	-38.51	-25	Pass	14501



### 18.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.58	-25	Pass	2986
30	1000	0.1	RMS	988.8	-57.95	-25	Pass	9701
1000	2560	1	RMS	2534	-43.46	-25	Pass	1561
2560	2630	1	RMS	2610.75	22.3	60	Pass	401
2630	3000	1	RMS	2647.575	-42.48	-25	Pass	401
3000	12000	1	RMS	5221	-59.28	-25	Pass	9001
12000	26500	1	RMS	25012	-38.49	-25	Pass	14501



### 18.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.72	-25	Pass	2986
30	1000	0.1	RMS	928.3	-57.89	-25	Pass	9701
1000	2560	1	RMS	2557	-39.05	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.93	60	Pass	401
2630	3000	1	RMS	2643.875	-42.49	-25	Pass	401
3000	12000	1	RMS	5141	-58.49	-25	Pass	9001
12000	26500	1	RMS	25012	-38.6	-25	Pass	14501



### 18.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.63	-25	Pass	2986
30	1000	0.1	RMS	955.2	-57.87	-25	Pass	9701
1000	2560	1	RMS	2558	-38.11	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.95	60	Pass	401
2630	3000	1	RMS	2648.5	-42.48	-25	Pass	401
3000	12000	1	RMS	11849	-59.87	-25	Pass	9001
12000	26500	1	RMS	25014	-38.58	-25	Pass	14501



### 18.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-25	Pass	2986
30	1000	0.1	RMS	950.1	-57.98	-25	Pass	9701
1000	2560	1	RMS	2559	-42.71	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.14	60	Pass	401
2630	3000	1	RMS	2646.65	-42.49	-25	Pass	401
3000	12000	1	RMS	5177	-54.88	-25	Pass	9001
12000	26500	1	RMS	25014	-38.64	-25	Pass	14501



### 18.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.47	-25	Pass	2986
30	1000	0.1	RMS	937.9	-57.75	-25	Pass	9701
1000	2560	1	RMS	2560	-43.26	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.37	60	Pass	401
2630	3000	1	RMS	2645.725	-42.52	-25	Pass	401
3000	12000	1	RMS	7765	-58.96	-25	Pass	9001
12000	26500	1	RMS	25012	-38.57	-25	Pass	14501






### 18.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.69	-25	Pass	2986
30	1000	0.1	RMS	998.3	-58.01	-25	Pass	9701
1000	2560	1	RMS	2529	-43.27	-25	Pass	1561
2560	2630	1	RMS	2605.675	23.12	60	Pass	401
2630	3000	1	RMS	2632.775	-42.23	-25	Pass	401
3000	12000	1	RMS	5212	-56.13	-25	Pass	9001
12000	26500	1	RMS	25012	-38.51	-25	Pass	14501



### 18.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.06	-25	Pass	2986
30	1000	0.1	RMS	934.4	-57.93	-25	Pass	9701
1000	2560	1	RMS	2557	-43.26	-25	Pass	1561
2560	2630	1	RMS	2605.675	22.91	60	Pass	401
2630	3000	1	RMS	2632.775	-42.21	-25	Pass	401
3000	12000	1	RMS	7818	-56.08	-25	Pass	9001
12000	26500	1	RMS	25016	-38.61	-25	Pass	14501



### 18.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.42	-25	Pass	2986
30	1000	0.1	RMS	947.7	-57.88	-25	Pass	9701
1000	2560	1	RMS	2553	-37.86	-25	Pass	1561
2560	2630	1	RMS	2571.2	22.99	60	Pass	401
2630	3000	1	RMS	2647.575	-42.51	-25	Pass	401
3000	12000	1	RMS	5143	-59.48	-25	Pass	9001
12000	26500	1	RMS	25011	-38.63	-25	Pass	14501



### 18.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-25	Pass	2986
30	1000	0.1	RMS	965.1	-57.98	-25	Pass	9701
1000	2560	1	RMS	2553	-38.43	-25	Pass	1561
2560	2630	1	RMS	2571.2	23.16	60	Pass	401
2630	3000	1	RMS	2646.65	-42.5	-25	Pass	401
3000	12000	1	RMS	5142	-56.35	-25	Pass	9001
12000	26500	1	RMS	25010	-38.52	-25	Pass	14501



### 18.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.71	-25	Pass	2986
30	1000	0.1	RMS	957.7	-57.96	-25	Pass	9701
1000	2560	1	RMS	2550	-42.3	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.8	60	Pass	401
2630	3000	1	RMS	2646.65	-42.5	-25	Pass	401
3000	12000	1	RMS	7758	-59.04	-25	Pass	9001
12000	26500	1	RMS	25011	-38.61	-25	Pass	14501



### 18.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.29	-25	Pass	2986
30	1000	0.1	RMS	938.3	-57.93	-25	Pass	9701
1000	2560	1	RMS	2551	-42.73	-25	Pass	1561
2560	2630	1	RMS	2586.25	22.35	60	Pass	401
2630	3000	1	RMS	2647.575	-42.48	-25	Pass	401
3000	12000	1	RMS	5173	-58.77	-25	Pass	9001
12000	26500	1	RMS	25014	-38.64	-25	Pass	14501



### 18.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.88	-25	Pass	2986
30	1000	0.1	RMS	972.2	-58.01	-25	Pass	9701
1000	2560	1	RMS	2560	-43.28	-25	Pass	1561
2560	2630	1	RMS	2601.125	23.32	60	Pass	401
2630	3000	1	RMS	2636.475	-41.51	-25	Pass	401
3000	12000	1	RMS	5202	-59.1	-25	Pass	9001
12000	26500	1	RMS	25014	-38.46	-25	Pass	14501



### 18.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.42	-25	Pass	2986
30	1000	0.1	RMS	989.9	-57.83	-25	Pass	9701
1000	2560	1	RMS	2559	-43.38	-25	Pass	1561
2560	2630	1	RMS	2601.125	22.39	60	Pass	401
2630	3000	1	RMS	2636.475	-42.05	-25	Pass	401
3000	12000	1	RMS	7804	-58.85	-25	Pass	9001
12000	26500	1	RMS	25017	-38.55	-25	Pass	14501






## 19. LTE\_Band41 100M


### 19.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:40265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.67	-25	Pass	2986
30	1000	0.1	RMS	938	-57.97	-25	Pass	9701
1000	2545	1	RMS	2536	-42.86	-25	Pass	1546
2545	2665	1	RMS	2555.2	22.81	60	Pass	401
2665	3000	1	RMS	3000	-42.66	-25	Pass	401
3000	12000	1	RMS	11848	-59.99	-25	Pass	9001
12000	27000	1	RMS	25011	-38.79	-25	Pass	15001



**19.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:40265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.97	-25	Pass	2986
30	1000	0.1	RMS	990.9	-57.98	-25	Pass	9701
1000	2545	1	RMS	2545	-42.92	-25	Pass	1546
2545	2665	1	RMS	2555.2	22.06	60	Pass	401
2665	3000	1	RMS	2999.163	-42.67	-25	Pass	401
3000	12000	1	RMS	11830	-60.02	-25	Pass	9001
12000	27000	1	RMS	25011	-38.72	-25	Pass	15001



**19.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.05	-25	Pass	2986
30	1000	0.1	RMS	930.8	-58.08	-25	Pass	9701
1000	2545	1	RMS	2538	-43.64	-25	Pass	1546
2545	2665	1	RMS	2602.6	22.67	60	Pass	401
2665	3000	1	RMS	2665.838	-42.63	-25	Pass	401
3000	12000	1	RMS	5205	-58.47	-25	Pass	9001
12000	27000	1	RMS	25011	-38.8	-25	Pass	15001

