



U-NII-1 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	66.81	3.56	74.0	7.19	Peak	192.00	200	Vertical	Pass
1**	5147.075	51.97	3.56	54.0	2.03	AV	192.00	200	Vertical	Pass
2	5149.675	62.97	3.43	74.0	11.03	Peak	189.00	200	Vertical	Pass
2**	5149.675	52.52	3.43	54.0	1.48	AV	189.00	200	Vertical	Pass

U-NII-1 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.56	3.25	74.0	16.44	Peak	183.00	200	Vertical	Pass
1**	5350.055	47.06	3.25	54.0	6.94	AV	183.00	200	Vertical	Pass
2	5391.965	59.15	3.60	74.0	14.85	Peak	174.00	200	Vertical	Pass
2**	5391.965	47.14	3.60	54.0	6.86	AV	174.00	200	Vertical	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4795.425	58.09	3.52	74.0	15.91	Peak	227.00	200	Vertical	Pass
1**	4795.425	46.34	3.52	54.0	7.66	AV	227.00	200	Vertical	Pass
2	5149.675	57.56	3.43	74.0	16.44	Peak	157.00	150	Vertical	Pass
2**	5149.675	46.71	3.43	54.0	7.29	AV	157.00	150	Vertical	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.06	3.26	74.0	14.94	Peak	184.00	200	Vertical	Pass
1**	5350.000	49.96	3.26	54.0	4.04	AV	184.00	200	Vertical	Pass
2	5389.545	61.30	3.59	74.0	12.70	Peak	189.00	150	Vertical	Pass
2**	5389.545	48.59	3.59	54.0	5.41	AV	189.00	150	Vertical	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5031.375	58.37	3.04	74.0	15.63	Peak	171.00	100	Vertical	Pass
1**	5031.375	46.37	3.04	54.0	7.63	AV	171.00	100	Vertical	Pass
2	5149.675	56.69	3.43	74.0	17.31	Peak	117.00	100	Vertical	Pass
2**	5149.675	47.04	3.43	54.0	6.96	AV	117.00	100	Vertical	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.11	3.25	74.0	14.89	Peak	194.00	200	Vertical	Pass
1**	5350.055	50.07	3.25	54.0	3.93	AV	194.00	200	Vertical	Pass
2	5360.340	63.17	3.73	74.0	10.83	Peak	196.00	100	Vertical	Pass
2**	5360.340	50.33	3.73	54.0	3.67	AV	196.00	100	Vertical	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4899.750	58.32	3.38	74.0	15.68	Peak	131.00	150	Vertical	Pass
1**	4899.750	46.63	3.38	54.0	7.37	AV	131.00	150	Vertical	Pass
2	5149.675	56.20	3.43	74.0	17.80	Peak	179.00	200	Vertical	Pass
2**	5149.675	46.75	3.43	54.0	7.25	AV	179.00	200	Vertical	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	67.19	3.25	74.0	6.81	Peak	184.00	100	Vertical	Pass
1**	5350.055	52.57	3.25	54.0	1.43	AV	184.00	100	Vertical	Pass
2	5351.045	67.40	3.25	74.0	6.60	Peak	192.00	150	Vertical	Pass
2**	5351.045	51.51	3.25	54.0	2.49	AV	192.00	150	Vertical	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.225	58.83	4.07	74.0	15.17	Peak	255.00	150	Vertical	Pass
1**	5128.225	46.92	4.07	54.0	7.08	AV	255.00	150	Vertical	Pass
2	5149.675	57.30	3.43	74.0	16.70	Peak	204.00	200	Vertical	Pass
2**	5149.675	46.69	3.43	54.0	7.31	AV	204.00	200	Vertical	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.60	3.25	74.0	14.40	Peak	192.00	100	Vertical	Pass
1**	5350.055	49.68	3.25	54.0	4.32	AV	192.00	100	Vertical	Pass
2	5370.130	60.97	3.70	74.0	13.03	Peak	192.00	100	Vertical	Pass
2**	5370.130	49.51	3.70	54.0	4.49	AV	192.00	100	Vertical	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4903.325	58.42	3.59	74.0	15.58	Peak	62.00	150	Vertical	Pass
1**	4903.325	46.51	3.59	54.0	7.49	AV	62.00	150	Vertical	Pass
2	5149.675	56.57	3.43	74.0	17.43	Peak	195.00	100	Vertical	Pass
2**	5149.675	46.77	3.43	54.0	7.23	AV	195.00	100	Vertical	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	63.76	3.25	74.0	10.24	Peak	193.00	150	Vertical	Pass
1**	5350.055	52.23	3.25	54.0	1.77	AV	193.00	150	Vertical	Pass
2	5355.115	67.27	3.28	74.0	6.73	Peak	197.00	200	Vertical	Pass
2**	5355.115	51.27	3.28	54.0	2.73	AV	197.00	200	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.550	58.44	3.91	74.0	15.56	Peak	173.00	100	Vertical	Pass
1**	5102.550	47.36	3.91	54.0	6.64	AV	173.00	100	Vertical	Pass
2	5149.675	56.00	3.43	74.0	18.00	Peak	192.00	200	Vertical	Pass
2**	5149.675	47.26	3.43	54.0	6.74	AV	192.00	200	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.63	3.25	74.0	12.37	Peak	187.00	200	Vertical	Pass
1**	5350.055	51.59	3.25	54.0	2.41	AV	187.00	200	Vertical	Pass
2	5367.985	65.92	3.80	74.0	8.08	Peak	192.00	150	Vertical	Pass
2**	5367.985	51.46	3.80	54.0	2.54	AV	192.00	150	Vertical	Pass
3	5368.040	60.99	3.80	74.0	13.01	Peak	201.00	150	Vertical	Pass
3**	5368.040	52.60	3.80	54.0	1.40	AV	201.00	150	Vertical	Pass

U-NII-2A 11ax20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4849.375	58.01	2.68	74.0	15.99	Peak	0.00	200	Vertical	Pass
1**	4849.375	45.71	2.68	54.0	8.29	AV	0.00	200	Vertical	Pass
2	5149.675	56.68	3.43	74.0	17.32	Peak	310.00	150	Vertical	Pass
2**	5149.675	46.88	3.43	54.0	7.12	AV	310.00	150	Vertical	Pass

U-NII-2A 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.39	3.26	74.0	11.61	Peak	186.00	200	Vertical	Pass
1**	5350.000	50.33	3.26	54.0	3.67	AV	186.00	200	Vertical	Pass
2	5350.220	63.78	3.25	74.0	10.22	Peak	192.00	100	Vertical	Pass
2**	5350.220	50.21	3.25	54.0	3.79	AV	192.00	100	Vertical	Pass

U-NII-2A 11ax40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5117.175	57.96	4.01	74.0	16.04	Peak	188.00	100	Vertical	Pass
1**	5117.175	46.89	4.01	54.0	7.11	AV	188.00	100	Vertical	Pass
2	5149.675	55.88	3.43	74.0	18.12	Peak	66.00	150	Vertical	Pass
2**	5149.675	46.75	3.43	54.0	7.25	AV	66.00	150	Vertical	Pass

U-NII-2A 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.12	3.26	74.0	12.88	Peak	181.00	100	Vertical	Pass
1**	5350.000	51.69	3.26	54.0	2.31	AV	181.00	100	Vertical	Pass
2	5351.980	66.61	3.29	74.0	7.39	Peak	185.00	100	Vertical	Pass
2**	5351.980	50.95	3.29	54.0	3.05	AV	185.00	100	Vertical	Pass

U-NII-2A 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.150	59.05	4.03	74.0	14.95	Peak	200.00	200	Vertical	Pass
1**	5131.150	47.77	4.03	54.0	6.23	AV	200.00	200	Vertical	Pass
2	5149.675	57.47	3.43	74.0	16.53	Peak	191.00	100	Vertical	Pass
2**	5149.675	47.41	3.43	54.0	6.59	AV	191.00	100	Vertical	Pass

U-NII-2A 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.16	3.25	74.0	12.84	Peak	193.00	200	Vertical	Pass
1**	5350.055	51.02	3.25	54.0	2.98	AV	193.00	200	Vertical	Pass
2	5350.220	65.06	3.25	74.0	8.94	Peak	193.00	150	Vertical	Pass
2**	5350.220	51.32	3.25	54.0	2.68	AV	193.00	150	Vertical	Pass
3	5365.895	61.34	3.86	74.0	12.66	Peak	191.00	150	Vertical	Pass
3**	5365.895	52.90	3.86	54.0	1.10	AV	191.00	150	Vertical	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5435.380	60.60	4.38	74.0	13.40	Peak	194.00	100	Vertical	Pass
1**	5435.380	49.68	4.38	54.0	4.32	AV	194.00	100	Vertical	Pass
2	5459.980	57.85	4.10	74.0	16.15	Peak	202.00	100	Vertical	Pass
2**	5459.980	48.86	4.10	54.0	5.14	AV	202.00	100	Vertical	Pass
3	5469.760	59.83	4.06	68.2	8.37	Peak	189.00	200	Vertical	Pass
3**	5469.760	49.99	4.06	--	--	AV	189.00	200	Vertical	N/A
4	5469.940	58.80	4.06	68.2	9.40	Peak	186.00	200	Vertical	Pass
4**	5469.940	49.34	4.06	--	--	AV	186.00	200	Vertical	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.27	4.12	68.2	9.93	Peak	184.00	200	Vertical	Pass
2	5760.937	60.66	3.89	68.2	7.54	Peak	121.00	150	Vertical	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5435.440	60.47	4.37	74.0	13.53	Peak	194.00	150	Vertical	Pass
1**	5435.440	49.61	4.37	54.0	4.39	AV	194.00	150	Vertical	Pass
2	5459.980	57.26	4.10	74.0	16.74	Peak	194.00	150	Vertical	Pass
2**	5459.980	48.91	4.10	54.0	5.09	AV	194.00	150	Vertical	Pass
3	5468.140	60.63	4.13	68.2	7.57	Peak	192.00	200	Vertical	Pass
3**	5468.140	50.01	4.13	--	--	AV	192.00	200	Vertical	N/A
4	5469.940	59.17	4.06	68.2	9.03	Peak	192.00	100	Vertical	Pass
4**	5469.940	50.67	4.06	--	--	AV	192.00	100	Vertical	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.58	4.12	68.2	9.62	Peak	350.00	150	Vertical	Pass
2	5808.375	59.61	3.79	68.2	8.59	Peak	353.00	100	Vertical	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.840	62.62	4.08	74.0	11.38	Peak	193.00	150	Vertical	Pass
1**	5458.840	49.80	4.08	54.0	4.20	AV	193.00	150	Vertical	Pass
2	5459.980	57.99	4.10	74.0	16.01	Peak	196.00	100	Vertical	Pass
2**	5459.980	49.94	4.10	54.0	4.06	AV	196.00	100	Vertical	Pass
3	5469.580	66.70	4.07	68.2	1.50	Peak	196.00	200	Vertical	Pass
3**	5469.580	51.60	4.07	--	--	AV	196.00	200	Vertical	N/A
4	5469.940	63.68	4.06	68.2	4.52	Peak	193.00	100	Vertical	Pass
4**	5469.940	52.29	4.06	--	--	AV	193.00	100	Vertical	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.82	4.12	68.2	10.38	Peak	360.00	200	Vertical	Pass
2	5738.937	59.80	3.82	68.2	8.40	Peak	1.00	150	Vertical	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.140	60.36	4.30	74.0	13.64	Peak	189.00	100	Vertical	Pass
1**	5441.140	49.27	4.30	54.0	4.73	AV	189.00	100	Vertical	Pass
2	5459.980	57.95	4.10	74.0	16.05	Peak	67.00	100	Vertical	Pass
2**	5459.980	49.07	4.10	54.0	4.93	AV	67.00	100	Vertical	Pass
3	5468.140	60.61	4.13	68.2	7.59	Peak	191.00	100	Vertical	Pass
3**	5468.140	50.31	4.13	--	--	AV	191.00	100	Vertical	N/A
4	5469.940	58.11	4.06	68.2	10.09	Peak	275.00	150	Vertical	Pass
4**	5469.940	50.04	4.06	--	--	AV	275.00	150	Vertical	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.83	4.12	68.2	9.37	Peak	183.00	100	Vertical	Pass
2	5777.875	59.58	4.59	68.2	8.62	Peak	56.00	150	Vertical	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.480	60.76	4.08	74.0	13.24	Peak	189.00	150	Vertical	Pass
1**	5458.480	49.38	4.08	54.0	4.62	AV	189.00	150	Vertical	Pass
2	5459.980	58.10	4.10	74.0	15.90	Peak	187.00	150	Vertical	Pass
2**	5459.980	49.49	4.10	54.0	4.51	AV	187.00	150	Vertical	Pass
3	5465.920	65.69	3.99	68.2	2.51	Peak	189.00	200	Vertical	Pass
3**	5465.920	50.30	3.99	--	--	AV	189.00	200	Vertical	N/A
4	5469.940	63.62	4.06	68.2	4.58	Peak	196.00	200	Vertical	Pass
4**	5469.940	50.88	4.06	--	--	AV	196.00	200	Vertical	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.84	4.12	68.2	10.36	Peak	320.00	200	Vertical	Pass
2	5825.062	59.42	3.80	68.2	8.78	Peak	148.00	200	Vertical	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5360.380	62.41	3.73	74.0	11.59	Peak	197.00	150	Vertical	Pass
1**	5360.380	51.30	3.73	54.0	2.70	AV	197.00	150	Vertical	Pass
2	5459.980	58.26	4.10	74.0	15.74	Peak	191.00	100	Vertical	Pass
2**	5459.980	49.53	4.10	54.0	4.47	AV	191.00	100	Vertical	Pass
3	5469.220	63.54	4.08	68.2	4.66	Peak	191.00	150	Vertical	Pass
3**	5469.220	50.90	4.08	--	--	AV	191.00	150	Vertical	N/A
4	5469.940	61.39	4.06	68.2	6.81	Peak	194.00	100	Vertical	Pass
4**	5469.940	50.87	4.06	--	--	AV	194.00	100	Vertical	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.36	4.12	68.2	10.84	Peak	160.00	100	Vertical	Pass
2	5740.250	59.74	3.93	68.2	8.46	Peak	142.00	150	Vertical	Pass

U-NII-2C 11ax20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.840	60.07	4.08	74.0	13.93	Peak	184.00	200	Vertical	Pass
1**	5428.840	49.41	4.08	54.0	4.59	AV	184.00	200	Vertical	Pass
2	5459.980	57.89	4.10	74.0	16.11	Peak	242.00	200	Vertical	Pass
2**	5459.980	48.72	4.10	54.0	5.28	AV	242.00	200	Vertical	Pass
3	5469.400	61.33	4.08	68.2	6.87	Peak	191.00	100	Vertical	Pass
3**	5469.400	50.59	4.08	--	--	AV	191.00	100	Vertical	N/A
4	5469.940	58.51	4.06	68.2	9.69	Peak	209.00	150	Vertical	Pass
4**	5469.940	50.59	4.06	--	--	AV	209.00	150	Vertical	N/A

U-NII-2C 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.27	4.12	68.2	7.93	Peak	98.00	100	Vertical	Pass
2	5726.125	61.39	4.12	68.2	6.81	Peak	186.00	100	Vertical	Pass

U-NII-2C 11ax40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.560	61.02	4.08	74.0	12.98	Peak	190.00	150	Vertical	Pass
1**	5459.560	49.60	4.08	54.0	4.40	AV	190.00	150	Vertical	Pass
2	5459.980	59.10	4.10	74.0	14.90	Peak	187.00	150	Vertical	Pass
2**	5459.980	49.29	4.10	54.0	4.71	AV	187.00	150	Vertical	Pass
3	5468.260	66.02	4.12	68.2	2.18	Peak	187.00	100	Vertical	Pass
3**	5468.260	50.31	4.12	--	--	AV	187.00	100	Vertical	N/A
4	5469.940	64.25	4.06	68.2	3.95	Peak	187.00	150	Vertical	Pass
4**	5469.940	51.87	4.06	--	--	AV	187.00	150	Vertical	N/A

U-NII-2C 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.27	4.12	68.2	9.93	Peak	185.00	200	Vertical	Pass
2	5748.875	59.82	3.98	68.2	8.38	Peak	214.00	150	Vertical	Pass

U-NII-2C 11ax80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.120	66.51	4.11	74.0	7.49	Peak	189.00	150	Vertical	Pass
1**	5446.120	51.15	4.11	54.0	2.85	AV	189.00	150	Vertical	Pass
2	5459.980	61.26	4.10	74.0	12.74	Peak	179.00	100	Vertical	Pass
2**	5459.980	51.59	4.10	54.0	2.41	AV	179.00	100	Vertical	Pass
3	5468.140	67.12	4.13	68.2	1.08	Peak	193.00	200	Vertical	Pass
3**	5468.140	53.18	4.13	--	--	AV	193.00	200	Vertical	N/A
4	5469.940	62.72	4.06	68.2	5.48	Peak	187.00	150	Vertical	Pass
4**	5469.940	52.88	4.06	--	--	AV	187.00	150	Vertical	N/A

U-NII-2C 11ax80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.44	4.12	68.2	9.76	Peak	85.00	150	Vertical	Pass
2	5740.938	60.58	4.00	68.2	7.62	Peak	279.00	150	Vertical	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5621.375	58.83	3.44	68.2	9.37	Peak	232.00	150	Vertical	Pass
2	5650.000	56.77	3.83	68.2	11.43	Peak	290.00	200	Vertical	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.54	3.64	68.3	10.76	Peak	0.00	100	Vertical	Pass
2	5999.250	60.06	5.80	68.2	8.14	Peak	74.00	150	Vertical	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5616.688	58.83	3.70	68.2	9.37	Peak	228.00	150	Vertical	Pass
2	5650.000	57.15	3.83	68.2	11.05	Peak	155.00	150	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.70	3.64	68.3	10.60	Peak	121.00	200	Vertical	Pass
2	5999.550	59.96	5.77	68.2	8.24	Peak	19.00	200	Vertical	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5627.125	58.84	3.50	68.2	9.36	Peak	27.00	150	Vertical	Pass
2	5650.000	57.63	3.83	68.2	10.57	Peak	229.00	100	Vertical	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.88	3.64	68.3	11.42	Peak	272.00	150	Vertical	Pass
2	5974.725	59.66	4.94	68.2	8.54	Peak	102.00	100	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.125	59.38	3.94	68.2	8.82	Peak	231.00	100	Vertical	Pass
2	5650.000	57.39	3.83	68.2	10.81	Peak	71.00	200	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.20	3.64	68.3	11.10	Peak	46.00	200	Vertical	Pass
2	5999.925	60.59	5.73	68.2	7.61	Peak	0.00	150	Vertical	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5611.625	59.18	3.74	68.2	9.02	Peak	97.00	150	Vertical	Pass
2	5650.000	56.96	3.83	68.2	11.24	Peak	196.00	200	Vertical	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.23	3.64	68.3	11.07	Peak	262.00	100	Vertical	Pass
2	5990.400	60.38	5.13	68.2	7.82	Peak	40.00	200	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5614.188	59.74	3.76	68.2	8.46	Peak	187.00	200	Vertical	Pass
2	5650.000	57.27	3.83	68.2	10.93	Peak	191.00	150	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.63	3.64	68.3	10.67	Peak	190.00	200	Vertical	Pass
2	5934.150	60.15	3.78	68.2	8.05	Peak	38.00	150	Vertical	Pass

U-NII-3 11ax20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.125	58.61	3.94	68.2	9.59	Peak	106.00	100	Vertical	Pass
2	5650.000	57.66	3.83	68.2	10.54	Peak	39.00	100	Vertical	Pass

U-NII-3 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.92	3.64	68.3	11.38	Peak	209.00	100	Vertical	Pass
2	5976.525	60.14	4.90	68.2	8.06	Peak	31.00	100	Vertical	Pass

U-NII-3 11ax40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5630.750	58.75	3.39	68.2	9.45	Peak	295.00	100	Vertical	Pass
2	5650.000	56.82	3.83	68.2	11.38	Peak	22.00	100	Vertical	Pass

U-NII-3 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.62	3.64	68.3	10.68	Peak	90.00	150	Vertical	Pass
2	5995.500	60.00	5.68	68.2	8.20	Peak	75.00	150	Vertical	Pass

U-NII-3 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.562	59.99	3.61	68.2	8.21	Peak	186.00	200	Vertical	Pass
2	5650.000	57.69	3.83	68.2	10.51	Peak	198.00	150	Vertical	Pass

U-NII-3 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.69	3.64	68.3	11.61	Peak	281.00	100	Vertical	Pass
2	5996.175	60.00	5.67	68.2	8.20	Peak	210.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.440	59.48	4.22	74.0	14.52	Peak	225.00	150	Vertical	Pass
1**	5444.440	47.40	4.22	54.0	6.60	AV	225.00	150	Vertical	Pass
2	5459.980	56.85	4.10	74.0	17.15	Peak	90.00	200	Vertical	Pass
2**	5459.980	46.90	4.10	54.0	7.10	AV	90.00	200	Vertical	Pass
3	5462.200	58.84	4.12	68.2	9.36	Peak	53.00	200	Vertical	Pass
3**	5462.200	47.14	4.12	--	--	AV	53.00	200	Vertical	N/A
4	5469.940	56.61	4.06	68.2	11.59	Peak	185.00	150	Vertical	Pass
4**	5469.940	47.02	4.06	--	--	AV	185.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.73	3.64	68.3	11.57	Peak	264.00	100	Vertical	Pass
2	5994.600	60.48	5.67	68.2	7.72	Peak	6.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5436.760	59.12	4.39	74.0	14.88	Peak	343.00	150	Vertical	Pass
1**	5436.760	47.77	4.39	54.0	6.23	AV	343.00	150	Vertical	Pass
2	5459.980	56.95	4.10	74.0	17.05	Peak	31.00	200	Vertical	Pass
2**	5459.980	47.07	4.10	54.0	6.93	AV	31.00	200	Vertical	Pass
3	5466.340	58.20	4.02	68.2	10.00	Peak	57.00	150	Vertical	Pass
3**	5466.340	47.13	4.02	--	--	AV	57.00	150	Vertical	N/A
4	5469.940	56.93	4.06	68.2	11.27	Peak	305.00	100	Vertical	Pass
4**	5469.940	47.29	4.06	--	--	AV	305.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.04	3.64	68.3	11.26	Peak	0.00	150	Vertical	Pass
2	5996.400	60.18	5.67	68.2	8.02	Peak	78.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.340	59.16	4.23	74.0	14.84	Peak	45.00	100	Vertical	Pass
1**	5442.340	47.23	4.23	54.0	6.77	AV	45.00	100	Vertical	Pass
2	5459.980	56.35	4.10	74.0	17.65	Peak	179.00	150	Vertical	Pass
2**	5459.980	47.08	4.10	54.0	6.92	AV	179.00	150	Vertical	Pass
3	5469.520	58.51	4.07	68.2	9.69	Peak	360.00	150	Vertical	Pass
3**	5469.520	47.24	4.07	--	--	AV	360.00	150	Vertical	N/A
4	5469.940	57.10	4.06	68.2	11.10	Peak	111.00	100	Vertical	Pass
4**	5469.940	47.09	4.06	--	--	AV	111.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.88	3.64	68.3	11.42	Peak	126.00	100	Vertical	Pass
2	5997.150	59.98	5.69	68.2	8.22	Peak	349.00	100	Vertical	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5432.860	59.53	4.35	74.0	14.47	Peak	159.00	150	Vertical	Pass
1**	5432.860	47.88	4.35	54.0	6.12	AV	159.00	150	Vertical	Pass
2	5459.980	57.27	4.10	74.0	16.73	Peak	176.00	200	Vertical	Pass
2**	5459.980	47.29	4.10	54.0	6.71	AV	176.00	200	Vertical	Pass
3	5460.460	58.59	4.11	68.2	9.61	Peak	204.00	200	Vertical	Pass
3**	5460.460	47.03	4.11	--	--	AV	204.00	200	Vertical	N/A
4	5469.940	56.77	4.06	68.2	11.43	Peak	269.00	200	Vertical	Pass
4**	5469.940	47.10	4.06	--	--	AV	269.00	200	Vertical	N/A

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.50	3.64	68.3	10.80	Peak	314.00	100	Vertical	Pass
2	5998.950	59.98	5.82	68.2	8.22	Peak	203.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5434.780	59.11	4.42	74.0	14.89	Peak	5.00	150	Vertical	Pass
1**	5434.780	47.92	4.42	54.0	6.08	AV	5.00	150	Vertical	Pass
2	5459.980	56.96	4.10	74.0	17.04	Peak	122.00	100	Vertical	Pass
2**	5459.980	47.08	4.10	54.0	6.92	AV	122.00	100	Vertical	Pass
3	5468.260	58.96	4.12	68.2	9.24	Peak	141.00	150	Vertical	Pass
3**	5468.260	47.45	4.12	--	--	AV	141.00	150	Vertical	N/A
4	5469.940	57.22	4.06	68.2	10.98	Peak	343.00	150	Vertical	Pass
4**	5469.940	47.22	4.06	--	--	AV	343.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.12	3.64	68.3	11.18	Peak	291.00	150	Vertical	Pass
2	5995.050	59.93	5.69	68.2	8.27	Peak	215.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5435.260	59.81	4.38	74.0	14.19	Peak	189.00	100	Vertical	Pass
1**	5435.260	49.08	4.38	54.0	4.92	AV	189.00	100	Vertical	Pass
2	5459.980	58.06	4.10	74.0	15.94	Peak	91.00	200	Vertical	Pass
2**	5459.980	48.70	4.10	54.0	5.30	AV	91.00	200	Vertical	Pass
3	5467.180	59.28	4.10	68.2	8.92	Peak	183.00	200	Vertical	Pass
3**	5467.180	48.70	4.10	--	--	AV	183.00	200	Vertical	N/A
4	5469.940	57.26	4.06	68.2	10.94	Peak	89.00	100	Vertical	Pass
4**	5469.940	48.83	4.06	--	--	AV	89.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.32	3.64	68.3	10.98	Peak	254.00	200	Vertical	Pass
2	5992.650	60.13	5.30	68.2	8.07	Peak	76.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11ax20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5424.520	59.73	3.82	74.0	14.27	Peak	46.00	100	Vertical	Pass
1**	5424.520	47.53	3.82	54.0	6.47	AV	46.00	100	Vertical	Pass
2	5459.980	56.96	4.10	74.0	17.04	Peak	155.00	200	Vertical	Pass
2**	5459.980	47.18	4.10	54.0	6.82	AV	155.00	200	Vertical	Pass
3	5464.900	58.42	4.00	68.2	9.78	Peak	340.00	150	Vertical	Pass
3**	5464.900	47.03	4.00	--	--	AV	340.00	150	Vertical	N/A
4	5469.940	57.62	4.06	68.2	10.58	Peak	76.00	150	Vertical	Pass
4**	5469.940	47.42	4.06	--	--	AV	76.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11ax20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.02	3.64	68.3	10.28	Peak	209.00	100	Vertical	Pass
2	5995.875	60.23	5.68	68.2	7.97	Peak	35.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11ax40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5431.840	59.55	4.20	74.0	14.45	Peak	337.00	100	Vertical	Pass
1**	5431.840	47.57	4.20	54.0	6.43	AV	337.00	100	Vertical	Pass
2	5459.980	57.28	4.10	74.0	16.72	Peak	30.00	100	Vertical	Pass
2**	5459.980	47.23	4.10	54.0	6.77	AV	30.00	100	Vertical	Pass
3	5467.600	58.35	4.13	68.2	9.85	Peak	285.00	100	Vertical	Pass
3**	5467.600	47.55	4.13	--	--	AV	285.00	100	Vertical	N/A
4	5469.940	56.94	4.06	68.2	11.26	Peak	73.00	200	Vertical	Pass
4**	5469.940	47.48	4.06	--	--	AV	73.00	200	Vertical	N/A

U-NII-2C & U-NII-3 11x40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.14	3.64	68.3	11.16	Peak	125.00	100	Vertical	Pass
2	5998.200	60.08	5.77	68.2	8.12	Peak	256.00	100	Vertical	Pass

U-NII-2C & U-NII-3 11ax80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5437.720	60.25	4.44	74.0	13.75	Peak	190.00	200	Vertical	Pass
1**	5437.720	49.34	4.44	54.0	4.66	AV	190.00	200	Vertical	Pass
2	5459.980	57.47	4.10	74.0	16.53	Peak	190.00	150	Vertical	Pass
2**	5459.980	48.10	4.10	54.0	5.90	AV	190.00	150	Vertical	Pass
3	5469.220	59.53	4.08	68.2	8.67	Peak	190.00	150	Vertical	Pass
3**	5469.220	49.06	4.08	--	--	AV	190.00	150	Vertical	N/A
4	5469.940	57.74	4.06	68.2	10.46	Peak	0.00	200	Vertical	Pass
4**	5469.940	48.93	4.06	--	--	AV	0.00	200	Vertical	N/A


U-NII-2C & U-NII-3 11ax80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.17	3.64	68.3	11.13	Peak	360.00	100	Vertical	Pass
2	5994.150	59.87	5.58	68.2	8.33	Peak	162.00	100	Vertical	Pass


SISO-Aux Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	60.46	3.47	74.0	13.54	Peak	83.00	150	Vertical	Pass
1**	5149.025	49.90	3.47	54.0	4.10	AV	83.00	150	Vertical	Pass
2	5149.675	59.73	3.43	74.0	14.27	Peak	75.00	200	Vertical	Pass
2**	5149.675	50.01	3.43	54.0	3.99	AV	75.00	200	Vertical	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.22	3.25	74.0	16.78	Peak	63.00	200	Vertical	Pass
1**	5350.055	47.39	3.25	54.0	6.61	AV	63.00	200	Vertical	Pass
2	5424.305	60.07	3.82	74.0	13.93	Peak	324.00	100	Vertical	Pass
2**	5424.305	47.78	3.82	54.0	6.22	AV	324.00	100	Vertical	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	62.60	3.47	74.0	11.40	Peak	57.00	100	Vertical	Pass
1**	5149.025	48.67	3.47	54.0	5.33	AV	57.00	100	Vertical	Pass
2	5149.675	61.04	3.43	74.0	12.96	Peak	66.00	150	Vertical	Pass
2**	5149.675	48.89	3.43	54.0	5.11	AV	66.00	150	Vertical	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.08	3.25	74.0	16.92	Peak	144.00	150	Vertical	Pass
1**	5350.055	46.91	3.25	54.0	7.09	AV	144.00	150	Vertical	Pass
2	5425.515	58.99	3.86	74.0	15.01	Peak	331.00	100	Vertical	Pass
2**	5425.515	47.62	3.86	54.0	6.38	AV	331.00	100	Vertical	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	59.50	3.65	74.0	14.50	Peak	82.00	150	Vertical	Pass
1**	5145.450	48.20	3.65	54.0	5.80	AV	82.00	150	Vertical	Pass
2	5149.675	57.24	3.43	74.0	16.76	Peak	82.00	100	Vertical	Pass
2**	5149.675	48.80	3.43	54.0	5.20	AV	82.00	100	Vertical	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.87	3.26	74.0	17.13	Peak	234.00	200	Vertical	Pass
1**	5350.000	46.70	3.26	54.0	7.30	AV	234.00	200	Vertical	Pass
2	5386.685	59.03	3.64	74.0	14.97	Peak	214.00	100	Vertical	Pass
2**	5386.685	47.14	3.64	54.0	6.86	AV	214.00	100	Vertical	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	60.76	3.58	74.0	13.24	Peak	217.00	150	Vertical	Pass
1**	5146.750	48.62	3.58	54.0	5.38	AV	217.00	150	Vertical	Pass
2	5149.675	58.11	3.43	74.0	15.89	Peak	77.00	150	Vertical	Pass
2**	5149.675	48.99	3.43	54.0	5.01	AV	77.00	150	Vertical	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.29	3.26	74.0	17.71	Peak	360.00	200	Vertical	Pass
1**	5350.000	46.87	3.26	54.0	7.13	AV	360.00	200	Vertical	Pass
2	5440.200	59.35	4.37	74.0	14.65	Peak	16.00	100	Vertical	Pass
2**	5440.200	47.98	4.37	54.0	6.02	AV	16.00	100	Vertical	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	67.75	3.58	74.0	6.25	Peak	75.00	150	Vertical	Pass
1**	5146.750	51.26	3.58	54.0	2.74	AV	75.00	150	Vertical	Pass
2	5149.675	64.40	3.43	74.0	9.60	Peak	286.00	150	Vertical	Pass
2**	5149.675	51.95	3.43	54.0	2.05	AV	286.00	150	Vertical	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.21	3.25	74.0	16.79	Peak	174.00	150	Vertical	Pass
1**	5350.055	46.81	3.25	54.0	7.19	AV	174.00	150	Vertical	Pass
2	5438.660	59.75	4.43	74.0	14.25	Peak	169.00	100	Vertical	Pass
2**	5438.660	47.79	4.43	54.0	6.21	AV	169.00	100	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	64.99	3.62	74.0	9.01	Peak	75.00	200	Vertical	Pass
1**	5146.100	51.72	3.62	54.0	2.28	AV	75.00	200	Vertical	Pass
2	5149.675	62.32	3.43	74.0	11.68	Peak	75.00	100	Vertical	Pass
2**	5149.675	51.65	3.43	54.0	2.35	AV	75.00	100	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.02	3.25	74.0	16.98	Peak	208.00	150	Vertical	Pass
1**	5350.055	47.89	3.25	54.0	6.11	AV	208.00	150	Vertical	Pass
2	5391.635	60.25	3.59	74.0	13.75	Peak	195.00	100	Vertical	Pass
2**	5391.635	48.78	3.59	54.0	5.22	AV	195.00	100	Vertical	Pass

U-NII-1 11ax20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	63.38	3.45	74.0	10.62	Peak	202.00	150	Vertical	Pass
1**	5149.350	50.54	3.45	54.0	3.46	AV	202.00	150	Vertical	Pass
2	5149.675	62.69	3.43	74.0	11.31	Peak	71.00	100	Vertical	Pass
2**	5149.675	50.61	3.43	54.0	3.39	AV	71.00	100	Vertical	Pass

U-NII-1 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.21	3.25	74.0	16.79	Peak	338.00	150	Vertical	Pass
1**	5350.055	47.01	3.25	54.0	6.99	AV	338.00	150	Vertical	Pass
2	5436.900	59.16	4.40	74.0	14.84	Peak	93.00	100	Vertical	Pass
2**	5436.900	47.79	4.40	54.0	6.21	AV	93.00	100	Vertical	Pass

U-NII-1 11ax40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	66.06	3.43	74.0	7.94	Peak	76.00	100	Vertical	Pass
1**	5149.675	52.25	3.43	54.0	1.75	AV	76.00	100	Vertical	Pass
2	5149.675	66.06	3.43	74.0	7.94	Peak	76.00	100	Vertical	Pass
2**	5149.675	52.25	3.43	54.0	1.75	AV	76.00	100	Vertical	Pass
3	5148.050	63.75	3.52	74.0	10.25	Peak	76.00	150	Vertical	Pass
3**	5148.050	52.76	3.52	54.0	1.24	AV	76.00	150	Vertical	Pass

U-NII-1 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.80	3.25	74.0	17.20	Peak	177.00	100	Vertical	Pass
1**	5350.055	46.96	3.25	54.0	7.04	AV	177.00	100	Vertical	Pass
2	5435.360	59.39	4.38	74.0	14.61	Peak	39.00	150	Vertical	Pass
2**	5435.360	47.99	4.38	54.0	6.01	AV	39.00	150	Vertical	Pass

U-NII-1 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	66.18	3.55	74.0	7.82	Peak	80.00	200	Vertical	Pass
1**	5147.400	52.11	3.55	54.0	1.89	AV	80.00	200	Vertical	Pass
2	5149.675	65.78	3.43	74.0	8.22	Peak	77.00	200	Vertical	Pass
2**	5149.675	52.36	3.43	54.0	1.64	AV	77.00	200	Vertical	Pass

U-NII-1 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.19	3.25	74.0	15.81	Peak	283.00	100	Vertical	Pass
1**	5350.055	47.93	3.25	54.0	6.07	AV	283.00	100	Vertical	Pass
2	5430.740	59.96	4.14	74.0	14.04	Peak	210.00	100	Vertical	Pass
2**	5430.740	48.63	4.14	54.0	5.37	AV	210.00	100	Vertical	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4981.000	59.06	3.19	74.0	14.94	Peak	331.00	150	Vertical	Pass
1**	4981.000	46.49	3.19	54.0	7.51	AV	331.00	150	Vertical	Pass
2	5149.675	56.66	3.43	74.0	17.34	Peak	105.00	100	Vertical	Pass
2**	5149.675	46.97	3.43	54.0	7.03	AV	105.00	100	Vertical	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.29	3.25	74.0	15.71	Peak	47.00	100	Vertical	Pass
1**	5350.055	49.32	3.25	54.0	4.68	AV	47.00	100	Vertical	Pass
2	5433.160	59.94	4.40	74.0	14.06	Peak	83.00	100	Vertical	Pass
2**	5433.160	48.34	4.40	54.0	5.66	AV	83.00	100	Vertical	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5088.900	58.85	3.47	74.0	15.15	Peak	34.00	150	Vertical	Pass
1**	5088.900	46.73	3.47	54.0	7.27	AV	34.00	150	Vertical	Pass
2	5149.675	56.50	3.43	74.0	17.50	Peak	159.00	100	Vertical	Pass
2**	5149.675	47.11	3.43	54.0	6.89	AV	159.00	100	Vertical	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.67	3.26	74.0	16.33	Peak	82.00	200	Vertical	Pass
1**	5350.000	48.09	3.26	54.0	5.91	AV	82.00	200	Vertical	Pass
2	5398.125	60.39	3.89	74.0	13.61	Peak	204.00	100	Vertical	Pass
2**	5398.125	47.73	3.89	54.0	6.27	AV	204.00	100	Vertical	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5119.775	58.22	3.97	74.0	15.78	Peak	56.00	150	Vertical	Pass
1**	5119.775	47.16	3.97	54.0	6.84	AV	56.00	150	Vertical	Pass
2	5149.675	56.45	3.43	74.0	17.55	Peak	43.00	100	Vertical	Pass
2**	5149.675	47.03	3.43	54.0	6.97	AV	43.00	100	Vertical	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	65.72	3.25	74.0	8.28	Peak	212.00	200	Vertical	Pass
1**	5350.055	51.31	3.25	54.0	2.69	AV	212.00	200	Vertical	Pass
2	5350.275	66.23	3.25	74.0	7.77	Peak	214.00	100	Vertical	Pass
2**	5350.275	51.17	3.25	54.0	2.83	AV	214.00	100	Vertical	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.600	59.16	4.12	74.0	14.84	Peak	185.00	100	Vertical	Pass
1**	5126.600	47.20	4.12	54.0	6.80	AV	185.00	100	Vertical	Pass
2	5149.675	56.87	3.43	74.0	17.13	Peak	137.00	150	Vertical	Pass
2**	5149.675	47.10	3.43	54.0	6.90	AV	137.00	150	Vertical	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.26	3.26	74.0	16.74	Peak	161.00	200	Vertical	Pass
1**	5350.000	47.91	3.26	54.0	6.09	AV	161.00	200	Vertical	Pass
2	5404.340	60.12	3.94	74.0	13.88	Peak	211.00	100	Vertical	Pass
2**	5404.340	47.84	3.94	54.0	6.16	AV	211.00	100	Vertical	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4891.950	58.43	2.98	74.0	15.57	Peak	33.00	100	Vertical	Pass
1**	4891.950	46.72	2.98	54.0	7.28	AV	33.00	100	Vertical	Pass
2	5149.675	56.35	3.43	74.0	17.65	Peak	212.00	100	Vertical	Pass
2**	5149.675	46.98	3.43	54.0	7.02	AV	212.00	100	Vertical	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.66	3.26	74.0	9.34	Peak	214.00	100	Vertical	Pass
1**	5350.000	51.32	3.26	54.0	2.68	AV	214.00	100	Vertical	Pass
2	5350.110	67.67	3.25	74.0	6.33	Peak	203.00	150	Vertical	Pass
2**	5350.110	51.15	3.25	54.0	2.85	AV	203.00	150	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5121.075	60.14	4.02	74.0	13.86	Peak	75.00	150	Vertical	Pass
1**	5121.075	47.91	4.02	54.0	6.09	AV	75.00	150	Vertical	Pass
2	5149.675	57.56	3.43	74.0	16.44	Peak	40.00	150	Vertical	Pass
2**	5149.675	47.66	3.43	54.0	6.34	AV	40.00	150	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	63.02	3.25	74.0	10.98	Peak	205.00	150	Vertical	Pass
1**	5350.055	52.73	3.25	54.0	1.27	AV	205.00	150	Vertical	Pass
2	5357.645	67.34	3.44	74.0	6.66	Peak	208.00	100	Vertical	Pass
2**	5357.645	52.30	3.44	54.0	1.70	AV	208.00	100	Vertical	Pass

U-NII-2A 11ax20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.950	58.71	4.15	74.0	15.29	Peak	301.00	100	Vertical	Pass
1**	5125.950	47.32	4.15	54.0	6.68	AV	301.00	100	Vertical	Pass
2	5149.675	56.33	3.43	74.0	17.67	Peak	137.00	100	Vertical	Pass
2**	5149.675	47.13	3.43	54.0	6.87	AV	137.00	100	Vertical	Pass

U-NII-2A 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.20	3.26	74.0	15.80	Peak	214.00	200	Vertical	Pass
1**	5350.000	48.08	3.26	54.0	5.92	AV	214.00	200	Vertical	Pass
2	5397.905	60.15	3.89	74.0	13.85	Peak	81.00	100	Vertical	Pass
2**	5397.905	47.86	3.89	54.0	6.14	AV	81.00	100	Vertical	Pass

U-NII-2A 11ax40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5119.125	58.27	3.96	74.0	15.73	Peak	335.00	100	Vertical	Pass
1**	5119.125	47.24	3.96	54.0	6.76	AV	335.00	100	Vertical	Pass
2	5149.675	56.89	3.43	74.0	17.11	Peak	356.00	150	Vertical	Pass
2**	5149.675	47.15	3.43	54.0	6.85	AV	356.00	150	Vertical	Pass

U-NII-2A 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.31	3.26	74.0	8.69	Peak	206.00	200	Vertical	Pass
1**	5350.000	52.54	3.26	54.0	1.46	AV	206.00	200	Vertical	Pass
2	5353.465	66.62	3.32	74.0	7.38	Peak	203.00	100	Vertical	Pass
2**	5353.465	51.17	3.32	54.0	2.83	AV	203.00	100	Vertical	Pass

U-NII-2A 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.400	59.85	3.91	74.0	14.15	Peak	147.00	200	Vertical	Pass
1**	5134.400	48.80	3.91	54.0	5.20	AV	147.00	200	Vertical	Pass
2	5149.675	57.71	3.43	74.0	16.29	Peak	252.00	100	Vertical	Pass
2**	5149.675	48.70	3.43	54.0	5.30	AV	252.00	100	Vertical	Pass

U-NII-2A 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.34	3.26	74.0	11.66	Peak	291.00	200	Vertical	Pass
1**	5350.000	51.94	3.26	54.0	2.06	AV	291.00	200	Vertical	Pass
2	5358.415	60.88	3.56	74.0	13.12	Peak	77.00	150	Vertical	Pass
2**	5358.415	52.63	3.56	54.0	1.37	AV	77.00	150	Vertical	Pass
3	5372.770	64.68	3.62	74.0	9.32	Peak	204.00	100	Vertical	Pass
3**	5372.770	50.44	3.62	54.0	3.56	AV	204.00	100	Vertical	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5421.880	60.45	3.72	74.0	13.55	Peak	127.00	200	Vertical	Pass
1**	5421.880	48.30	3.72	54.0	5.70	AV	127.00	200	Vertical	Pass
2	5459.980	58.66	4.10	74.0	15.34	Peak	208.00	200	Vertical	Pass
2**	5459.980	48.73	4.10	54.0	5.27	AV	208.00	200	Vertical	Pass
3	5467.060	60.12	4.09	68.2	8.08	Peak	199.00	150	Vertical	Pass
3**	5467.060	49.32	4.09	--	--	AV	199.00	150	Vertical	N/A
4	5469.940	60.39	4.06	68.2	7.81	Peak	233.00	100	Vertical	Pass
4**	5469.940	50.26	4.06	--	--	AV	233.00	100	Vertical	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	67.08	4.12	68.2	1.12	Peak	206.00	100	Vertical	Pass
2	5726.562	65.58	4.12	68.2	2.62	Peak	205.00	200	Vertical	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5436.520	61.12	4.38	74.0	12.88	Peak	200.00	100	Vertical	Pass
1**	5436.520	48.91	4.38	54.0	5.09	AV	200.00	100	Vertical	Pass
2	5459.980	59.11	4.10	74.0	14.89	Peak	310.00	200	Vertical	Pass
2**	5459.980	48.64	4.10	54.0	5.36	AV	310.00	200	Vertical	Pass
3	5467.000	60.11	4.08	68.2	8.09	Peak	92.00	200	Vertical	Pass
3**	5467.000	49.52	4.08	--	--	AV	92.00	200	Vertical	N/A
4	5469.940	58.45	4.06	68.2	9.75	Peak	141.00	150	Vertical	Pass
4**	5469.940	49.99	4.06	--	--	AV	141.00	150	Vertical	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	64.38	4.12	68.2	3.82	Peak	205.00	150	Vertical	Pass
2	5725.625	67.01	4.12	68.2	1.19	Peak	202.00	100	Vertical	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5436.700	60.60	4.39	74.0	13.40	Peak	207.00	100	Vertical	Pass
1**	5436.700	49.68	4.39	54.0	4.32	AV	207.00	100	Vertical	Pass
2	5459.980	58.09	4.10	74.0	15.91	Peak	178.00	150	Vertical	Pass
2**	5459.980	49.19	4.10	54.0	4.81	AV	178.00	150	Vertical	Pass
3	5469.820	66.90	4.06	68.2	1.30	Peak	205.00	150	Vertical	Pass
3**	5469.820	51.75	4.06	--	--	AV	205.00	150	Vertical	N/A
4	5469.940	64.42	4.06	68.2	3.78	Peak	207.00	100	Vertical	Pass
4**	5469.940	52.03	4.06	--	--	AV	207.00	100	Vertical	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	60.89	4.12	68.2	7.31	Peak	194.00	100	Vertical	Pass
2	5729.750	61.27	4.09	68.2	6.93	Peak	191.00	150	Vertical	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5437.180	60.25	4.42	74.0	13.75	Peak	212.00	150	Vertical	Pass
1**	5437.180	49.28	4.42	54.0	4.72	AV	212.00	150	Vertical	Pass
2	5459.980	58.00	4.10	74.0	16.00	Peak	0.00	150	Vertical	Pass
2**	5459.980	48.75	4.10	54.0	5.25	AV	0.00	150	Vertical	Pass
3	5467.480	60.34	4.12	68.2	7.86	Peak	212.00	150	Vertical	Pass
3**	5467.480	49.69	4.12	--	--	AV	212.00	150	Vertical	N/A
4	5469.940	59.05	4.06	68.2	9.15	Peak	215.00	100	Vertical	Pass
4**	5469.940	50.29	4.06	--	--	AV	215.00	100	Vertical	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	63.05	4.12	68.2	5.15	Peak	199.00	150	Vertical	Pass
2	5727.563	65.81	4.12	68.2	2.39	Peak	198.00	100	Vertical	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5434.420	60.79	4.44	74.0	13.21	Peak	205.00	150	Vertical	Pass
1**	5434.420	49.83	4.44	54.0	4.17	AV	205.00	150	Vertical	Pass
2	5459.980	58.32	4.10	74.0	15.68	Peak	222.00	150	Vertical	Pass
2**	5459.980	49.35	4.10	54.0	4.65	AV	222.00	150	Vertical	Pass
3	5469.880	67.17	4.06	68.2	1.03	Peak	203.00	100	Vertical	Pass
3**	5469.880	52.14	4.06	--	--	AV	203.00	100	Vertical	N/A
4	5469.940	62.68	4.06	68.2	5.52	Peak	203.00	150	Vertical	Pass
4**	5469.940	52.63	4.06	--	--	AV	203.00	150	Vertical	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.83	4.12	68.2	9.37	Peak	199.00	200	Vertical	Pass
2	5726.437	60.37	4.12	68.2	7.83	Peak	196.00	100	Vertical	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.540	63.70	3.91	74.0	10.30	Peak	200.00	100	Vertical	Pass
1**	5452.540	49.71	3.91	54.0	4.29	AV	200.00	100	Vertical	Pass
2	5459.980	60.08	4.10	74.0	13.92	Peak	213.00	100	Vertical	Pass
2**	5459.980	50.61	4.10	54.0	3.39	AV	213.00	100	Vertical	Pass
3	5468.680	65.58	4.11	68.2	2.62	Peak	200.00	100	Vertical	Pass
3**	5468.680	52.07	4.11	--	--	AV	200.00	100	Vertical	N/A
4	5469.940	62.35	4.06	68.2	5.85	Peak	142.00	150	Vertical	Pass
4**	5469.940	53.06	4.06	--	--	AV	142.00	150	Vertical	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.61	4.12	68.2	9.59	Peak	162.00	100	Vertical	Pass
2	5844.812	60.37	4.03	68.2	7.83	Peak	187.00	150	Vertical	Pass

U-NII-2C 11ax20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.760	60.55	4.23	74.0	13.45	Peak	207.00	100	Vertical	Pass
1**	5442.760	49.52	4.23	54.0	4.48	AV	207.00	100	Vertical	Pass
2	5459.980	57.43	4.10	74.0	16.57	Peak	137.00	100	Vertical	Pass
2**	5459.980	48.86	4.10	54.0	5.14	AV	137.00	100	Vertical	Pass
3	5469.580	60.32	4.07	68.2	7.88	Peak	214.00	150	Vertical	Pass
3**	5469.580	50.27	4.07	--	--	AV	214.00	150	Vertical	N/A
4	5469.940	59.06	4.06	68.2	9.14	Peak	214.00	100	Vertical	Pass
4**	5469.940	49.99	4.06	--	--	AV	214.00	100	Vertical	N/A

U-NII-2C 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	64.00	4.12	68.2	4.20	Peak	200.00	150	Vertical	Pass
2	5726.000	65.99	4.12	68.2	2.21	Peak	194.00	150	Vertical	Pass

U-NII-2C 11ax40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.320	62.26	4.08	74.0	11.74	Peak	201.00	100	Vertical	Pass
1**	5459.320	49.83	4.08	54.0	4.17	AV	201.00	100	Vertical	Pass
2	5459.980	57.67	4.10	74.0	16.33	Peak	210.00	150	Vertical	Pass
2**	5459.980	49.47	4.10	54.0	4.53	AV	210.00	150	Vertical	Pass
3	5468.020	65.80	4.13	68.2	2.40	Peak	204.00	100	Vertical	Pass
3**	5468.020	51.75	4.13	--	--	AV	204.00	100	Vertical	N/A
4	5469.940	62.57	4.06	68.2	5.63	Peak	212.00	200	Vertical	Pass
4**	5469.940	52.85	4.06	--	--	AV	212.00	200	Vertical	N/A

U-NII-2C 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	59.56	4.12	68.2	8.64	Peak	209.00	200	Vertical	Pass
2	5729.187	60.49	4.11	68.2	7.71	Peak	200.00	150	Vertical	Pass

U-NII-2C 11ax80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5449.300	64.21	3.90	74.0	9.79	Peak	207.00	200	Vertical	Pass
1**	5449.300	50.92	3.90	54.0	3.08	AV	207.00	200	Vertical	Pass
2	5459.980	61.43	4.10	74.0	12.57	Peak	203.00	100	Vertical	Pass
2**	5459.980	51.94	4.10	54.0	2.06	AV	203.00	100	Vertical	Pass
3	5469.700	66.90	4.07	68.2	1.30	Peak	146.00	200	Vertical	Pass
3**	5469.700	53.68	4.07	--	--	AV	146.00	200	Vertical	N/A
4	5469.940	65.28	4.06	68.2	2.92	Peak	203.00	200	Vertical	Pass
4**	5469.940	54.34	4.06	--	--	AV	203.00	200	Vertical	N/A

U-NII-2C 11ax80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.98	4.12	68.2	10.22	Peak	150.00	100	Vertical	Pass
2	5808.312	60.08	3.79	68.2	8.12	Peak	195.00	100	Vertical	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.062	58.79	3.82	68.2	9.41	Peak	183.00	200	Vertical	Pass
2	5650.000	56.72	3.83	68.2	11.48	Peak	195.00	100	Vertical	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.65	3.64	68.3	11.65	Peak	65.00	200	Vertical	Pass
2	5974.950	59.78	4.94	68.2	8.42	Peak	37.00	100	Vertical	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.625	58.64	3.90	68.2	9.56	Peak	233.00	150	Vertical	Pass
2	5650.000	57.57	3.83	68.2	10.63	Peak	70.00	100	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.75	3.64	68.3	10.55	Peak	261.00	100	Vertical	Pass
2	5999.025	60.38	5.82	68.2	7.82	Peak	273.00	200	Vertical	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.688	59.11	3.91	68.2	9.09	Peak	206.00	150	Vertical	Pass
2	5650.000	57.10	3.83	68.2	11.10	Peak	191.00	150	Vertical	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.79	3.64	68.3	11.51	Peak	289.00	200	Vertical	Pass
2	5998.950	60.09	5.82	68.2	8.11	Peak	354.00	150	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.875	58.89	3.90	68.2	9.31	Peak	197.00	150	Vertical	Pass
2	5650.000	57.75	3.83	68.2	10.45	Peak	344.00	150	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.25	3.64	68.3	10.05	Peak	360.00	200	Vertical	Pass
2	5997.750	60.05	5.73	68.2	8.15	Peak	175.00	200	Vertical	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.688	59.05	3.70	68.2	9.15	Peak	213.00	150	Vertical	Pass
2	5650.000	57.49	3.83	68.2	10.71	Peak	160.00	100	Vertical	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.71	3.64	68.3	11.59	Peak	353.00	200	Vertical	Pass
2	5998.350	60.41	5.78	68.2	7.79	Peak	30.00	150	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.313	61.05	3.41	68.2	7.15	Peak	195.00	100	Vertical	Pass
2	5650.000	59.15	3.83	68.2	9.05	Peak	196.00	200	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.71	3.64	68.3	11.59	Peak	360.00	100	Vertical	Pass
2	5992.800	60.75	5.33	68.2	7.45	Peak	181.00	200	Vertical	Pass

U-NII-3 11ax20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.688	59.10	3.91	68.2	9.10	Peak	193.00	150	Vertical	Pass
2	5650.000	57.65	3.83	68.2	10.55	Peak	198.00	150	Vertical	Pass

U-NII-3 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.07	3.64	68.3	11.23	Peak	121.00	150	Vertical	Pass
2	5996.775	59.77	5.66	68.2	8.43	Peak	54.00	100	Vertical	Pass

U-NII-3 11ax40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.813	59.83	3.75	68.2	8.37	Peak	199.00	200	Vertical	Pass
2	5650.000	58.00	3.83	68.2	10.20	Peak	199.00	200	Vertical	Pass

U-NII-3 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.96	3.64	68.3	11.34	Peak	78.00	200	Vertical	Pass
2	5996.100	60.13	5.67	68.2	8.07	Peak	16.00	200	Vertical	Pass

U-NII-3 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.500	62.39	3.92	68.2	5.81	Peak	201.00	100	Vertical	Pass
2	5650.000	57.55	3.83	68.2	10.65	Peak	208.00	100	Vertical	Pass

U-NII-3 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.50	3.64	68.3	10.80	Peak	29.00	100	Vertical	Pass
2	5998.125	60.05	5.76	68.2	8.15	Peak	165.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5432.200	59.32	4.26	74.0	14.68	Peak	267.00	150	Vertical	Pass
1**	5432.200	47.93	4.26	54.0	6.07	AV	267.00	150	Vertical	Pass
2	5459.980	56.26	4.10	74.0	17.74	Peak	20.00	100	Vertical	Pass
2**	5459.980	47.38	4.10	54.0	6.62	AV	20.00	100	Vertical	Pass
3	5464.840	59.61	4.01	68.2	8.59	Peak	122.00	100	Vertical	Pass
3**	5464.840	47.11	4.01	--	--	AV	122.00	100	Vertical	N/A
4	5469.940	57.06	4.06	68.2	11.14	Peak	68.00	200	Vertical	Pass
4**	5469.940	47.03	4.06	--	--	AV	68.00	200	Vertical	N/A

U-NII-2C & U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.92	3.64	68.3	11.38	Peak	298.00	100	Vertical	Pass
2	5998.650	60.18	5.80	68.2	8.02	Peak	343.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5367.220	58.22	3.83	74.0	15.78	Peak	299.00	150	Vertical	Pass
1**	5367.220	47.01	3.83	54.0	6.99	AV	299.00	150	Vertical	Pass
2	5459.980	57.44	4.10	74.0	16.56	Peak	252.00	200	Vertical	Pass
2**	5459.980	47.16	4.10	54.0	6.84	AV	252.00	200	Vertical	Pass
3	5466.460	58.51	4.03	68.2	9.69	Peak	161.00	100	Vertical	Pass
3**	5466.460	47.35	4.03	--	--	AV	161.00	100	Vertical	N/A
4	5469.940	56.58	4.06	68.2	11.62	Peak	190.00	100	Vertical	Pass
4**	5469.940	47.14	4.06	--	--	AV	190.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.89	3.64	68.3	11.41	Peak	6.00	100	Vertical	Pass
2	5999.325	60.30	5.79	68.2	7.90	Peak	52.00	100	Vertical	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.440	59.07	4.28	74.0	14.93	Peak	209.00	100	Vertical	Pass
1**	5441.440	47.46	4.28	54.0	6.54	AV	209.00	100	Vertical	Pass
2	5459.980	57.07	4.10	74.0	16.93	Peak	171.00	200	Vertical	Pass
2**	5459.980	47.04	4.10	54.0	6.96	AV	171.00	200	Vertical	Pass
3	5468.500	58.68	4.11	68.2	9.52	Peak	306.00	100	Vertical	Pass
3**	5468.500	47.15	4.11	--	--	AV	306.00	100	Vertical	N/A
4	5469.940	56.87	4.06	68.2	11.33	Peak	132.00	150	Vertical	Pass
4**	5469.940	47.14	4.06	--	--	AV	132.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.27	3.64	68.3	11.03	Peak	44.00	150	Vertical	Pass
2	5994.525	59.57	5.65	68.2	8.63	Peak	193.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5426.920	59.39	3.98	74.0	14.61	Peak	340.00	150	Vertical	Pass
1**	5426.920	47.73	3.98	54.0	6.27	AV	340.00	150	Vertical	Pass
2	5459.980	56.10	4.10	74.0	17.90	Peak	187.00	100	Vertical	Pass
2**	5459.980	47.13	4.10	54.0	6.87	AV	187.00	100	Vertical	Pass
3	5469.160	58.90	4.09	68.2	9.30	Peak	28.00	150	Vertical	Pass
3**	5469.160	47.39	4.09	--	--	AV	28.00	150	Vertical	N/A
4	5469.940	57.27	4.06	68.2	10.93	Peak	316.00	100	Vertical	Pass
4**	5469.940	47.49	4.06	--	--	AV	316.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.99	3.64	68.3	11.31	Peak	22.00	100	Vertical	Pass
2	5999.400	60.43	5.78	68.2	7.77	Peak	360.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5435.620	59.29	4.36	74.0	14.71	Peak	194.00	100	Vertical	Pass
1**	5435.620	47.60	4.36	54.0	6.40	AV	194.00	100	Vertical	Pass
2	5459.980	56.49	4.10	74.0	17.51	Peak	105.00	100	Vertical	Pass
2**	5459.980	47.31	4.10	54.0	6.69	AV	105.00	100	Vertical	Pass
3	5468.140	58.74	4.13	68.2	9.46	Peak	115.00	150	Vertical	Pass
3**	5468.140	47.23	4.13	--	--	AV	115.00	150	Vertical	N/A
4	5469.940	57.88	4.06	68.2	10.32	Peak	194.00	200	Vertical	Pass
4**	5469.940	47.28	4.06	--	--	AV	194.00	200	Vertical	N/A

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.21	3.64	68.3	11.09	Peak	51.00	150	Vertical	Pass
2	5986.800	59.64	4.84	68.2	8.56	Peak	300.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5433.940	59.29	4.47	74.0	14.71	Peak	144.00	150	Vertical	Pass
1**	5433.940	47.87	4.47	54.0	6.13	AV	144.00	150	Vertical	Pass
2	5459.980	57.24	4.10	74.0	16.76	Peak	360.00	200	Vertical	Pass
2**	5459.980	47.23	4.10	54.0	6.77	AV	360.00	200	Vertical	Pass
3	5462.800	58.35	4.11	68.2	9.85	Peak	49.00	200	Vertical	Pass
3**	5462.800	47.05	4.11	--	--	AV	49.00	200	Vertical	N/A
4	5469.940	57.88	4.06	68.2	10.32	Peak	108.00	150	Vertical	Pass
4**	5469.940	47.38	4.06	--	--	AV	108.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.81	3.64	68.3	11.49	Peak	262.00	150	Vertical	Pass
2	5995.500	59.95	5.68	68.2	8.25	Peak	316.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11ax20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.820	59.58	4.23	74.0	14.42	Peak	53.00	200	Vertical	Pass
1**	5442.820	47.48	4.23	54.0	6.52	AV	53.00	200	Vertical	Pass
2	5459.980	56.28	4.10	74.0	17.72	Peak	221.00	100	Vertical	Pass
2**	5459.980	47.25	4.10	54.0	6.75	AV	221.00	100	Vertical	Pass
3	5465.320	58.48	3.98	68.2	9.72	Peak	204.00	150	Vertical	Pass
3**	5465.320	46.91	3.98	--	--	AV	204.00	150	Vertical	N/A
4	5469.940	56.38	4.06	68.2	11.82	Peak	253.00	100	Vertical	Pass
4**	5469.940	47.31	4.06	--	--	AV	253.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11ax20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.75	3.64	68.3	10.55	Peak	106.00	100	Vertical	Pass
2	5996.400	59.79	5.67	68.2	8.41	Peak	270.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11ax40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5435.920	59.58	4.35	74.0	14.42	Peak	281.00	100	Vertical	Pass
1**	5435.920	47.73	4.35	54.0	6.27	AV	281.00	100	Vertical	Pass
2	5459.980	56.58	4.10	74.0	17.42	Peak	283.00	150	Vertical	Pass
2**	5459.980	47.33	4.10	54.0	6.67	AV	283.00	150	Vertical	Pass
3	5468.320	58.52	4.12	68.2	9.68	Peak	267.00	150	Vertical	Pass
3**	5468.320	47.30	4.12	--	--	AV	267.00	150	Vertical	N/A
4	5469.940	57.52	4.06	68.2	10.68	Peak	139.00	200	Vertical	Pass
4**	5469.940	47.20	4.06	--	--	AV	139.00	200	Vertical	N/A

U-NII-2C & U-NII-3 11ax40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.23	3.64	68.3	11.07	Peak	223.00	100	Vertical	Pass
2	5999.400	60.28	5.78	68.2	7.92	Peak	64.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11ax80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.060	59.03	4.05	74.0	14.97	Peak	200.00	200	Vertical	Pass
1**	5428.060	47.60	4.05	54.0	6.40	AV	200.00	200	Vertical	Pass
2	5459.980	56.39	4.10	74.0	17.61	Peak	245.00	150	Vertical	Pass
2**	5459.980	46.91	4.10	54.0	7.09	AV	245.00	150	Vertical	Pass
3	5465.800	58.50	3.98	68.2	9.70	Peak	230.00	100	Vertical	Pass
3**	5465.800	47.05	3.98	--	--	AV	230.00	100	Vertical	N/A
4	5469.940	56.39	4.06	68.2	11.81	Peak	214.00	150	Vertical	Pass
4**	5469.940	47.36	4.06	--	--	AV	214.00	150	Vertical	N/A


U-NII-2C & U-NII-3 11ax80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.90	3.64	68.3	11.40	Peak	16.00	150	Vertical	Pass
2	5992.725	60.00	5.31	68.2	8.20	Peak	66.00	150	Vertical	Pass


MIMO Antenna

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.125	60.27	3.99	74.0	13.73	Peak	231.00	200	Vertical	Pass
1**	5132.125	48.69	3.99	54.0	5.31	AV	231.00	200	Vertical	Pass
2	5149.675	59.01	3.43	74.0	14.99	Peak	194.00	150	Vertical	Pass
2**	5149.675	49.80	3.43	54.0	4.20	AV	194.00	150	Vertical	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.32	3.25	74.0	17.68	Peak	89.00	150	Vertical	Pass
1**	5350.055	47.31	3.25	54.0	6.69	AV	89.00	150	Vertical	Pass
2	5416.990	59.60	3.61	74.0	14.40	Peak	251.00	150	Vertical	Pass
2**	5416.990	47.17	3.61	54.0	6.83	AV	251.00	150	Vertical	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.025	63.06	3.47	74.0	10.94	Peak	88.00	100	Vertical	Pass
1**	5149.025	51.36	3.47	54.0	2.64	AV	88.00	100	Vertical	Pass
2	5149.675	60.98	3.43	74.0	13.02	Peak	58.00	200	Vertical	Pass
2**	5149.675	50.49	3.43	54.0	3.51	AV	58.00	200	Vertical	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.67	3.25	74.0	17.33	Peak	278.00	200	Vertical	Pass
1**	5350.055	47.30	3.25	54.0	6.70	AV	278.00	200	Vertical	Pass
2	5391.965	59.56	3.60	74.0	14.44	Peak	333.00	150	Vertical	Pass
2**	5391.965	47.35	3.60	54.0	6.65	AV	333.00	150	Vertical	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.350	60.16	3.45	74.0	13.84	Peak	188.00	150	Vertical	Pass
1**	5149.350	49.51	3.45	54.0	4.49	AV	188.00	150	Vertical	Pass
2	5149.675	58.60	3.43	74.0	15.40	Peak	197.00	100	Vertical	Pass
2**	5149.675	50.13	3.43	54.0	3.87	AV	197.00	100	Vertical	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.53	3.26	74.0	17.47	Peak	42.00	100	Vertical	Pass
1**	5350.000	47.04	3.26	54.0	6.96	AV	42.00	100	Vertical	Pass
2	5364.410	59.04	3.83	74.0	14.96	Peak	224.00	150	Vertical	Pass
2**	5364.410	47.28	3.83	54.0	6.72	AV	224.00	150	Vertical	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	63.01	3.58	74.0	10.99	Peak	73.00	150	Vertical	Pass
1**	5146.750	50.42	3.58	54.0	3.58	AV	73.00	150	Vertical	Pass
2	5149.675	60.82	3.43	74.0	13.18	Peak	83.00	150	Vertical	Pass
2**	5149.675	51.24	3.43	54.0	2.76	AV	83.00	150	Vertical	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.76	3.26	74.0	17.24	Peak	188.00	100	Vertical	Pass
1**	5350.000	47.07	3.26	54.0	6.93	AV	188.00	100	Vertical	Pass
2	5442.070	59.30	4.24	74.0	14.70	Peak	185.00	150	Vertical	Pass
2**	5442.070	47.59	4.24	54.0	6.41	AV	185.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.175	63.65	3.60	74.0	10.35	Peak	191.00	200	Vertical	Pass
1**	5143.175	51.83	3.60	54.0	2.17	AV	191.00	200	Vertical	Pass
2	5149.675	61.91	3.43	74.0	12.09	Peak	188.00	200	Vertical	Pass
2**	5149.675	51.80	3.43	54.0	2.20	AV	188.00	200	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.35	3.26	74.0	16.65	Peak	317.00	150	Vertical	Pass
1**	5350.000	47.80	3.26	54.0	6.20	AV	317.00	150	Vertical	Pass
2	5420.620	59.48	3.68	74.0	14.52	Peak	204.00	150	Vertical	Pass
2**	5420.620	48.38	3.68	54.0	5.62	AV	204.00	150	Vertical	Pass

U-NII-1 11ax20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	63.11	3.52	74.0	10.89	Peak	71.00	150	Vertical	Pass
1**	5148.050	49.51	3.52	54.0	4.49	AV	71.00	150	Vertical	Pass
2	5149.675	58.91	3.43	74.0	15.09	Peak	196.00	200	Vertical	Pass
2**	5149.675	49.91	3.43	54.0	4.09	AV	196.00	200	Vertical	Pass

U-NII-1 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.74	3.25	74.0	16.26	Peak	142.00	200	Vertical	Pass
1**	5350.055	46.83	3.25	54.0	7.17	AV	142.00	200	Vertical	Pass
2	5431.125	59.49	4.15	74.0	14.51	Peak	8.00	100	Vertical	Pass
2**	5431.125	47.84	4.15	54.0	6.16	AV	8.00	100	Vertical	Pass

U-NII-1 11ax40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.875	62.81	3.64	74.0	11.19	Peak	70.00	150	Vertical	Pass
1**	5141.875	49.25	3.64	54.0	4.75	AV	70.00	150	Vertical	Pass
2	5149.675	59.69	3.43	74.0	14.31	Peak	78.00	150	Vertical	Pass
2**	5149.675	50.79	3.43	54.0	3.21	AV	78.00	150	Vertical	Pass

U-NII-1 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.08	3.25	74.0	16.92	Peak	164.00	100	Vertical	Pass
1**	5350.055	46.88	3.25	54.0	7.12	AV	164.00	100	Vertical	Pass
2	5426.670	59.20	3.96	74.0	14.80	Peak	38.00	200	Vertical	Pass
2**	5426.670	47.89	3.96	54.0	6.11	AV	38.00	200	Vertical	Pass

U-NII-1 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.375	64.08	3.50	74.0	9.92	Peak	79.00	100	Vertical	Pass
1**	5148.375	51.09	3.50	54.0	2.91	AV	79.00	100	Vertical	Pass
2	5149.675	60.15	3.43	74.0	13.85	Peak	95.00	100	Vertical	Pass
2**	5149.675	51.47	3.43	54.0	2.53	AV	95.00	100	Vertical	Pass

U-NII-1 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.06	3.25	74.0	16.94	Peak	237.00	150	Vertical	Pass
1**	5350.055	47.30	3.25	54.0	6.70	AV	237.00	150	Vertical	Pass
2	5436.020	59.93	4.35	74.0	14.07	Peak	202.00	100	Vertical	Pass
2**	5436.020	48.59	4.35	54.0	5.41	AV	202.00	100	Vertical	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5108.075	58.64	4.01	74.0	15.36	Peak	115.00	100	Vertical	Pass
1**	5108.075	47.02	4.01	54.0	6.98	AV	115.00	100	Vertical	Pass
2	5149.675	55.75	3.43	74.0	18.25	Peak	47.00	200	Vertical	Pass
2**	5149.675	47.31	3.43	54.0	6.69	AV	47.00	200	Vertical	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.96	3.25	74.0	16.04	Peak	208.00	150	Vertical	Pass
1**	5350.055	49.59	3.25	54.0	4.41	AV	208.00	150	Vertical	Pass
2	5353.465	60.51	3.32	74.0	13.49	Peak	199.00	150	Vertical	Pass
2**	5353.465	48.88	3.32	54.0	5.12	AV	199.00	150	Vertical	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5113.275	58.70	3.79	74.0	15.30	Peak	339.00	150	Vertical	Pass
1**	5113.275	46.77	3.79	54.0	7.23	AV	339.00	150	Vertical	Pass
2	5149.675	56.57	3.43	74.0	17.43	Peak	133.00	100	Vertical	Pass
2**	5149.675	47.11	3.43	54.0	6.89	AV	133.00	100	Vertical	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.79	3.26	74.0	6.21	Peak	185.00	200	Vertical	Pass
1**	5350.000	52.62	3.26	54.0	1.38	AV	185.00	200	Vertical	Pass
2	5350.825	68.81	3.24	74.0	5.19	Peak	191.00	150	Vertical	Pass
2**	5350.825	52.02	3.24	54.0	1.98	AV	191.00	150	Vertical	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.800	59.06	3.69	74.0	14.94	Peak	346.00	100	Vertical	Pass
1**	5144.800	47.14	3.69	54.0	6.86	AV	346.00	100	Vertical	Pass
2	5149.675	56.81	3.43	74.0	17.19	Peak	324.00	200	Vertical	Pass
2**	5149.675	47.50	3.43	54.0	6.50	AV	324.00	200	Vertical	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.47	3.26	74.0	15.53	Peak	205.00	200	Vertical	Pass
1**	5350.000	49.59	3.26	54.0	4.41	AV	205.00	200	Vertical	Pass
2	5360.560	60.70	3.74	74.0	13.30	Peak	192.00	150	Vertical	Pass
2**	5360.560	49.19	3.74	54.0	4.81	AV	192.00	150	Vertical	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.650	58.00	4.16	74.0	16.00	Peak	30.00	150	Vertical	Pass
1**	5124.650	47.22	4.16	54.0	6.78	AV	30.00	150	Vertical	Pass
2	5149.675	56.55	3.43	74.0	17.45	Peak	292.00	150	Vertical	Pass
2**	5149.675	47.07	3.43	54.0	6.93	AV	292.00	150	Vertical	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	64.56	3.25	74.0	9.44	Peak	140.00	150	Vertical	Pass
1**	5350.055	52.37	3.25	54.0	1.63	AV	140.00	150	Vertical	Pass
2	5350.990	68.49	3.25	74.0	5.51	Peak	192.00	150	Vertical	Pass
2**	5350.990	52.60	3.25	54.0	1.40	AV	192.00	150	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5108.400	58.71	4.01	74.0	15.29	Peak	281.00	150	Vertical	Pass
1**	5108.400	47.81	4.01	54.0	6.19	AV	281.00	150	Vertical	Pass
2	5149.675	57.97	3.43	74.0	16.03	Peak	37.00	150	Vertical	Pass
2**	5149.675	46.97	3.43	54.0	7.03	AV	37.00	150	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.26	3.25	74.0	12.74	Peak	192.00	100	Vertical	Pass
1**	5350.055	52.25	3.25	54.0	1.75	AV	192.00	100	Vertical	Pass
2	5364.960	64.68	3.85	74.0	9.32	Peak	196.00	150	Vertical	Pass
2**	5364.960	51.68	3.85	54.0	2.32	AV	196.00	150	Vertical	Pass

U-NII-2A 11ax20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5107.100	58.33	4.02	74.0	15.67	Peak	23.00	150	Vertical	Pass
1**	5107.100	47.14	4.02	54.0	6.86	AV	23.00	150	Vertical	Pass
2	5149.675	57.07	3.43	74.0	16.93	Peak	153.00	200	Vertical	Pass
2**	5149.675	47.12	3.43	54.0	6.88	AV	153.00	200	Vertical	Pass

U-NII-2A 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.07	3.25	74.0	15.93	Peak	202.00	100	Vertical	Pass
1**	5350.055	49.91	3.25	54.0	4.09	AV	202.00	100	Vertical	Pass
2	5365.015	60.29	3.85	74.0	13.71	Peak	188.00	200	Vertical	Pass
2**	5365.015	49.73	3.85	54.0	4.27	AV	188.00	200	Vertical	Pass

U-NII-2A 11ax40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5098.650	59.16	3.69	74.0	14.84	Peak	185.00	200	Vertical	Pass
1**	5098.650	47.13	3.69	54.0	6.87	AV	185.00	200	Vertical	Pass
2	5149.675	56.59	3.43	74.0	17.41	Peak	96.00	200	Vertical	Pass
2**	5149.675	47.35	3.43	54.0	6.65	AV	96.00	200	Vertical	Pass

U-NII-2A 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	65.78	3.25	74.0	8.22	Peak	191.00	150	Vertical	Pass
1**	5350.055	52.74	3.25	54.0	1.26	AV	191.00	150	Vertical	Pass
2	5350.880	68.24	3.24	74.0	5.76	Peak	199.00	100	Vertical	Pass
2**	5350.880	52.74	3.24	54.0	1.26	AV	199.00	100	Vertical	Pass

U-NII-2A 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5121.725	58.47	4.05	74.0	15.53	Peak	145.00	200	Vertical	Pass
1**	5121.725	47.32	4.05	54.0	6.68	AV	145.00	200	Vertical	Pass
2	5149.675	57.96	3.43	74.0	16.04	Peak	357.00	200	Vertical	Pass
2**	5149.675	47.28	3.43	54.0	6.72	AV	357.00	200	Vertical	Pass

U-NII-2A 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	61.86	3.25	74.0	12.14	Peak	194.00	150	Vertical	Pass
1**	5350.055	51.09	3.25	54.0	2.91	AV	194.00	150	Vertical	Pass
2	5370.130	63.18	3.70	74.0	10.82	Peak	199.00	150	Vertical	Pass
2**	5370.130	50.51	3.70	54.0	3.49	AV	199.00	150	Vertical	Pass
3	5363.035	60.57	3.80	74.0	13.43	Peak	191.00	150	Vertical	Pass
3**	5363.035	51.84	3.80	54.0	2.16	AV	191.00	150	Vertical	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5431.600	60.43	4.17	74.0	13.57	Peak	194.00	100	Vertical	Pass
1**	5431.600	49.67	4.17	54.0	4.33	AV	194.00	100	Vertical	Pass
2	5459.980	58.42	4.10	74.0	15.58	Peak	208.00	200	Vertical	Pass
2**	5459.980	49.36	4.10	54.0	4.64	AV	208.00	200	Vertical	Pass
3	5468.380	60.40	4.12	68.2	7.80	Peak	206.00	100	Vertical	Pass
3**	5468.380	50.18	4.12	--	--	AV	206.00	100	Vertical	N/A
4	5469.940	59.39	4.06	68.2	8.81	Peak	190.00	200	Vertical	Pass
4**	5469.940	50.48	4.06	--	--	AV	190.00	200	Vertical	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.66	4.12	68.2	7.54	Peak	208.00	150	Vertical	Pass
2	5726.063	63.27	4.12	68.2	4.93	Peak	201.00	200	Vertical	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.720	61.66	4.33	74.0	12.34	Peak	200.00	100	Vertical	Pass
1**	5440.720	50.21	4.33	54.0	3.79	AV	200.00	100	Vertical	Pass
2	5459.980	58.67	4.10	74.0	15.33	Peak	203.00	200	Vertical	Pass
2**	5459.980	49.39	4.10	54.0	4.61	AV	203.00	200	Vertical	Pass
3	5466.280	62.98	4.02	68.2	5.22	Peak	215.00	150	Vertical	Pass
3**	5466.280	51.08	4.02	--	--	AV	215.00	150	Vertical	N/A
4	5469.940	60.54	4.06	68.2	7.66	Peak	206.00	200	Vertical	Pass
4**	5469.940	51.19	4.06	--	--	AV	206.00	200	Vertical	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.71	4.12	68.2	9.49	Peak	197.00	150	Vertical	Pass
2	5739.375	60.84	3.85	68.2	7.36	Peak	189.00	200	Vertical	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5426.800	60.43	3.97	74.0	13.57	Peak	192.00	100	Vertical	Pass
1**	5426.800	49.41	3.97	54.0	4.59	AV	192.00	100	Vertical	Pass
2	5459.980	58.45	4.10	74.0	15.55	Peak	195.00	150	Vertical	Pass
2**	5459.980	49.13	4.10	54.0	4.87	AV	195.00	150	Vertical	Pass
3	5469.820	61.10	4.06	68.2	7.10	Peak	201.00	100	Vertical	Pass
3**	5469.820	50.91	4.06	--	--	AV	201.00	100	Vertical	N/A
4	5469.940	59.23	4.06	68.2	8.97	Peak	195.00	100	Vertical	Pass
4**	5469.940	50.70	4.06	--	--	AV	195.00	100	Vertical	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	63.90	4.12	68.2	4.30	Peak	187.00	200	Vertical	Pass
2	5726.312	65.72	4.12	68.2	2.48	Peak	194.00	150	Vertical	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5433.640	61.34	4.47	74.0	12.66	Peak	192.00	200	Vertical	Pass
1**	5433.640	51.12	4.47	54.0	2.88	AV	192.00	200	Vertical	Pass
2	5459.980	57.74	4.10	74.0	16.26	Peak	211.00	150	Vertical	Pass
2**	5459.980	50.03	4.10	54.0	3.97	AV	211.00	150	Vertical	Pass
3	5467.360	63.11	4.11	68.2	5.09	Peak	211.00	100	Vertical	Pass
3**	5467.360	50.59	4.11	--	--	AV	211.00	100	Vertical	N/A
4	5469.940	60.86	4.06	68.2	7.34	Peak	203.00	100	Vertical	Pass
4**	5469.940	51.55	4.06	--	--	AV	203.00	100	Vertical	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.33	4.12	68.2	9.87	Peak	205.00	200	Vertical	Pass
2	5727.312	60.59	4.12	68.2	7.61	Peak	197.00	200	Vertical	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5369.620	62.59	3.72	74.0	11.41	Peak	201.00	150	Vertical	Pass
1**	5369.620	50.76	3.72	54.0	3.24	AV	201.00	150	Vertical	Pass
2	5459.980	59.04	4.10	74.0	14.96	Peak	234.00	150	Vertical	Pass
2**	5459.980	50.27	4.10	54.0	3.73	AV	234.00	150	Vertical	Pass
3	5465.860	65.54	3.98	68.2	2.66	Peak	196.00	200	Vertical	Pass
3**	5465.860	51.69	3.98	--	--	AV	196.00	200	Vertical	N/A
4	5469.940	63.86	4.06	68.2	4.34	Peak	20.00	200	Vertical	Pass
4**	5469.940	51.98	4.06	--	--	AV	20.00	200	Vertical	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.29	4.12	68.2	9.91	Peak	298.00	100	Vertical	Pass
2	5810.687	60.28	3.84	68.2	7.92	Peak	192.00	100	Vertical	Pass

U-NII-2C 11ax20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5432.080	60.97	4.24	74.0	13.03	Peak	197.00	200	Vertical	Pass
1**	5432.080	49.84	4.24	54.0	4.16	AV	197.00	200	Vertical	Pass
2	5459.980	58.22	4.10	74.0	15.78	Peak	252.00	100	Vertical	Pass
2**	5459.980	49.13	4.10	54.0	4.87	AV	252.00	100	Vertical	Pass
3	5469.220	60.59	4.08	68.2	7.61	Peak	202.00	100	Vertical	Pass
3**	5469.220	50.53	4.08	--	--	AV	202.00	100	Vertical	N/A
4	5469.940	59.37	4.06	68.2	8.83	Peak	269.00	150	Vertical	Pass
4**	5469.940	50.52	4.06	--	--	AV	269.00	150	Vertical	N/A

U-NII-2C 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	62.15	4.12	68.2	6.05	Peak	200.00	150	Vertical	Pass
2	5725.625	65.36	4.12	68.2	2.84	Peak	208.00	100	Vertical	Pass

U-NII-2C 11ax40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.820	61.35	4.13	74.0	12.65	Peak	195.00	150	Vertical	Pass
1**	5445.820	49.87	4.13	54.0	4.13	AV	195.00	150	Vertical	Pass
2	5459.980	59.51	4.10	74.0	14.49	Peak	216.00	100	Vertical	Pass
2**	5459.980	49.64	4.10	54.0	4.36	AV	216.00	100	Vertical	Pass
3	5469.220	63.95	4.08	68.2	4.25	Peak	198.00	100	Vertical	Pass
3**	5469.220	51.43	4.08	--	--	AV	198.00	100	Vertical	N/A
4	5469.940	62.50	4.06	68.2	5.70	Peak	206.00	200	Vertical	Pass
4**	5469.940	51.94	4.06	--	--	AV	206.00	200	Vertical	N/A

U-NII-2C 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.73	4.12	68.2	10.47	Peak	344.00	100	Vertical	Pass
2	5726.000	60.32	4.12	68.2	7.88	Peak	203.00	100	Vertical	Pass

U-NII-2C 11ax80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5359.780	63.15	3.72	74.0	10.85	Peak	211.00	150	Vertical	Pass
1**	5359.780	51.66	3.72	54.0	2.34	AV	211.00	150	Vertical	Pass
2	5459.980	60.00	4.10	74.0	14.00	Peak	192.00	200	Vertical	Pass
2**	5459.980	50.96	4.10	54.0	3.04	AV	192.00	200	Vertical	Pass
3	5466.400	65.62	4.03	68.2	2.58	Peak	200.00	200	Vertical	Pass
3**	5466.400	52.85	4.03	--	--	AV	200.00	200	Vertical	N/A
4	5469.940	62.18	4.06	68.2	6.02	Peak	213.00	150	Vertical	Pass
4**	5469.940	53.19	4.06	--	--	AV	213.00	150	Vertical	N/A

U-NII-2C 11ax80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.15	4.12	68.2	10.05	Peak	82.00	150	Vertical	Pass
2	5847.625	59.79	4.26	68.2	8.41	Peak	210.00	100	Vertical	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.250	59.19	3.82	68.2	9.01	Peak	184.00	150	Vertical	Pass
2	5650.000	58.18	3.83	68.2	10.02	Peak	200.00	100	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.91	3.64	68.3	10.39	Peak	256.00	200	Vertical	Pass
2	5991.600	59.84	5.22	68.2	8.36	Peak	80.00	150	Vertical	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.938	62.45	3.87	68.2	5.75	Peak	192.00	100	Vertical	Pass
2	5650.000	61.48	3.83	68.2	6.72	Peak	200.00	100	Vertical	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.47	3.64	68.3	11.83	Peak	195.00	100	Vertical	Pass
2	5998.800	60.60	5.81	68.2	7.60	Peak	160.00	200	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.062	59.29	3.94	68.2	8.91	Peak	235.00	150	Vertical	Pass
2	5650.000	57.82	3.83	68.2	10.38	Peak	199.00	100	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.00	3.64	68.3	11.30	Peak	290.00	100	Vertical	Pass
2	5996.400	60.21	5.67	68.2	7.99	Peak	259.00	200	Vertical	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.687	62.92	3.86	68.2	5.28	Peak	190.00	200	Vertical	Pass
2	5650.000	59.94	3.83	68.2	8.26	Peak	190.00	100	Vertical	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.92	3.64	68.3	9.38	Peak	175.00	100	Vertical	Pass
2	5976.900	60.41	4.88	68.2	7.79	Peak	180.00	150	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.438	62.91	3.87	68.2	5.29	Peak	195.00	150	Vertical	Pass
2	5650.000	60.41	3.83	68.2	7.79	Peak	192.00	100	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.06	3.64	68.3	10.24	Peak	177.00	100	Vertical	Pass
2	5969.550	62.13	4.92	68.2	6.07	Peak	184.00	200	Vertical	Pass

U-NII-3 11ax20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.188	58.81	3.89	68.2	9.39	Peak	331.00	150	Vertical	Pass
2	5650.000	56.74	3.83	68.2	11.46	Peak	219.00	200	Vertical	Pass

U-NII-3 11ax20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.94	3.64	68.3	11.36	Peak	63.00	100	Vertical	Pass
2	5999.100	61.15	5.81	68.2	7.05	Peak	337.00	200	Vertical	Pass

U-NII-3 11ax40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5620.500	61.48	3.47	68.2	6.72	Peak	197.00	150	Vertical	Pass
2	5650.000	58.67	3.83	68.2	9.53	Peak	195.00	150	Vertical	Pass

U-NII-3 11ax40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.86	3.64	68.3	11.44	Peak	186.00	150	Vertical	Pass
2	5996.625	60.39	5.67	68.2	7.81	Peak	130.00	150	Vertical	Pass

U-NII-3 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.438	63.56	3.64	68.2	4.64	Peak	194.00	200	Vertical	Pass
2	5650.000	59.30	3.83	68.2	8.90	Peak	192.00	100	Vertical	Pass

U-NII-3 11ax80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.52	3.64	68.3	9.78	Peak	176.00	200	Vertical	Pass
2	5979.450	60.91	4.75	68.2	7.29	Peak	183.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5437.840	59.31	4.45	74.0	14.69	Peak	146.00	100	Vertical	Pass
1**	5437.840	47.93	4.45	54.0	6.07	AV	146.00	100	Vertical	Pass
2	5459.980	56.41	4.10	74.0	17.59	Peak	129.00	150	Vertical	Pass
2**	5459.980	47.15	4.10	54.0	6.85	AV	129.00	150	Vertical	Pass
3	5462.140	58.14	4.12	68.2	10.06	Peak	115.00	200	Vertical	Pass
3**	5462.140	47.10	4.12	--	--	AV	115.00	200	Vertical	N/A
4	5469.940	56.79	4.06	68.2	11.41	Peak	146.00	150	Vertical	Pass
4**	5469.940	47.24	4.06	--	--	AV	146.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.13	3.64	68.3	10.17	Peak	193.00	200	Vertical	Pass
2	5990.025	60.46	5.11	68.2	7.74	Peak	23.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5439.820	59.60	4.38	74.0	14.40	Peak	211.00	100	Vertical	Pass
1**	5439.820	48.46	4.38	54.0	5.54	AV	211.00	100	Vertical	Pass
2	5459.980	56.52	4.10	74.0	17.48	Peak	352.00	150	Vertical	Pass
2**	5459.980	47.26	4.10	54.0	6.74	AV	352.00	150	Vertical	Pass
3	5467.300	58.40	4.11	68.2	9.80	Peak	211.00	200	Vertical	Pass
3**	5467.300	48.01	4.11	--	--	AV	211.00	200	Vertical	N/A
4	5469.940	57.28	4.06	68.2	10.92	Peak	175.00	150	Vertical	Pass
4**	5469.940	47.98	4.06	--	--	AV	175.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11n40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.65	3.64	68.3	10.65	Peak	48.00	150	Vertical	Pass
2	5997.375	60.50	5.70	68.2	7.70	Peak	116.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11ac20 144 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.360	60.04	4.36	74.0	13.96	Peak	195.00	200	Vertical	Pass
1**	5440.360	47.75	4.36	54.0	6.25	AV	195.00	200	Vertical	Pass
2	5459.980	56.72	4.10	74.0	17.28	Peak	5.00	150	Vertical	Pass
2**	5459.980	47.06	4.10	54.0	6.94	AV	5.00	150	Vertical	Pass
3	5463.940	58.45	4.06	68.2	9.75	Peak	306.00	150	Vertical	Pass
3**	5463.940	47.01	4.06	--	--	AV	306.00	150	Vertical	N/A
4	5469.940	56.99	4.06	68.2	11.21	Peak	181.00	100	Vertical	Pass
4**	5469.940	47.23	4.06	--	--	AV	181.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11ac20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.66	3.64	68.3	11.64	Peak	97.00	200	Vertical	Pass
2	5997.825	60.07	5.74	68.2	8.13	Peak	92.00	100	Vertical	Pass

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.120	59.86	4.37	74.0	14.14	Peak	191.00	150	Vertical	Pass
1**	5440.120	48.06	4.37	54.0	5.94	AV	191.00	150	Vertical	Pass
2	5459.980	57.08	4.10	74.0	16.92	Peak	26.00	100	Vertical	Pass
2**	5459.980	47.84	4.10	54.0	6.16	AV	26.00	100	Vertical	Pass
3	5460.700	58.27	4.12	68.2	9.93	Peak	204.00	100	Vertical	Pass
3**	5460.700	47.49	4.12	--	--	AV	204.00	100	Vertical	N/A
4	5469.940	56.86	4.06	68.2	11.34	Peak	221.00	100	Vertical	Pass
4**	5469.940	48.25	4.06	--	--	AV	221.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11ac40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.20	3.64	68.3	11.10	Peak	145.00	100	Vertical	Pass
2	5997.975	60.36	5.75	68.2	7.84	Peak	185.00	100	Vertical	Pass

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.460	62.61	4.23	74.0	11.39	Peak	202.00	150	Vertical	Pass
1**	5442.460	50.95	4.23	54.0	3.05	AV	202.00	150	Vertical	Pass
2	5459.980	59.28	4.10	74.0	14.72	Peak	199.00	150	Vertical	Pass
2**	5459.980	50.70	4.10	54.0	3.30	AV	199.00	150	Vertical	Pass
3	5468.800	62.60	4.10	68.2	5.60	Peak	199.00	150	Vertical	Pass
3**	5468.800	51.17	4.10	--	--	AV	199.00	150	Vertical	N/A
4	5469.940	59.33	4.06	68.2	8.87	Peak	199.00	200	Vertical	Pass
4**	5469.940	51.22	4.06	--	--	AV	199.00	200	Vertical	N/A

U-NII-2C & U-NII-3 11ac80 138 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.41	3.64	68.3	9.89	Peak	193.00	150	Vertical	Pass
2	5951.100	60.34	4.06	68.2	7.86	Peak	196.00	150	Vertical	Pass

U-NII-2C & U-NII-3 11ax20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5436.940	59.36	4.40	74.0	14.64	Peak	247.00	200	Vertical	Pass
1**	5436.940	47.86	4.40	54.0	6.14	AV	247.00	200	Vertical	Pass
2	5459.980	56.23	4.10	74.0	17.77	Peak	153.00	150	Vertical	Pass
2**	5459.980	47.19	4.10	54.0	6.81	AV	153.00	150	Vertical	Pass
3	5461.960	59.14	4.13	68.2	9.06	Peak	263.00	150	Vertical	Pass
3**	5461.960	47.18	4.13	--	--	AV	263.00	150	Vertical	N/A
4	5469.940	57.21	4.06	68.2	10.99	Peak	132.00	100	Vertical	Pass
4**	5469.940	47.27	4.06	--	--	AV	132.00	100	Vertical	N/A

U-NII-2C & U-NII-3 11ax20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.14	3.64	68.3	11.16	Peak	55.00	200	Vertical	Pass
2	5979.825	59.95	4.73	68.2	8.25	Peak	38.00	200	Vertical	Pass

U-NII-2C & U-NII-3 11ax40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5432.440	59.32	4.29	74.0	14.68	Peak	202.00	150	Vertical	Pass
1**	5432.440	48.11	4.29	54.0	5.89	AV	202.00	150	Vertical	Pass
2	5459.980	56.79	4.10	74.0	17.21	Peak	342.00	100	Vertical	Pass
2**	5459.980	47.59	4.10	54.0	6.41	AV	342.00	100	Vertical	Pass
3	5468.380	58.95	4.12	68.2	9.25	Peak	142.00	100	Vertical	Pass
3**	5468.380	47.72	4.12	--	--	AV	142.00	100	Vertical	N/A
4	5469.940	58.26	4.06	68.2	9.94	Peak	205.00	150	Vertical	Pass
4**	5469.940	47.93	4.06	--	--	AV	205.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11ax40 142 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.51	3.64	68.3	10.79	Peak	171.00	150	Vertical	Pass
2	5996.400	59.86	5.67	68.2	8.34	Peak	107.00	100	Vertical	Pass

U-NII-2C & U-NII-3 11ax80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.440	62.25	4.08	74.0	11.75	Peak	204.00	100	Vertical	Pass
1**	5456.440	50.96	4.08	54.0	3.04	AV	204.00	100	Vertical	Pass
2	5459.980	59.13	4.10	74.0	14.87	Peak	195.00	200	Vertical	Pass
2**	5459.980	51.32	4.10	54.0	2.68	AV	195.00	200	Vertical	Pass
3	5464.300	61.77	4.04	68.2	6.43	Peak	200.00	150	Vertical	Pass
3**	5464.300	50.61	4.04	--	--	AV	200.00	150	Vertical	N/A
4	5469.940	59.40	4.06	68.2	8.80	Peak	198.00	150	Vertical	Pass
4**	5469.940	51.29	4.06	--	--	AV	198.00	150	Vertical	N/A

U-NII-2C & U-NII-3 11ax80 138 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.82	3.64	68.3	11.48	Peak	167.00	200	Vertical	Pass
2	5994.075	60.30	5.57	68.2	7.90	Peak	20.00	150	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ23A1194-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ23A1194-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ23A1194-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--