Band 38 / 5MHz / High CH / QPSK	
	
Band 38 / 5MHz / High CH / 16QAM	
	

Band 38 / 10MHz / Low CH / QPSK	
	
Band 38 / 10MHz / Low CH / 16QAM	
	

Band 38 / 10MHz / Mid CH / QPSK	
	
Band 38 / 10MHz / Mid CH / 16QAM	
	

Band 38 / 10MHz / High CH / QPSK	
	
Band 38 / 10MHz / High CH / 16QAM	
	

Band 38 / 15MHz / Low CH / QPSK	
	
Band 38 / 15MHz / Low CH / 16QAM	
	

Band 38 / 15MHz / Mid CH / QPSK	
	
Band 38 / 15MHz / Mid CH / 16QAM	
	

Band 38 / 15MHz / High CH / QPSK	
	
Band 38 / 15MHz / High CH / 16QAM	
	

Band 38 / 20MHz / Low CH / QPSK	
	
Band 38 / 20MHz / Low CH / 16QAM	
	

Band 38 / 20MHz / Mid CH / QPSK	
	
Band 38 / 20MHz / Mid CH / 16QAM	
	

Band 38 / 20MHz / High CH / QPSK	
	
Band 38 / 20MHz / High CH / 16QAM	
	

Band 40 / Block A / 5MHz / Low CH / QPSK	
	
Band 40 / Block A / 5MHz / Low CH / 16QAM	
	

Band 40 / Block A / 5MHz / Mid CH / QPSK	
	
Band 40 / Block A / 5MHz / Mid CH / 16QAM	
	

Band 40 / Block A / 5MHz / High CH / QPSK	
	
Band 40 / Block A / 5MHz / High CH / 16QAM	
	

Band 40 / Block A / 10MHz / Mid CH / QPSK	
	
Band 40 / Block A / 10MHz / Mid CH / 16QAM	
	

Band 40 / Block A / Duty Cycle (19.8%)


Band 40 / Block B / 5MHz / Low CH / QPSK	
	
Band 40 / Block B / 5MHz / Low CH / 16QAM	
	

Band 40 / Block B / 5MHz / Mid CH / QPSK	
	
Band 40 / Block B / 5MHz / Mid CH / 16QAM	
	

Band 40 / Block B / 5MHz / High CH / QPSK	
	
Band 40 / Block B / 5MHz / High CH / 16QAM	
	

Band 40 / Block B / 10MHz / Mid CH / QPSK	
	
Band 40 / Block B / 10MHz / Mid CH / 16QAM	
	

Band 40 / Block B / Duty Cycle (19.8%)


Band 41 / 5MHz / Low CH / QPSK	
	
Band 41 / 5MHz / Low CH / 16QAM	
	

Band 41 / 5MHz / Mid CH / QPSK	
	
Band 41 / 5MHz / Mid CH / 16QAM	
	

Band 41 / 5MHz / High CH / QPSK	
	
Band 41 / 5MHz / High CH / 16QAM	
	

Band 41 / 10MHz / Low CH / QPSK	
	
Band 41 / 10MHz / Low CH / 16QAM	
	

Band 41 / 10MHz / Mid CH / QPSK	
	
Band 41 / 10MHz / Mid CH / 16QAM	
	

Band 41 / 10MHz / High CH / QPSK	
	
Band 41 / 10MHz / High CH / 16QAM	
	

Band 41 / 15MHz / Low CH / QPSK	
	
Band 41 / 15MHz / Low CH / 16QAM	
	

Band 41 / 15MHz / Mid CH / QPSK	
	
Band 41 / 15MHz / Mid CH / 16QAM	
	

Band 41 / 15MHz / High CH / QPSK	
	
Band 41 / 15MHz / High CH / 16QAM	
	

Band 41 / 20MHz / Low CH / QPSK	
	
Band 41 / 20MHz / Low CH / 16QAM	
	

Band 41 / 20MHz / Mid CH / QPSK	
	
Band 41 / 20MHz / Mid CH / 16QAM	
	

Band 41 / 20MHz / High CH / QPSK	
	
Band 41 / 20MHz / High CH / 16QAM	
	

2.6. Band Edge

2.6.1. Requirement

Band 2

According to FCC section 24.238(a), for operations in the 1850–1910MHz bands, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB in a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

Band 4

According to FCC section 27.53(h), for operations in the 1710–1755MHz bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least 43 + 10 log10(P) dB a 1MHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

Band 5

According to FCC section 22.917(a), for operations in the 824–849MHz bands, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB in a 100kHz bandwidth. However, in the 1 MHz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed.

Band 12, 17

For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least 43 + 10 log (P) dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Band 7, 38, 41

According to FCC section 27.53(m) (4), for mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Band 13

According to FCC section 27.53(c)(2), any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB in a 100kHz bandwidth. However, in the 100 kHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Band 40

According to FCC section 27.53(a) (4), for mobile and portable stations operating in the 2305-2315 MHz and 2350-2360 MHz bands:

(i) By a factor of not less than: 43 + 10 log (P) dB on all frequencies between 2305 and 2320 MHz and on all frequencies between 2345 and 2360 MHz that are outside the licensed band(s) of operation, not less than 55 + 10 log (P) dB on all frequencies between 2320 and 2324 MHz and on all frequencies between 2341 and 2345 MHz, not less than 61 + 10 log (P) dB on all frequencies between 2324 and 2328 MHz and on all frequencies between 2337 and 2341 MHz, and not less than 67 + 10 log (P) dB on all frequencies between 2328 and 2337 MHz;

(ii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2300 and 2305 MHz, 55 + 10 log (P) dB on all frequencies between 2296 and 2300 MHz, 61 + 10 log (P) dB on all frequencies between 2292 and 2296 MHz, 67 + 10 log (P) dB on all frequencies between 2288 and 2292 MHz, and 70 + 10 log (P) dB below 2288 MHz;

(iii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2360 and 2365 MHz, and not less than 70 + 10 log (P) dB above 2365 MHz.

2.6.2. Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.6.3. Test Procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.

2.6.4. Test Result

Band2 / 1.4MHz / Low CH / QPSK / 1 RB	Band2 / 1.4MHz / Low CH / QPSK / FULL RB
	
Band2 / 1.4MHz / High CH / QPSK / 1 RB	**Band2 / 1.4MHz / High CH / QPSK / FULL RB**
	

Band2 / 3MHz / Low CH / QPSK / 1 RB



Band2 / 3MHz / Low CH / QPSK / FULL RB

Band2 / 3MHz / High CH / QPSK / 1 RB



Band2 / 3MHz / High CH / QPSK / FULL RB

Band2 / 5MHz / Low CH / QPSK / 1 RB

Band2 / 5MHz / Low CH / QPSK / FULL RB

Band2 / 5MHz / High CH / QPSK / 1 RB

Band2 / 5MHz / High CH / QPSK / FULL RB

Band2 / 10MHz / Low CH / QPSK / 1 RB

Band2 / 10MHz / Low CH / QPSK / FULL RB

Band2 / 10MHz / High CH / QPSK / 1 RB

Band2 / 10MHz / High CH / QPSK / FULL RB

Band2 / 15MHz / Low CH / QPSK / 1 RB

Band2 / 15MHz / Low CH / QPSK / FULL RB

Band2 / 15MHz / High CH / QPSK / 1 RB

Band2 / 15MHz / High CH / QPSK / FULL RB

Band2 / 20MHz / Low CH / QPSK / 1 RB

Band2 / 20MHz / Low CH / QPSK / FULL RB

Band2 / 20MHz / High CH / QPSK / 1 RB

Band2 / 20MHz / High CH / QPSK / FULL RB

Band4 / 1.4MHz / Low CH / QPSK / 1 RB

Band4 / 1.4MHz / Low CH / QPSK / FULL RB

Band4 / 1.4MHz / High CH / QPSK / 1 RB

Band4 / 1.4MHz / High CH / QPSK / FULL RB

Band4 / 3MHz / Low CH / QPSK / 1 RB



Band4 / 3MHz / Low CH / QPSK / FULL RB

Band4 / 3MHz / High CH / QPSK / 1 RB



Band4 / 3MHz / High CH / QPSK / FULL RB

Band4 / 5MHz / Low CH / QPSK / 1 RB

Band4 / 5MHz / Low CH / QPSK / FULL RB

Band4 / 5MHz / High CH / QPSK / 1 RB

Band4 / 5MHz / High CH / QPSK / FULL RB

Band4 / 10MHz / Low CH / QPSK / 1 RB

Band4 / 10MHz / Low CH / QPSK / FULL RB

Band4 / 10MHz / High CH / QPSK / 1 RB

Band4 / 10MHz / High CH / QPSK / FULL RB

Band4 / 15MHz / Low CH / QPSK / 1 RB

Band4 / 15MHz / Low CH / QPSK / FULL RB

Band4 / 15MHz / High CH / QPSK / 1 RB

Band4 / 15MHz / High CH / QPSK / FULL RB

Band4 / 20MHz / Low CH / QPSK / 1 RB

Band4 / 20MHz / Low CH / QPSK / FULL RB

Band4 / 20MHz / High CH / QPSK / 1 RB

Band4 / 20MHz / High CH / QPSK / FULL RB

Band5 / 1.4MHz / Low CH / QPSK / 1 RB

Band5 / 1.4MHz / Low CH / QPSK / FULL RB

Band5 / 1.4MHz / High CH / QPSK / 1 RB

Band5 / 1.4MHz / High CH / QPSK / FULL RB

Band5 / 3MHz / Low CH / QPSK / 1 RB

Band5 / 3MHz / Low CH / QPSK / FULL RB

Band5 / 3MHz / High CH / QPSK / 1 RB

Band5 / 3MHz / High CH / QPSK / FULL RB

Band5 / 5MHz / Low CH / QPSK / 1 RB

Band5 / 5MHz / Low CH / QPSK / FULL RB

Band5 / 5MHz / High CH / QPSK / 1 RB

Band5 / 5MHz / High CH / QPSK / FULL RB

Band5 / 10MHz / Low CH / QPSK / 1 RB

Band5 / 10MHz / Low CH / QPSK / FULL RB

Band5 / 10MHz / High CH / QPSK / 1 RB

Band5 / 10MHz / High CH / QPSK / FULL RB

Band7 / 5MHz / Low CH / QPSK / 1 RB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.484145000 GHz	-51.21 dBm	-26.21 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493612500 GHz	-34.69 dBm	-21.69 dB
3	3	2.4950 GHz	2.4960 GHz	51.00 kHz	2.495600000 GHz	-55.46 dBm	-42.46 dB
4	4	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498980000 GHz	-18.10 dBm	-8.099 dB
5	5	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499921667 GHz	-29.46 dBm	-19.46 dB
6	6	2.5000 GHz	2.5050 GHz	1.000 MHz	2.500650000 GHz	22.85 dBm	-7.151 dB

Band7 / 5MHz / Low CH / QPSK / FULL RB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4905 GHz	1.000 MHz	2.488123333 GHz	-49.75 dBm	-24.75 dB
2	2	2.4905 GHz	2.4950 GHz	1.000 MHz	2.493770000 GHz	-40.42 dBm	-27.42 dB
3	3	2.4950 GHz	2.4960 GHz	51.00 kHz	2.495875000 GHz	-49.30 dBm	-36.30 dB
4	4	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498950000 GHz	-15.89 dBm	-5.892 dB
5	5	2.4990 GHz	2.5000 GHz	100.0 kHz	2.499956667 GHz	-25.16 dBm	-15.16 dB
6	6	2.5000 GHz	2.5050 GHz	1.000 MHz	2.502141667 GHz	16.31 dBm	-13.69 dB

Band7 / 5MHz / High CH / QPSK / 1 RB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5650 GHz	2.5700 GHz	1.000 MHz	2.569275000 GHz	22.04 dBm	-7.964 dB
2	2	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570063333 GHz	-28.06 dBm	-18.06 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.572953333 GHz	-21.45 dBm	-11.45 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575866667 GHz	-40.80 dBm	-27.80 dB
5	5	2.5760 GHz	2.5850 GHz	1.000 MHz	2.576360000 GHz	-42.83 dBm	-17.83 dB

Band7 / 5MHz / High CH / QPSK / FULL RB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5650 GHz	2.5700 GHz	1.000 MHz	2.568541667 GHz	15.52 dBm	-14.48 dB
2	2	2.5700 GHz	2.5710 GHz	100.0 kHz	2.570365000 GHz	-22.22 dBm	-12.22 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571066667 GHz	-16.34 dBm	-6.342 dB
4	4	2.5750 GHz	2.5760 GHz	1.000 MHz	2.575075000 GHz	-37.40 dBm	-24.40 dB
5	5	2.5760 GHz	2.5850 GHz	1.000 MHz	2.576795000 GHz	-38.71 dBm	-13.71 dB

Band7 / 10MHz / Low CH / QPSK / 1 RB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4901 GHz	1.000 MHz	2.486601833 GHz	-49.39 dBm	-24.39 dB
2	2	2.4901 GHz	2.4950 GHz	1.000 MHz	2.491382167 GHz	-25.10 dBm	-12.10 dB
3	3	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495988333 GHz	-50.19 dBm	-37.19 dB
4	4	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498955000 GHz	-13.79 dBm	-3.788 dB
5	5	2.4990 GHz	2.5000 GHz	200.0 kHz	2.499983333 GHz	-16.64 dBm	-6.638 dB
6	6	2.5000 GHz	2.5100 GHz	1.000 MHz	2.500533333 GHz	22.23 dBm	-7.769 dB

Band7 / 10MHz / Low CH / QPSK / FULL RB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4901 GHz	1.000 MHz	2.489772833 GHz	-46.51 dBm	-21.51 dB
2	2	2.4901 GHz	2.4950 GHz	1.000 MHz	2.493897500 GHz	-29.80 dBm	-16.80 dB
3	3	2.4950 GHz	2.4960 GHz	100.0 kHz	2.495718333 GHz	-35.67 dBm	-22.67 dB
4	4	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498025000 GHz	-25.85 dBm	-15.85 dB
5	5	2.4990 GHz	2.5000 GHz	200.0 kHz	2.499980000 GHz	-20.33 dBm	-10.33 dB
6	6	2.5000 GHz	2.5100 GHz	1.000 MHz	2.507183333 GHz	13.70 dBm	-16.30 dB

Band7 / 10MHz / High CH / QPSK / 1 RB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	1.000 MHz	2.569516667 GHz	-20.65 dBm	-9.351 dB
2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570028333 GHz	-15.06 dBm	-5.064 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571146667 GHz	-21.62 dBm	-11.62 dB
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.577700000 GHz	-30.09 dBm	-17.09 dB
5	5	2.5800 GHz	2.5950 GHz	1.000 MHz	2.588500000 GHz	-45.62 dBm	-20.62 dB

Band7 / 10MHz / High CH / QPSK / FULL RB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5600 GHz	2.5700 GHz	1.000 MHz	2.569783333 GHz	12.57 dBm	-17.43 dB
2	2	2.5700 GHz	2.5710 GHz	200.0 kHz	2.570318333 GHz	-20.59 dBm	-10.59 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571220000 GHz	-19.03 dBm	-9.031 dB
4	4	2.5750 GHz	2.5800 GHz	1.000 MHz	2.575533333 GHz	-22.77 dBm	-9.772 dB
5	5	2.5800 GHz	2.5850 GHz	1.000 MHz	2.580200000 GHz	-41.16 dBm	-16.16 dB

Band7 / 15MHz / Low CH / QPSK / 1 RB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4850 GHz	1.000 MHz	2.475883333 GHz	-52.40 dBm	-27.40 dB
2	2	2.4850 GHz	2.4950 GHz	1.000 MHz	2.487583333 GHz	-25.30 dBm	-12.30 dB
3	3	2.4950 GHz	2.4960 GHz	150.0 kHz	2.495500000 GHz	-51.06 dBm	-38.06 dB
4	4	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498945000 GHz	-20.21 dBm	-10.21 dB
5	5	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499891667 GHz	-17.31 dBm	-7.310 dB
6	6	2.5000 GHz	2.5150 GHz	1.000 MHz	2.501075000 GHz	21.91 dBm	-8.086 dB

Band7 / 15MHz / Low CH / QPSK / FULL RB

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.4750 GHz	2.4850 GHz	1.000 MHz	2.483966667 GHz	-49.72 dBm	-24.72 dB
2	2	2.4850 GHz	2.4950 GHz	1.000 MHz	2.494883333 GHz	-28.69 dBm	-15.69 dB
3	3	2.4950 GHz	2.4960 GHz	150.0 kHz	2.495758333 GHz	-34.14 dBm	-21.14 dB
4	4	2.4960 GHz	2.4990 GHz	1.000 MHz	2.498400000 GHz	-27.11 dBm	-17.11 dB
5	5	2.4990 GHz	2.5000 GHz	300.0 kHz	2.499940000 GHz	-23.62 dBm	-13.62 dB
6	6	2.5000 GHz	2.5150 GHz	1.000 MHz	2.505875000 GHz	11.98 dBm	-18.02 dB

Band7 / 15MHz / High CH / QPSK / 1 RB



Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5550 GHz	2.5700 GHz	1.000 MHz	2.589150000 GHz	-20.78 dBm	-9.221 dB
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.570006667 GHz	-16.80 dBm	-6.800 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.571040000 GHz	-26.32 dBm	-16.32 dB
4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.582183333 GHz	-27.12 dBm	-14.12 dB
5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.593200000 GHz	-51.73 dBm	-26.73 dB

Band7 / 15MHz / High CH / QPSK / FULL RB

Spur	Range	Start Freq	Stop Freq	RBW	Frequency	Amplitude	Δ Limit
1	1	2.5550 GHz	2.5700 GHz	1.000 MHz	2.567600000 GHz	12.06 dBm	-17.94 dB
2	2	2.5700 GHz	2.5710 GHz	300.0 kHz	2.570018333 GHz	-20.78 dBm	-10.78 dB
3	3	2.5710 GHz	2.5750 GHz	1.000 MHz	2.572640000 GHz	-19.68 dBm	-9.678 dB
4	4	2.5750 GHz	2.5850 GHz	1.000 MHz	2.575400000 GHz	-23.34 dBm	-10.34 dB
5	5	2.5850 GHz	2.5950 GHz	1.000 MHz	2.585083333 GHz	-44.78 dBm	-19.78 dB

Band7 / 20MHz / Low CH / QPSK / 1 RB



Band7 / 20MHz / Low CH / QPSK / FULL RB



Band7 / 20MHz / High CH / QPSK / 1 RB



Band7 / 20MHz / High CH / QPSK / FULL RB



Band12 / 1.4MHz / Low CH / QPSK / 1 RB

Band12 / 1.4MHz / Low CH / QPSK / FULL RB

Band12 / 1.4MHz / High CH / QPSK / 1 RB

Band12 / 1.4MHz / High CH / QPSK / FULL RB

Band12 / 3MHz / Low CH / QPSK / 1 RB



Band12 / 3MHz / Low CH / QPSK / FULL RB

Band12 / 3MHz / High CH / QPSK / 1 RB



Band12 / 3MHz / High CH / QPSK / FULL RB

Band12 / 5MHz / Low CH / QPSK / 1 RB

Band12 / 5MHz / Low CH / QPSK / FULL RB

Band12 / 5MHz / High CH / QPSK / 1 RB

Band12 / 5MHz / High CH / QPSK / FULL RB

Band12 / 10MHz / Low CH / QPSK / 1 RB

Band12 / 10MHz / Low CH / QPSK / FULL RB

Band12 / 10MHz / High CH / QPSK / 1 RB

Band12 / 10MHz / High CH / QPSK / FULL RB