











Appendix D: SAR Test Setup

<p>Photo 1: Measurement System SATIMO</p>	<p>Photo 2: Left Cheek</p>
 A photograph showing the SATIMO measurement system in a laboratory setting. A white KUKA robotic arm is positioned over a white mannequin head. Various electronic equipment and cables are visible on a table in the background.	 A close-up photograph of the SATIMO measurement system mounted on the left cheek of a white mannequin head. The device is black with two orange LEDs.
<p>Photo 3: Left Tilt 15°</p>	<p>Photo 4: Right Cheek</p>
 A close-up photograph of the SATIMO measurement system on the left cheek of a white mannequin head, tilted at a 15-degree angle.	 A close-up photograph of the SATIMO measurement system mounted on the right cheek of a white mannequin head.
<p>Photo 5: Right Tilt 15°</p>	<p>Photo 6: Face upward 10mm</p>
 A close-up photograph of the SATIMO measurement system on the right cheek of a white mannequin head, tilted at a 15-degree angle.	 A close-up photograph of the SATIMO measurement system on the face of a white mannequin head, with a ruler placed below it to indicate a 10mm distance.

<p>Photo 7: Back Upward 10mm</p>	<p>Photo 8: Edge A 10mm</p>
	
<p>Photo 9: Edge B 10mm</p>	<p>Photo 10: Edge C 10mm</p>
	
<p>Photo 11: Edge D 10mm</p>	<p>Photo 12: Liquid deep(15cm)</p>
