





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																			
ANT	802.11n HT40 CH06 2437MHz - R																																			
1	Horizontal	Fundamental																																		
Peak	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C 3m 3117 00218652 VERTICAL Project : RRM 1000.000kHz VSW:3000.000kHz SW:Auto FR1D1703B Mode : 17 Plane : X Full-directivity IMEI : Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.02</td> <td>51.49</td> <td>-22.51</td> <td>74.00</td> <td>50.20</td> <td>30.86</td> <td>7.25</td> <td>30.82</td> <td>393</td> <td>62 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg			1	2437.02	51.49	-22.51	74.00	50.20	30.86	7.25	30.82	393	62 Peak	VERTICAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																												
1	2437.02	51.49	-22.51	74.00	50.20	30.86	7.25	30.82	393	62 Peak	VERTICAL																									
Avg.	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 Fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C (AVG) 3m 3117 00218652 VERTICAL Project : RRM 1000.000kHz VSW:0.0100kHz SW:Auto FR1D1703B Mode : 17 Plane : X Full-directivity IMEI : Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dBm</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2437.50</td> <td>40.06</td> <td>-12.94</td> <td>54.00</td> <td>38.77</td> <td>30.86</td> <td>7.25</td> <td>30.82</td> <td>393</td> <td>62 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg			1	2437.50	40.06	-12.94	54.00	38.77	30.86	7.25	30.82	393	62 Average	VERTICAL	Left blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dBm	dB	cm	deg																												
1	2437.50	40.06	-12.94	54.00	38.77	30.86	7.25	30.82	393	62 Average	VERTICAL																									



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT40 CH09 2452MHz - L																																																																					
1	Horizontal	Fundamental																																																																				
Peak	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3117 00218652 HORIZONTAL Project : R88-1000,000kHz VBR-3000,000kHz SRT-Auto Mode : (FR)1D1703 Plane : IS Antenna : X Full-directivity : Full-directivity JME1 : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2385.01</td> <td>58.99</td> <td>-15.01</td> <td>74.00</td> <td>58.28</td> <td>30.48</td> <td>7.10</td> <td>36.87</td> <td>111</td> <td>4 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2385.01	58.99	-15.01	74.00	58.28	30.48	7.10	36.87	111	4 Peak	HORIZONTAL	<p>Site : 030805-KS Condition : FCC PART 15C 3m 3117 00218652 HORIZONTAL Project : R88-1000,000kHz VBR-3000,000kHz SRT-Auto Mode : (FR)1D1703 Plane : IS Antenna : X Full-directivity : Full-directivity JME1 : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2438.00</td> <td>106.96</td> <td>32.96</td> <td>74.00</td> <td>105.90</td> <td>30.71</td> <td>7.19</td> <td>36.84</td> <td>111</td> <td>4 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2438.00	106.96	32.96	74.00	105.90	30.71	7.19	36.84	111	4 Peak	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2385.01	58.99	-15.01	74.00	58.28	30.48	7.10	36.87	111	4 Peak	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2438.00	106.96	32.96	74.00	105.90	30.71	7.19	36.84	111	4 Peak	HORIZONTAL																																																											
Avg.	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3117 00218652 HORIZONTAL Project : R88-1000,000kHz VBR-3000,000kHz SRT-Auto Mode : (FR)1D1703 Plane : IS Antenna : X Full-directivity : Full-directivity JME1 : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>47.76</td> <td>-6.24</td> <td>54.00</td> <td>47.02</td> <td>30.50</td> <td>7.10</td> <td>36.86</td> <td>111</td> <td>4 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2389.69	47.76	-6.24	54.00	47.02	30.50	7.10	36.86	111	4 Average	HORIZONTAL	<p>Site : 030805-KS Condition : FCC PART 15C (AVG) 3m 3117 00218652 HORIZONTAL Project : R88-1000,000kHz VBR-3000,000kHz SRT-Auto Mode : (FR)1D1703 Plane : IS Antenna : X Full-directivity : Full-directivity JME1 : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2442.00</td> <td>99.15</td> <td>45.15</td> <td>54.00</td> <td>98.09</td> <td>30.71</td> <td>7.19</td> <td>36.84</td> <td>111</td> <td>4 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	2442.00	99.15	45.15	54.00	98.09	30.71	7.19	36.84	111	4 Average	HORIZONTAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2389.69	47.76	-6.24	54.00	47.02	30.50	7.10	36.86	111	4 Average	HORIZONTAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2442.00	99.15	45.15	54.00	98.09	30.71	7.19	36.84	111	4 Average	HORIZONTAL																																																											





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																		
ANT	802.11n HT40 CH09 2452MHz - R																																		
1	Horizontal	Fundamental																																	
<p>Peak</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW:3000.000KHz SW: Auto FR1D1703B Mode : IS Plane : X Full-directivity : X IMEI : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 1 2483.50</td> <td>68.88</td> <td>-6.12</td> <td>74.00</td> <td>67.99</td> <td>30.86</td> <td>7.25</td> <td>30.82</td> <td>111</td> <td>4 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dB	dB	dB	cm	deg			1 1 2483.50	68.88	-6.12	74.00	67.99	30.86	7.25	30.82	111	4 Peak	HORIZONTAL	<p>Left blank</p>
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBm/1m	dB	dBm/1m	dB	dB	dB	cm	deg																											
1 1 2483.50	68.88	-6.12	74.00	67.99	30.86	7.25	30.82	111	4 Peak	HORIZONTAL																									
<p>Avg.</p>	<p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C (AVG) 3m 3117 00218652 HORIZONTAL Project : RRM 1000.000KHz VSW:0.0100KHz SW: Auto FR1D1703B Mode : IS Plane : X Full-directivity : X IMEI : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/1m</th> <th>dB</th> <th>dBm/1m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 1 2483.50</td> <td>52.40</td> <td>-1.60</td> <td>54.00</td> <td>51.11</td> <td>30.86</td> <td>7.25</td> <td>30.82</td> <td>111</td> <td>4 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/1m	dB	dBm/1m	dB	dB	dB	cm	deg			1 1 2483.50	52.40	-1.60	54.00	51.11	30.86	7.25	30.82	111	4 Average	HORIZONTAL	<p>Left blank</p>
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBm/1m	dB	dBm/1m	dB	dB	dB	cm	deg																											
1 1 2483.50	52.40	-1.60	54.00	51.11	30.86	7.25	30.82	111	4 Average	HORIZONTAL																									



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT40 CH09 2452MHz - L																																																																					
1	Vertical	Fundamental																																																																				
Peak	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3117.00218662 VERTICAL Project : RRM-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : (FR)1D1703 Plane : 18 Full-directivity : X IME1 : Full-directivity Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2333.14</td> <td>50.87</td> <td>-23.13</td> <td>74.00</td> <td>50.33</td> <td>30.43</td> <td>7.01</td> <td>36.90</td> <td>387</td> <td>40 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	deg	deg	1	2333.14	50.87	-23.13	74.00	50.33	30.43	7.01	36.90	387	40 Peak	VERTICAL	<p>Site : 030905-KS Condition : FCC PART 15C 3m 3117.00218662 VERTICAL Project : RRM-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : (FR)1D1703 Plane : 18 Full-directivity : X IME1 : Full-directivity Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2456.00</td> <td>103.65</td> <td>29.65</td> <td>74.00</td> <td>102.47</td> <td>30.79</td> <td>7.22</td> <td>36.83</td> <td>387</td> <td>40 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	deg	deg	1	2456.00	103.65	29.65	74.00	102.47	30.79	7.22	36.83	387	40 Peak	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	deg	deg																																																												
1	2333.14	50.87	-23.13	74.00	50.33	30.43	7.01	36.90	387	40 Peak	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	deg	deg																																																												
1	2456.00	103.65	29.65	74.00	102.47	30.79	7.22	36.83	387	40 Peak	VERTICAL																																																											
Avg.	<p>Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3117.00218662 VERTICAL Project : RRM-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : (FR)1D1703 Plane : 18 Full-directivity : X IME1 : Full-directivity Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2360.18</td> <td>39.52</td> <td>-14.48</td> <td>54.00</td> <td>38.87</td> <td>30.46</td> <td>7.07</td> <td>36.88</td> <td>387</td> <td>40 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	deg	deg	1	2360.18	39.52	-14.48	54.00	38.87	30.46	7.07	36.88	387	40 Average	VERTICAL	<p>Site : 030905-KS Condition : FCC PART 15C (AVG) 3m 3117.00218662 VERTICAL Project : RRM-1000.0000kHz VBR-3000.000kHz SRT-Auto Mode : (FR)1D1703 Plane : 18 Full-directivity : X IME1 : Full-directivity Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>deg</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2454.00</td> <td>95.05</td> <td>41.05</td> <td>54.00</td> <td>93.87</td> <td>30.79</td> <td>7.22</td> <td>36.83</td> <td>387</td> <td>40 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	deg	deg	1	2454.00	95.05	41.05	54.00	93.87	30.79	7.22	36.83	387	40 Average	VERTICAL
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																											
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	deg	deg																																																												
1	2360.18	39.52	-14.48	54.00	38.87	30.46	7.07	36.88	387	40 Average	VERTICAL																																																											
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	deg	deg																																																												
1	2454.00	95.05	41.05	54.00	93.87	30.79	7.22	36.83	387	40 Average	VERTICAL																																																											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																			
ANT	802.11n HT40 CH09 2452MHz - R																																			
1	Vertical	Fundamental																																		
<p>Peak</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C 3m 3117 00218652 VERTICAL RRE 1000.000kHz VSW 3.000 0.000kHz SW: Auto Project : (FR) 1D1703 Mode : IS Plane : X Full-directivity : Full-directivity IMEI : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>63.18</td> <td>-10.82</td> <td>74.00</td> <td>61.89</td> <td>30.86</td> <td>7.25</td> <td>36.82</td> <td>387</td> <td>40 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2483.50	63.18	-10.82	74.00	61.89	30.86	7.25	36.82	387	40 Peak	VERTICAL	<p>Left blank</p>
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																												
1	2483.50	63.18	-10.82	74.00	61.89	30.86	7.25	36.82	387	40 Peak	VERTICAL																									
<p>Avg.</p>	 <p>No. 1098, Pengzi North Road, Kunshan Economic & Technical Development Zone, Jiangsu China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn</p> <p>Site : 032005-KS Condition : FCC PART 15C (AVG) 3m 3117 00218652 VERTICAL RRE 1000.000kHz VSW 0.0100kHz SW: Auto Project : (FR) 1D1703 Mode : IS Plane : X Full-directivity : Full-directivity IMEI : #1 Powersetting : #1</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.50</td> <td>46.45</td> <td>-7.55</td> <td>54.00</td> <td>45.16</td> <td>30.86</td> <td>7.25</td> <td>36.82</td> <td>387</td> <td>40 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg			1	2483.50	46.45	-7.55	54.00	45.16	30.86	7.25	36.82	387	40 Average	VERTICAL	<p>Left blank</p>
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	cm	deg																												
1	2483.50	46.45	-7.55	54.00	45.16	30.86	7.25	36.82	387	40 Average	VERTICAL																									



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																																																
ANT	802.11b CH01 2412MHz																																																																																																																																
1	Horizontal	Vertical																																																																																																																															
Peak Avg.	<p>Site : 03D05-KS Condition : FCC PART 15C 3m 3117 00218632 HORIZONTAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : 7 Plane : X Polar : Full-directivity IMEI : 81 PowerSetting : 0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>dBm</th> <th>dBm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>52.85</td> <td>-21.15</td> <td>74.00</td> <td>73.37</td> <td>34.61</td> <td>10.25</td> <td>65.38</td> <td>359</td> <td>161</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>4830.00</td> <td>45.27</td> <td>-8.73</td> <td>54.00</td> <td>65.79</td> <td>34.01</td> <td>10.25</td> <td>65.38</td> <td>309</td> <td>141</td> <td>Average</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>7330.00</td> <td>68.68</td> <td></td> <td>64.71</td> <td>50.71</td> <td>12.73</td> <td>65.62</td> <td></td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>4</td> <td>9645.00</td> <td>55.78</td> <td></td> <td>70.02</td> <td>37.79</td> <td>14.94</td> <td>66.97</td> <td></td> <td>300</td> <td>0</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	dBm	dBm	1	4830.00	52.85	-21.15	74.00	73.37	34.61	10.25	65.38	359	161	Peak	HORIZONTAL	2	4830.00	45.27	-8.73	54.00	65.79	34.01	10.25	65.38	309	141	Average	HORIZONTAL	3	7330.00	68.68		64.71	50.71	12.73	65.62		300	0	Peak	HORIZONTAL	4	9645.00	55.78		70.02	37.79	14.94	66.97		300	0	Peak	HORIZONTAL	<p>Site : 03D05-KS Condition : FCC PART 15C 3m 3117 00218633 VERTICAL Project : RSM 1000.000KHz VBR 3000.000KHz SRT Auto Mode : 7 Plane : X Polar : Full-directivity IMEI : 81 PowerSetting : 0</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>Level</th> <th>dBm</th> <th>dBm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4830.00</td> <td>49.68</td> <td>-34.32</td> <td>74.00</td> <td>70.30</td> <td>34.61</td> <td>10.25</td> <td>65.38</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>7330.00</td> <td>47.65</td> <td></td> <td>63.89</td> <td>30.71</td> <td>12.71</td> <td>65.65</td> <td></td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>3</td> <td>9645.00</td> <td>57.83</td> <td></td> <td>72.07</td> <td>37.79</td> <td>14.94</td> <td>66.97</td> <td></td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Level	Level	Level	Level	Level	Level	dBm	dBm	1	4830.00	49.68	-34.32	74.00	70.30	34.61	10.25	65.38	100	0	Peak	VERTICAL	2	7330.00	47.65		63.89	30.71	12.71	65.65		100	0	Peak	VERTICAL	3	9645.00	57.83		72.07	37.79	14.94	66.97		100	0	Peak	VERTICAL
	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																								
Level	Level	Level	Level	Level	Level	Level	dBm	dBm																																																																																																																									
1	4830.00	52.85	-21.15	74.00	73.37	34.61	10.25	65.38	359	161	Peak	HORIZONTAL																																																																																																																					
2	4830.00	45.27	-8.73	54.00	65.79	34.01	10.25	65.38	309	141	Average	HORIZONTAL																																																																																																																					
3	7330.00	68.68		64.71	50.71	12.73	65.62		300	0	Peak	HORIZONTAL																																																																																																																					
4	9645.00	55.78		70.02	37.79	14.94	66.97		300	0	Peak	HORIZONTAL																																																																																																																					
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																									
Level	Level	Level	Level	Level	Level	Level	dBm	dBm																																																																																																																									
1	4830.00	49.68	-34.32	74.00	70.30	34.61	10.25	65.38	100	0	Peak	VERTICAL																																																																																																																					
2	7330.00	47.65		63.89	30.71	12.71	65.65		100	0	Peak	VERTICAL																																																																																																																					
3	9645.00	57.83		72.07	37.79	14.94	66.97		100	0	Peak	VERTICAL																																																																																																																					



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11b CH06 2437MHz																																																																																									
1	Horizontal	Vertical																																																																																								
Peak Avg.	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3117.00218652 HORIZONTAL Project : R88-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : S Plane : X Polarization : Full-directivity Power setting : 0</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>47.82</td> <td>-26.18</td> <td>74.00</td> <td>68.26</td> <td>34.69</td> <td>10.29</td> <td>65.42</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>45.81</td> <td>-28.19</td> <td>74.00</td> <td>62.32</td> <td>30.68</td> <td>12.72</td> <td>65.91</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>9750.00</td> <td>55.77</td> <td></td> <td></td> <td>69.92</td> <td>37.91</td> <td>14.99</td> <td>67.00</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	4875.00	47.82	-26.18	74.00	68.26	34.69	10.29	65.42	0 Peak	HORIZONTAL	2	7305.00	45.81	-28.19	74.00	62.32	30.68	12.72	65.91	0 Peak	HORIZONTAL	3	9750.00	55.77			69.92	37.91	14.99	67.00	0 Peak	HORIZONTAL	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3117.00218653 VERTICAL Project : R88-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : S Plane : X Polarization : Full-directivity Power setting : 0</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>49.27</td> <td>-24.73</td> <td>74.00</td> <td>69.71</td> <td>34.69</td> <td>10.29</td> <td>65.42</td> <td>100</td> <td>0 Peak</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>45.87</td> <td>-28.19</td> <td>74.00</td> <td>62.33</td> <td>30.68</td> <td>12.72</td> <td>65.91</td> <td>100</td> <td>0 Peak</td> </tr> <tr> <td>3</td> <td>9750.00</td> <td>56.81</td> <td></td> <td></td> <td>70.96</td> <td>37.91</td> <td>14.99</td> <td>67.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	4875.00	49.27	-24.73	74.00	69.71	34.69	10.29	65.42	100	0 Peak	2	7305.00	45.87	-28.19	74.00	62.33	30.68	12.72	65.91	100	0 Peak	3	9750.00	56.81			70.96	37.91	14.99	67.00	100	0 Peak
	Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																															
1	4875.00	47.82	-26.18	74.00	68.26	34.69	10.29	65.42	0 Peak	HORIZONTAL																																																																																
2	7305.00	45.81	-28.19	74.00	62.32	30.68	12.72	65.91	0 Peak	HORIZONTAL																																																																																
3	9750.00	55.77			69.92	37.91	14.99	67.00	0 Peak	HORIZONTAL																																																																																
Peak	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
1	4875.00	49.27	-24.73	74.00	69.71	34.69	10.29	65.42	100	0 Peak																																																																																
2	7305.00	45.87	-28.19	74.00	62.33	30.68	12.72	65.91	100	0 Peak																																																																																
3	9750.00	56.81			70.96	37.91	14.99	67.00	100	0 Peak																																																																																
	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3117.00218652 HORIZONTAL Project : R88-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : S Plane : X Polarization : Full-directivity Power setting : 0</p> <table border="1"> <thead> <tr> <th>Avg</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>47.82</td> <td>-26.18</td> <td>74.00</td> <td>68.26</td> <td>34.69</td> <td>10.29</td> <td>65.42</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>45.81</td> <td>-28.19</td> <td>74.00</td> <td>62.32</td> <td>30.68</td> <td>12.72</td> <td>65.91</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>3</td> <td>9750.00</td> <td>55.77</td> <td></td> <td></td> <td>69.92</td> <td>37.91</td> <td>14.99</td> <td>67.00</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Avg	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	4875.00	47.82	-26.18	74.00	68.26	34.69	10.29	65.42	0 Peak	HORIZONTAL	2	7305.00	45.81	-28.19	74.00	62.32	30.68	12.72	65.91	0 Peak	HORIZONTAL	3	9750.00	55.77			69.92	37.91	14.99	67.00	0 Peak	HORIZONTAL	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3117.00218653 VERTICAL Project : R88-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : S Plane : X Polarization : Full-directivity Power setting : 0</p> <table border="1"> <thead> <tr> <th>Avg</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4875.00</td> <td>49.27</td> <td>-24.73</td> <td>74.00</td> <td>69.71</td> <td>34.69</td> <td>10.29</td> <td>65.42</td> <td>100</td> <td>0 Peak</td> </tr> <tr> <td>2</td> <td>7305.00</td> <td>45.87</td> <td>-28.19</td> <td>74.00</td> <td>62.33</td> <td>30.68</td> <td>12.72</td> <td>65.91</td> <td>100</td> <td>0 Peak</td> </tr> <tr> <td>3</td> <td>9750.00</td> <td>56.81</td> <td></td> <td></td> <td>70.96</td> <td>37.91</td> <td>14.99</td> <td>67.00</td> <td>100</td> <td>0 Peak</td> </tr> </tbody> </table>	Avg	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas	1	4875.00	49.27	-24.73	74.00	69.71	34.69	10.29	65.42	100	0 Peak	2	7305.00	45.87	-28.19	74.00	62.33	30.68	12.72	65.91	100	0 Peak	3	9750.00	56.81			70.96	37.91	14.99	67.00	100	0 Peak
Avg	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
1	4875.00	47.82	-26.18	74.00	68.26	34.69	10.29	65.42	0 Peak	HORIZONTAL																																																																																
2	7305.00	45.81	-28.19	74.00	62.32	30.68	12.72	65.91	0 Peak	HORIZONTAL																																																																																
3	9750.00	55.77			69.92	37.91	14.99	67.00	0 Peak	HORIZONTAL																																																																																
Avg	Freq	Level	Limit	Line	Level Factor	Loss Factor	A/Pos	T/Pos	Remark	Pol/Phas																																																																																
1	4875.00	49.27	-24.73	74.00	69.71	34.69	10.29	65.42	100	0 Peak																																																																																
2	7305.00	45.87	-28.19	74.00	62.33	30.68	12.72	65.91	100	0 Peak																																																																																
3	9750.00	56.81			70.96	37.91	14.99	67.00	100	0 Peak																																																																																



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																					
ANT	802.11b CH11 2462MHz																																																																																																					
1	Horizontal	Vertical																																																																																																				
Peak Avg.	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3117.00218652 HORIZONTAL Project : R88-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : FRS1D1703B Plane : X Full-directivity : Full-directivity IMEI : 81 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4920.00</td> <td>48.24</td> <td>-25.76</td> <td>74.00</td> <td>68.58</td> <td>34.77</td> <td>10.34</td> <td>65.45</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>2 7380.00</td> <td>45.17</td> <td>-28.83</td> <td>74.00</td> <td>61.99</td> <td>36.65</td> <td>12.73</td> <td>66.11</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> <tr> <td>3 9840.00</td> <td>54.07</td> <td></td> <td></td> <td>68.14</td> <td>38.01</td> <td>15.33</td> <td>67.11</td> <td>300</td> <td>0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dB	dB	cm	deg			1 4920.00	48.24	-25.76	74.00	68.58	34.77	10.34	65.45	300	0 Peak HORIZONTAL	2 7380.00	45.17	-28.83	74.00	61.99	36.65	12.73	66.11	300	0 Peak HORIZONTAL	3 9840.00	54.07			68.14	38.01	15.33	67.11	300	0 Peak HORIZONTAL	<p>Site : 030905-K5 Condition : FCC PART 15C 3m 3117.00218653 VERTICAL Project : R88-1000.000KHz VBR-3000.000KHz SRT-Auto Mode : FRS1D1703B Plane : X Full-directivity : Full-directivity IMEI : 81 Powersetting : 0</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBm/Hz</th> <th>dB</th> <th>dBm/Hz</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 4920.00</td> <td>49.47</td> <td>-24.33</td> <td>74.00</td> <td>70.01</td> <td>34.77</td> <td>10.34</td> <td>65.45</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>2 7380.00</td> <td>46.12</td> <td>-27.88</td> <td>74.00</td> <td>62.85</td> <td>36.65</td> <td>12.73</td> <td>66.11</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> <tr> <td>3 9840.00</td> <td>56.75</td> <td></td> <td></td> <td>70.78</td> <td>38.00</td> <td>15.04</td> <td>67.12</td> <td>100</td> <td>0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBm/Hz	dB	dBm/Hz	dB	dB	cm	deg			1 4920.00	49.47	-24.33	74.00	70.01	34.77	10.34	65.45	100	0 Peak VERTICAL	2 7380.00	46.12	-27.88	74.00	62.85	36.65	12.73	66.11	100	0 Peak VERTICAL	3 9840.00	56.75			70.78	38.00	15.04	67.12	100	0 Peak VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																												
MHz	dBm/Hz	dB	dBm/Hz	dB	dB	cm	deg																																																																																															
1 4920.00	48.24	-25.76	74.00	68.58	34.77	10.34	65.45	300	0 Peak HORIZONTAL																																																																																													
2 7380.00	45.17	-28.83	74.00	61.99	36.65	12.73	66.11	300	0 Peak HORIZONTAL																																																																																													
3 9840.00	54.07			68.14	38.01	15.33	67.11	300	0 Peak HORIZONTAL																																																																																													
Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																													
MHz	dBm/Hz	dB	dBm/Hz	dB	dB	cm	deg																																																																																															
1 4920.00	49.47	-24.33	74.00	70.01	34.77	10.34	65.45	100	0 Peak VERTICAL																																																																																													
2 7380.00	46.12	-27.88	74.00	62.85	36.65	12.73	66.11	100	0 Peak VERTICAL																																																																																													
3 9840.00	56.75			70.78	38.00	15.04	67.12	100	0 Peak VERTICAL																																																																																													



Emission below 1GHz
2.4GHz WIFI 802.11n HT20 (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																											
ANT	802.11n HT20 LF																																																																																																																																											
1	Horizontal	Vertical																																																																																																																																										
QP / Peak	<p>Site : 03D902-KS Condition : FCC PART 15C 3m CBL1110 SN33188 HORIZONTAL Project : RSM 100.000KHz VSW.300.000KHz SRT.Auto Mode : 20 Plane : Z File : Full-directivity IME1 : 41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>20.31</td> <td>-19.49</td> <td>40.00</td> <td>24.80</td> <td>25.50</td> <td>0.71</td> <td>32.70</td> <td>--- Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>159.01</td> <td>27.89</td> <td>-15.61</td> <td>43.00</td> <td>41.53</td> <td>17.29</td> <td>1.92</td> <td>33.80</td> <td>--- Peak HORIZONTAL</td> </tr> <tr> <td>3</td> <td>276.24</td> <td>34.63</td> <td>-11.38</td> <td>46.00</td> <td>48.17</td> <td>17.31</td> <td>2.24</td> <td>33.10</td> <td>--- Peak HORIZONTAL</td> </tr> <tr> <td>4</td> <td>263.77</td> <td>29.36</td> <td>-16.64</td> <td>46.00</td> <td>40.31</td> <td>19.62</td> <td>2.48</td> <td>33.05</td> <td>--- Peak HORIZONTAL</td> </tr> <tr> <td>5</td> <td>608.30</td> <td>31.95</td> <td>-16.19</td> <td>46.00</td> <td>38.69</td> <td>22.86</td> <td>3.08</td> <td>32.78</td> <td>--- Peak HORIZONTAL</td> </tr> <tr> <td>6</td> <td>531.49</td> <td>34.09</td> <td>-11.91</td> <td>46.00</td> <td>37.86</td> <td>25.38</td> <td>3.53</td> <td>33.67</td> <td>--- Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	30.00	20.31	-19.49	40.00	24.80	25.50	0.71	32.70	--- Peak HORIZONTAL	2	159.01	27.89	-15.61	43.00	41.53	17.29	1.92	33.80	--- Peak HORIZONTAL	3	276.24	34.63	-11.38	46.00	48.17	17.31	2.24	33.10	--- Peak HORIZONTAL	4	263.77	29.36	-16.64	46.00	40.31	19.62	2.48	33.05	--- Peak HORIZONTAL	5	608.30	31.95	-16.19	46.00	38.69	22.86	3.08	32.78	--- Peak HORIZONTAL	6	531.49	34.09	-11.91	46.00	37.86	25.38	3.53	33.67	--- Peak HORIZONTAL	<p>Site : 03D902-KS Condition : FCC PART 15C 3m CBL1110 SN33188 VERTICAL Project : RSM 100.000KHz VSW.300.000KHz SRT.Auto Mode : 20 Plane : Z File : Full-directivity IME1 : 41</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>147.74</td> <td>23.20</td> <td>-20.30</td> <td>43.50</td> <td>37.06</td> <td>17.08</td> <td>1.97</td> <td>32.91</td> <td>--- Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>236.01</td> <td>29.90</td> <td>-16.07</td> <td>46.00</td> <td>42.11</td> <td>18.57</td> <td>2.35</td> <td>33.10</td> <td>--- Peak VERTICAL</td> </tr> <tr> <td>3</td> <td>254.07</td> <td>30.10</td> <td>-15.90</td> <td>46.00</td> <td>47.88</td> <td>19.46</td> <td>2.44</td> <td>33.08</td> <td>--- Peak VERTICAL</td> </tr> <tr> <td>4</td> <td>267.65</td> <td>31.10</td> <td>-14.90</td> <td>46.00</td> <td>41.99</td> <td>19.68</td> <td>2.50</td> <td>33.03</td> <td>--- Peak VERTICAL</td> </tr> <tr> <td>5</td> <td>234.88</td> <td>31.25</td> <td>-14.47</td> <td>46.00</td> <td>40.89</td> <td>20.80</td> <td>2.74</td> <td>32.90</td> <td>--- Peak VERTICAL</td> </tr> <tr> <td>6</td> <td>640.13</td> <td>33.16</td> <td>-12.84</td> <td>46.00</td> <td>36.14</td> <td>25.82</td> <td>3.86</td> <td>32.66</td> <td>--- Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	147.74	23.20	-20.30	43.50	37.06	17.08	1.97	32.91	--- Peak VERTICAL	2	236.01	29.90	-16.07	46.00	42.11	18.57	2.35	33.10	--- Peak VERTICAL	3	254.07	30.10	-15.90	46.00	47.88	19.46	2.44	33.08	--- Peak VERTICAL	4	267.65	31.10	-14.90	46.00	41.99	19.68	2.50	33.03	--- Peak VERTICAL	5	234.88	31.25	-14.47	46.00	40.89	20.80	2.74	32.90	--- Peak VERTICAL	6	640.13	33.16	-12.84	46.00	36.14	25.82	3.86	32.66	--- Peak VERTICAL
	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																			
1	30.00	20.31	-19.49	40.00	24.80	25.50	0.71	32.70	--- Peak HORIZONTAL																																																																																																																																			
2	159.01	27.89	-15.61	43.00	41.53	17.29	1.92	33.80	--- Peak HORIZONTAL																																																																																																																																			
3	276.24	34.63	-11.38	46.00	48.17	17.31	2.24	33.10	--- Peak HORIZONTAL																																																																																																																																			
4	263.77	29.36	-16.64	46.00	40.31	19.62	2.48	33.05	--- Peak HORIZONTAL																																																																																																																																			
5	608.30	31.95	-16.19	46.00	38.69	22.86	3.08	32.78	--- Peak HORIZONTAL																																																																																																																																			
6	531.49	34.09	-11.91	46.00	37.86	25.38	3.53	33.67	--- Peak HORIZONTAL																																																																																																																																			
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																				
1	147.74	23.20	-20.30	43.50	37.06	17.08	1.97	32.91	--- Peak VERTICAL																																																																																																																																			
2	236.01	29.90	-16.07	46.00	42.11	18.57	2.35	33.10	--- Peak VERTICAL																																																																																																																																			
3	254.07	30.10	-15.90	46.00	47.88	19.46	2.44	33.08	--- Peak VERTICAL																																																																																																																																			
4	267.65	31.10	-14.90	46.00	41.99	19.68	2.50	33.03	--- Peak VERTICAL																																																																																																																																			
5	234.88	31.25	-14.47	46.00	40.89	20.80	2.74	32.90	--- Peak VERTICAL																																																																																																																																			
6	640.13	33.16	-12.84	46.00	36.14	25.82	3.86	32.66	--- Peak VERTICAL																																																																																																																																			



Appendix E. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	100	-	-	10Hz
802.11n HT20	100	-	-	10Hz
802.11n HT40	98.85	-	-	10Hz




802.11b



Date: 11.JAN.2022 13:30:27


802.11g



Date: 11.JAN.2022 13:06:41




802.11n HT20



Date: 11.JAN.2022 13:08:44

802.11n HT40



Date: 11.JAN.2022 13:12:12