




1.100. LTE Peak to Average Ratio(NTNV)(Subtest:100, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)




1.101. LTE Peak to Average Ratio(NTNV)(Subtest:101, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)




1.102. LTE Peak to Average Ratio(NTNV)(Subtest:102, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)




1.103. LTE Peak to Average Ratio(NTNV)(Subtest:103, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.104. LTE Peak to Average Ratio(NTNV)(Subtest:104, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.105. LTE Peak to Average Ratio(NTNV)(Subtest:105, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.106. LTE Peak to Average Ratio(NTNV)(Subtest:106, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)




1.107. LTE Peak to Average Ratio(NTNV)(Subtest:107, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)




1.108. LTE Peak to Average Ratio(NTNV)(Subtest:108, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)




1.109. LTE Peak to Average Ratio(NTNV)(Subtest:109, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)




1.110. LTE Peak to Average Ratio(NTNV)(Subtest:110, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)



1.111. LTE Peak to Average Ratio(NTNV)(Subtest:111, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.112. LTE Peak to Average Ratio(NTNV)(Subtest:112, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.113. LTE Peak to Average Ratio(NTNV)(Subtest:113, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.09	13	Pass




1.114. LTE Peak to Average Ratio(NTNV)(Subtest:114, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)




1.115. LTE Peak to Average Ratio(NTNV)(Subtest:115, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	4.53	13	Pass



1.116. LTE Peak to Average Ratio(NTNV)(Subtest:116, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)




1.117. LTE Peak to Average Ratio(NTNV)(Subtest:117, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.118. LTE Peak to Average Ratio(NTNV)(Subtest:118, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	4.1	13	Pass




1.119. LTE Peak to Average Ratio(NTNV)(Subtest:119, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.120. LTE Peak to Average Ratio(NTNV)(Subtest:120, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)



1.121. LTE Peak to Average Ratio(NTNV)(Subtest:121, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)




1.122. LTE Peak to Average Ratio(NTNV)(Subtest:122, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)




1.123. LTE Peak to Average Ratio(NTNV)(Subtest:123, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.44	13	Pass




1.124. LTE Peak to Average Ratio(NTNV)(Subtest:124, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)



1.125. LTE Peak to Average Ratio(NTNV)(Subtest:125, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.126. LTE Peak to Average Ratio(NTNV)(Subtest:126, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.127. LTE Peak to Average Ratio(NTNV)(Subtest:127, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.15	13	Pass




1.128. LTE Peak to Average Ratio(NTNV)(Subtest:128, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)



1.129. LTE Peak to Average Ratio(NTNV)(Subtest:129, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)




1.130. LTE Peak to Average Ratio(NTNV)(Subtest:130, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




1.131. LTE Peak to Average Ratio(NTNV)(Subtest:131, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	3.72	13	Pass




1.132. LTE Peak to Average Ratio(NTNV)(Subtest:132, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.133. LTE Peak to Average Ratio(NTNV)(Subtest:133, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	4.21	13	Pass



1.134. LTE Peak to Average Ratio(NTNV)(Subtest:134, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)




1.135. LTE Peak to Average Ratio(NTNV)(Subtest:135, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)




1.136. LTE Peak to Average Ratio(NTNV)(Subtest:136, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.47	13	Pass




1.137. LTE Peak to Average Ratio(NTNV)(Subtest:137, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
829	0.1	5.63	13	Pass




1.138. LTE Peak to Average Ratio(NTNV)(Subtest:138, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.139. LTE Peak to Average Ratio(NTNV)(Subtest:139, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)



1.140. LTE Peak to Average Ratio(NTNV)(Subtest:140, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.141. LTE Peak to Average Ratio(NTNV)(Subtest:141, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




1.142. LTE Peak to Average Ratio(NTNV)(Subtest:142, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.64	13	Pass




1.143. LTE Peak to Average Ratio(NTNV)(Subtest:143, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)




1.144. LTE Peak to Average Ratio(NTNV)(Subtest:144, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)



1.145. LTE Peak to Average Ratio(NTNV)(Subtest:145, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.146. LTE Peak to Average Ratio(NTNV)(Subtest:146, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.147. LTE Peak to Average Ratio(NTNV)(Subtest:147, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	3.95	13	Pass




1.148. LTE Peak to Average Ratio(NTNV)(Subtest:148, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)




1.149. LTE Peak to Average Ratio(NTNV)(Subtest:149, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)




1.150. LTE Peak to Average Ratio(NTNV)(Subtest:150, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)




1.151. LTE Peak to Average Ratio(NTNV)(Subtest:151, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)




1.152. LTE Peak to Average Ratio(NTNV)(Subtest:152, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.153. LTE Peak to Average Ratio(NTNV)(Subtest:153, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)



1.154. LTE Peak to Average Ratio(NTNV)(Subtest:154, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.155. LTE Peak to Average Ratio(NTNV)(Subtest:155, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




1.156. LTE Peak to Average Ratio(NTNV)(Subtest:156, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4.64	13	Pass



1.157. LTE Peak to Average Ratio(NTNV)(Subtest:157, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)




1.158. LTE Peak to Average Ratio(NTNV)(Subtest:158, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




1.159. LTE Peak to Average Ratio(NTNV)(Subtest:159, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	3.93	13	Pass




1.160. LTE Peak to Average Ratio(NTNV)(Subtest:160, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4	13	Pass



1.161. LTE Peak to Average Ratio(NTNV)(Subtest:161, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.162. LTE Peak to Average Ratio(NTNV)(Subtest:162, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)




1.163. LTE Peak to Average Ratio(NTNV)(Subtest:163, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.51	13	Pass




1.164. LTE Peak to Average Ratio(NTNV)(Subtest:164, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	5.48	13	Pass




1.165. LTE Peak to Average Ratio(NTNV)(Subtest:165, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)




1.166. LTE Peak to Average Ratio(NTNV)(Subtest:166, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4.73	13	Pass




1.167. LTE Peak to Average Ratio(NTNV)(Subtest:167, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
844	0.1	4.79	13	Pass



1.168. LTE Peak to Average Ratio(NTNV)(Subtest:168, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)



END