


Annex B. LTE Peak to Average Ratio


1. LTE_Band2

1.1. LTE Peak to Average Ratio(NTNV)(Subtest:1, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.15	13	Pass




1.2. LTE Peak to Average Ratio(NTNV)(Subtest:2, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.3. LTE Peak to Average Ratio(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.06	13	Pass




1.4. LTE Peak to Average Ratio(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.17	13	Pass




1.5. LTE Peak to Average Ratio(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.07	13	Pass




1.6. LTE Peak to Average Ratio(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.21	13	Pass




1.7. LTE Peak to Average Ratio(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.95	13	Pass




1.8. LTE Peak to Average Ratio(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.29	13	Pass




1.9. LTE Peak to Average Ratio(NTNV)(Subtest:9, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.05	13	Pass




1.10. LTE Peak to Average Ratio(NTNV)(Subtest:10, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.15	13	Pass




1.11. LTE Peak to Average Ratio(NTNV)(Subtest:11, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.97	13	Pass




1.12. LTE Peak to Average Ratio(NTNV)(Subtest:12, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.92	13	Pass




1.13. LTE Peak to Average Ratio(NTNV)(Subtest:13, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 3, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.91	13	Pass




1.14. LTE Peak to Average Ratio(NTNV)(Subtest:14, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number: 6, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.87	13	Pass




1.15. LTE Peak to Average Ratio(NTNV)(Subtest:15, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.06	13	Pass




1.16. LTE Peak to Average Ratio(NTNV)(Subtest:16, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.93	13	Pass




1.17. LTE Peak to Average Ratio(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.03	13	Pass




1.18. LTE Peak to Average Ratio(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.68	13	Pass




1.19. LTE Peak to Average Ratio(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.73	13	Pass




1.20. LTE Peak to Average Ratio(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.66	13	Pass




1.21. LTE Peak to Average Ratio(NTNV)(Subtest:21, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.89	13	Pass




1.22. LTE Peak to Average Ratio(NTNV)(Subtest:22, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5	13	Pass




1.23. LTE Peak to Average Ratio(NTNV)(Subtest:23, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.84	13	Pass




1.24. LTE Peak to Average Ratio(NTNV)(Subtest:24, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.85	13	Pass




1.25. LTE Peak to Average Ratio(NTNV)(Subtest:25, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.65	13	Pass




1.26. LTE Peak to Average Ratio(NTNV)(Subtest:26, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.69	13	Pass




1.27. LTE Peak to Average Ratio(NTNV)(Subtest:27, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 8, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.65	13	Pass




1.28. LTE Peak to Average Ratio(NTNV)(Subtest:28, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number: 15, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.93	13	Pass




1.29. LTE Peak to Average Ratio(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.33	13	Pass




1.30. LTE Peak to Average Ratio(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.31. LTE Peak to Average Ratio(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.2	13	Pass




1.32. LTE Peak to Average Ratio(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.65	13	Pass




1.33. LTE Peak to Average Ratio(NTNV)(Subtest:33, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.61	13	Pass




1.34. LTE Peak to Average Ratio(NTNV)(Subtest:34, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.57	13	Pass




1.35. LTE Peak to Average Ratio(NTNV)(Subtest:35, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.81	13	Pass




1.36. LTE Peak to Average Ratio(NTNV)(Subtest:36, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.12	13	Pass




1.37. LTE Peak to Average Ratio(NTNV)(Subtest:37, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.08	13	Pass




1.38. LTE Peak to Average Ratio(NTNV)(Subtest:38, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.92	13	Pass




1.39. LTE Peak to Average Ratio(NTNV)(Subtest:39, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.66	13	Pass




1.40. LTE Peak to Average Ratio(NTNV)(Subtest:40, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.61	13	Pass




1.41. LTE Peak to Average Ratio(NTNV)(Subtest:41, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.63	13	Pass




1.42. LTE Peak to Average Ratio(NTNV)(Subtest:42, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.74	13	Pass




1.43. LTE Peak to Average Ratio(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.28	13	Pass




1.44. LTE Peak to Average Ratio(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.85	13	Pass




1.45. LTE Peak to Average Ratio(NTNV)(Subtest:45, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.8	13	Pass




1.46. LTE Peak to Average Ratio(NTNV)(Subtest:46, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.67	13	Pass




1.47. LTE Peak to Average Ratio(NTNV)(Subtest:47, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.57	13	Pass




1.48. LTE Peak to Average Ratio(NTNV)(Subtest:48, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.64	13	Pass




1.49. LTE Peak to Average Ratio(NTNV)(Subtest:49, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.86	13	Pass




1.50. LTE Peak to Average Ratio(NTNV)(Subtest:50, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.89	13	Pass




1.51. LTE Peak to Average Ratio(NTNV)(Subtest:51, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.65	13	Pass




1.52. LTE Peak to Average Ratio(NTNV)(Subtest:52, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.5	13	Pass




1.53. LTE Peak to Average Ratio(NTNV)(Subtest:53, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)




1.54. LTE Peak to Average Ratio(NTNV)(Subtest:54, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.53	13	Pass




1.55. LTE Peak to Average Ratio(NTNV)(Subtest:55, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.56	13	Pass




1.56. LTE Peak to Average Ratio(NTNV)(Subtest:56, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.79	13	Pass




1.57. LTE Peak to Average Ratio(NTNV)(Subtest:57, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.46	13	Pass




1.58. LTE Peak to Average Ratio(NTNV)(Subtest:58, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.1	13	Pass



1.59. LTE Peak to Average Ratio(NTNV)(Subtest:59, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.13	13	Pass




1.60. LTE Peak to Average Ratio(NTNV)(Subtest:60, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.79	13	Pass




1.61. LTE Peak to Average Ratio(NTNV)(Subtest:61, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.76	13	Pass




1.62. LTE Peak to Average Ratio(NTNV)(Subtest:62, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.97	13	Pass




1.63. LTE Peak to Average Ratio(NTNV)(Subtest:63, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.81	13	Pass




1.64. LTE Peak to Average Ratio(NTNV)(Subtest:64, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.8	13	Pass




1.65. LTE Peak to Average Ratio(NTNV)(Subtest:65, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.82	13	Pass




1.66. LTE Peak to Average Ratio(NTNV)(Subtest:66, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.66	13	Pass




1.67. LTE Peak to Average Ratio(NTNV)(Subtest:67, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.75	13	Pass




1.68. LTE Peak to Average Ratio(NTNV)(Subtest:68, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.66	13	Pass




1.69. LTE Peak to Average Ratio(NTNV)(Subtest:69, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	6.04	13	Pass




1.70. LTE Peak to Average Ratio(NTNV)(Subtest:70, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	6.03	13	Pass




1.71. LTE Peak to Average Ratio(NTNV)(Subtest:71, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.13	13	Pass




1.72. LTE Peak to Average Ratio(NTNV)(Subtest:72, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.95	13	Pass




1.73. LTE Peak to Average Ratio(NTNV)(Subtest:73, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	3.55	13	Pass




1.74. LTE Peak to Average Ratio(NTNV)(Subtest:74, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.62	13	Pass




1.75. LTE Peak to Average Ratio(NTNV)(Subtest:75, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.56	13	Pass




1.76. LTE Peak to Average Ratio(NTNV)(Subtest:76, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.59	13	Pass




1.77. LTE Peak to Average Ratio(NTNV)(Subtest:77, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.97	13	Pass




1.78. LTE Peak to Average Ratio(NTNV)(Subtest:78, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.19	13	Pass




1.79. LTE Peak to Average Ratio(NTNV)(Subtest:79, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.03	13	Pass




1.80. LTE Peak to Average Ratio(NTNV)(Subtest:80, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	4.64	13	Pass




1.81. LTE Peak to Average Ratio(NTNV)(Subtest:81, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.58	13	Pass




1.82. LTE Peak to Average Ratio(NTNV)(Subtest:82, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.48	13	Pass




1.83. LTE Peak to Average Ratio(NTNV)(Subtest:83, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.55	13	Pass



1.84. LTE Peak to Average Ratio(NTNV)(Subtest:84, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1880	0.1	5.86	13	Pass



END