




1.111. LTE Peak to Average Ratio(NTNV)(Subtest:111, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)




1.112. LTE Peak to Average Ratio(NTNV)(Subtest:112, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)



1.113. LTE Peak to Average Ratio(NTNV)(Subtest:113, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.114. LTE Peak to Average Ratio(NTNV)(Subtest:114, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.115. LTE Peak to Average Ratio(NTNV)(Subtest:115, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1752.5	0.1	3.65	13	Pass




1.116. LTE Peak to Average Ratio(NTNV)(Subtest:116, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:LOW)




1.117. LTE Peak to Average Ratio(NTNV)(Subtest:117, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1752.5	0.1	4.56	13	Pass




1.118. LTE Peak to Average Ratio(NTNV)(Subtest:118, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 12, RB Position:HIGH)




1.119. LTE Peak to Average Ratio(NTNV)(Subtest:119, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)



1.120. LTE Peak to Average Ratio(NTNV)(Subtest:120, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.121. LTE Peak to Average Ratio(NTNV)(Subtest:121, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.122. LTE Peak to Average Ratio(NTNV)(Subtest:122, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number: 1, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1752.5	0.1	4.7	13	Pass



1.123. LTE Peak to Average Ratio(NTNV)(Subtest:123, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:LOW)




1.124. LTE Peak to Average Ratio(NTNV)(Subtest:124, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:MID)




1.125. LTE Peak to Average Ratio(NTNV)(Subtest:125, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number: 12, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1752.5	0.1	5.72	13	Pass



1.126. LTE Peak to Average Ratio(NTNV)(Subtest:126, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number: 25, RB Position:LOW)




1.127. LTE Peak to Average Ratio(NTNV)(Subtest:127, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.128. LTE Peak to Average Ratio(NTNV)(Subtest:128, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	3.84	13	Pass



1.129. LTE Peak to Average Ratio(NTNV)(Subtest:129, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.130. LTE Peak to Average Ratio(NTNV)(Subtest:130, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)




1.131. LTE Peak to Average Ratio(NTNV)(Subtest:131, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	4.5	13	Pass




1.132. LTE Peak to Average Ratio(NTNV)(Subtest:132, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)



1.133. LTE Peak to Average Ratio(NTNV)(Subtest:133, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)




1.134. LTE Peak to Average Ratio(NTNV)(Subtest:134, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.135. LTE Peak to Average Ratio(NTNV)(Subtest:135, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1715	0.1	4.55	13	Pass




1.136. LTE Peak to Average Ratio(NTNV)(Subtest:136, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.137. LTE Peak to Average Ratio(NTNV)(Subtest:137, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)




1.138. LTE Peak to Average Ratio(NTNV)(Subtest:138, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)




1.139. LTE Peak to Average Ratio(NTNV)(Subtest:139, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)




1.140. LTE Peak to Average Ratio(NTNV)(Subtest:140, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)




1.141. LTE Peak to Average Ratio(NTNV)(Subtest:141, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.142. LTE Peak to Average Ratio(NTNV)(Subtest:142, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)



1.143. LTE Peak to Average Ratio(NTNV)(Subtest:143, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.144. LTE Peak to Average Ratio(NTNV)(Subtest:144, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)




1.145. LTE Peak to Average Ratio(NTNV)(Subtest:145, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	3.86	13	Pass




1.146. LTE Peak to Average Ratio(NTNV)(Subtest:146, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




1.147. LTE Peak to Average Ratio(NTNV)(Subtest:147, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)



1.148. LTE Peak to Average Ratio(NTNV)(Subtest:148, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.149. LTE Peak to Average Ratio(NTNV)(Subtest:149, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.150. LTE Peak to Average Ratio(NTNV)(Subtest:150, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.12	13	Pass




1.151. LTE Peak to Average Ratio(NTNV)(Subtest:151, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)




1.152. LTE Peak to Average Ratio(NTNV)(Subtest:152, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.81	13	Pass



1.153. LTE Peak to Average Ratio(NTNV)(Subtest:153, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)




1.154. LTE Peak to Average Ratio(NTNV)(Subtest:154, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)




1.155. LTE Peak to Average Ratio(NTNV)(Subtest:155, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	3.78	13	Pass




1.156. LTE Peak to Average Ratio(NTNV)(Subtest:156, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.157. LTE Peak to Average Ratio(NTNV)(Subtest:157, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	3.63	13	Pass




1.158. LTE Peak to Average Ratio(NTNV)(Subtest:158, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	4.63	13	Pass




1.159. LTE Peak to Average Ratio(NTNV)(Subtest:159, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	4.57	13	Pass




1.160. LTE Peak to Average Ratio(NTNV)(Subtest:160, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 25, RB Position:HIGH)




1.161. LTE Peak to Average Ratio(NTNV)(Subtest:161, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	5.05	13	Pass




1.162. LTE Peak to Average Ratio(NTNV)(Subtest:162, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.163. LTE Peak to Average Ratio(NTNV)(Subtest:163, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	4.85	13	Pass




1.164. LTE Peak to Average Ratio(NTNV)(Subtest:164, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number: 1, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1750	0.1	4.43	13	Pass




1.165. LTE Peak to Average Ratio(NTNV)(Subtest:165, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:LOW)




1.166. LTE Peak to Average Ratio(NTNV)(Subtest:166, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:MID)




1.167. LTE Peak to Average Ratio(NTNV)(Subtest:167, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number: 25, RB Position:HIGH)




1.168. LTE Peak to Average Ratio(NTNV)(Subtest:168, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number: 50, RB Position:LOW)




1.169. LTE Peak to Average Ratio(NTNV)(Subtest:169, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)



1.170. LTE Peak to Average Ratio(NTNV)(Subtest:170, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.171. LTE Peak to Average Ratio(NTNV)(Subtest:171, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.172. LTE Peak to Average Ratio(NTNV)(Subtest:172, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	4.76	13	Pass




1.173. LTE Peak to Average Ratio(NTNV)(Subtest:173, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)



1.174. LTE Peak to Average Ratio(NTNV)(Subtest:174, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)




1.175. LTE Peak to Average Ratio(NTNV)(Subtest:175, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




1.176. LTE Peak to Average Ratio(NTNV)(Subtest:176, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	4.14	13	Pass




1.177. LTE Peak to Average Ratio(NTNV)(Subtest:177, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1717.5	0.1	4.03	13	Pass




1.178. LTE Peak to Average Ratio(NTNV)(Subtest:178, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.179. LTE Peak to Average Ratio(NTNV)(Subtest:179, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:LOW)




1.180. LTE Peak to Average Ratio(NTNV)(Subtest:180, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:MID)




1.181. LTE Peak to Average Ratio(NTNV)(Subtest:181, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:HIGH)




1.182. LTE Peak to Average Ratio(NTNV)(Subtest:182, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)




1.183. LTE Peak to Average Ratio(NTNV)(Subtest:183, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)



1.184. LTE Peak to Average Ratio(NTNV)(Subtest:184, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)




1.185. LTE Peak to Average Ratio(NTNV)(Subtest:185, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.186. LTE Peak to Average Ratio(NTNV)(Subtest:186, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.33	13	Pass




1.187. LTE Peak to Average Ratio(NTNV)(Subtest:187, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.27	13	Pass




1.188. LTE Peak to Average Ratio(NTNV)(Subtest:188, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.65	13	Pass




1.189. LTE Peak to Average Ratio(NTNV)(Subtest:189, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	4.76	13	Pass




1.190. LTE Peak to Average Ratio(NTNV)(Subtest:190, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:LOW)



1.191. LTE Peak to Average Ratio(NTNV)(Subtest:191, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.192. LTE Peak to Average Ratio(NTNV)(Subtest:192, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:HIGH)




1.193. LTE Peak to Average Ratio(NTNV)(Subtest:193, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:LOW)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1732.5	0.1	5.26	13	Pass




1.194. LTE Peak to Average Ratio(NTNV)(Subtest:194, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:MID)




1.195. LTE Peak to Average Ratio(NTNV)(Subtest:195, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:HIGH)




1.196. LTE Peak to Average Ratio(NTNV)(Subtest:196, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)




1.197. LTE Peak to Average Ratio(NTNV)(Subtest:197, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.198. LTE Peak to Average Ratio(NTNV)(Subtest:198, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:MID)



1.199. LTE Peak to Average Ratio(NTNV)(Subtest:199, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)




1.200. LTE Peak to Average Ratio(NTNV)(Subtest:200, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:LOW)




1.201. LTE Peak to Average Ratio(NTNV)(Subtest:201, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:MID)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1747.5	0.1	4.75	13	Pass




1.202. LTE Peak to Average Ratio(NTNV)(Subtest:202, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 36, RB Position:HIGH)




1.203. LTE Peak to Average Ratio(NTNV)(Subtest:203, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)




1.204. LTE Peak to Average Ratio(NTNV)(Subtest:204, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:LOW)




1.205. LTE Peak to Average Ratio(NTNV)(Subtest:205, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:MID)




1.206. LTE Peak to Average Ratio(NTNV)(Subtest:206, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number: 1, RB Position:HIGH)



1.207. LTE Peak to Average Ratio(NTNV)(Subtest:207, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:LOW)




1.208. LTE Peak to Average Ratio(NTNV)(Subtest:208, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:MID)




1.209. LTE Peak to Average Ratio(NTNV)(Subtest:209, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number: 36, RB Position:HIGH)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1747.5	0.1	5.8	13	Pass



1.210. LTE Peak to Average Ratio(NTNV)(Subtest:210, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number: 75, RB Position:LOW)




1.211. LTE Peak to Average Ratio(NTNV)(Subtest:211, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




1.212. LTE Peak to Average Ratio(NTNV)(Subtest:212, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	3.29	13	Pass




1.213. LTE Peak to Average Ratio(NTNV)(Subtest:213, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	2.78	13	Pass




1.214. LTE Peak to Average Ratio(NTNV)(Subtest:214, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.6	13	Pass




1.215. LTE Peak to Average Ratio(NTNV)(Subtest:215, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:MID)




1.216. LTE Peak to Average Ratio(NTNV)(Subtest:216, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.25	13	Pass




1.217. LTE Peak to Average Ratio(NTNV)(Subtest:217, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.82	13	Pass




1.218. LTE Peak to Average Ratio(NTNV)(Subtest:218, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:LOW)



1.219. LTE Peak to Average Ratio(NTNV)(Subtest:219, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:MID)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.45	13	Pass



1.220. LTE Peak to Average Ratio(NTNV)(Subtest:220, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number: 1, RB Position:HIGH)

