

Report No.: SEWM2312000527RG05

Rev.: 01 Page: 1 of 23

## **TEST REPORT**

Application No.: SEWM2312000527RG

Applicant: HONG KONG UCLOUDLINK NETWORK TECHNOLOGY LIMITED

Address of Applicant: Suite 603, 6/F, Laws Commercial Plaza, 788 Cheung Sha Wan Road,

Kowloon, Hong Kong

Manufacturer: HONG KONG UCLOUDLINK NETWORK TECHNOLOGY LIMITED

Address of Manufacturer: Suite 603, 6/F, Laws Commercial Plaza, 788 Cheung Sha Wan Road,

Kowloon, Hong Kong

**EUT Description:** Revolutionary Intelligent KeyChain

Model No.: GLMT23A01

Trade Mark: GlocalMe

**FCC ID:** 2AC88-GLMT23A01

Standard(s): FCC 47 CFR Part 15, Subpart B


**Date of Receipt:** 2023/12/22

**Date of Test:** 2023/12/28 to 2023/12/29

**Date of Issue:** 2024/01/09

Test Result: Pass\*

Authorized Signature:



Well Wei

Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.spx.and">http://www.sgs.com/en/Terms-and-Conditions.spx.and</a>, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a><a href="http://www.sgs.com/en/Terms-and-Con

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Alangsu) Plot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 2 of 23

Revision Record								
Version	Chapter	Date	Modifier	Remark				
01		2024/01/09		Original				

Prepared By	(King-p Li) / Test Engineer
Checked By	(Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

sgs.china@sgs.com



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 3 of 23

### **Test Summary**

Emission Part									
Item Standard Method Requirement Re									
Conducted Emissions at Mains Terminals (150kHz-30MHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					
Radiated Emissions (30MHz-1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					
Radiated Emissions (above 1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM\_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 4 of 23

Remark for report SEWM2312000527RG05 issue on 2024/01/09:

This test report (Report No.: SEWM2312000527RG05 issue on 2024/01/09) is based on the original test report (Report No.: XEWM2305000213RG05 issued by SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. on 2023/06/20).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report Conducted Emissions at Mains Terminals (150kHz-30MHz), Radiated Emissions (30MHz-1GHz) and Radiated Emissions (above 1GHz) were performed based on the worst case of the original report with report number XEWM2305000213RG05 issued by SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. on 2023/06/20 and other test data please refer to the test report with report number XEWM2305000213RG05 issued by SGS-CSTC Standards Technical Services (Xi'an) Co., Ltd. on 2023/06/20.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443.



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 5 of 23

### **Contents**

1	Ger	eral Information	6
	1.1 1.2 1.3 1.4 1.5	Description of Support Units Test Location Test Facility Deviation from Standards Abnormalities from Standard Conditions	7 7 7
2	Emi	ssion Test Results	8
	2.1.	Conducted Emissions at Mains Terminals (150kHz-30MHz)	8
		2 Test Setup Procedures	
		3 Measurement Data	
	2.2	Radiated Emissions (30MHz-1GHz)	
		1 E.U.T. Operation	
		2 Test Setup Procedures	
		3 Measurement Data	
		Radiated Emissions (above 1GHz)	
		1 E.U.T. Operation	
		2 Test Setup Procedures	
	2.3.	3 Measurement Data	17
3	Equ	ipment List	20
4	Mea	asurement Uncertainty	22
5	Pho	tographs	23
	5 1	Test Setup	23
	O. I	1 00t 00tup	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one one excenter parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CAI. Doccheck@sgs.com

South of No.6 Plant, No.1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 6299298



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 6 of 23

### 1 General Information

EUT Description:	Revolutionary Intelligent I	KeyChain					
Model No.:	GLMT23A01						
Trade Mark:	GlocalMe	GlocalMe P020_V3 T10_HTSV1.0.001.002.230601 353682680143623  Band Tx (MHz) Rx (MHz) LTE Band 2 1850~1910 1930~1990 LTE Band 5 824~849 869~894 LTE Band 12 699~716 729~746 LTE Band 13 777~787 746~756 LTE Band 17 704~716 734~746 LTE Band 25 1850~1915 1930~1995 LTE Band 26 (814 to 824 MHz) LTE Band 26					
Hardware Version:	P020_V3						
Software Version:	T10_HTSV1.0.001.002.2						
IMEI:	353682680143623						
	Band	Tx (MHz)	Rx (MHz)				
	LTE Band 2	1850~1910	1930~1990				
	LTE Band 5	824~849	869~894				
	LTE Band 12	699~716	729~746				
	LTE Band 13	777~787	746~756				
	LTE Band 17	704~716	734~746				
	LTE Band 25	1850~1915	1930~1995				
Frequency Bands:		814~824	859~869				
	LTE Band 26 (824 to 849 MHz)	824~849	869~894				
	Wi-Fi 2.4G	2412~2462	2412~2462				
	Bluetooth	2402~2480	2402~2480				
	GNSS (BDS B1I+ GLONASS G1+ GPS L1C/A)	1	1559~1610				

#### Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SEWM2312000527RG05

Rev.: 7 of 23 Page:

#### 1.1 Description of Support Units

Equipment	Manufacturer	Model No.	Inventory No.		
Adapter	Huawei	HW-050200C02	SUWI-03-33-06		

#### 1.2 Test Location

All tests were performed at:

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	King-p Li

### 1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### • FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327

#### 1.4 Deviation from Standards

None

#### 1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 8 of 23

### 2 Emission Test Results

#### 2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement:	47 CFR Part 15, Subpart B	7 CFR Part 15, Subpart B						
Test Method:	ANSI C63.4:2014	NSI C63.4:2014						
Frequency Range:	150kHz to 30MHz	50kHz to 30MHz						
Receiver Setup:	RBW = 9kHz, VBW = 30kHz	BW = 9kHz, VBW = 30kHz						
	Fragues ou Bongo (MIII)	Limit(dBµV)						
	Frequency Range (MHz)	Quasi-peak	average					
	0.15M-0.5MHz	66 ~ 56*	56 ~ 46*					
Limit:	0.5M-5MHz	56	46					
	5M-30MHz	60	50					
	*Decreases with the logarithm of the frequency							
	Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz							

#### 2.1.1 E.U.T. Operation

#### Operating Environment:

operating Environment.						
Temperature:	22~23°C					
Humidity:	44~46%RH					
Atmospheric Pressure:	101.0 kPa					
Pretest these modes to find the worst case:	a: adapter+USB Cable+BT(Idle)+2.4GWLAN(Idle)+LTE Band 13(Idle) Mid+GPS(RX)					
The worst case for final test:	a: adapter+USB Cable+BT(Idle)+2.4GWLAN(Idle)+LTE Band 13(Idle) Mid+GPS(RX)					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com




Report No.: SEWM2312000527RG05

Rev.: 01 Page: 9 of 23

#### 2.1.2 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



#### 2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 10 of 23

#### Test on the worst case:



Data	Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2175	11.78	33.40	45.18	62.91	17.73	12.41	24.19	52.91	28.72	PASS
2	0.3210	11.55	24.13	35.68	59.68	24.00	4.81	16.36	49.68	33.32	PASS
3	0.6315	11.48	18.67	30.15	56.00	25.85	3.89	15.37	46.00	30.63	PASS
4	1.9185	11.54	3.98	15.52	56.00	40.48	-5.86	5.68	46.00	40.32	PASS
5	5.3520	11.63	3.68	15.31	60.00	44.69	-2.60	9.03	50.00	40.97	PASS
6	13.2855	11.81	3.19	15.00	60.00	45.00	-8.00	3.81	50.00	46.19	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB $\mu$ V] Value[dB $\mu$ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 11 of 23



Data	Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.2175	11.78	33.33	45.11	62.91	17.80	16.36	28.14	52.91	24.77	PASS
2	0.4425	11.53	31.67	43.20	57.01	13.81	24.59	36.12	47.01	10.89	PASS
3	0.6450	11.48	19.77	31.25	56.00	24.75	11.39	22.87	46.00	23.13	PASS
4	0.8835	11.47	18.80	30.27	56.00	25.73	12.95	24.42	46.00	21.58	PASS
5	1.6890	11.52	15.29	26.81	56.00	29.19	8.51	20.03	46.00	25.97	PASS
6	3.8085	11.57	10.18	21.75	56.00	34.25	4.13	15.70	46.00	30.30	PASS

#### Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dBµV] Value[dBµV]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 12 of 23

#### 2.2 Radiated Emissions (30MHz-1GHz)

	,						
Test Requirement:	47 CFR Part 15, Subpart B						
Test Method:	ANSI C63.4:2014						
Frequency Range:	30MHz to 1GHz						
Measurement Distance:	3m	3m					
	Frequency Range (MHz)	Limit(dBµV/m)	Detector				
	30MHz -88MHz	40.0	Quasi-peak				
Limit:	88MHz-216MHz	43.5	Quasi-peak				
	216MHz-960MHz	46.0	Quasi-peak				
	960MHz-1000MHz 54.0 Quasi-peak						
Detector:	Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz						

#### 2.2.1 E.U.T. Operation

Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0 kPa
Pretest these modes to find the worst case:	a: adapter+USB Cable+BT(Idle)+2.4GWLAN(Idle)+LTE Band 5(Idle) Mid+GPS(RX)
The worst case for final test:	a: adapter+USB Cable+BT(Idle)+2.4GWLAN(Idle)+LTE Band 5(Idle) Mid+GPS(RX)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SEWM2312000527RG05

Rev.: Page: 13 of 23

#### 2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



#### 2.2.3 **Measurement Data**

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a> subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Document-gray-Attention">http://www.sgs.com/en/Terms-en-Document-gray-Attention</a> is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced printly without prior written approved of the Company. Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) test explication as well as a content or results shown in this test report refer only to the sample(s) test explication of the company is a property of the company of the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


sgs.china@sgs.com



Report No.: SEWM2312000527RG05

Rev.: 01 14 of 23 Page:

#### Test on the worst case:



Data L	Data List							
NO.	Frequency	Reading	AF	Factor	QP Value	QP Limit	QP Margin	Polarity
	[MHz]	[dBµV]	[dB/m]	[dB]	[dBµV/m]	[dBµV/m]	[dB]	,
1	30.97	36.58	18.02	-34.01	20.59	40.00	19.41	Horizontal
2	35.0925	34.68	18.52	-34.00	19.20	40.00	20.80	Horizontal
3	44.065	30.01	19.50	-33.99	15.52	40.00	24.48	Horizontal
4	58.13	29.86	18.87	-33.88	14.85	40.00	25.15	Horizontal
5	175.5	30.05	16.91	-32.91	14.05	43.50	29.45	Horizontal
6	219.635	36.85	16.28	-32.58	20.55	46.00	25.45	Horizontal
7*	880.205	61.04	29.62	-29.38	61.28	-	-	Horizontal

#### Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB $\mu$ V/m] –Value[dB $\mu$ V/m]

Note\*: #7 30M-1G is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

sgs.china@sgs.com



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 15 of 23



Data Li	Data List							
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity
1	30.97	42.01	18.02	-34.01	26.02	40.00	13.98	Vertical
2	34.85	46.35	18.48	-34.00	30.83	40.00	9.17	Vertical
3	35.5775	46.85	18.64	-34.00	31.49	40.00	8.51	Vertical
4	44.065	38.96	19.50	-33.99	24.47	40.00	15.53	Vertical
5	55.22	41.21	18.99	-33.92	26.28	40.00	13.72	Vertical
6	98.87	37.58	15.41	-33.49	19.50	43.50	24.00	Vertical
7*	877.295	58.55	29.58	-29.40	58.73	-	-	Vertical

#### Remark:

- 1. The Quasi-Peak measurements were performed on the EUT.
- 2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB $\mu$ V/m] –Value[dB $\mu$ V/m]

Note\*: #7 30M-1G is system simulator signal which can be ignored.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 629



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 16 of 23

#### 2.3 Radiated Emissions (above 1GHz)

Test Requirement:	47 CFR Part 15, Sub	47 CFR Part 15, Subpart B				
Test Method:	ANSI C63.4:2014					
Frequency Range:	Above 1GHz					
Measurement Distance:	3m					
	Frequency (MHz)	Limit (dBµV/m)	Detector			
Limit:	AL 4011	74	Peak			
	Above 1GHz 54 Average					
Detector:	Peak for pre-scan (1000kHz resolution bandwidth) 5th harmonic of the highest frequency or 40GHz, whichever is lower.					

#### 2.3.1 E.U.T. Operation

<u> </u>	
Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0 kPa
Pretest these modes to find the worst case:	a: adapter+USB Cable+BT(Idle)+2.4GWLAN(Idle)+LTE Band 5(Idle) Mid+GPS(RX)
The worst case for final test:	a: adapter+USB Cable+BT(Idle)+2.4GWLAN(Idle)+LTE Band 5(Idle) Mid+GPS(RX)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–512) 62992980 215000 t (86–512) 62992980




Report No.: SEWM2312000527RG05

Rev.: 17 of 23 Page:

#### 2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. At a measurement distance of 1 meter the limit line was increased by 20\*LOG(3/1) = 9.54 dB.



#### 2.3.3 **Measurement Data**

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X, Y, Z were measured by EUT, but only the worst data had been displayed. Scan from 5th harmonic of the highest frequency or 40GHz, whichever is lower, the disturbance above 18GHz was very low. The points marked on below plots are the highest emissions could be found when testing, so only below points had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a> subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Document-gray-Attention">http://www.sgs.com/en/Terms-en-Document-gray-Attention</a> is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced printly without prior written approved of the Company. Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) test explication as well as a content or results shown in this test report refer only to the sample(s) test explication of the company is a property of the company of the sample(s) are retained for 30 days only. results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 18 of 23

#### Test on the worst case:



Data L	Data List							
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	1466.65	49.94	24.93	-47.15	27.72	74.00	46.28	Horizontal
2*	2430.55	77.19	27.25	-45.17	59.26	1	1	Horizontal
3	3632.025	46.67	30.05	-43.22	33.50	74.00	40.50	Horizontal
4	5876.025	45.78	34.38	-40.10	40.06	74.00	33.94	Horizontal

#### Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB $\mu$ V/m] - Level[dB $\mu$ V/m]

Note\*: #2 1G-18G is RF signal which come from Wi-Fi access point used to connect the EUT, and which can be ignored



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 19 of 23



Data Li	Data List							
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	1469.625	49.99	24.93	-47.14	27.77	74.00	46.23	Vertical
2*	2431.825	83.66	27.25	-45.17	65.74	-	-	Vertical
3	3325.175	47.80	29.57	-43.55	33.81	74.00	40.19	Vertical
4	6199.025	46.31	35.20	-39.78	41.73	74.00	32.27	Vertical

#### Remark:

- 1. The Peak and Average measurements were performed on the EUT.
- 2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB $\mu$ V/m] – Level[dB $\mu$ V/m]

Note\*: #2 1G-18G is RF signal which come from Wi-Fi access point used to connect the EUT, and which can be ignored



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 20 of 23

### 3 Equipment List

Conduction Test Equipment								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)			
Test receiver	ROHDE &SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07			
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-26-01	2023/09/13	2024/09/12			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06			
Artificial network	ROHDE &SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07			
Artificial network	ROHDE &SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07			
Measurement Software	Tonscend	JS32-CE 4.0.0.2	SUWI-02-09-05	NCR	NCR			

Remark: NCR=No Calibration Requirement.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 21 of 23

	RSE Test System							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)			
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07			
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2023/02/07	2024/02/06			
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-07	2023/11/21	2024/11/20			
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2023/05/13	2024/05/12			
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2023/05/13	2024/05/12			
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2023/02/06	2024/02/05			
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2023/02/06	2024/02/05			
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2023/02/08	2024/02/07			
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-26-01	2023/09/13	2024/09/12			
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR			

Remark: NCR=No Calibration Requirement.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

(86–512) 62992980 www.sgsgroup.com. (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2312000527RG05

Rev.: 01 Page: 22 of 23

### 4 Measurement Uncertainty

No.	Item	Measurement Uncertainty		
1	Conduction Emission	± 2.9dB (150kHz to 30MHz)		
2	Dodistad Emission	± 4.8dB (30M -1GHz)		
2	Radiated Emission	± 4.8dB (1GHz to 18GHz)		

#### Remark:

The U<sub>lab</sub> (lab Uncertainty) is less than U<sub>cispr/ETSI</sub> (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.ags.com/en/Terms-and-Conditions.apsx">http://www.ags.com/en/Terms-and-Conditions.apsx</a> and, for electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx">http://www.ags.com/en/Terms-and-Conditions/Terms-a-Document.apsx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention\*\*: To check the authenticity of testing inspection reports certificate please contact us at telephone (86-755) 83071443.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 ww t (86–512) 62992980 sg



Report No.: SEWM2312000527RG05

Rev.:

Page: 23 of 23

#### **Photographs** 5

#### 5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@ss.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

sgs.china@sgs.com