AIRYZONE

mobile BEACON

MANUAL

簡易手冊

M B F X 1 4 - B S C 0 1 MBFX14-SMP01 MBFX14-FUL01

INSTRUCTION

HARDWARE

H/W SPEC.

LED Color: Green

Buzzer: Mono

Battery: CR2032

Hygrothermograph Sensor

Temperature Correction: 25°C

Test Temperature Range: 0~40°C Temperature Resolution: 14bit

Humidity: 0~100%

Error of Humidity: ± 4% RH (max), 0-80% RH

Humidity Resolution: 12bit

UV Sensor Range: 0~11+

H/W SPEC.

LED 顏色: 綠

蜂鳴器:單音

電池: CR2032 溫濕度咸應器

極深及感感器 校正溫度:25℃

測試溫度範圍: 0~40℃

溫度解析度: 14bit

濕度範圍:0~100%

濕度誤差:± 4% RH (max), 0-80% RH

濕度解析度: 12bit

紫外線感應器 節圍: 0~11+

APP INSTRUCTION



START YOUR APP 開啓您的應用程式




SHOW YOU HOW TO ACTIVATE 如何啟用您的設備



ADD NEW MOBILE BEACON 新增設備



DEVICE STATUS / INFORMATION 設備連線狀態及資訊



FUNCTION STATUS 相關功能資訊



SETING THE DEVICE IS LOST 設定物件遺失





RECEIVE THE NOTIFICATION WHEN OTHERS ARE WILLING TO HELP

接收他人協助尋獲失物的通知訊息


INSTRUCTION

HELP OTHERS






READ LOST DEVICE INFORMATION 他人失物資訊



CHOOSE HOW DO YOU WANT TO HELP 選擇協助方式



SEND MESSAGE TO THE OWNER 輸入訊息通知失主

FCC Statement:

undesired operation.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause