

Report No.: SZEM191102033604 Page: 1 of 10

RF Exposure Evaluation Report

Application No.:	SZEM1911020336CR
Applicant:	Clare Controls
Address of Applicant:	7519 Pennsylvania Av Suite 104, Sarasota, Florida, 34243, United States
Manufacturer:	Clare Controls
Address of Manufacturer:	7519 Pennsylvania Av Suite 104, Sarasota, Florida, 34243, United States
Factory:	SYBER SENSE IOT COMPANY LIMITED
Address of Factory:	3/F, Building A, Hanhaida High-tech Park, Datian Yang C District, Shiwei
	Community, Matian Street, Guangming New District, Shenzhen, China.
Equipment Under Test (EUT):	
EUT Name:	Wireless Security and Smart Home Panel
Model No.:	CLR-C1-PNL1
Trade Mark:	ClareOne
FCC ID:	2AC9I-C1-PNL1
	47 CFR Part 1.1307
Standards:	47 CFR Part 1.1310
	47 CFR Part 2.1091
Date of Receipt:	2019-11-19
Date of Test:	2019-11-19 to 2019-11-26
Date of Issue:	2019-11-27
Test Result:	PASS*

* In the configuration tested, the EUT complied with the standards specified above.

Keny. XN

Keny Xu EMC Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditis/Terms-end-Cond

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国 · 深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

(86–755) 26710594 www.sgsgroup.com.cn (86–755) 26710594 sgs.china@sgs.com



Report No.: SZEM191102033604 Page: 2 of 10

2 Version

Revision Record							
Version	Chapter	Date	Modifier	Remark			
01		2019-11-27		Original			

Authorized for issue by:		
	1 trong Ulu	
	Harry Wu /Project Engineer	-
	Evic Fu	
	Eric Fu /Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this ter report refer only to the sample(s) test and sub-apriles is dot sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: (80-755) 83071443, or em

or email: <u>CN_Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.com



Report No.: SZEM191102033604 Page: 3 of 10

Dana

3 Contents

1	COVER PAGE	1
2	VERSION	2
3	CONTENTS	
4	GENERAL DESCRIPTION OF EUT	4
	4.1 TEST LOCATION	6
	4.2 TEST FACILITY	6
	4.3 DEVIATION FROM STANDARDS	6
	4.4 ABNORMALITIES FROM STANDARD CONDITIONS	6
	4.5 OTHER INFORMATION REQUESTED BY THE CUSTOMER	6
5	RF EXPOSURE EVALUATION	7
	5.1 RF Exposure Compliance Requirement	7
	5.1.1 Limits	7
	5.1.2 Test Procedure	7
	5.1.3 EUT RF Exposure Evaluation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excore a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) iser testing of 30 days on). Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: (80-755) 83071443, or email: (80-755)

or email: <u>CN_Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.com



Report No.: SZEM191102033604 Page: 4 of 10

4 General Description of EUT

Power supply:	Rechargeable Battery: DC3.8V, 19.76Wh Or AC/DC Adapter, Model: SW-120250 Input: AC100-240V, 50/60Hz, 0.68A Max. Output: DC 12.0V, 2.5A			
Cable:	DC Cable: 180cm, Unshielded			
For 433.95MHz:				
Operation Frequency:	433.95MHz			
Modulation Type:	ASK			
Number of Channels:	1			
Antenna Type:	Integral Antenna			
Antenna Gain:	-0.93dBi			
For 908.4MHz:				
Operation Frequency:	908.4MHz			
Modulation Type:	ASK			
Number of Channels:	1			
Antenna Type:	Integral Antenna			
Antenna Gain:	0.67dBi			
For Bluetooth:				
Operation Frequency:	2402MHz to 2480MHz			
Bluetooth Version:	V4.2			
Spectrum Spread	Frequency Hopping Spread Spectrum(FHSS)			
Technology:				
Modulation Type:	GFSK, π/4DQPSK, 8DPSK			
Number of Channels:	79			
Channel Spacing:	1MHz			
Antenna Type:	Integral Antenna			
Antenna Gain:	1.42dBi			
For BLE:				
Bluetooth Version:	V4.2			
Operation Frequency	2402MHz to 2480MHz			
Channel Spacing	2MHz			
Modulation Type	GFSK			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/Te

or email: <u>CN_Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com



Report No.: SZEM191102033604 Page: 5 of 10

Number of Channels	40
Antenna Gain	1 42dBi
Antonna Gam	
For 2.4G wifi:	
Channel Spacing	5MHz
Modulation Type	802.11b: DSSS (CCK. DQPSK. DBPSK)
	802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)
Number of Channels	802.11b/g/n(HT20):11
	802.11n(HT40):7
Operation Frequency	802.11b/g/n(HT20): 2412MHz to 2462MHz
	802.11n(HT40): 2422MHz to 2452MHz
Antenna Gain	1.42dBi
Antenna Type	Integral Antenna
For 5G Wifi:	
Operation Frequency:	Band I: 5150-5250MHz
	Band IV: 5725-5850MHz
Modulation Type:	CCK,DQPSK,DBPSK for 802.11a
	64-QAM,16-QAM,QPSK,BPSK for 802.11n
	256-QAM, 64-QAM,16-QAM,QPSK,BPSK for 802.11ac
Channel Bandwidth:	802.11a:20MHz
	802.11n:40MHz
	802.11ac:80MHz
Antenna Gain:	1.17dBi
Antenna Type:	Integral Antenna
For 4G LTE:	
LTE Operation	LTE EDD Bond 4, 12
Frequency Band:	LIE FDD Band 4, 13
Modulation Type:	QPSK, 16QAM
LTE Category:	1
Francisco Desere	LTE Band 4: Tx:1710-1755MHz, Rx:2110-2155MHz
Frequency Range	LTE Band 13: Tx:777-787MHz, Rx:746-756MHz
Antenna Type:	Integral Antenna
Antenna Gain:	Band 4: 1.25dBi, Band 13: 0.38dBi



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-end-Conditions/T

or email: <u>CN_Doccheck@sgs.com</u> No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.com



Report No.: SZEM191102033604 Page: 6 of 10

4.1 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

FCC – Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.

4.3 Deviation from Standards

None.

4.4 Abnormalities from Standard Conditions

None.

4.5 Other Information Requested by the Customer

None.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoncerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) itested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Deccheck@gs.com

No.1 Workshop, M-10, Midde Section, Science & Technology Park, Shenzhen, China 518057
t (86-755) 26012053 f (86-755) 26710594



Report No.: SZEM191102033604 Page: 7 of 10

RF Exposure Evaluation 5

RF Exposure Compliance Requirement 5.1

5.1.1 Limits

According to FCC Part1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in part1.1307(b) TABLE 1—LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)					
(A) Limits for Occupational/Controlled Exposures									
0.3–3.0 3.0–30	614 1842/f	1.63 4.89/f	*(100) *(900/f²)	6					
300–1500 1500–100,000	f/300 5	6							
(B) Limits for General Population/Uncontrolled Exposure									

0.3–1.34	614	1.63	*(100)	30
1.34–30	824/f	2.19/f	*(180/f ²)	30
30–300	27.5	0.073	0.2	30
300–1500			f/1500	30
1500–100,000			1.0	30

F= Frequency in MHz

Friis Formula

Friis transmission formula: $Pd = (Pout^{*}G)/(4^{*} Pi^{*} R^{2})$

Where

Pd = power density in mW/cm2

Pout = output power to antenna in mW

G = gain of antenna in linear scale

Pi = 3.1416

R = distance between observation point and center of the radiator in cm

中国・深圳・科技园中区M-10栋一号厂房

Pd id the limit of MPE, 1 mW/cm2. If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.

5.1.2 Test Procedure

Software provided by client enabled the EUT to transmit and receive data at lowest, middle and highest channel individually.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 Member of the SGS Group (SGS SA)

sgs.china@sgs.com



Report No.: SZEM191102033604 Page: 8 of 10

5.1.3 EUT RF Exposure Evaluation

For Bluetooth

Output Power Into Antenna & RF Exposure Evaluation Distance:

Frequency (MHz)	Max Conducted Output Power (including tune-up tolerance) (dBm)	Output Power to Antenna(mW)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Result
2441MHz	6.53	4.50	0.001	1.0	PASS

Note: Refer to Report: NTC1710203FV00.

The distancer (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement.

For 2.4G WiFi

Output Power Into Antenna & RF Exposure Evaluation Distance:

Frequency (MHz)	Max Conducted Output Power (including tune-up tolerance) (dBm)	Output Power to Antenna (mW)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Result
2412MHz	21.87	153.82	0.031	1.0	PASS

Note: Refer to Report: NTC1712035FV00.

The distancer (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement.

For 5G WiFi

Output Power Into Antenna & RF Exposure Evaluation Distance:

Frequency (MHz)	Max Conducted Output Power (including tune-up tolerance) (dBm)	Output Power to Antenna (mW)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Result
5240MHz	19.80	95.50	0.019	1.0	PASS

Note: Refer to Report: TCT171018E032.

The distancer (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: (80-755) 83071443, or e

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM191102033604 Page: 9 of 10

For 4G LTE

Output Power Into Antenna & RF Exposure Evaluation Distance:

Test mode	Frequency (MHz)	Declared Max Average Output Power (dBm)	Output Power to Antenna (mW)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Result
Band 4	1754.3	23.39	218.27	0.043	1.0	PASS
Band 13	782.0	23.33	218.28	0.043	0.52	PASS

Note: Refer to Report: R1806A0295-R2.

The distancer (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement.

For 433.95MHz

Output Power Into Antenna & RF Exposure Evaluation Distance:

Frequency (MHz)	Max Output Power (including tune-up tolerance) (dBm)	Output Power to Antenna(mW)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Result
433.95MHz	-14.1	0.039	0.00008	0.29	PASS

Note: Refer to Report: SZEM191102033602.

The distancer (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement.

For 908.4MHz

Output Power Into Antenna & RF Exposure Evaluation Distance:

Frequency (MHz)	Max Output Power (including tune-up tolerance) (dBm)	Output Power to Antenna(mW)	Power Density at R = 20 cm (mW/cm2)	Limit (mW/cm2)	Result
908.4MHz	-17.6	0.017	0.000003	0.61	PASS

Note: Refer to Report: SZEM191102033603.

The distancer (4th column) calculated from the Fries transmission formula is far greater than 20 cm separation requirement.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) here retained for 30 days only. Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: CN.Doccheck@ass.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: SZEM191102033604 Page: 10 of 10

There are 5 Antennas in the EUT, WiFI/Bluetooth Antenna, Z Wave Antenna, 433.95MHz Antenna and two LTE antennas. Bluetooth, Wifi and LTE functions can't transmit at the same time. Bluetooth and Wifi can transmit at the same time and share the same Antenna.

1. The simultaneous transmission result between of Antennas: Bluetooth, WiFi, Z Wave and 433.95 MHz : The SAR Exclusion Threshold Level:

=CPD1 / LPD1 + CPD2 / LPD2 + CPD3 / LPD3 + CPD4 / LPD4

(CPD = Calculation power density, LPD = Limit of power density)

= (0.001/1) + (0.031/1) + (0.000003/0.61) + (0.000008/0.29) = 0.032023 < 0.29

2. The simultaneous transmission result between of Antennas: LTE, Z Wave and 433.95 MHz :

The SAR Exclusion Threshold Level:

=2 x CPD1 / LPD1 + CPD2 / LPD2 + CPD3 / LPD3

(CPD = Calculation power density, LPD = Limit of power density)

= (0.043/0.52) x2 + (0.000003/0.61) + (0.000008/0.29) = 0.165417 < 0.29

Since the source-based time-averaging conducted output power is well below the SAR low threshold level, so the EUT is considered to comply with SAR requirement without testing.

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exconerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) test repating to 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: (ND DoccheckForse.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国・深圳・科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com