


Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3681.25	96.58	-87.21	9.37	/	/	RMS	Horizontal	/
2	7362.11666	48.29	-96.23	-47.94	-40.00	7.94	RMS	Horizontal	PASS
3	11043.2666	42.79	-90.93	-48.14	-40.00	8.14	RMS	Horizontal	PASS
4	17967.0333	31.80	-81.94	-50.14	-40.00	10.14	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 48
Bandwidth:	20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3681.25	96.06	-87.21	8.85	/	/	RMS	Vertical	/
2	7362.11666	44.64	-96.23	-51.59	-40.00	11.59	RMS	Vertical	PASS
3	11042.8833	39.41	-90.92	-51.51	-40.00	11.51	RMS	Vertical	PASS
4	18000	31.88	-81.47	-49.59	-40.00	9.59	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1649.35	54.67	-114.08	-59.41	-13.00	46.41	RMS	Horizontal	PASS
2	6997.6	37.90	-97.22	-59.32	-13.00	46.32	RMS	Horizontal	PASS
3	9698.95	35.48	-91.42	-55.94	-13.00	42.94	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1649.35	51.36	-114.08	-62.72	-13.00	49.72	RMS	Vertical	PASS
2	7401.7	37.57	-96.52	-58.95	-13.00	45.95	RMS	Vertical	PASS
3	9623.8	36.53	-92.02	-55.49	-13.00	42.49	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1664.2	55.30	-114.12	-58.82	-13.00	45.82	RMS	Horizontal	PASS
2	7291.45	36.56	-96.06	-59.50	-13.00	46.50	RMS	Horizontal	PASS
3	9565.75	36.34	-92.13	-55.79	-13.00	42.79	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1664.2	53.48	-114.12	-60.64	-13.00	47.64	RMS	Vertical	PASS
2	7300.9	36.44	-95.89	-59.45	-13.00	46.45	RMS	Vertical	PASS
3	9597.7	36.06	-91.71	-55.65	-13.00	42.65	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1679.05	53.16	-114.16	-61.00	-13.00	48.00	RMS	Horizontal	PASS
2	2518.75	55.22	-111.32	-56.10	-13.00	43.10	RMS	Horizontal	PASS
3	9591.4	36.05	-91.79	-55.74	-13.00	42.74	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1679.5	49.58	-114.16	-64.58	-13.00	51.58	RMS	Vertical	PASS
2	2518.75	61.38	-111.32	-49.94	-13.00	36.94	RMS	Vertical	PASS
3	9622	36.07	-91.99	-55.92	-13.00	42.92	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1399.2	62.15	-114.31	-52.16	-13.00	39.16	RMS	Horizontal	PASS
2	7265.6	36.97	-96.59	-59.62	-13.00	46.62	RMS	Horizontal	PASS
3	8868	36.27	-92.99	-56.72	-13.00	43.72	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1399.2	55.51	-114.31	-58.80	-13.00	45.80	RMS	Vertical	PASS
2	7287.6	36.93	-96.14	-59.21	-13.00	46.21	RMS	Vertical	PASS
3	8977.2	37.13	-93.76	-56.63	-13.00	43.63	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1406	61.62	-114.33	-52.71	-13.00	39.71	RMS	Horizontal	PASS
2	7282.4	36.72	-96.25	-59.53	-13.00	46.53	RMS	Horizontal	PASS
3	8894.8	36.07	-93.14	-57.07	-13.00	44.07	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1406	54.30	-114.33	-60.03	-13.00	47.03	RMS	Vertical	PASS
2	7322.8	36.78	-96.29	-59.51	-13.00	46.51	RMS	Vertical	PASS
3	8889.2	36.07	-93.10	-57.03	-13.00	44.03	RMS	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 12
Bandwidth:	10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1413.2	61.28	-114.35	-53.07	-13.00	40.07	RMS	Horizontal	PASS
2	7006.8	37.84	-97.24	-59.40	-13.00	46.40	RMS	Horizontal	PASS
3	8895.6	35.92	-93.15	-57.23	-13.00	44.23	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1413.2	53.34	-114.35	-61.01	-13.00	48.01	RMS	Vertical	PASS
2	7269.6	37.41	-96.51	-59.10	-13.00	46.10	RMS	Vertical	PASS
3	8852.8	35.93	-92.90	-56.97	-13.00	43.97	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1328	60.69	-114.29	-53.60	-13.00	40.60	RMS	Horizontal	PASS
2	7313.6	36.32	-96.12	-59.80	-13.00	46.80	RMS	Horizontal	PASS
3	8893.2	36.12	-93.13	-57.01	-13.00	44.01	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1328	54.31	-114.29	-59.98	-13.00	46.98	RMS	Vertical	PASS
2	7295.6	36.47	-95.97	-59.50	-13.00	46.50	RMS	Vertical	PASS
3	8994.4	36.47	-93.54	-57.07	-13.00	44.07	RMS	Vertical	PASS

Project Information

Mode:	LTE	Band:	Band 71
Bandwidth:	20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1343.2	62.31	-114.21	-51.90	-13.00	38.90	RMS	Horizontal	PASS
2	7284.8	36.90	-96.20	-59.30	-13.00	46.30	RMS	Horizontal	PASS
3	8847.6	35.79	-92.92	-57.13	-13.00	44.13	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1343.2	51.59	-114.21	-62.62	-13.00	49.62	RMS	Vertical	PASS
2	7377.2	37.04	-96.63	-59.59	-13.00	46.59	RMS	Vertical	PASS
3	8992.8	36.32	-93.55	-57.23	-13.00	44.23	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1358	59.63	-114.20	-54.57	-13.00	41.57	RMS	Horizontal	PASS
2	7256.8	37.20	-96.78	-59.58	-13.00	46.58	RMS	Horizontal	PASS
3	8879.6	36.14	-93.05	-56.91	-13.00	43.91	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 71
Bandwidth:	20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1358	53.16	-114.20	-61.04	-13.00	48.04	RMS	Vertical	PASS
2	7304.8	36.54	-95.97	-59.43	-13.00	46.43	RMS	Vertical	PASS
3	8845.2	35.79	-92.96	-57.17	-13.00	44.17	RMS	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1555.2	68.60	-114.07	-45.47	-13.00	32.47	RMS	Horizontal	PASS
2	1568.8	43.12	-114.14	-71.02	-40.00	31.02	RMS	Horizontal	PASS
3	8886	36.03	-93.09	-57.06	-13.00	44.06	RMS	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1555.2	55.99	-114.07	-58.08	-13.00	45.08	RMS	Vertical	PASS
2	1592	43.00	-114.25	-71.25	-40.00	31.25	RMS	Vertical	PASS
3	8994	36.94	-93.54	-56.60	-13.00	43.60	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	41C
Bandwidth:	20MHZ+20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2514.8	108.77	-90.90	17.87	/	/	RMS	Horizontal	/
2	5031.75	51.51	-102.83	-51.32	-25.00	26.32	RMS	Horizontal	PASS
3	12580.5	46.80	-90.68	-43.88	-25.00	18.88	RMS	Horizontal	PASS
4	17352	32.56	-82.48	-49.92	-25.00	24.92	RMS	Horizontal	PASS


Project Information			
Mode:	UL CA	Band:	41C
Bandwidth:	20MHZ+20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2514.8	108.40	-90.90	17.50	/	/	RMS	Vertical	/
2	5031.75	56.46	-102.83	-46.37	-25.00	21.37	RMS	Vertical	PASS
3	10061.25	38.48	-91.64	-53.16	-25.00	28.16	RMS	Vertical	PASS
4	12574.5	46.73	-90.68	-43.95	-25.00	18.95	RMS	Vertical	PASS

Project Information			
Mode:	UL CA	Band:	41C
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2592	107.81	-90.51	17.30	/	/	RMS	Horizontal	/
2	5184	59.26	-102.12	-42.86	-25.00	17.86	RMS	Horizontal	PASS
3	10370.25	40.12	-91.63	-51.51	-25.00	26.51	RMS	Horizontal	PASS
4	12961.5	50.56	-90.03	-39.47	-25.00	14.47	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	41C
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2592	109.53	-90.51	19.02	/	/	RMS	Vertical	/
2	5184	62.51	-102.12	-39.61	-25.00	14.61	RMS	Vertical	PASS
3	7776	45.98	-96.27	-50.29	-25.00	25.29	RMS	Vertical	PASS
4	12964.5	51.21	-89.97	-38.76	-25.00	13.76	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	41C
Bandwidth:	20MHZ+20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2669	108.07	-90.08	17.99	/	/	RMS	Horizontal	/
2	5340	58.80	-101.92	-43.12	-25.00	18.12	RMS	Horizontal	PASS
3	10682.25	40.43	-91.70	-51.27	-25.00	26.27	RMS	Horizontal	PASS
4	13349.25	45.75	-89.27	-43.52	-25.00	18.52	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	41C
Bandwidth:	20MHZ+20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2669.2	106.97	-90.08	16.89	/	/	RMS	Vertical	/
2	5338.5	62.40	-101.91	-39.51	-25.00	14.51	RMS	Vertical	PASS
3	8009.25	46.39	-95.39	-49.00	-25.00	24.00	RMS	Vertical	PASS
4	13347.75	45.29	-89.29	-44.00	-25.00	19.00	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	4A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1728.8	110.27	-94.02	16.25	/	/	RMS	Horizontal	/
2	2506.4	46.37	-90.93	-44.56	-13.00	31.56	RMS	Horizontal	PASS
3	3457.5	56.35	-107.23	-50.88	-13.00	37.88	RMS	Horizontal	PASS
4	13830.75	40.33	-86.84	-46.51	-13.00	33.51	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	4A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1729	116.28	-94.02	22.26	/	/	RMS	Vertical	/
2	3457.5	61.24	-107.23	-45.99	-13.00	32.99	RMS	Vertical	PASS
3	8644.5	47.12	-94.47	-47.35	-13.00	34.35	RMS	Vertical	PASS
4	12102	45.92	-90.46	-44.54	-13.00	31.54	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	4A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1741.4	110.21	-93.98	16.23	/	/	RMS	Horizontal	/
2	2519	51.68	-90.89	-39.21	-13.00	26.21	RMS	Horizontal	PASS
3	5224.5	51.43	-102.17	-50.74	-13.00	37.74	RMS	Horizontal	PASS
4	12189.75	42.67	-90.62	-47.95	-13.00	34.95	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	4A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1741.4	116.64	-93.98	22.66	/	/	RMS	Vertical	/
2	3483	65.94	-107.07	-41.13	-13.00	28.13	RMS	Vertical	PASS
3	8706.75	47.97	-94.00	-46.03	-13.00	33.03	RMS	Vertical	PASS
4	13931.25	42.39	-87.52	-45.13	-13.00	32.13	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	4A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	串状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1754	109.87	-93.94	15.93	/	/	RMS	Horizontal	/
2	3507.75	58.10	-107.06	-48.96	-13.00	35.96	RMS	Horizontal	PASS
3	5262	42.69	-101.98	-59.29	-13.00	46.29	RMS	Horizontal	PASS
4	12277.5	38.91	-90.44	-51.53	-13.00	38.53	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	4A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1753.8	116.12	-93.94	22.18	/	/	RMS	Vertical	/
2	3507.75	67.52	-107.06	-39.54	-13.00	26.54	RMS	Vertical	PASS
3	8769.75	43.80	-93.64	-49.84	-13.00	36.84	RMS	Vertical	PASS
4	12276.75	40.17	-90.44	-50.27	-13.00	37.27	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	2A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1869	111.37	-93.48	17.89	/	/	RMS	Horizontal	/
2	3738	52.20	-107.44	-55.24	-13.00	42.24	RMS	Horizontal	PASS
3	5606.25	50.59	-101.28	-50.69	-13.00	37.69	RMS	Horizontal	PASS
4	13082.25	42.99	-90.06	-47.07	-13.00	34.07	RMS	Horizontal	PASS

Project Information

Mode:	UL CA	Band:	2A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		

Test Standard: FCC PART 22/24

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1868.8	114.92	-93.48	21.44	/	/	RMS	Vertical	/
2	3738	61.97	-107.44	-45.47	-13.00	32.47	RMS	Vertical	PASS
3	5607	50.69	-101.27	-50.58	-13.00	37.58	RMS	Vertical	PASS
4	13082.25	42.85	-90.06	-47.21	-13.00	34.21	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	2A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1888.8	110.18	-93.43	16.75	/	/	RMS	Horizontal	/
2	3777.75	54.99	-106.94	-51.95	-13.00	38.95	RMS	Horizontal	PASS
3	5666.25	49.69	-100.75	-51.06	-13.00	38.06	RMS	Horizontal	PASS
4	13222.5	41.07	-88.20	-47.13	-13.00	34.13	RMS	Horizontal	PASS

Project Information

Mode:	UL CA	Band:	2A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1888.8	114.11	-93.43	20.68	/	/	RMS	Vertical	/
2	3777.75	63.33	-106.94	-43.61	-13.00	30.61	RMS	Vertical	PASS
3	5667	50.75	-100.75	-50.00	-13.00	37.00	RMS	Vertical	PASS
4	13222.5	42.06	-88.20	-46.14	-13.00	33.14	RMS	Vertical	PASS

Project Information			
Mode:	UL CA	Band:	2A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1908.8	109.55	-93.40	16.15	/	/	RMS	Horizontal	/
2	3039.75	55.88	-108.03	-52.15	-13.00	39.15	RMS	Horizontal	PASS
3	5726.25	51.03	-100.76	-49.73	-13.00	36.73	RMS	Horizontal	PASS
4	11453.25	38.53	-90.26	-51.73	-13.00	38.73	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	2A+13A
Bandwidth:	20MHZ+10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1908.8	112.53	-93.40	19.13	/	/	RMS	Vertical	/
2	3817.5	63.69	-106.57	-42.88	-13.00	29.88	RMS	Vertical	PASS
3	7635.75	45.75	-96.29	-50.54	-13.00	37.54	RMS	Vertical	PASS
4	13362	40.00	-89.00	-49.00	-13.00	36.00	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	2A+12A
Bandwidth:	20MHZ+10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	串状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1868.8	111.20	-93.48	17.72	/	/	RMS	Horizontal	/
2	3738	52.51	-107.44	-54.93	-13.00	41.93	RMS	Horizontal	PASS
3	5607	50.00	-101.27	-51.27	-13.00	38.27	RMS	Horizontal	PASS
4	13082.25	46.08	-90.06	-43.98	-13.00	30.98	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	2A+12A
Bandwidth:	20MHZ+10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1869	115.34	-93.48	21.86	/	/	RMS	Vertical	/
2	3738	61.38	-107.44	-46.06	-13.00	33.06	RMS	Vertical	PASS
3	11214	42.30	-90.71	-48.41	-13.00	35.41	RMS	Vertical	PASS
4	13082.25	45.31	-90.06	-44.75	-13.00	31.75	RMS	Vertical	PASS

Project Information			
Mode:	UL CA	Band:	2A+12A
Bandwidth:	20MHZ+10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1889	111.16	-93.43	17.73	/	/	RMS	Horizontal	/
2	3777.75	53.59	-106.94	-53.35	-13.00	40.35	RMS	Horizontal	PASS
3	9444.75	44.32	-93.51	-49.19	-13.00	36.19	RMS	Horizontal	PASS
4	13222.5	40.82	-88.20	-47.38	-13.00	34.38	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	2A+12A
Bandwidth:	20MHZ+10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1888.8	114.47	-93.43	21.04	/	/	RMS	Vertical	/
2	3777.75	63.50	-106.94	-43.44	-13.00	30.44	RMS	Vertical	PASS
3	11333.25	40.38	-90.46	-50.08	-13.00	37.08	RMS	Vertical	PASS
4	13222.5	42.48	-88.20	-45.72	-13.00	32.72	RMS	Vertical	PASS

Project Information			
Mode:	UL CA	Band:	2A+12A
Bandwidth:	20MHZ+10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1909	110.34	-93.40	16.94	/	/	RMS	Horizontal	/
2	3817.5	53.10	-106.57	-53.47	-13.00	40.47	RMS	Horizontal	PASS
3	9544.5	42.69	-92.71	-50.02	-13.00	37.02	RMS	Horizontal	PASS
4	13362	38.33	-89.00	-50.67	-13.00	37.67	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	2A+12A
Bandwidth:	20MHZ+10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1908.8	113.49	-93.40	20.09	/	/	RMS	Vertical	/
2	3817.5	61.93	-106.57	-44.64	-13.00	31.64	RMS	Vertical	PASS
3	9544.5	43.08	-92.71	-49.63	-13.00	36.63	RMS	Vertical	PASS
4	13362	40.42	-89.00	-48.58	-13.00	35.58	RMS	Vertical	PASS

Project Information			
Mode:	UL CA	Band:	13A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711	106.83	-94.08	12.75	/	/	RMS	Horizontal	/
2	2990	39.29	-88.75	-49.46	-13.00	36.46	RMS	Horizontal	PASS
3	3422.25	51.62	-107.53	-55.91	-13.00	42.91	RMS	Horizontal	PASS
4	17361	32.15	-82.83	-50.68	-13.00	37.68	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	13A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711.2	111.87	-94.08	17.79	/	/	RMS	Vertical	/
2	2993.4	39.16	-88.73	-49.57	-13.00	36.57	RMS	Vertical	PASS
3	3422.25	57.18	-107.53	-50.35	-13.00	37.35	RMS	Vertical	PASS
4	5802	53.20	-99.99	-46.79	-13.00	33.79	RMS	Vertical	PASS

Project Information			
Mode:	UL CA	Band:	13A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736.2	103.43	-94.00	9.43	/	/	RMS	Horizontal	/
2	2522.6	52.79	-90.88	-38.09	-13.00	25.09	RMS	Horizontal	PASS
3	3472.5	50.59	-107.14	-56.55	-13.00	43.55	RMS	Horizontal	PASS
4	12153	40.57	-90.90	-50.33	-13.00	37.33	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	13A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736	111.84	-94.00	17.84	/	/	RMS	Vertical	/
2	3471.75	60.61	-107.15	-46.54	-13.00	33.54	RMS	Vertical	PASS
3	8680.5	41.25	-94.18	-52.93	-13.00	39.93	RMS	Vertical	PASS
4	12153	39.79	-90.90	-51.11	-13.00	38.11	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	13A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1761.2	107.85	-93.93	13.92	/	/	RMS	Horizontal	/
2	3522	56.38	-107.25	-50.87	-13.00	37.87	RMS	Horizontal	PASS
3	8805	36.67	-92.99	-56.32	-13.00	43.32	RMS	Horizontal	PASS
4	12327.5	37.85	-90.45	-52.60	-13.00	39.60	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	13A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1761.2	110.38	-93.93	16.45	/	/	RMS	Vertical	/
2	3522	62.80	-107.25	-44.45	-13.00	31.45	RMS	Vertical	PASS
3	7044.5	42.35	-97.36	-55.01	-13.00	42.01	RMS	Vertical	PASS
4	12328	39.48	-90.45	-50.97	-13.00	37.97	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	12A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711.2	105.50	-94.08	11.42	/	/	RMS	Horizontal	/
2	2991	39.13	-88.75	-49.62	-13.00	36.62	RMS	Horizontal	PASS
3	3422	52.78	-107.53	-54.75	-13.00	41.75	RMS	Horizontal	PASS
4	17979.5	32.24	-82.70	-50.46	-13.00	37.46	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	12A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711	110.46	-94.08	16.38	/	/	RMS	Vertical	/
2	2998.8	39.24	-88.70	-49.46	-13.00	36.46	RMS	Vertical	PASS
3	3422	56.84	-107.53	-50.69	-13.00	37.69	RMS	Vertical	PASS
4	4130.5	43.88	-105.41	-61.53	-13.00	48.53	RMS	Vertical	PASS

Project Information			
Mode:	UL CA	Band:	12A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1746	107.48	-93.97	13.51	/	/	RMS	Horizontal	/
2	2989	39.37	-88.76	-49.39	-13.00	36.39	RMS	Horizontal	PASS
3	3492	51.07	-107.02	-55.95	-13.00	42.95	RMS	Horizontal	PASS
4	4204	42.49	-105.30	-62.81	-13.00	49.81	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	12A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1746.2	110.50	-93.97	16.53	/	/	RMS	Vertical	/
2	2998.6	39.21	-88.70	-49.49	-13.00	36.49	RMS	Vertical	PASS
3	3492	57.95	-107.02	-49.07	-13.00	36.07	RMS	Vertical	PASS
4	4204	43.67	-105.30	-61.63	-13.00	48.63	RMS	Vertical	PASS

Project Information

Mode:	UL CA	Band:	12A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1761.2	100.70	-93.93	6.77	/	/	RMS	Horizontal	/
2	3522	55.11	-107.25	-52.14	-13.00	39.14	RMS	Horizontal	PASS
3	7044.5	39.83	-97.36	-57.53	-13.00	44.53	RMS	Horizontal	PASS
4	12327.5	37.90	-90.45	-52.55	-13.00	39.55	RMS	Horizontal	PASS

Project Information			
Mode:	UL CA	Band:	12A+66A
Bandwidth:	10MHZ+20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1761	108.51	-93.93	14.58	/	/	RMS	Vertical	/
2	3522	59.45	-107.25	-47.80	-13.00	34.80	RMS	Vertical	PASS
3	7044.5	41.21	-97.36	-56.15	-13.00	43.15	RMS	Vertical	PASS
4	12327.5	36.01	-90.45	-54.44	-13.00	41.44	RMS	Vertical	PASS

~The End~