



Project Information			
Mode:	SA	Band:	n77（3450-3550）
Bandwidth:	100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT0 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3451.075	95.75	-86.99	8.76	/	/	RMS	Horizontal	/
2	3500.025	50.92	-87.09	-36.17	/	/	RMS	Horizontal	/
3	6298.425	40.96	-78.56	-37.60	-13.00	24.60	RMS	Horizontal	PASS
4	6901.73333	49.89	-96.97	-47.08	-13.00	34.08	RMS	Horizontal	PASS
5	17849.35	32.18	-81.30	-49.12	-13.00	36.12	RMS	Horizontal	PASS


Project Information			
Mode:	SA	Band:	n77（3450-3550）
Bandwidth:	100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT0 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3450.8	93.47	-86.99	6.48	/	/	RMS	Vertical	/
2	3500.025	44.65	-87.09	-42.44	/	/	RMS	Vertical	/
3	6293.2	41.40	-78.63	-37.23	-13.00	24.23	RMS	Vertical	PASS
4	6901.73333	45.21	-96.97	-51.76	-13.00	38.76	RMS	Vertical	PASS
5	17846.2833	32.24	-81.43	-49.19	-13.00	36.19	RMS	Vertical	PASS


Project Information			
Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT0 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3701.05	100.63	-87.33	13.30	/	/	RMS	Horizontal	/
2	3798.95	46.31	-86.84	-40.53	/	/	RMS	Horizontal	/
3	6321.525	41.16	-78.67	-37.51	-13.00	24.51	RMS	Horizontal	PASS
4	7401.98333	42.81	-95.59	-52.78	-13.00	39.63	RMS	Horizontal	PASS
5	17981.2166	33.06	-81.75	-48.69	-13.00	35.69	RMS	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT0 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3701.05	96.62	-87.33	9.29	/	/	RMS	Vertical	/
2	3750	47.89	-87.35	-39.46	/	/	RMS	Vertical	/
3	6088.6	41.79	-79.50	-37.71	-13.00	24.71	RMS	Vertical	PASS
4	15231.5666	34.10	-85.93	-51.83	-13.00	38.83	RMS	Vertical	PASS
5	17839.3833	32.56	-81.72	-49.16	-13.00	36.16	RMS	Vertical	PASS

Project Information

Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	串状
Remark:	ANT0 Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3701.05	96.53	-87.33	9.20	/	/	RMS	Horizontal	/
2	3750	49.23	-87.35	-38.12	/	/	RMS	Horizontal	/
3	6424.65	41.30	-78.71	-37.41	-13.00	24.41	RMS	Horizontal	PASS
4	7401.98333	52.98	-95.59	-42.61	-13.00	29.61	RMS	Horizontal	PASS
5	17849.7333	32.17	-81.28	-49.11	-13.00	36.11	RMS	Horizontal	PASS


Project Information			
Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT0 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3701.05	95.40	-87.33	8.07	/	/	RMS	Vertical	/
2	3750	47.35	-87.35	-40.00	/	/	RMS	Vertical	/
3	6232.425	41.53	-79.12	-37.59	-13.00	24.59	RMS	Vertical	PASS
4	7401.98333	44.69	-95.59	-50.90	-13.00	35.91	RMS	Vertical	PASS
5	17880.0166	33.12	-81.66	-48.54	-13.00	35.54	RMS	Vertical	PASS


Project Information			
Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT0 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3881.175	94.59	-86.36	8.23	/	/	RMS	Horizontal	/
2	3929.85	46.92	-86.57	-39.65	/	/	RMS	Horizontal	/
3	6306.4	41.20	-78.57	-37.37	-13.00	24.37	RMS	Horizontal	PASS
4	7761.93333	43.99	-96.11	-52.12	-13.00	39.12	RMS	Horizontal	PASS
5	17884.2333	33.04	-81.71	-48.67	-13.00	35.67	RMS	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT0 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3881.175	98.32	-86.36	11.96	/	/	RMS	Vertical	/
2	3978.8	52.48	-86.43	-33.95	/	/	RMS	Vertical	/
3	6340.775	41.48	-78.79	-37.31	-13.00	24.31	RMS	Vertical	PASS
4	7761.93333	43.62	-96.11	-52.49	-13.00	39.49	RMS	Vertical	PASS
5	17886.5333	32.73	-81.75	-49.02	-13.00	36.02	RMS	Vertical	PASS

Project Information

Mode:	SA	Band:	n77（3450-3550）
Bandwidth:	100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	串状
Remark:	ANT3 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3451.075	98.26	-86.99	11.27	/	/	RMS	Horizontal	/
2	3548.975	61.82	-87.60	-25.78	/	/	RMS	Horizontal	/
3	6225.55	41.86	-79.09	-37.23	-13.00	24.23	RMS	Horizontal	PASS
4	6902.116667	59.12	-96.98	-37.86	-13.00	24.86	RMS	Horizontal	PASS
5	17379.766667	34.06	-83.12	-49.06	-13.00	36.06	RMS	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n77（3450-3550）
Bandwidth:	100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT3 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3451.075	99.43	-86.99	12.44	/	/	RMS	Vertical	/
2	3548.975	60.38	-87.60	-27.22	/	/	RMS	Vertical	/
3	6191.725	42.00	-79.06	-37.06	-13.00	24.06	RMS	Vertical	PASS
4	6902.116667	62.49	-96.98	-34.49	-13.00	21.49	RMS	Vertical	PASS
5	17980.45	32.71	-81.75	-49.04	-13.00	36.04	RMS	Vertical	PASS

Project Information

Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT3 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3701.05	99.05	-87.33	11.72	/	/	RMS	Horizontal	/
2	3798.95	57.61	-86.84	-29.23	/	/	RMS	Horizontal	/
3	6303.65	41.07	-78.57	-37.50	-13.00	24.50	RMS	Horizontal	PASS
4	7402.366667	56.20	-95.60	-39.40	-13.00	26.40	RMS	Horizontal	PASS
5	17989.65	32.47	-81.62	-49.15	-13.00	36.15	RMS	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT3 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3701.05	94.54	-87.33	7.21	/	/	RMS	Vertical	/
2	3798.95	51.46	-86.84	-35.38	/	/	RMS	Vertical	/
3	6434.275	40.99	-78.59	-37.60	-13.00	24.60	RMS	Vertical	PASS
4	7401.983333	54.17	-95.59	-41.42	-13.00	28.42	RMS	Vertical	PASS
5	17862.766667	32.21	-81.43	-49.22	-13.00	36.22	RMS	Vertical	PASS

Project Information

Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT3 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3790.975	98.70	-86.93	11.77	/	/	RMS	Horizontal	/
2	3889.15	60.30	-86.32	-26.02	/	/	RMS	Horizontal	/
3	6354.8	41.53	-78.86	-37.33	-13.00	24.33	RMS	Horizontal	PASS
4	7581.766667	56.02	-96.15	-40.13	-13.00	27.13	RMS	Horizontal	PASS
5	17979.3	32.40	-81.77	-49.37	-13.00	36.37	RMS	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT3 Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3790.975	93.34	-86.93	6.41	/	/	RMS	Vertical	/
2	3888.875	57.31	-86.32	-29.01	/	/	RMS	Vertical	/
3	6182.925	41.69	-79.13	-37.44	-13.00	24.44	RMS	Vertical	PASS
4	7582.15	54.05	-96.15	-42.10	-13.00	29.10	RMS	Vertical	PASS
5	17981.983333	33.10	-81.73	-48.63	-13.00	35.63	RMS	Vertical	PASS

Project Information

Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	串状
Remark:	ANT3 Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3880.9	99.94	-86.36	13.58	/	/	RMS	Horizontal	/
2	3979.075	59.33	-86.43	-27.10	/	/	RMS	Horizontal	/
3	6315.2	41.34	-78.63	-37.29	-13.00	24.29	RMS	Horizontal	PASS
4	7762.316667	54.77	-96.11	-41.34	-13.00	28.34	RMS	Horizontal	PASS
5	17849.733333	32.63	-81.28	-48.65	-13.00	35.65	RMS	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n77（3700-3980）
Bandwidth:	100MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	ANT3 Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3881.175	96.34	-86.36	9.98	/	/	RMS	Vertical	/
2	3979.075	58.59	-86.43	-27.84	/	/	RMS	Vertical	/
3	6237.925	41.59	-79.15	-37.56	-13.00	24.56	RMS	Vertical	PASS
4	7761.933333	49.99	-96.11	-46.12	-13.00	33.12	RMS	Vertical	PASS
5	17835.166667	32.52	-81.90	-49.38	-13.00	36.38	RMS	Vertical	PASS

Project Information			
Mode:	SA	Band:	n30
Bandwidth:	10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.4	105.91	-91.89	14.02	/	/	RMS	Horizontal	/
2	2353	44.54	-92.01	-47.47	/	/	RMS	Horizontal	/
3	4611	55.93	-103.83	-47.90	-13.00	34.90	RMS	Horizontal	PASS
4	11527	41.28	-90.50	-49.22	-13.00	36.22	RMS	Horizontal	PASS
5	13832	38.37	-86.82	-48.45	-13.00	35.45	RMS	Horizontal	PASS

Project Information

Mode:	SA	Band:	n30
Bandwidth:	10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.3	109.28	-91.89	17.39	/	/	RMS	Vertical	/
2	4610.5	68.10	-103.83	-35.73	-13.00	22.73	RMS	Vertical	PASS
3	11527	38.91	-90.50	-51.59	-13.00	38.59	RMS	Vertical	PASS
4	13832	37.89	-86.82	-48.93	-13.00	35.93	RMS	Vertical	PASS

Project Information

Mode:	SA	Band:	n41
Bandwidth:	100MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2496.9	104.83	-90.95	13.88	/	/	RMS	Horizontal	/
2	2594.9	56.09	-90.49	-34.40	/	/	RMS	Horizontal	/
3	2993.3	41.04	-88.73	-47.69	-25.00	22.69	RMS	Horizontal	PASS
4	4994	57.41	-102.85	-45.44	-25.00	20.44	RMS	Horizontal	PASS
5	12485.5	43.99	-89.85	-45.86	-25.00	20.86	RMS	Horizontal	PASS

Project Information

Mode:	SA	Band:	n41
Bandwidth:	100MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2496.9	107.54	-90.95	16.59	/	/	RMS	Vertical	/
2	2546	57.30	-90.83	-33.53	/	/	RMS	Vertical	/
3	2893.7	41.19	-89.24	-48.05	-25.00	23.05	RMS	Vertical	PASS
4	4994	55.03	-102.85	-47.82	-25.00	22.82	RMS	Vertical	PASS
5	12485	43.66	-89.86	-46.20	-25.00	21.20	RMS	Vertical	PASS

Project Information

Mode:	SA	Band:	n41
Bandwidth:	100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2544	104.83	-90.83	14.00	/	/	RMS	Horizontal	/
2	2641.9	57.54	-90.14	-32.60	/	/	RMS	Horizontal	/
3	2997.7	41.04	-88.70	-47.66	-25.00	22.66	RMS	Horizontal	PASS
4	5088	58.88	-102.76	-43.88	-25.00	18.88	RMS	Horizontal	PASS
5	12720.5	45.33	-89.70	-44.37	-25.00	19.37	RMS	Horizontal	PASS


Project Information			
Mode:	SA	Band:	n41
Bandwidth:	100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2544.1	107.30	-90.83	16.47	/	/	RMS	Vertical	/
2	2641.9	58.76	-90.14	-31.38	/	/	RMS	Vertical	/
3	2987.4	40.57	-88.77	-48.20	-25.00	23.20	RMS	Vertical	PASS
4	5088	61.69	-102.76	-41.07	-25.00	16.07	RMS	Vertical	PASS
5	12720	45.13	-89.70	-44.57	-25.00	19.57	RMS	Vertical	PASS

Project Information			
Mode:	SA	Band:	n41
Bandwidth:	100MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2591	104.38	-90.51	13.87	/	/	RMS	Horizontal	/
2	2689	58.55	-90.08	-31.53	/	/	RMS	Horizontal	/
3	5182	57.25	-102.11	-44.86	-25.00	19.86	RMS	Horizontal	PASS
4	10364	41.18	-91.60	-50.42	-25.00	25.42	RMS	Horizontal	PASS
5	12955	51.77	-90.14	-38.37	-25.00	13.37	RMS	Horizontal	PASS


Project Information			
Mode:	SA	Band:	n41
Bandwidth:	100MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2591	106.40	-90.51	15.89	/	/	RMS	Vertical	/
2	2639.9	59.04	-90.15	-31.11	/	/	RMS	Vertical	/
3	5182	63.37	-102.11	-38.74	-25.00	13.74	RMS	Vertical	PASS
4	7773	42.63	-96.30	-53.67	-25.00	28.67	RMS	Vertical	PASS
5	12954.5	43.80	-90.14	-46.34	-25.00	21.34	RMS	Vertical	PASS

Project Information			
Mode:	SA	Band:	n48
Bandwidth:	40MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3551.175	98.21	-87.60	10.61	/	/	RMS	Horizontal	/
2	6313.55	28.62	-78.63	-50.01	-40.00	10.01	RMS	Horizontal	PASS
3	7342.18333	39.34	-96.45	-57.11	-40.00	17.11	RMS	Horizontal	PASS
4	17847.8166	32.10	-81.36	-49.26	-40.00	9.26	RMS	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n48
Bandwidth:	40MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3551.175	95.32	-87.60	7.72	/	/	RMS	Vertical	/
2	6270.375	28.89	-78.93	-50.04	-40.00	10.04	RMS	Vertical	PASS
3	7101.83333	40.42	-96.83	-56.41	-40.00	16.41	RMS	Vertical	PASS
4	17858.55	32.29	-81.38	-49.09	-40.00	9.09	RMS	Vertical	PASS

Project Information			
Mode:	SA	Band:	n48
Bandwidth:	40MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3605.9	97.50	-87.05	10.45	/	/	RMS	Horizontal	/
2	6172.75	28.74	-79.22	-50.48	-40.00	10.48	RMS	Horizontal	PASS
3	13700.15	34.21	-85.85	-51.64	-40.00	11.64	RMS	Horizontal	PASS
4	17885.3833	32.80	-81.73	-48.93	-40.00	8.93	RMS	Horizontal	PASS

Project Information			
Mode:	SA	Band:	n48
Bandwidth:	40MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3605.9	96.18	-87.05	9.13	/	/	RMS	Vertical	/
2	5790.775	29.47	-79.61	-50.14	-40.00	10.14	RMS	Vertical	PASS
3	15237.3166	34.55	-85.74	-51.19	-40.00	11.19	RMS	Vertical	PASS
4	17862.7666	33.01	-81.43	-48.42	-40.00	8.42	RMS	Vertical	PASS

Project Information			
Mode:	SA	Band:	n48
Bandwidth:	40MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 96			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3660.9	100.11	-87.08	13.03	/	/	RMS	Horizontal	/
2	6304.75	28.56	-78.57	-50.01	-40.00	10.01	RMS	Horizontal	PASS
3	13683.2833	34.92	-85.96	-51.04	-40.00	11.04	RMS	Horizontal	PASS
4	17996.55	32.27	-81.52	-49.25	-40.00	9.25	RMS	Horizontal	PASS

Project Information

Mode:	SA	Band:	n48
Bandwidth:	40MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	串状
Remark:	Polarity: Z		
Test Standard: FCC PART 96			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2521.3	29.57	-90.89	-61.32	/	/	RMS	Vertical	/
2	3661.175	96.55	-87.08	9.47	/	/	RMS	Vertical	/
3	6490.1	28.04	-78.23	-50.19	-40.00	10.19	RMS	Vertical	PASS
4	15246.9	34.35	-85.42	-51.07	-40.00	11.07	RMS	Vertical	PASS
5	17842.0666	32.38	-81.61	-49.23	-40.00	9.23	RMS	Vertical	PASS

Project Information			
Mode:	SA	Band:	n70
Bandwidth:	15MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1695.4	108.71	-94.11	14.60	/	/	RMS	Horizontal	/
2	2002.1	47.20	-93.25	-46.05	/	/	RMS	Horizontal	/
3	3390.5	55.83	-107.82	-51.99	-25.00	26.99	RMS	Horizontal	PASS
4	10172.5	42.13	-91.89	-49.76	-25.00	24.76	RMS	Horizontal	PASS
5	13564	40.76	-88.50	-47.74	-25.00	22.74	RMS	Horizontal	PASS

Project Information

Mode:	SA	Band:	n70
Bandwidth:	15MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	串状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1695.5	112.96	-94.11	18.85	/	/	RMS	Vertical	/
2	2002.2	46.32	-93.25	-46.93	-25.00	21.93	RMS	Vertical	PASS
3	3391	61.05	-107.82	-46.77	-25.00	21.77	RMS	Vertical	PASS
4	10173	40.72	-91.88	-51.16	-25.00	26.16	RMS	Vertical	PASS
5	13563.5	41.19	-88.50	-47.31	-25.00	22.31	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_2A_n71A
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1871.2	110.06	-93.48	16.58	/	/	RMS	Horizontal	/
2	3743.5	51.81	-107.43	-55.62	-13.00	42.62	RMS	Horizontal	PASS
3	7484.5	41.72	-96.83	-55.11	-13.00	42.11	RMS	Horizontal	PASS
4	9355.5	40.39	-93.24	-52.85	-13.00	39.85	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_2A_n71A
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1871	110.26	-93.48	16.78	/	/	RMS	Vertical	/
2	3742	57.36	-107.43	-50.07	-13.00	37.07	RMS	Vertical	PASS
3	9355.5	39.09	-93.24	-54.15	-13.00	41.15	RMS	Vertical	PASS
4	13097.5	40.80	-90.55	-49.75	-13.00	36.75	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_66A_n71A
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736	105.48	-94.00	11.48	/	/	RMS	Horizontal	/
2	2145	44.70	-92.98	-48.28	/	/	RMS	Horizontal	/
3	2992.2	39.41	-88.74	-49.33	-13.00	36.33	RMS	Horizontal	PASS
4	3472.5	60.20	-107.14	-46.94	-13.00	33.94	RMS	Horizontal	PASS
5	12152.5	40.52	-90.91	-50.39	-13.00	37.39	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_66A_n71A
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736	111.68	-94.00	17.68	/	/	RMS	Vertical	/
2	2145	41.90	-92.98	-51.08	/	/	RMS	Vertical	/
3	3472	58.51	-107.15	-48.64	-13.00	35.64	RMS	Vertical	PASS
4	6944.5	41.90	-97.81	-55.91	-13.00	42.91	RMS	Vertical	PASS
5	13889	38.32	-87.20	-48.88	-13.00	35.88	RMS	Vertical	PASS


Project Information			
Mode:	EN_DC	Band:	DC_2A_n5A
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736	107.82	-94.00	13.82	/	/	RMS	Horizontal	/
2	2144.6	43.34	-92.98	-49.64	/	/	RMS	Horizontal	/
3	2999	39.66	-88.70	-49.04	-13.00	36.04	RMS	Horizontal	PASS
4	3472.5	59.73	-107.14	-47.41	-13.00	34.41	RMS	Horizontal	PASS
5	17352	32.80	-82.48	-49.68	-13.00	36.68	RMS	Horizontal	PASS


Project Information			
Mode:	EN_DC	Band:	DC_2A_n5A
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736	111.75	-94.00	17.75	/	/	RMS	Vertical	/
2	2145.2	41.29	-92.98	-51.69	/	/	RMS	Vertical	/
3	3472.5	60.30	-107.14	-46.84	-13.00	33.84	RMS	Vertical	PASS
4	8680.5	39.93	-94.18	-54.25	-13.00	41.25	RMS	Vertical	PASS
5	12153	39.78	-90.90	-51.12	-13.00	38.12	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_12A_n5A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1406.35	56.07	-114.33	-58.26	-13.00	45.26	RMS	Horizontal	PASS
2	2432.8	52.04	-111.50	-59.46	-13.00	46.46	RMS	Horizontal	PASS
3	3308.05	45.33	-108.21	-62.88	-13.00	49.88	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_12A_n5A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1653.85	50.19	-114.09	-63.90	-13.00	50.90	RMS	Vertical	PASS
2	2414.35	60.00	-111.92	-51.92	-13.00	38.92	RMS	Vertical	PASS
3	3308.05	45.74	-108.21	-62.47	-13.00	49.47	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n5A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1555.3	57.99	-114.07	-56.08	-13.00	43.08	RMS	Horizontal	PASS
2	2435.95	48.34	-111.43	-63.09	-13.00	50.09	RMS	Horizontal	PASS
3	3308.5	44.24	-108.21	-63.97	-13.00	50.97	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n5A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1653.85	50.78	-114.09	-63.31	-13.00	50.31	RMS	Vertical	PASS
2	2431	50.57	-111.55	-60.98	-13.00	47.98	RMS	Vertical	PASS
3	3308.05	45.93	-108.21	-62.28	-13.00	49.28	RMS	Vertical	PASS

Project Information

Mode:	EN_DC	Band:	DC_30A_n5A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.5	103.88	-91.89	11.99	/	/	RMS	Horizontal	/
2	4611	56.31	-103.83	-47.52	-25.00	22.52	RMS	Horizontal	PASS
3	11528	40.37	-90.49	-50.12	-25.00	25.12	RMS	Horizontal	PASS
4	13833.5	36.36	-86.79	-50.43	-25.00	25.43	RMS	Horizontal	PASS

Project Information

Mode:	EN_DC	Band:	DC_30A_n5A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	串状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.6	107.06	-91.89	15.17	/	/	RMS	Vertical	/
2	4611	67.29	-103.83	-36.54	-25.00	11.54	RMS	Vertical	PASS
3	11528	41.38	-90.49	-49.11	-25.00	24.11	RMS	Vertical	PASS
4	13833.5	39.93	-86.79	-46.86	-25.00	21.86	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_48A_n5A
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3616.075	98.36	-87.04	11.32	/	/	RMS	Horizontal	/
2	6050.65	29.46	-79.79	-50.33	-40.00	10.33	RMS	Horizontal	PASS
3	14655.0333	34.46	-85.48	-51.02	-40.00	11.02	RMS	Horizontal	PASS
4	17984.6666	32.60	-81.69	-49.09	-40.00	9.09	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_48A_n5A
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 96			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3616.075	98.09	-87.04	11.05	/	/	RMS	Vertical	/
2	6278.625	28.46	-78.82	-50.36	-40.00	10.36	RMS	Vertical	PASS
3	15249.2	33.62	-85.34	-51.72	-40.00	11.72	RMS	Vertical	PASS
4	17848.2	32.51	-81.34	-48.83	-40.00	8.83	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_66A_n5A
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1746	108.63	-93.97	14.66	/	/	RMS	Horizontal	/
2	2155.1	45.92	-92.99	-47.07	/	/	RMS	Horizontal	/
3	2989.2	40.86	-88.76	-47.90	-13.00	34.90	RMS	Horizontal	PASS
4	3492.5	50.03	-107.01	-56.98	-13.00	43.98	RMS	Horizontal	PASS
5	17351	33.09	-82.44	-49.35	-13.00	36.35	RMS	Horizontal	PASS

Project Information

Mode:	EN_DC	Band:	DC_66A_n5A
Bandwidth:	20MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1746	112.29	-93.97	18.32	/	/	RMS	Vertical	/
2	2150.1	42.07	-92.99	-50.92	/	/	RMS	Vertical	/
3	3492	59.05	-107.02	-47.97	-13.00	34.97	RMS	Vertical	PASS
4	3526.5	54.32	-107.31	-52.99	-13.00	39.99	RMS	Vertical	PASS
5	17804	33.70	-83.13	-49.43	-13.00	36.43	RMS	Vertical	PASS

Project Information

Mode:	EN_DC	Band:	DC_12A_n30A
Bandwidth:	10MHZ+10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.4	105.29	-91.89	13.40	/	/	RMS	Horizontal	/
2	2351.3	45.67	-92.03	-46.36	/	/	RMS	Horizontal	/
3	4611	57.51	-103.83	-46.32	-13.00	33.32	RMS	Horizontal	PASS
4	6916	43.62	-97.54	-53.92	-13.00	40.92	RMS	Horizontal	PASS
5	11527	47.94	-90.50	-42.56	-13.00	29.56	RMS	Horizontal	PASS

Project Information

Mode:	EN_DC	Band:	DC_12A_n30A
Bandwidth:	10MHZ+10MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		

Test Standard: FCC PART 27

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.4	109.07	-91.89	17.18	/	/	RMS	Vertical	/
2	2351.4	45.26	-92.03	-46.77	/	/	RMS	Vertical	/
3	4611	66.55	-103.83	-37.28	-13.00	24.28	RMS	Vertical	PASS
4	11527	46.03	-90.50	-44.47	-13.00	31.47	RMS	Vertical	PASS
5	13832	37.29	-86.82	-49.53	-13.00	36.53	RMS	Vertical	PASS

Project Information

Mode:	EN_DC	Band:	DC_12A_n30A
Bandwidth:	10MHZ+10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.5	105.18	-91.89	13.29	/	/	RMS	Horizontal	/
2	2353.3	46.45	-92.01	-45.56	/	/	RMS	Horizontal	/
3	4611	64.68	-103.83	-39.15	-13.00	26.15	RMS	Horizontal	PASS
4	11526.5	45.28	-90.49	-45.21	-13.00	32.21	RMS	Horizontal	PASS
5	13832.5	37.42	-86.81	-49.39	-13.00	36.39	RMS	Horizontal	PASS

Project Information

Mode:	EN_DC	Band:	DC_12A_n30A
Bandwidth:	10MHZ+10MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.4	108.96	-91.89	17.07	/	/	RMS	Vertical	/
2	2351.6	44.59	-92.03	-47.44	/	/	RMS	Vertical	/
3	4611	67.38	-103.83	-36.45	-13.00	23.45	RMS	Vertical	PASS
4	11527	44.75	-90.50	-45.75	-13.00	32.75	RMS	Vertical	PASS
5	13832.5	40.08	-86.81	-46.73	-13.00	33.73	RMS	Vertical	PASS

Project Information

Mode:	EN_DC	Band:	DC_12A_n30A
Bandwidth:	10MHZ+10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	串状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.3	105.60	-91.89	13.71	/	/	RMS	Horizontal	/
2	2351.2	46.70	-92.03	-45.33	/	/	RMS	Horizontal	/
3	4610.5	63.46	-103.83	-40.37	-13.00	27.37	RMS	Horizontal	PASS
4	6916	42.47	-97.54	-55.07	-13.00	42.07	RMS	Horizontal	PASS
5	11526.5	43.29	-90.49	-47.20	-13.00	34.20	RMS	Horizontal	PASS

Project Information

Mode:	EN_DC	Band:	DC_12A_n30A
Bandwidth:	10MHZ+10MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	串状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	2305.4	108.83	-91.89	16.94	/	/	RMS	Vertical	/
2	2354.1	43.64	-92.01	-48.37	/	/	RMS	Vertical	/
3	4611	67.55	-103.83	-36.28	-13.00	23.28	RMS	Vertical	PASS
4	11527	41.97	-90.50	-48.53	-13.00	35.53	RMS	Vertical	PASS
5	13832	38.84	-86.82	-47.98	-13.00	34.98	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n2A
Bandwidth:	10MHZ+20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1850.6	110.62	-93.54	17.08	/	/	RMS	Horizontal	/
2	1932.8	48.23	-93.42	-45.19	/	/	RMS	Horizontal	/
3	3701	62.38	-107.51	-45.13	-13.00	32.13	RMS	Horizontal	PASS
4	9252.5	42.33	-92.67	-50.34	-13.00	37.34	RMS	Horizontal	PASS
5	12954	49.71	-90.15	-40.44	-13.00	27.44	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n2A
Bandwidth:	10MHZ+20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1850.6	112.14	-93.54	18.60	/	/	RMS	Vertical	/
2	1933.4	47.80	-93.42	-45.62	/	/	RMS	Vertical	/
3	3701	60.75	-107.51	-46.76	-13.00	33.76	RMS	Vertical	PASS
4	9253	45.40	-92.67	-47.27	-13.00	34.27	RMS	Vertical	PASS
5	12954	49.10	-90.15	-41.05	-13.00	28.05	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n2A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1870.6	109.14	-93.48	15.66	/	/	RMS	Horizontal	/
2	1951.2	48.18	-93.42	-45.24	/	/	RMS	Horizontal	/
3	3741	53.33	-107.44	-54.11	-13.00	41.11	RMS	Horizontal	PASS
4	9352.5	40.94	-93.23	-52.29	-13.00	39.29	RMS	Horizontal	PASS
5	13093.5	42.45	-90.43	-47.98	-13.00	34.98	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n2A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1870.6	111.49	-93.48	18.01	/	/	RMS	Vertical	/
2	1951.6	44.06	-93.43	-49.37	/	/	RMS	Vertical	/
3	3741	58.64	-107.44	-48.80	-13.00	35.80	RMS	Vertical	PASS
4	9353	43.96	-93.23	-49.27	-13.00	36.27	RMS	Vertical	PASS
5	13093.5	41.68	-90.43	-48.75	-13.00	35.75	RMS	Vertical	PASS


Project Information			
Mode:	EN_DC	Band:	DC_13A_n2A
Bandwidth:	10MHZ+20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1890.6	109.46	-93.43	16.03	/	/	RMS	Horizontal	/
2	1971	44.00	-93.35	-49.35	/	/	RMS	Horizontal	/
3	3781	58.16	-106.90	-48.74	-13.00	35.74	RMS	Horizontal	PASS
4	9453	43.60	-93.48	-49.88	-13.00	36.88	RMS	Horizontal	PASS
5	13233.5	42.40	-88.20	-45.80	-13.00	32.80	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n2A
Bandwidth:	10MHZ+20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1890.6	111.49	-93.43	18.06	/	/	RMS	Vertical	/
2	1973.8	46.67	-93.34	-46.67	/	/	RMS	Vertical	/
3	3781	60.97	-106.90	-45.93	-13.00	32.93	RMS	Vertical	PASS
4	9452.5	48.93	-93.48	-44.55	-13.00	31.55	RMS	Vertical	PASS
5	13233.5	42.96	-88.20	-45.24	-13.00	32.24	RMS	Vertical	PASS