


Project Information

Mode:	EN_DC	Band:	DC_12A_n25A
Bandwidth:	10MHZ+20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		

Test Standard: FCC PART 22/24


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1850.6	109.75	-93.54	16.21	/	/	RMS	Horizontal	/
2	1931.6	48.62	-93.42	-44.80	/	/	RMS	Horizontal	/
3	3701	54.35	-107.51	-53.16	-13.00	40.16	RMS	Horizontal	PASS
4	9253	41.79	-92.67	-50.88	-13.00	37.88	RMS	Horizontal	PASS
5	12954	46.15	-90.15	-44.00	-13.00	31.00	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_12A_n25A
Bandwidth:	10MHZ+20MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph

Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1850.6	111.66	-93.54	18.12	/	/	RMS	Vertical	/
2	1933.4	47.71	-93.42	-45.71	/	/	RMS	Vertical	/
3	3701	58.87	-107.51	-48.64	-13.00	35.64	RMS	Vertical	PASS
4	9252.5	41.97	-92.67	-50.70	-13.00	37.70	RMS	Vertical	PASS
5	12954	48.28	-90.15	-41.87	-13.00	28.87	RMS	Vertical	PASS

Project Information

Mode:	EN_DC	Band:	DC_12A_n25A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1873	109.06	-93.47	15.59	/	/	RMS	Horizontal	/
2	1954	48.64	-93.42	-44.78	/	/	RMS	Horizontal	/
3	3746	53.45	-107.43	-53.98	-13.00	40.98	RMS	Horizontal	PASS
4	9365	44.68	-93.26	-48.58	-13.00	35.58	RMS	Horizontal	PASS
5	13111.5	41.33	-90.33	-49.00	-13.00	36.00	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_12A_n25A
Bandwidth:	10MHZ+20MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1873	111.95	-93.47	18.48	/	/	RMS	Vertical	/
2	1955.8	47.86	-93.40	-45.54	/	/	RMS	Vertical	/
3	3746	56.99	-107.43	-50.44	-13.00	37.44	RMS	Vertical	PASS
4	7492	41.78	-96.79	-55.01	-13.00	42.01	RMS	Vertical	PASS
5	13111	40.22	-90.34	-50.12	-13.00	37.12	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_12A_n25A
Bandwidth:	10MHZ+20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1895.6	108.37	-93.41	14.96	/	/	RMS	Horizontal	/
2	1978.4	49.34	-93.32	-43.98	/	/	RMS	Horizontal	/
3	3791	52.08	-106.73	-54.65	-13.00	41.65	RMS	Horizontal	PASS
4	9478	44.31	-93.01	-48.70	-13.00	35.70	RMS	Horizontal	PASS
5	13268.5	37.32	-88.86	-51.54	-13.00	38.54	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_12A_n25A
Bandwidth:	10MHZ+20MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 22/24			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1895.4	111.02	-93.41	17.61	/	/	RMS	Vertical	/
2	1978.4	47.96	-93.32	-45.36	/	/	RMS	Vertical	/
3	3791	56.45	-106.73	-50.28	-13.00	37.28	RMS	Vertical	PASS
4	9477.5	42.11	-93.01	-50.90	-13.00	37.90	RMS	Vertical	PASS
5	13269	39.30	-88.88	-49.58	-13.00	36.58	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n66A
Bandwidth:	10MHZ+40MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1710.6	107.40	-94.09	13.31	/	/	RMS	Horizontal	/
2	2111.3	48.17	-92.90	-44.73	/	/	RMS	Horizontal	/
3	2977.9	41.15	-88.83	-47.68	-13.00	34.68	RMS	Horizontal	PASS
4	3421.5	54.77	-107.53	-52.76	-13.00	39.76	RMS	Horizontal	PASS
5	17351.5	32.80	-82.46	-49.66	-13.00	36.66	RMS	Horizontal	PASS

Project Information

Mode:	EN_DC	Band:	DC_13A_n66A
Bandwidth:	10MHZ+40MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1710.7	111.73	-94.09	17.64	/	/	RMS	Vertical	/
2	2111.8	46.94	-92.90	-45.96	/	/	RMS	Vertical	/
3	2989.4	40.77	-88.76	-47.99	-13.00	34.99	RMS	Vertical	PASS
4	3421	56.15	-107.54	-51.39	-13.00	38.39	RMS	Vertical	PASS
5	13685.5	36.65	-87.60	-50.95	-13.00	37.95	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n66A
Bandwidth:	10MHZ+40MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1725.8	107.03	-94.03	13.00	/	/	RMS	Horizontal	/
2	2126.9	46.63	-92.93	-46.30	/	/	RMS	Horizontal	/
3	3451	57.11	-107.28	-50.17	-13.00	37.17	RMS	Horizontal	PASS
4	12079	41.99	-90.30	-48.31	-13.00	35.31	RMS	Horizontal	PASS
5	13804.5	37.19	-87.26	-50.07	-13.00	37.07	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n66A
Bandwidth:	10MHZ+40MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1725.6	112.96	-94.03	18.93	/	/	RMS	Vertical	/
2	2128.1	45.28	-92.94	-47.66	/	/	RMS	Vertical	/
3	3451	60.13	-107.28	-47.15	-13.00	34.15	RMS	Vertical	PASS
4	12079	41.12	-90.30	-49.18	-13.00	36.18	RMS	Vertical	PASS
5	13804.5	40.75	-87.26	-46.51	-13.00	33.51	RMS	Vertical	PASS

Project Information

Mode:	EN_DC	Band:	DC_13A_n66A
Bandwidth:	10MHZ+40MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1740.5	108.38	-93.98	14.40	/	/	RMS	Horizontal	/
2	2143.5	47.21	-92.97	-45.76	/	/	RMS	Horizontal	/
3	2996	40.58	-88.71	-48.13	-13.00	35.13	RMS	Horizontal	PASS
4	3481.5	52.96	-107.09	-54.13	-13.00	41.13	RMS	Horizontal	PASS
5	12184.5	37.82	-90.66	-52.84	-13.00	39.84	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n66A
Bandwidth:	10MHZ+40MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1740.8	112.98	-93.98	19.00	/	/	RMS	Vertical	/
2	2144.2	45.87	-92.98	-47.11	/	/	RMS	Vertical	/
3	2995.5	40.66	-88.72	-48.06	-13.00	35.06	RMS	Vertical	PASS
4	3481	56.72	-107.09	-50.37	-13.00	37.37	RMS	Vertical	PASS
5	13924.5	38.07	-87.49	-49.42	-13.00	36.42	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n77A（3450-3550）
Bandwidth:	10MHZ+100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3450.8	95.33	-86.99	8.34	/	/	RMS	Horizontal	/
2	3500.025	51.47	-87.09	-35.62	/	/	RMS	Horizontal	/
3	6213.175	41.47	-79.04	-37.57	-13.00	24.57	RMS	Horizontal	PASS
4	6902.11666	46.80	-96.98	-50.18	-13.00	37.18	RMS	Horizontal	PASS
5	17981.2166	33.06	-81.75	-48.69	-13.00	35.69	RMS	Horizontal	PASS

Project Information

Mode:	EN_DC	Band:	DC_13A_n77A (3450-3550)
Bandwidth:	10MHZ+100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3451.075	94.51	-86.99	7.52	/	/	RMS	Vertical	/
2	3500.025	47.92	-87.09	-39.17	/	/	RMS	Vertical	/
3	5897.2	42.00	-79.47	-37.47	-13.00	24.47	RMS	Vertical	PASS
4	6901.73333	49.75	-96.97	-47.22	-13.00	34.22	RMS	Vertical	PASS
5	17860.0833	32.24	-81.40	-49.16	-13.00	36.16	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n77A（3700-3980）
Bandwidth:	10MHZ+100MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3701.05	96.88	-87.33	9.55	/	/	RMS	Horizontal	/
2	3750	50.29	-87.35	-37.06	/	/	RMS	Horizontal	/
3	6108.4	41.82	-79.41	-37.59	-13.00	24.59	RMS	Horizontal	PASS
4	7401.98333	48.44	-95.59	-47.15	-13.00	34.15	RMS	Horizontal	PASS
5	17996.55	32.46	-81.52	-49.06	-13.00	36.06	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n77A（3700-3980）
Bandwidth:	10MHZ+100MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3701.05	96.03	-87.33	8.70	/	/	RMS	Vertical	/
2	3750	48.67	-87.35	-38.68	/	/	RMS	Vertical	/
3	6221.15	41.49	-79.07	-37.58	-13.00	24.58	RMS	Vertical	PASS
4	7401.98333	44.77	-95.59	-50.82	-13.00	37.82	RMS	Vertical	PASS
5	17977.7666	32.87	-81.79	-48.92	-13.00	35.92	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n77A（3700-3980）
Bandwidth:	10MHZ+100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3790.975	96.75	-86.93	9.82	/	/	RMS	Horizontal	/
2	3839.925	50.95	-86.57	-35.62	/	/	RMS	Horizontal	/
3	6165.05	41.94	-79.29	-37.35	-13.00	24.35	RMS	Horizontal	PASS
4	7582.15	48.17	-96.15	-47.98	-13.00	34.98	RMS	Horizontal	PASS
5	17845.5166	32.39	-81.46	-49.07	-13.00	36.07	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n77A（3700-3980）
Bandwidth:	10MHZ+100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3790.975	95.86	-86.93	8.93	/	/	RMS	Vertical	/
2	3839.925	49.10	-86.57	-37.47	/	/	RMS	Vertical	/
3	6171.1	41.68	-79.24	-37.56	-13.00	24.56	RMS	Vertical	PASS
4	7582.15	47.68	-96.15	-48.47	-13.00	35.47	RMS	Vertical	PASS
5	17972.0166	33.02	-81.87	-48.85	-13.00	35.85	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n77A（3700-3980）
Bandwidth:	10MHZ+100MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3880.9	97.06	-86.36	10.70	/	/	RMS	Horizontal	/
2	3929.85	47.67	-86.57	-38.90	/	/	RMS	Horizontal	/
3	6271.75	41.21	-78.91	-37.70	-13.00	24.70	RMS	Horizontal	PASS
4	7761.93333	41.91	-96.11	-54.20	-13.00	41.20	RMS	Horizontal	PASS
5	17988.1166	33.65	-81.64	-47.99	-13.00	34.99	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_13A_n77A（3700-3980）
Bandwidth:	10MHZ+100MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	3880.9	95.69	-86.36	9.33	/	/	RMS	Vertical	/
2	3979.075	49.87	-86.43	-36.56	/	/	RMS	Vertical	/
3	6193.65	42.07	-79.03	-36.96	-13.00	23.96	RMS	Vertical	PASS
4	7761.93333	39.98	-96.11	-56.13	-13.00	43.13	RMS	Vertical	PASS
5	17844.75	32.31	-81.49	-49.18	-13.00	36.18	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_66A_n41A
Bandwidth:	20MHZ+100MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711.2	106.70	-94.08	12.62	/	/	RMS	Horizontal	/
2	2496.9	102.63	-90.95	11.68	/	/	RMS	Horizontal	/
3	2546	52.51	-90.83	-38.32	/	/	RMS	Horizontal	/
4	2978.8	40.88	-88.82	-47.94	-25.00	22.94	RMS	Horizontal	PASS
5	3422	50.11	-107.53	-57.42	-25.00	32.42	RMS	Horizontal	PASS
6	17355.5	33.18	-82.61	-49.43	-25.00	24.43	RMS	Horizontal	PASS

Project Information

Mode:	EN_DC	Band:	DC_66A_n41A
Bandwidth:	20MHZ+100MHZ	Channel:	Low
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		

Test Standard: FCC PART 27

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBUV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1711.1	110.50	-94.08	16.42	/	/	RMS	Vertical	/
2	2497	102.35	-90.95	11.40	/	/	RMS	Vertical	/
3	2546	53.45	-90.83	-37.38	/	/	RMS	Vertical	/
4	3422	55.32	-107.53	-52.21	-25.00	27.21	RMS	Vertical	PASS
5	3455.5	53.11	-107.25	-54.14	-25.00	29.14	RMS	Vertical	PASS
6	17354.5	33.95	-82.58	-48.63	-25.00	23.63	RMS	Vertical	PASS

Project Information

Mode:	EN_DC	Band:	DC_66A_n41A
Bandwidth:	20MHZ+100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736.1	106.10	-94.00	12.10	/	/	RMS	Horizontal	/
2	2543.9	101.17	-90.83	10.34	/	/	RMS	Horizontal	/
3	2641.9	52.22	-90.14	-37.92	/	/	RMS	Horizontal	/
4	2958.8	40.94	-88.95	-48.01	-25.00	23.01	RMS	Horizontal	PASS
5	3472	51.97	-107.15	-55.18	-25.00	30.18	RMS	Horizontal	PASS
6	12152.5	40.12	-90.91	-50.79	-25.00	25.79	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_66A_n41A
Bandwidth:	20MHZ+100MHZ	Channel:	Mid
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1736.2	112.33	-94.00	18.33	/	/	RMS	Vertical	/
2	2544	101.50	-90.83	10.67	/	/	RMS	Vertical	/
3	2593	54.20	-90.51	-36.31	/	/	RMS	Vertical	/
4	3472	56.59	-107.15	-50.56	-25.00	25.56	RMS	Vertical	PASS
5	12152.5	40.69	-90.91	-50.22	-25.00	25.22	RMS	Vertical	PASS
6	13888.5	38.80	-87.19	-48.39	-25.00	23.39	RMS	Vertical	PASS

Project Information			
Mode:	EN_DC	Band:	DC_66A_n41A
Bandwidth:	20MHZ+100MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			


Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1761.1	107.81	-93.93	13.88	/	/	RMS	Horizontal	/
2	2591	100.50	-90.51	9.99	/	/	RMS	Horizontal	/
3	2640.1	53.30	-90.15	-36.85	/	/	RMS	Horizontal	/
4	3522	56.01	-107.25	-51.24	-25.00	26.24	RMS	Horizontal	PASS
5	10566.5	39.38	-91.48	-52.10	-25.00	27.10	RMS	Horizontal	PASS
6	12328	43.33	-90.45	-47.12	-25.00	22.12	RMS	Horizontal	PASS

Project Information			
Mode:	EN_DC	Band:	DC_66A_n41A
Bandwidth:	20MHZ+100MHZ	Channel:	High
IMEI:	862513050034403	Engineer:	申状
Remark:	Polarity: Z		
Test Standard: FCC PART 27			

Test Graph



Data List									
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Trace	Polarity	Verdict
1	1761.2	112.18	-93.93	18.25	/	/	RMS	Vertical	/
2	2591	101.63	-90.51	11.12	/	/	RMS	Vertical	/
3	2640	53.25	-90.15	-36.90	/	/	RMS	Vertical	/
4	3522.5	60.61	-107.25	-46.64	-25.00	21.64	RMS	Vertical	PASS
5	12327	41.97	-90.46	-48.49	-25.00	23.49	RMS	Vertical	PASS
6	14089	40.31	-87.16	-46.85	-25.00	21.85	RMS	Vertical	PASS