

Band edge measurement LTE Band 12 Test Mode = QPSK /TM4 Channel Bandwidth: 1.4 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 501 of 639




Report No.: WT188005740 Page 502 of 639

Band edge measurement LTE Band 12 Test Mode = 16QAM /TM5 Channel Bandwidth: 1.4 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 503 of 639




Report No.: WT188005740 Page 504 of 639

Band edge measurement LTE Band 12 Test Mode = QPSK /TM4 Channel Bandwidth: 3 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 505 of 639




Report No.: WT188005740 Page 506 of 639

Band edge measurement LTE Band 12 Test Mode = 16QAM /TM5 Channel Bandwidth: 3 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 507 of 639




Report No.: WT188005740 Page 508 of 639

Band edge measurement LTE Band 12 Test Mode = QPSK /TM4 Channel Bandwidth: 5 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 509 of 639




Report No.: WT188005740 Page 510 of 639

Band edge measurement LTE Band 12 Test Mode = 16QAM /TM5 Channel Bandwidth: 5 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 511 of 639




Report No.: WT188005740 Page 512 of 639

Band edge measurement LTE Band 12 Test Mode = QPSK /TM4 Channel Bandwidth: 10 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 513 of 639




Report No.: WT188005740 Page 514 of 639

Band edge measurement LTE Band 12 Test Mode = 16QAM /TM5 Channel Bandwidth: 10 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 515 of 639




Report No.: WT188005740 Page 516 of 639

Band edge measurement LTE Band 13 Test Mode = QPSK /TM4 Channel Bandwidth: 5 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 517 of 639




Report No.: WT188005740 Page 518 of 639

Band edge measurement LTE Band 13 Test Mode = 16QAM /TM5 Channel Bandwidth: 5 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 519 of 639




Report No.: WT188005740 Page 520 of 639

Band edge measurement LTE Band 13 Test Mode = QPSK /TM4 Channel Bandwidth: 10 MHz




Report No.: WT188005740 Page 521 of 639




Report No.: WT188005740 Page 522 of 639

Band edge measurement LTE Band 13 Test Mode = 16QAM /TM5 Channel Bandwidth: 10 MHz




Report No.: WT188005740 Page 523 of 639




Report No.: WT188005740 Page 524 of 639

Band edge measurement LTE Band 17 Test Mode = QPSK /TM4 Channel Bandwidth: 5 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 525 of 639




Report No.: WT188005740 Page 526 of 639

Band edge measurement LTE Band 17 Test Mode = 16QAM /TM5 Channel Bandwidth: 5 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 527 of 639




Report No.: WT188005740 Page 528 of 639

Band edge measurement LTE Band 17 Test Mode = QPSK /TM4 Channel Bandwidth: 10 MHz Test Channel = LCH/HCH




Report No.: WT188005740 Page 529 of 639




Report No.: WT188005740 Page 530 of 639

Band edge measurement LTE Band 17 Test Mode = 16QAM /TM5 Channel Bandwidth: 10 MHz



Report No.: WT188005740 Page 531 of 639



Report No.: WT188005740 Page 532 of 639

4.5. Spurious Emissions Radiated

4.5.1.Test Standard

FCC: CFR Part 2.1053, CFR Part 22.917, CFR Part 24.238, CFR Part 27

4.5.2.Test Limit

Measurements shall be made to detect spurious emissions that may be radiated directly from the cabinet, control circuits, power leads or intermediate circuit elements under normal conditions of installation and operation. Curves or equivalent data shall be supplied showing the magnitude of each harmonic and other spurious emission.

5.5.3 Limits:

(a) Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

For all power levels +30dBm to 0dBm, this becomes a constant specification of -13dBm.

5.5.3.1 FCC 22.917 Emission limitations for cellular equipment.

The rules in this section govern the spectral characteristics of emissions in the Cellular Radiotelephone Service.

(b) Measurement procedure. Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. In the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 100 kHz of 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

5.5.3.2 FCC 24.238 Emission limitations for Broadband PCS equipment.

The rules in this section govern the spectral characteristics of emissions in the Broadband Personal Communications Service.

(b) Measurement procedure. Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 100 kHz of 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Report No.: WT188005740 Page 533 of 639

§ 27.53 (h) For operations in the 1710–1755 MHz and 2110–2155 MHz bands, the power of any

emission outside a licensee's frequency block shall be attenuated below the transmitter power

(P) by at least $43 + 10 \log 10(P) dB$.

The unwanted emission power shall be measured with a resolution bandwidth of at least 1% ofthe occupied bandwidth in the 1 MHz band immediately outside and adjacent to the channel edge of the equipment. Beyond the 1 MHz band immediately outside the channel edge of the equipment, a resolution bandwidth of 1 MHz shall be employed. A narrower resolution bandwidth is allowed to be used provided that the measured power is integrated over the full required measurement bandwidth of 1 MHz or 1% of the occupied bandwidth as applicable.

The power of any unwanted emissions measured from the channel edge of the equipment shall be attenuated below the transmitter power, P (dBW), as follows:

- a. for base station and subscriber equipment, other than mobile subscriber equipment, the attenuation shall not be less than 43 + 10 Log10 (p), dB; and
- b. for mobile subscriber equipment, the attenuation shall not be less than 43 + 10 Log10
- (p), dB at the channel edges and 55 + 10 Log10 (p) at 5.5 MHz away and beyond the channel edges where p in (a) and (b) is the transmitter power measured in watts

4.5.3.Test Procedure


- 1. Connect the equipment as shown in the above diagram with the EUT's antenna in a horizontal orientation.
- 2. Adjust the settings of the Universal Radio Communication Tester (CMU) to set the EUT to its maximum power at the required channel.
- 3. Set the spectrum analyzer to measure peak hold with the required settings.
- 4. Place the measurement antenna in a horizontal orientation. Rotate the EUT 360 . Raise the measurement antenna at 1.5 meters increments and rotate the EUT 360 at maximize all emissions. Measure and record all spurious emissions (LVL) up to the tenth harmonic of the carrier frequency.
- 5. Replace the EUT with a horizontally polarized half wave dipole or known gain antenna. The center of the antenna should be at the same location as the center of the EUT's antenna.
- 6. Connect the antenna to a signal generator with known output power and record the path loss in dB (LOSS). LOSS = Generator Output Power (dBm) Analyzer reading (dBm).
- 7. Determine the level of spurious emissions using the following equation: Spurious (dBm) = LVL (dBm) + LOSS (dB):
- 8. Repeat steps 4, 5 and 6 with all antennas vertically polarized.
- 9. Determine the level of spurious emissions using the following equation: Spurious (dBm) = LVL (dBm) + LOSS (dB):
- 10. Measurements are to be performed with the EUT set to the low, middle and high channel of each frequency band.

(Note: Steps 5 and 6 above are performed prior to testing and LOSS is recorded by test software. Steps 3, 4 and 7 above are performed with test software.)

Spectrum analyzer settings: RBW=VBW=1MHz

Report No.: WT188005740 Page 534 of 639

4.5.4.Test Setup



Report No.: WT188005740 Page 535 of 639

4.5.5.Test Data

Test Band = GSM850 Test Mode = GPRS /TM1 Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBd]	dB	Level (ERP) [dBm]		[dBm]
1648.4	-0.37	0.9	6.77	40.6	-35.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = GSM850 Test Mode = GPRS /TM1 Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBd]	dB	Level (ERP) [dBm]		[dBm]
1673.2	-0.87	0.9	6.77	40.6	-35.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = GSM850 Test Mode = GPRS /TM1 Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBd]	dB	Level (ERP) [dBm]		[dBm]
1697.6	-0.67	0.9	6.77	40.6	-35.4	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 536 of 639

Test Band = GSM850 Test Mode = EDGE /TM2 Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBd]	dB	Level (ERP) [dBm]		[dBm]
1648.4	-4.87	0.9	6.77	40.6	-39.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = GSM850 Test Mode = EDGE /TM2 Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBd]	dB	Level (ERP) [dBm]		[dBm]
1673.2	-4.37	0.9	6.77	40.6	-39.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = GSM850 Test Mode = EDGE /TM2 Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBd]	dB	Level (ERP) [dBm]		[dBm]
1697.6	-5.07	0.9	6.77	40.6	-39.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 537 of 639

Test Band = WCDMA850 Test Mode = UMTS/TM3 Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBd]	dB	Level (ERP) [dBm]		[dBm]
1652.8	-5.87	0.9	6.77	40.6	-40.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = WCDMA850 Test Mode = UMTS/TM3 Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBd]	dB	Level (ERP) [dBm]		[dBm]
1672.8	2.9	0.9	6.77	40.6	-31.83	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = WCDMA850 Test Mode = UMTS/TM3 Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBd]	dB	Level (ERP) [dBm]		[dBm]
1693.2	-6.47	0.9	6.77	40.6	-41.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 538 of 639

Test Band = GSM1900 Test Mode = GPRS /TM1 Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3700.4	-5.43	4.6	9.53	39	-39.5	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = GSM1900 Test Mode = GPRS /TM1 Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-6.13	4.6	9.53	39	-40.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = GSM1900 Test Mode = GPRS /TM1 Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3819.6	-5.13	4.6	9.53	39	-39.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 539 of 639

Test Band = GSM1900 Test Mode = EDGE /TM2 Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3700.4	-7.23	4.6	9.53	39	-41.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = GSM1900 Test Mode = EDGE /TM2 Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-6.73	4.6	9.53	39	-40.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = GSM1900 Test Mode = EDGE /TM2 Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3819.6	-7.23	4.6	9.53	39	-41.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 540 of 639

Test Band = WCDMA1900 Test Mode = UMTS /TM3 Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3705	-7.03	4.6	9.53	39	-41.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = WCDMA1900 Test Mode = UMTS /TM3 Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-7.53	4.6	9.53	39	-41.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = WCDMA1900 Test Mode = UMTS /TM3 Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3815.2	-7.73	4.6	9.53	39	-41.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 541 of 639

Test Band = WCDMA1700 Test Mode = UMTS /TM3 Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3424.8	-8.61	4.1	9.41	39	-42.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = WCDMA1700 Test Mode = UMTS /TM3 Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465.2	-8.21	4.1	9.41	39	-41.9	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = WCDMA1700 Test Mode = UMTS /TM3 Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3505.2	-9.01	4.1	9.41	39	-42.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 542 of 639

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=1.4MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3701.4	-6.53	4.6	9.53	39	-40.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=1.4MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-7.13	4.6	9.53	39	-41.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=1.4MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3818.6	-7.53	4.6	9.53	39	-41.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 543 of 639

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=1.4MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3701.4	-8.13	4.6	9.53	39	-42.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=1.4MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-8.73	4.6	9.53	39	-42.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=1.4MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3818.6	-8.43	4.6	9.53	39	-42.5	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 544 of 639

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=3MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3703	-9.23	4.6	9.53	39	-43.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=3MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-9.53	4.6	9.53	39	-43.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=3MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3817	-8.63	4.6	9.53	39	-42.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 545 of 639

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=3MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3703	-8.33	4.6	9.53	39	-42.4	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=3MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-8.83	4.6	9.53	39	-42.9	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=3MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3817	-9.03	4.6	9.53	39	-43.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 546 of 639

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3705	-8.63	4.6	9.53	39	-42.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-8.13	4.6	9.53	39	-42.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3815	-8.83	4.6	9.53	39	-42.9	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 547 of 639

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=5MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3705	-8.93	4.6	9.53	39	-43	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=5MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-9.53	4.6	9.53	39	-43.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=5MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3815	-8.33	4.6	9.53	39	-42.4	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 548 of 639

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3710	-7.83	4.6	9.53	39	-41.9	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-7.23	4.6	9.53	39	-41.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3810	-8.43	4.6	9.53	39	-42.5	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 549 of 639

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=10MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3710	-8.73	4.6	9.53	39	-42.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=10MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-10.03	4.6	9.53	39	-44.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=10MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3810	-9.43	4.6	9.53	39	-43.5	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 550 of 639

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=15MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3715	-8.43	4.6	9.53	39	-42.5	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=15MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-8.03	4.6	9.53	39	-42.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=15MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3805	-8.63	4.6	9.53	39	-42.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 551 of 639

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=15MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3715	-9.43	4.6	9.53	39	-43.5	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=15MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-8.63	4.6	9.53	39	-42.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=15MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3805	-9.13	4.6	9.53	39	-43.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 552 of 639

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=20MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3720	-10.13	4.6	9.53	39	-44.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=20MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-9.73	4.6	9.53	39	-43.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = QPSK /TM4
Bandwidth=20MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3800	-8.83	4.6	9.53	39	-42.9	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 553 of 639

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=20MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3720	-7.93	4.6	9.53	39	-42	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=20MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3760	-8.73	4.6	9.53	39	-42.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 2
Test Mode = 16QAM /TM5
Bandwidth=20MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3800	-9.33	4.6	9.53	39	-43.4	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 554 of 639

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=1.4MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3421.4	-6.11	4.1	9.41	39	-39.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=1.4MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-6.51	4.1	9.41	39	-40.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=1.4MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3508.6	-7.61	4.1	9.41	39	-41.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 555 of 639

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=1.4MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3421.4	-8.41	4.1	9.41	39	-42.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=1.4MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-7.91	4.1	9.41	39	-41.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = Q16QAM /TM5
Bandwidth=1.4MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3508.6	-8.91	4.1	9.41	39	-42.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 556 of 639

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=3MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3423	-8.01	4.1	9.41	39	-41.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=3MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-9.21	4.1	9.41	39	-42.9	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=3MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3507	-8.61	4.1	9.41	39	-42.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 557 of 639

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=3MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3423	-9.41	4.1	9.41	39	-43.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=3MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-9.71	4.1	9.41	39	-43.4	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = Q16QAM /TM5
Bandwidth=3MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3507	-9.71	4.1	9.41	39	-43.4	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 558 of 639

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3425	-9.01	4.1	9.41	39	-42.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-8.61	4.1	9.41	39	-42.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3505	-10.01	4.1	9.41	39	-43.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 559 of 639

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=5MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3425	-9.71	4.1	9.41	39	-43.4	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=5MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-10.11	4.1	9.41	39	-43.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = Q16QAM /TM5
Bandwidth=5MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3505	-9.51	4.1	9.41	39	-43.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 560 of 639

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3430	-9.11	4.1	9.41	39	-42.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-9.51	4.1	9.41	39	-43.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3500	-10.01	4.1	9.41	39	-43.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 561 of 639

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=10MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3430	-8.01	4.1	9.41	39	-41.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=10MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-8.61	4.1	9.41	39	-42.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = Q16QAM /TM5
Bandwidth=10MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3500	-8.91	4.1	9.41	39	-42.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 562 of 639

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=15MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3435	-9.21	4.1	9.41	39	-42.9	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=15MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-8.61	4.1	9.41	39	-42.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=15MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3495	-9.51	4.1	9.41	39	-43.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 563 of 639

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=15MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3435	-7.71	4.1	9.41	39	-41.4	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=15MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-8.01	4.1	9.41	39	-41.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = Q16QAM /TM5
Bandwidth=15MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3495	-8.91	4.1	9.41	39	-42.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 564 of 639

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=20MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3440	-9.51	4.1	9.41	39	-43.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=20MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3465	-8.01	4.1	9.41	39	-41.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = QPSK /TM4
Bandwidth=20MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
3490	-7.11	4.1	9.41	39	-40.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 565 of 639

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=20MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (ERP) [dBm]		[dBm]
3440	-9.01	4.1	9.41	39	-42.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = 16QAM /TM5
Bandwidth=20MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (ERP) [dBm]		[dBm]
3465	-9.71	4.1	9.41	39	-43.4	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 4
Test Mode = Q16QAM /TM5
Bandwidth=20MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (ERP) [dBm]		[dBm]
3490	-8.71	4.1	9.41	39	-42.4	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 566 of 639

Test Band = LTE Band 5 Test Mode = QPSK /TM4 Bandwidth=1.4MHz Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1649.4	-5.47	0.9	6.77	40.6	-40.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=1.4MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1673	-4.87	0.9	6.77	40.6	-39.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=1.4MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1696.7	-5.57	0.9	6.77	40.6	-40.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 567 of 639

Test Band = LTE Band 5
Test Mode = 16QAM /TM5
Bandwidth=1.4MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1649.4	-6.47	0.9	6.77	40.6	-41.2	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = 16QAM /TM5
Bandwidth=1.4MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1673	-7.57	0.9	6.77	40.6	-42.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = Q16QAM /TM5
Bandwidth=1.4MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1696.7	-7.17	0.9	6.77	40.6	-41.9	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 568 of 639

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=3MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1651	-5.57	0.9	6.77	40.6	-40.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=3MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1673	-6.27	0.9	6.77	40.6	-41	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=3MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1695	-6.57	0.9	6.77	40.6	-41.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 569 of 639

Test Band = LTE Band 5
Test Mode = 16QAM /TM5
Bandwidth=3MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1651	-6.97	0.9	6.77	40.6	-41.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = 16QAM /TM5
Bandwidth=3MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1673	-7.87	0.9	6.77	40.6	-42.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = Q16QAM /TM5
Bandwidth=3MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1695	-7.97	0.9	6.77	40.6	-42.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 570 of 639

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1653	-7.37	0.9	6.77	40.6	-42.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1673	-7.07	0.9	6.77	40.6	-41.8	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1693	-6.97	0.9	6.77	40.6	-41.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 571 of 639

Test Band = LTE Band 5
Test Mode = 16QAM /TM5
Bandwidth=5MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1653	-7.97	0.9	6.77	40.6	-42.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = 16QAM /TM5
Bandwidth=5MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1673	-7.37	0.9	6.77	40.6	-42.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = Q16QAM /TM5
Bandwidth=5MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1693	-7.77	0.9	6.77	40.6	-42.5	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 572 of 639

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1658	-6.57	0.9	6.77	40.6	-41.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1673	-6.87	0.9	6.77	40.6	-41.6	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1688	-7.37	0.9	6.77	40.6	-42.1	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 573 of 639

Test Band = LTE Band 5
Test Mode = 16QAM /TM5
Bandwidth=10MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1693	-7.97	0.9	6.77	40.6	-42.7	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = 16QAM /TM5
Bandwidth=10MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1673	-7.57	0.9	6.77	40.6	-42.3	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 5
Test Mode = Q16QAM /TM5
Bandwidth=10MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
1688	-7.17	0.9	6.77	40.6	-41.9	Vertical	-13

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 574 of 639

Test Band = LTE Band 7
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5005	-4.88	6.32	10	38.5	-39.7	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5070	-4.48	6.32	10	38.5	-39.3	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = QPSK /TM4
Bandwidth=5MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5135	-5.28	6.32	10	38.5	-40.1	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 575 of 639

Test Band = LTE Band 7
Test Mode = 16QAM /TM5
Bandwidth=5MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5005	-6.58	6.32	10	38.5	-41.4	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = 16QAM /TM5
Bandwidth=5MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5070	-6.88	6.32	10	38.5	-41.7	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = Q16QAM /TM5
Bandwidth=5MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5135	-5.78	6.32	10	38.5	-40.6	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 576 of 639

Test Band = LTE Band 7
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5010	-4.58	6.32	10	38.5	-39.4	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5070	-5.08	6.32	10	38.5	-39.9	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = QPSK /TM4
Bandwidth=10MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5130	-5.58	6.32	10	38.5	-40.4	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 577 of 639

Test Band = LTE Band 7
Test Mode = 16QAM /TM5
Bandwidth=10MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5010	-6.48	6.32	10	38.5	-41.3	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = 16QAM /TM5
Bandwidth=10MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5070	-7.18	6.32	10	38.5	-42	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = Q16QAM /TM5
Bandwidth=10MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5130	-6.78	6.32	10	38.5	-41.6	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 578 of 639

Test Band = LTE Band 7
Test Mode = QPSK /TM4
Bandwidth=15MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5015	-6.38	6.32	10	38.5	-41.2	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = QPSK /TM4
Bandwidth=15MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5070	-6.88	6.32	10	38.5	-41.7	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = QPSK /TM4
Bandwidth=15MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5125	-5.58	6.32	10	38.5	-40.4	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 579 of 639

Test Band = LTE Band 7
Test Mode = 16QAM /TM5
Bandwidth=15MHz
Test Channel = LCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5015	-6.88	6.32	10	38.5	-41.7	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = 16QAM /TM5
Bandwidth=15MHz
Test Channel = MCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5070	-7.18	6.32	10	38.5	-42	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Test Band = LTE Band 7
Test Mode = Q16QAM /TM5
Bandwidth=15MHz
Test Channel = HCH

Freq.	SG. Level	Cable Loss	Antenna Gain	Preamp	Substitution	polarization	Limit
[MHz]	[dBm]	[dB]	[dBi]	dB	Level (EIRP) [dBm]		[dBm]
5125	-7.48	6.32	10	38.5	-42.3	Vertical	-25

The emissions don't show in above result tables are more than 20dB below the limits Note: both of Vertical and Horizontal polarization are evaluated, and only the worst case is recorded in this report

Report No.: WT188005740 Page 580 of 639