



# TEST REPORT

No.I20N00391-SAR

For

**TCL Communication Ltd.**

**LTE/UMTS/GSM Smartphone**

**Model Name: 5030J, 5130J**

With

**Hardware Version: FS180-MB-V0.2**

**Software Version: 5030J\_OFAR\_1SIM\_V1.4\_20200331\_UNLOCK**

**FCC ID: 2ACCJB118**

**Issued Date: 2020-04-23**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

**Test Laboratory:**

**SAICT, Shenzhen Academy of Information and Communications Technology**

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518026.

Tel: +86(0)755-33322000, Fax: +86(0)755-33322001

Email: [yewu@caict.ac.cn](mailto:yewu@caict.ac.cn), [www.saict.ac.cn](http://www.saict.ac.cn)




**Picture 1: Front side of the sample**



**Picture 2: Back side of the sample**

**Test positions for Head:**



**Picture 3: Left Touch Position**



**Picture 4: Left Tilt 15° Position**




**Picture 5: Right Touch Position**



**Picture 6: Right Tilt 15° Position**

Test positions for body:



**Picture 7: Front Side (10mm)**



**Picture 8: Rear Side (10mm)**



**Picture 9: Left Side (10mm)**



**Picture 10: Right Side (10mm)**



**Picture 11: Top Side (10mm)**



**Picture 12: Bottom Side (10mm)**



**Picture 13: Rear Side with Headset (10mm)**