


Band12-1.4MHz-QPSK-23017-6RB#0-1.0777



Band12-1.4MHz-QPSK-23095-6RB#0-1.0796




Band12-1.4MHz-QPSK-23173-6RB#0-1.0790




Band12-1.4MHz-16QAM-23017-6RB#0-1.0794




Band12-1.4MHz-16QAM-23095-6RB#0-1.0766



Band12-1.4MHz-16QAM-23173-6RB#0-1.0792



Band12-3MHz-QPSK-23025-15RB#0-2.6893




Band12-3MHz-QPSK-23095-15RB#0-2.6869




Band12-3MHz-QPSK-23165-15RB#0-2.6928




Band12-3MHz-16QAM-23025-15RB#0-2.6815




Band12-3MHz-16QAM-23095-15RB#0-2.6872




Band12-3MHz-16QAM-23165-15RB#0-2.6778




Band12-5MHz-QPSK-23035-25RB#0-4.4722




Band12-5MHz-QPSK-23095-25RB#0-4.4765



Band12-5MHz-QPSK-23155-25RB#0-4.4743




Band12-5MHz-16QAM-23035-25RB#0-4.4703



Band12-5MHz-16QAM-23095-25RB#0-4.4782




Band12-5MHz-16QAM-23155-25RB#0-4.4763



Band12-10MHz-QPSK-23060-50RB#0-8.9042



Band12-10MHz-QPSK-23095-50RB#0-8.9325




Band12-10MHz-QPSK-23130-50RB#0-8.9156




Band12-10MHz-16QAM-23060-50RB#0-8.9008



Band12-10MHz-16QAM-23095-50RB#0-8.9265




Band12-10MHz-16QAM-23130-50RB#0-8.9114




Band13-5MHz-QPSK-23205-25RB#0-4.4680




Band13-5MHz-QPSK-23230-25RB#0-4.4770



Band13-5MHz-QPSK-23255-25RB#0-4.4718



Band13-5MHz-16QAM-23205-25RB#0-4.4700



Band13-5MHz-16QAM-23230-25RB#0-4.4689




Band13-5MHz-16QAM-23255-25RB#0-4.4750




Band13-10MHz-QPSK-23230-50RB#0-8.9129



Band13-10MHz-16QAM-23230-50RB#0-8.9211



Band66-1.4MHz-QPSK-131979-6RB#0-1.0800




Band66-1.4MHz-QPSK-132322-6RB#0-1.0791




Band66-1.4MHz-QPSK-132665-6RB#0-1.0795




Band66-1.4MHz-16QAM-131979-6RB#0-1.0788




Band66-1.4MHz-16QAM-132322-6RB#0-1.0783




Band66-1.4MHz-16QAM-132665-6RB#0-1.0782



Band66-3MHz-QPSK-131987-15RB#0-2.6869




Band66-3MHz-QPSK-132322-15RB#0-2.6828




Band66-3MHz-QPSK-132657-15RB#0-2.6850




Band66-3MHz-16QAM-131987-15RB#0-2.6785




Band66-3MHz-16QAM-132322-15RB#0-2.6852



Band66-3MHz-16QAM-132657-15RB#0-2.6818




Band66-5MHz-QPSK-131997-25RB#0-4.4756




Band66-5MHz-QPSK-132322-25RB#0-4.4716



Band66-5MHz-QPSK-132647-25RB#0-4.4778




Band66-5MHz-16QAM-131997-25RB#0-4.4745




Band66-5MHz-16QAM-132322-25RB#0-4.4740




Band66-5MHz-16QAM-132647-25RB#0-4.4766



Band66-10MHz-QPSK-132022-50RB#0-8.9341




Band66-10MHz-QPSK-132322-50RB#0-8.9206




Band66-10MHz-QPSK-132622-50RB#0-8.9041




Band66-10MHz-16QAM-132022-50RB#0-8.9164




Band66-10MHz-16QAM-132322-50RB#0-8.9234




Band66-10MHz-16QAM-132622-50RB#0-8.9115




Band66-15MHz-QPSK-132047-75RB#0-13.364




Band66-15MHz-QPSK-132322-75RB#0-13.365




Band66-15MHz-QPSK-132597-75RB#0-13.363




Band66-15MHz-16QAM-132047-75RB#0-13.363




Band66-15MHz-16QAM-132322-75RB#0-13.360




Band66-15MHz-16QAM-132597-75RB#0-13.366




Band66-20MHz-QPSK-132072-100RB#0-17.810




Band66-20MHz-QPSK-132322-100RB#0-17.806




Band66-20MHz-QPSK-132572-100RB#0-17.817



Band66-20MHz-16QAM-132072-100RB#0-17.802



Band66-20MHz-16QAM-132322-100RB#0-17.835



Band66-20MHz-16QAM-132572-100RB#0-17.828



5.4. Spurious Emission at Antenna Terminal

5.4.1. Test Standard

FCC: CFR Part 2.1051, CFR Part 22.917, CFR Part 24.238, CFR Part 27.53

5.4.2. Test Limit

The radio frequency voltage or power generated within the equipment and appearing on a spurious frequency shall be checked at the equipment output terminals when properly loaded with a suitable artificial antenna. Curves or equivalent data shall show the magnitude of each harmonic and other spurious emission that can be detected when the equipment is operated under the conditions specified in FCC 2.1049 as appropriate. The magnitude of spurious emissions which are attenuated more than 20 dB below the permissible value need not be specified.

(a) Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. For all power levels +30dBm to 0dBm, this becomes a constant specification of -13dBm.

FCC 22.917 Emission limitations for cellular equipment.

The rules in this section govern the spectral characteristics of emissions in the Cellular Radio telephone Service.

(b) Measurement procedure. Compliance with these provisions is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater. In the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 100 kHz of 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC 24.238 Emission limitations for Broadband PCS equipment.

The rules in this section govern the spectral characteristics of emissions in the Broadband Personal Communications Service.

(b) Measurement procedure. Compliance with these provisions is based on the use of

measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 100 kHz of 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC: §27.53

(c) For operations in the 746-758 MHz band and the 776-788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:

(1) On any frequency outside the 746-758 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(2) On any frequency outside the 776-788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least $43 + 10 \log (P)$ dB;

(3) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $76 + 10 \log (P)$ dB in a 6.25 kHz band segment, for base and fixed stations;

(4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than $65 + 10 \log (P)$ dB in a 6.25 kHz band segment, for mobile and portable stations;

(g) For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

(h) *AWS emission limits*—(1) *General protection levels.* Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10} (P)$ dB.

(m)(4) For mobile digital stations, the attenuation factor shall be not less than $43 + 10 \log (P)$ dB at the channel edge and $55 + 10 \log (P)$ dB at 5.5 megahertz from the channel edges. (Channel edges are defined under

§27.5 (i) Frequency assignment for the BRS/EBS band)

(m)(6) Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 MHz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the



fundamental emission of the transmitter may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 100 kHz of 1 percent of emission bandwidth, as specified). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.



5.4.3. Test Procedure

1. Connect the equipment as shown in the above diagram.
 2. Set the spectrum analyzer to measure peak hold with the required settings.
 3. Set the signal generator to a known output power and record the path loss in dB (LOSS) for frequencies up to the tenth harmonic of the EUT's carrier frequency.
 $LOSS = \text{Generator Output Power (dBm)} - \text{Analyzer reading (dBm)}$.
 4. Replace the signal generator with the EUT.
 5. Adjust the settings of the Universal Radio Communication Tester (CMU) to set the EUT to its maximum power at the required channel.
 6. Set the spectrum analyzer to measure peak hold with the required settings. Offset the spectrum analyzer reference level by the path loss measured above.
 7. Measure and record all spurious emissions up to the tenth harmonic of the carrier frequency.
 8. Measurements are to be performed with the EUT set to the low, middle and high channel of each frequency band.
 9. If necessary steps 6 and 7 may be performed with the spectrum analyzer set to average detector.
- (Note: Step 3 above is performed prior to testing and LOSS is recorded by test software. Steps 2, 6, and 7 above are performed with test software.)



5.4.4. Test Data



For GSM
Test Band=GSM850
Test Mode=GSM/TM1
Test Channel=LCH









Test Channel=MCH







Test Channel=HCH









Test Mode=GSM/TM2



Test Channel=LCH









Test Channel=MCH






Test Channel=HCH






Test Band=GSM1900
Test Mode=GSM/TM1
Test Channel=LCH




Date: 8.JUL.2020 09:46:27




Date: 8.JUL.2020 09:46:36


Test Channel=MCH




Date: 8.JUL.2020 09:47:31



Date: 8.JUL.2020 09:47:40




Date: 8.JUL.2020 09:48:10




Date: 8.JUL.2020 09:48:20


Test Channel=HCH




Date: 8.JUL.2020 09:48:37



Date: 8.JUL.2020 09:48:46




Date: 8.JUL.2020 09:48:55




Date: 8.JUL.2020 09:49:06

Test Mode=GSM/TM2
 Test Channel=LCH




Date: 8.JUL.2020 09:52:37




Date: 8.JUL.2020 09:52:45


Test Channel=MCH




Date: 8.JUL.2020 09:53:39



Date: 8.JUL.2020 09:53:48




Date: 8.JUL.2020 09:53:56




Date: 8.JUL.2020 09:54:06


Test Channel=HCH




Date: 8.JUL.2020 09:54:42




Date: 8.JUL.2020 09:54:51




Date: 8.JUL.2020 09:55:00




Date: 8.JUL.2020 09:55:10




Date: 8.JUL.2020 09:59:18




Date: 8.JUL.2020 09:59:26




Date: 8.JUL.2020 10:00:08



Date: 8.JUL.2020 10:00:16




Date: 8.JUL.2020 10:00:52




Date: 8.JUL.2020 10:01:00


Test Band=WCDMA1700
Test Mode=UMTS/TM3
Test Channel=LCH




Date: 14. JUL.2020 12:18:10




Date: 14. JUL.2020 12:18:25




Date: 14.JUL.2020 12:18:33



Date: 14.JUL.2020 12:18:43




Date: 14.JUL.2020 12:18:51




Date: 14.JUL.2020 12:18:59


Test Channel=MCH




Date: 14.JUL.2020 12:19:18




Date: 14.JUL.2020 12:19:25




Date: 14.JUL.2020 12:19:33



Date: 14.JUL.2020 12:19:43




Date: 14.JUL.2020 12:19:51




Date: 14.JUL.2020 12:20:00


Test Channel=HCH




Date: 14.JUL.2020 12:20:18




Date: 14.JUL.2020 12:20:26




Date: 14.JUL.2020 12:20:34



Date: 14.JUL.2020 12:20:44




Date: 14.JUL.2020 12:20:52




Date: 14.JUL.2020 12:21:00


Test Band=WCDMA1900
Test Mode=UMTS/TM3
Test Channel=LCH




Date: 15.JUL.2020 10:34:49




Date: 15.JUL.2020 10:34:57




Date: 15.JUL.2020 10:35:05



Date: 15.JUL.2020 10:35:15




Date: 15.JUL.2020 10:35:23




Date: 15.JUL.2020 10:35:31


Test Channel=MCH




Date: 15.JUL.2020 10:35:50




Date: 15.JUL.2020 10:35:57




Date: 15.JUL.2020 10:36:05



Date: 15.JUL.2020 10:36:15




Date: 15.JUL.2020 10:36:23




Date: 15.JUL.2020 10:36:31


Test Channel=HCH




Date: 15.JUL.2020 10:36:50




Date: 15.JUL.2020 10:36:57




Date: 15.JUL.2020 10:37:05



Date: 15.JUL.2020 10:37:15




Date: 15.JUL.2020 10:37:23




Date: 15.JUL.2020 10:37:32

Band2-1.4MHz-QPSK-18607-1RB#0-Range1:30~1000MHz




Date: 14.JUL.2020 12:31:28

Band2-1.4MHz-QPSK-18607-1RB#0-Range2:1000~5000MHz




Date: 14.JUL.2020 12:31:52

Band2-1.4MHz-QPSK-18607-1RB#0-Range3:5000~12000MHz




Date: 14.JUL.2020 12:32:14

Band2-1.4MHz-QPSK-18607-1RB#0-Range4:12000~26500MHz




Date: 14.JUL.2020 12:32:37

Band2-1.4MHz-QPSK-18900-1RB#0-Range1:30~1000MHz




Date: 14.JUL.2020 12:34:12

Band2-1.4MHz-QPSK-18900-1RB#0-Range2:1000~5000MHz




Date: 14.JUL.2020 12:34:36

Band2-1.4MHz-QPSK-18900-1RB#0-Range3:5000~12000MHz




Date: 14.JUL.2020 12:34:58

Band2-1.4MHz-QPSK-18900-1RB#0-Range4:12000~26500MHz




Date: 14.JUL.2020 12:35:21

Band2-1.4MHz-QPSK-19193-1RB#0-Range1:30~1000MHz




Date: 14.JUL.2020 12:36:56

Band2-1.4MHz-QPSK-19193-1RB#0-Range2:1000~5000MHz




Date: 14.JUL.2020 12:37:20

Band2-1.4MHz-QPSK-19193-1RB#0-Range3:5000~12000MHz




Date: 14.JUL.2020 12:37:42

Band2-1.4MHz-QPSK-19193-1RB#0-Range4:12000~26500MHz




Date: 14.JUL.2020 12:38:05

Band2-1.4MHz-16QAM-18607-1RB#0-Range1:30~1000MHz




Date: 14.JUL.2020 12:32:49

Band2-1.4MHz-16QAM-18607-1RB#0-Range2:1000~5000MHz




Date: 14.JUL.2020 12:33:13

Band2-1.4MHz-16QAM-18607-1RB#0-Range3:5000~12000MHz




Date: 14.JUL.2020 12:33:36

Band2-1.4MHz-16QAM-18607-1RB#0-Range4:12000~26500MHz




Date: 14.JUL.2020 12:33:58

Band2-1.4MHz-16QAM-18900-1RB#0-Range1:30~1000MHz




Date: 14.JUL.2020 12:35:33

Band2-1.4MHz-16QAM-18900-1RB#0-Range2:1000~5000MHz




Date: 14.JUL.2020 12:35:57

Band2-1.4MHz-16QAM-18900-1RB#0-Range3:5000~12000MHz




Date: 14.JUL.2020 12:36:19

Band2-1.4MHz-16QAM-18900-1RB#0-Range4:12000~26500MHz




Date: 14.JUL.2020 12:36:42

Band2-1.4MHz-16QAM-19193-1RB#0-Range1:30~1000MHz



Date: 14.JUL.2020 12:38:17

Band2-1.4MHz-16QAM-19193-1RB#0-Range2:1000~5000MHz



Date: 14.JUL.2020 12:38:41