

Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11






Fig.12




Date: 13.MAY.2020 10:08:18

Fig.13




Date: 13.MAY.2020 10:08:52

Fig.14



Date: 13.MAY.2020 10:09:56

Fig.15



Date: 13.MAY.2020 10:10:50

Fig.16

6 Frequency Stability

Test result:

Temperature(°C)	Voltage	Test Result (ppm) Band41 Low Channel			
		5M	10M	15M	20M
-10	NV	0.006	0.022	0.002	0.025
0	NV	-0.005	0.033	-0.005	0.022
+10	NV	0.002	-0.007	0.012	-0.016
+20	NV	0.000	0.000	0.000	0.000
+30	NV	0.018	-0.017	0.028	-0.013
+40	NV	0.011	-0.009	-0.032	-0.003
+50	NV	0.016	0.008	0.002	0.015
+55	NV	-0.003	0.030	-0.007	0.001
+20	LV	-0.016	-0.008	0.011	0.012
+20	HV	-0.019	0.009	-0.003	0.031

Temperature(°C)	Voltage	Test Result (ppm) Ban41 High Channel			
		5M	10M	15M	20M
-10	NV	0.002	-0.020	-0.013	0.023
0	NV	-0.014	0.013	0.001	0.025
+10	NV	-0.021	-0.017	0.019	-0.019
+20	NV	0.000	0.000	0.000	0.000
+30	NV	0.024	-0.006	-0.002	-0.013
+40	NV	0.012	-0.008	-0.015	0.020
+50	NV	-0.004	0.017	0.030	0.013
+55	NV	-0.015	0.016	-0.003	-0.011
+20	LV	-0.016	0.019	-0.012	0.019
+20	HV	-0.005	0.023	0.010	0.016