



**No. I22Z61294-SEM01**

**For**

**TCL Communication Ltd.**

**Tablet PC**

**Model Name: 9183G**

**with**

**Hardware Version: 05**

**Software Version: 9H5D**

**FCC ID: 2ACCJB185**

**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

**Test Laboratory:**

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: [ctl\\_terminals@caict.ac.cn](mailto:ctl_terminals@caict.ac.cn), website: [www.caict.ac.cn](http://www.caict.ac.cn)




**Picture 1: Constituents of the sample**

**Test positions for body:**


The Body SAR is tested at the following 9 test positions with the distance = 0mm/14mm/17mm/19mm between the EUT and the phantom bottom:




**Picture 2 Rear 0mm**



**Picture 3 Rear 14mm**



**Picture 4 Rear 17mm**



**Picture 5 Rear 19mm**




**Picture 6 Right 0mm**







**Picture 7 Right 14mm**




**Picture 8 Top 0mm**



**Picture 9 Top 17mm**



**Picture 10 Top 19mm**



- ANT0: LTE B5/7 TRX, GSM 850/1900 TRX, W B2/5 TRX
- ANT1: n78 PRX MIMO
- ANT2: LTE B B5/7/38/40/41 DRX, W B2/5 DRX, n41 DRX
- ANT3: B41/n41 PRX MIMO, n78 TRX
- ANT4: LTE B7 DRX MIMO, B41/n41 DRX MIMO, n78 DRX
- ANT5: LTE B38/41 PRX, n78 DRX MIMO, n41 TRX, endc b7 TRX
- ANT6: WIFI 2.4G/5G TRX
- ANT7: GPS

Picture 11 Antenna location