



No. 23T04Z80940-13

For

TCL Communication Ltd.

Tablet PC

Model Name: 9199S

with

Hardware Version: 05

Software Version: 4DS9

FCC ID: 2ACCJB217

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.


Test Laboratory:

CTTL-Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504

Email: cttl_terminals@caict.ac.cn, website: www.caict.ac.cn




ANT	VZW Band	Rear	Side
ANT0	LB TX0	25mm	25mm
	GSM 850/900		
	W 5/8		
	LTE B5/13/12/17		
	NR n5		
	MB TX1		
	GSM 1800/1900		
	ENDC n2/66		
ANT2	MB TX0	30mm	30mm
	W2/4		
	LTE B2/4/66		
	NR n2/66		
	ENDC B66/2		
ANT3	HB TX	15mm	15mm
	LTE B7		
ANT5	UHB TX	30mm	35mm
	LTE B48 NR n77/78		
ANT7	2G/5G WIFI	20mm	20mm



Picture 1: Constituents of the sample

Test positions for body:


The Body SAR is tested at the following test positions with the distance = 0mm/14mm/19mm/29mm/34mm between the EUT and the phantom bottom:




Picture 2: ANT0 REAR 19mm



Picture 3: ANT0 LEFT 19mm




Picture 4: ANT0 TOP 19mm




Picture 5: ANT2 RIGHT 29mm



Picture 6: ANT2 BOTTOM 29mm




Picture 7: ANT2 REAR 29mm



Picture 8: ANT3 REAR 14mm




Picture 9: ANT3 TOP 14mm




Picture 10: ANT5 REAR 29mm



Picture 11: ANT5 TOP 34mm



Picture 12: ANT7 TOP 19mm



Picture 13: ANT7 REAR 19mm



Picture 14: ANT7 LEFT 19mm