

Report No.: ZR/2019/2000803

Page: 1 of 78

FCC TEST REPORT

Application No.: ZR/2019/20008

Applicant: TCL Communication Ltd.

Address of Applicant 7/F, Block F4, TCL Communication Technology Building, TCL International

E City, Zhong Shan Yuan Road, Nanshan District, Shenzhen, Guangdong,

P.R. China 518052

Manufacturer: TCL Communication Ltd.

Address of Manufacturer 7/F, Block F4, TCL Communication Technology Building, TCL International

E City, Zhong Shan Yuan Road, Nanshan District, Shenzhen, Guangdong,

P.R. China 518052

EUT Description: LTE/WCDMA/GSM mobile phone

Model No.: 5053A Trade Mark: alcatel

FCC ID: 2ACCJH105

Standards: 47 CFR FCC Part 2, Subpart J

47 CFR Part 15, Subpart C ANSI C63.10 (2013)

Date of Receipt: 2019/2/20

Test Method

Date of Test: 2019/2/22 to 2019/3/7

Date of Issue: 2019/3/7

Test Result: PASS *

Authorized Signature:

Derde yang

Derek Yang Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention To check the authenticity of testing inspection report accriticate, please contacturs at telephone: [86-755] 8307 1443.

**Attention To check the authenticity of testing inspection report accriticate, please contacturs at telephone: [86-755] 8307 1443.

or email: CM.Dockheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 ·深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: ZR/2019/2000803

Page: 2 of 78

1 Version

| Revision Record | | | | | | |
|--------------------------------------|--|----------|--|----------|--|--|
| Version Chapter Date Modifier Remark | | | | | | |
| 00 | | 2019/3/7 | | Original | | |
| | | | | | | |
| | | | | | | |

| Authorized for issue by: | | |
|--------------------------|-----------------------------|----------|
| Tested By | Nike Mu | 2019/3/7 |
| | (Mike Hu) /Project Engineer | Date |
| Checked By | David Chen | 2019/3/7 |
| | (David Chen) /Reviewer | Date |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CND. Docchecked@sas.com.

No. Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Report No.: ZR/2019/2000803

3 of 78 Page:

Test Summary

| Test Item | Test Requirement | Test method | Test Result | Result |
|---|--------------------------|--------------------|-------------|--------|
| AC Power Line Conducted Emission | 15.207 | ANSI C63.10 (2013) | Clause 4.3 | PASS |
| Conducted Peak Output Power | 15.247 (a)(1) | ANSI C63.10 (2013) | Clause 4.4 | PASS |
| 20dB Emission Bandwidth & 99% Occupied Bandwidth | 15.247 (a)(1) | ANSI C63.10 (2013) | Clause 4.5 | PASS |
| Carrier Frequencies Separation | 15.247 (a)(1) | ANSI C63.10 (2013) | Clause 4.6 | PASS |
| Hopping Channel Number | 15.247 (a)(1) | ANSI C63.10 (2013) | Clause 4.7 | PASS |
| Dwell Time | 15.247 (a)(1) | ANSI C63.10 (2013) | Clause 4.8 | PASS |
| Band-edge for RF Conducted Emissions | 15.247(d) | ANSI C63.10 (2013) | Clause 4.9 | PASS |
| RF Conducted Spurious Emissions | 15.247(d) | ANSI C63.10 (2013) | Clause 4.10 | PASS |
| Radiated Spurious emissions | 15.247(d) ;15.205/15.209 | ANSI C63.10 (2013) | Clause 4.11 | PASS |
| Restricted bands around fundamental frequency (Radiated Emission) | 15.247(d) ;15.205/15.209 | ANSI C63.10 (2013) | Clause 4.12 | PASS |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgety or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s). The retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CRD. Doccheck-6@sqs.com.



Report No.: ZR/2019/2000803

4 of 78 Page:

Contents

| 1 | VERSION | 2 |
|---|--|----|
| 2 | TEST SUMMARY | 3 |
| 3 | GENERAL INFORMATION | 5 |
| • | | |
| | 3.1 CLIENT INFORMATION | |
| | 3.3 TEST FACILITY | |
| | 3.4 GENERAL DESCRIPTION OF EUT | |
| | 3.5 TEST ENVIRONMENT | |
| | 3.6 DESCRIPTION OF SUPPORT UNITS | |
| 4 | | |
| - | 4.1 Antenna Requirement | |
| | 4.1 ANTENNA REQUIREMENT 4.2 OTHER REQUIREMENTS FREQUENCY HOPPING SPREAD SPECTRUM SYSTEM HOPPING SEQUENCE | |
| | 4.2.1 Test Requirement: | |
| | 4.2.2 Conclusion | |
| | 4.3 AC Power Line Conducted Emissions | |
| | 4.4 CONDUCTED PEAK OUTPUT POWER. | |
| | 4.4.1 Test Results | |
| | 4.4.2 Test plots | |
| | 4.5 20DB EMISSION BANDWIDTH & 99% OCCUPIED BANDWIDTH | |
| | 4.5.1 Test Results | |
| | 4.5.2 Test plots | 22 |
| | 4.6 CARRIER FREQUENCIES SEPARATION | |
| | 4.6.1 Test Results | |
| | 4.6.2 Test plots: | |
| | 4.7 HOPPING CHANNEL NUMBER | |
| | 4.7.1 Test Results | |
| | 4.7.2 Test plots | |
| | 4.8 DWELL TIME | |
| | 4.8.1 Test Results | |
| | 4.8.2 Test plots | |
| | 4.9 BAND-EDGE FOR RF CONDUCTED EMISSIONS | |
| | 4.9.1 Test plots | |
| | 4.10.1 Test plots | |
| | 4.11 RADIATED SPURIOUS EMISSION | |
| | 4.11.1 Radiated Emission below 1GHz | |
| | 4.11.2 Transmitter Emission above 1GHz | |
| | 4.12 RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY | |
| | 4.12.1 Test plots | |
| 5 | | |
| 6 | | |
| 7 | PHOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS | 78 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and his document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, **Certificate**.

Report No.: ZR/2019/2000803

Page: 5 of 78

3 General Information

3.1 Client Information

| Applicant: | TCL Communication Ltd. |
|--------------------------|--|
| Address of Applicant: | 7/F, Block F4, TCL Communication Technology Building, TCL International E City, Zhong Shan Yuan Road, Nanshan District, Shenzhen, Guangdong, P.R. China 518052 |
| Manufacturer: | TCL Communication Ltd. |
| Address of Manufacturer: | 7/F, Block F4, TCL Communication Technology Building, TCL International E City, Zhong Shan Yuan Road, Nanshan District, Shenzhen, Guangdong, P.R. China 518052 |

3.2 Test Location

| Company: | SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch |
|------------|---|
| Address: | No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China |
| Post code: | 518057 |
| Telephone: | +86 (0) 755 2601 2053 |
| Fax: | +86 (0) 755 2671 0594 |
| E-mail: | ee.shenzhen@sgs.com |

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC -Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

• Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, versule: **N. **Dockneto-Ross comp.**

or <u>email: CN. Descheck@sgs.com</u> Mo. 1 Workshop, M-10, Midde Sedion, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳、科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com

Report No.: ZR/2019/2000803

Page: 6 of 78

3.4 General Description of EUT

| EUT Description:: | LTE/WCDMA/GSM mobile phone |
|-----------------------|--|
| Model No.: | 5053A |
| Trade Mark: | alcatel |
| Hardware Version: | PIO |
| Software Version: | v3FT8 |
| Operation Frequency: | 2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78. |
| Bluetooth Version: | Bluetooth V3.0 +EDR |
| Modulation Technique: | Frequency Hopping Spread Spectrum(FHSS) |
| Modulation Type: | GFSK, π/4DQPSK, 8DPSK |
| Number of Channel: | 79 |
| Hopping Channel Type: | Adaptive Frequency Hopping systems |
| Sample Type: | ⊠ Portable Device, |
| Antenna Type: | ☐ External, ☑ Integrated |
| Antenna Gain: | -0.83dBi |
| Power Supply | □ AC/DC Adapter; □ Battery □ PoE:; □ Other: |

| Operation Frequency each of channel | | | | | | | |
|-------------------------------------|-----------|---------|-----------|---------|-----------|---------|-----------|
| Channel | Frequency | Channel | Frequency | Channel | Frequency | Channel | Frequency |
| 0 | 2402MHz | 20 | 2422MHz | 40 | 2442MHz | 60 | 2462MHz |
| 1 | 2403MHz | 21 | 2423MHz | 41 | 2443MHz | 61 | 2463MHz |
| 2 | 2404MHz | 22 | 2424MHz | 42 | 2444MHz | 62 | 2464MHz |
| 3 | 2405MHz | 23 | 2425MHz | 43 | 2445MHz | 63 | 2465MHz |
| 4 | 2406MHz | 24 | 2426MHz | 44 | 2446MHz | 64 | 2466MHz |
| 5 | 2407MHz | 25 | 2427MHz | 45 | 2447MHz | 65 | 2467MHz |
| 6 | 2408MHz | 26 | 2428MHz | 46 | 2448MHz | 66 | 2468MHz |
| 7 | 2409MHz | 27 | 2429MHz | 47 | 2449MHz | 67 | 2469MHz |
| 8 | 2410MHz | 28 | 2430MHz | 48 | 2450MHz | 68 | 2470MHz |
| 9 | 2411MHz | 29 | 2431MHz | 49 | 2451MHz | 69 | 2471MHz |
| 10 | 2412MHz | 30 | 2432MHz | 50 | 2452MHz | 70 | 2472MHz |
| 11 | 2413MHz | 31 | 2433MHz | 51 | 2453MHz | 71 | 2473MHz |
| 12 | 2414MHz | 32 | 2434MHz | 52 | 2454MHz | 72 | 2474MHz |
| 13 | 2415MHz | 33 | 2435MHz | 53 | 2455MHz | 73 | 2475MHz |
| 14 | 2416MHz | 34 | 2436MHz | 54 | 2456MHz | 74 | 2476MHz |
| 15 | 2417MHz | 35 | 2437MHz | 55 | 2457MHz | 75 | 2477MHz |
| 16 | 2418MHz | 36 | 2438MHz | 56 | 2458MHz | 76 | 2478MHz |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 ·深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/2000803

7 of 78 Page:

| 17 | 2419MHz | 37 | 2439MHz | 57 | 2459MHz | 77 | 2479MHz |
|----|---------|----|---------|----|---------|----|---------|
| 18 | 2420MHz | 38 | 2440MHz | 58 | 2460MHz | 78 | 2480MHz |
| 19 | 2421MHz | 39 | 2441MHz | 59 | 2461MHz | | |

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the

frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

| Channel | Frequency |
|---------------------|-----------|
| The Lowest channel | 2402MHz |
| The Middle channel | 2441MHz |
| The Highest channel | 2480MHz |

3.5 **Test Environment**

| Operating Environment | | | | | |
|-----------------------|----------------------------------|--|--|--|--|
| Temperature: 24.0 °C | | | | | |
| Humidity: | 55 % RH | | | | |
| Atmospheric Pressure: | Atmospheric Pressure: 101.30 KPa | | | | |

Description of Support Units 3.6

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report a certificate, please contactus at telephone: (86-755) 8307 1443,

Report No.: ZR/2019/2000803

8 of 78 Page:

Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement:

47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -0.83dBi.

Other requirements Frequency Hopping Spread Spectrum 4.2 **System Hopping Sequence**

4.2.1 **Test Requirement:**

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.

Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.

中国·深圳·科技园中区M-10栋一号厂房



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, versual: **Proceedings company**.

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



Report No.: ZR/2019/2000803

9 of 78 Page:

> Number of shift register stages: 9

> Length of pseudo-random sequence: 29 -1 = 511 bits

> Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:

Each frequency used equally on the average by each transmitter.

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(q):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system.

Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, versual: **Proceedings company**.

Report No.: ZR/2019/2000803

10 of 78 Page:

4.3 **AC Power Line Conducted Emissions**

| Test Requirement: | 47 CFR Part 15C Section 15.207 | | | | |
|-----------------------|---|----------------------|-----------|--|--|
| Test Method: | ANSI C63.10: 2013 | | | | |
| Test Frequency Range: | 150kHz to 30MHz | | | | |
| | Frequency range (MHz) | Limit (dBuV) | | | |
| | r requericy range (wiriz) | Quasi-peak | Average | | |
| Limit: | 0.15-0.5 | 66 to 56* | 56 to 46* | | |
| LIIIIIL. | 0.5-5 | 56 | 46 | | |
| | 5-30 | 60 | 50 | | |
| | * Decreases with the logarith | nm of the frequency. | | | |
| Test Procedure: | 5-30 60 50 * Decreases with the logarithm of the frequency. 1) The mains terminal disturbance voltage test was conducted in a shielded room. 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded. 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane, 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2. 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to | | | | |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing imspection report a certificate, please contactus at telephone: (85-755) 83071443,



Report No.: ZR/2019/2000803

11 of 78 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, we small CMD Placecheck (Rivers on the content of the content of the discount of the content of



Report No.: ZR/2019/2000803


12 of 78 Page:

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live line:



Site : Shielding Room

Condition: Line : 11311CR Job No.

Test mode:

| | Freq | Cable Loss | LISN Factor | Read Level | Level | Limit Line | Over Limit | Remark |
|----|-------|---------------|----------------|---------------|-------|---------------|---------------|---------|
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 | 0.19 | 0.02 | 9.51 | 7.71 | 17.24 | 54.02 | -36.78 | Average |
| 2 | 0.19 | 0.02 | 9.51 | 17.23 | 26.76 | 64.02 | -37.26 | QP |
| 3 | 0.28 | 0.04 | 9.51 | 6.88 | 16.43 | 50.81 | -34.38 | Average |
| 4 | 0.28 | 0.04 | 9.51 | 18.75 | 28.30 | 60.81 | -32.51 | QP |
| 5 | 0.99 | 0.09 | 9.50 | 2.20 | 11.79 | 46.00 | -34.21 | Average |
| 6 | 0.99 | 0.09 | 9.50 | 16.46 | 26.05 | 56.00 | -29.95 | QP |
| 7 | 1.97 | 0.16 | 9.51 | 10.39 | 20.06 | 46.00 | -25.94 | Average |
| 8 | 1.97 | 0.16 | 9.51 | 19.76 | 29.43 | 56.00 | -26.57 | QP |
| 9 | 4.80 | 0.17 | 9.55 | 10.11 | 19.83 | 46.00 | -26.17 | Average |
| 10 | 4.80 | 0.17 | 9.55 | 21.20 | 30.92 | 56.00 | -25.08 | QP |
| 11 | 10.51 | 0.17 | 9.64 | 13.65 | 23.46 | 50.00 | -26.54 | Average |
| 12 | 10.51 | 0.17 | 9.64 | 23.35 | 33.16 | 60.00 | -26.84 | QP |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



Report No.: ZR/2019/2000803

13 of 78 Page:

Neutral line:



Site : Shielding Room

Condition: Neutral Job No. : 11311CR

Test mode:

| C3 C | moue. | | | | | | | |
|------|-------|-------|--------|-------|-------|-------|--------|---------|
| | | Cable | LISN | Read | | Limit | 0ver | |
| | Freq | Loss | Factor | Level | Level | Line | Limit | Remark |
| | MHz | dB | dB | dBuV | dBuV | dBuV | dB | |
| 1 | 0.20 | 0.02 | 9.57 | 15.11 | 24.70 | 53.62 | -28.92 | Average |
| 2 | 0.20 | 0.02 | 9.57 | 19.97 | 29.56 | 63.62 | -34.06 | QP |
| 3 | 0.38 | 0.05 | 9.59 | 15.86 | 25.50 | 48.34 | -22.84 | Average |
| 4 | 0.38 | 0.05 | 9.59 | 21.32 | 30.96 | 58.34 | -27.38 | QP |
| 5 | 0.64 | 0.07 | 9.62 | 17.84 | 27.53 | 46.00 | -18.47 | Average |
| 6 | 0.64 | 0.07 | 9.62 | 23.81 | 33.50 | 56.00 | -22.50 | QP |
| 7 | 1.84 | 0.15 | 9.64 | 16.42 | 26.21 | 46.00 | -19.79 | Average |
| 8 | 1.84 | 0.15 | 9.64 | 22.80 | 32.59 | 56.00 | -23.41 | QP |
| 9 | 4.70 | 0.17 | 9.68 | 12.79 | 22.64 | 46.00 | -23.36 | Average |
| 10 | 4.70 | 0.17 | 9.68 | 18.78 | 28.63 | 56.00 | -27.37 | QP |
| 11 | 14.21 | 0.20 | 9.91 | 3.36 | 13.47 | 50.00 | -36.53 | Average |
| 12 | 14.21 | 0.20 | 9.91 | 16.13 | 26.24 | 60.00 | -33.76 | QP |
| | | | | | | | | |

Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and for electronic format documents as http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and souch sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report a certificate, please contact us at telephone: (85-755) 83071443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: ZR/2019/2000803

14 of 78 Page:

Conducted Peak Output Power 4.4

| Test Requirement: | 47 CFR Part 15C Section 15.247 (a)(1) | | |
|------------------------|---|--|--|
| Test Method: | ANSI C63.10:2013 Section 7.8.5 | | |
| Test Setup: | Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane | | |
| Limit: | (20.97dBm) 125mW | | |
| Exploratory Test Mode: | Non-hopping transmitting with all kind of modulation and all kind of data type. | | |
| Final Test Mode: | Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. | | |
| Instruments Used: | Refer to section 5.10 for details | | |
| Test Results: | Pass | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 83071443, **Certificate**.

Report No.: ZR/2019/2000803

Page: 15 of 78

4.4.1 Test Results

Measurement Data of Average power:

| GFSK mode | | | | | |
|--------------|----------------------------|---------------------|--|--|--|
| Test channel | Average Output Power (dBm) | Result | | | |
| Lowest | 9.2 | Report purpose only | | | |
| Middle | 9.3 | Report purpose only | | | |
| Highest | 7.8 | Report purpose only | | | |
| | π/4DQPSK mode | | | | |
| Test channel | Average Output Power (dBm) | Result | | | |
| Lowest | 6.1 | Report purpose only | | | |
| Middle | 6.4 | Report purpose only | | | |
| Highest | 5.5 | Report purpose only | | | |
| | 8DPSK mode | | | | |
| Test channel | Average Output Power (dBm) | Result | | | |
| Lowest | 6.1 | Report purpose only | | | |
| Middle | 6.4 | Report purpose only | | | |
| Highest | 5.4 | Report purpose only | | | |

Measurement Data of Peak power:

| GFSK mode | | | | | |
|--------------|-------------------------|-------------|--------|--|--|
| Test channel | Peak Output Power (dBm) | Limit (dBm) | Result | | |
| Lowest | 9.24 | 20.97 | Pass | | |
| Middle | 9.70 | 20.97 | Pass | | |
| Highest | 8.09 | 20.97 | Pass | | |
| | π/4DQPSK mode | | | | |
| Test channel | Peak Output Power (dBm) | Limit (dBm) | Result | | |
| Lowest | 8.49 | 20.97 | Pass | | |
| Middle | 9.04 | 20.97 | Pass | | |
| Highest | 7.37 | 20.97 | Pass | | |
| | 8DPSK mode | | | | |
| Test channel | Peak Output Power (dBm) | Limit (dBm) | Result | | |
| Lowest | 8.66 | 20.97 | Pass | | |
| Middle | 9.19 | 20.97 | Pass | | |
| Highest | 7.53 | 20.97 | Pass | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing imspection report a certificate, please contactus at telephone: (85-755) 83071443,


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Sherzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




Report No.: ZR/2019/2000803

Page: 16 of 78

4.4.2 Test plots



Date: 7.MAR.2019 17:07:45



Date: 7.MAR.2019 17:09:46




No.1 Workshop, M-10, Middle Section, Science & Technology Park, Sherzhen, China 518057 tt (86-755) 26012053 ft (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 tt (86-755) 26012053 ft (86-755) 26710594 sgs.china@sgs.com




Report No.: ZR/2019/2000803

17 of 78







Date: 7.MAR.2019 17:08:04



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房


邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com




Report No.: ZR/2019/2000803

Page: 18 of 78



Date: 7.MAR.2019 17:09:30



Date: 7.MAR.2019 17:10:26




or <u>email: CN. Descheck@sgs.com</u> Mo. 1 Workshop, M-10, Midde Sedion, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳、科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com




Report No.: ZR/2019/2000803

19 of 78



Date: 7.MAR.2019 17:08:30



Date: 7.MAR.2019 17:09:09




No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: ZR/2019/2000803

Page: 20 of 78



Date: 7.MAR.2019 17:10:57



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing imspection report a certificate, please contactus at telephone: (85-755) 83071443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


sgs.china@sgs.com



Report No.: ZR/2019/2000803

Page: 21 of 78

4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth



4.5.1 Test Results

| Mode | Test Channel | 99% Occupied Bandwidth (KHz) | 20dB Emission Bandwidth (KHz) | Result |
|----------|--------------|------------------------------|-------------------------------|--------|
| | Lowest | 881.1 | 965.0 | Pass |
| GFSK | Middle | 905.1 | 962.0 | Pass |
| | Highest | 881.1 | 941.1 | Pass |
| | Lowest | 1171.8 | 1294.7 | Pass |
| π/4DQPSK | Middle | 1171.8 | 1279.7 | Pass |
| | Highest | 1168.8 | 1279.7 | Pass |
| | Lowest | 1171.8 | 1294.7 | Pass |
| 8DPSK | Middle | 1162.8 | 1294.7 | Pass |
| | Highest | 1162.8 | 1294.7 | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing /inspection report a certificate, please contact us at telephone: (86-755) 8307 1443, versual: **Proceedings company**.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Sherzhen, China 518057 tt (86-755) 26012053 ft (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 tt (86-755) 26012053 ft (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/2000803


Page: 22 of 78

4.5.2 Test plots

1.1.1.1 GFSK Lowest Channel







Date: 7.MAR.2019 17:05:33



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Sherzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




Report No.: ZR/2019/2000803

Page: 23 of 78

1.1.1.2 GFSK Middle Channel



Date: 7.MAR.2019 17:14:42



Date: 7.MAR.2019 17:03:01



or email: CN. Doscheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技园中区M–10株一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com




Report No.: ZR/2019/2000803

Page: 24 of 78

1.1.1.3 GFSK _Highest Channel



Date: 7.MAR.2019 17:14:12



Date: 7.MAR.2019 17:02:28




or email: CN_Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国・深圳・科技図中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/2000803

Page: 25 of 78

1.1.1.4 π/4DQPSK Lowest Channel



Date: 7.MAR.2019 17:16:04



Date: 7 MAR 2019 17:05:07



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com


Member of the SGS Group (SGS SA)



Report No.: ZR/2019/2000803

Page: 26 of 78

1.1.1.5 $\pi/4DQPSK$ Middle Channel



Date: 7.MAR.2019 17:14:57



Date: 7.MAR.2019 17:03:28




No.1 Workshop, M-10, Middle Section, Science & Technology Park, Sherzhen, China 518057 tt (86-755) 26012053 ft (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 tt (86-755) 26012053 ft (86-755) 26710594 sgs.china@sgs.com




Report No.: ZR/2019/2000803

Page: 27 of 78

1.1.1.6 π/4DQPSK _Highest Channel



Date: 7.MAR.2019 17:13:57



Date: 7.MAR.2019 17:02:03



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Sherzhen, China 518057 tt (86-755) 26012053 ft (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 tt (86-755) 26012053 ft (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/2000803

Page: 28 of 78

1.1.1.7 8DPSK Lowest Channel



Date: 7.MAR.2019 17:15:37



Date: 7.MAR.2019 17:04:27




or email: CN. Doscheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技园中区M–10株一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/2000803

Page: 29 of 78

1.1.1.8 8DPSK Middle Channel



Date: 7.MAR.2019 17:15:15



Date: 7.MAR.2019 17:04:01




No.1 Workshop, M-10, Middle Section, Science & Technology Park, Sherzhen, China 518057 tt (86-755) 26012053 ft (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 tt (86-755) 26012053 ft (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/2000803

Page: 30 of 78

1.1.1.9 8DPSK_Highest Channel



Date: 7.MAR.2019 17:13:40



Date: 7.MAR.2019 17:01:14



or <u>email: CN. Descheck@sgs.com</u> Mo. 1 Workshop, M-10, Midde Sedion, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳、科技园中区M-10栋一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/2000803

31 of 78 Page:

Carrier Frequencies Separation 4.6

| Test Requirement: | 47 CFR Part 15C Section 15.247 (a)(1) | | |
|------------------------|---|--|--|
| Test Method: | ANSI C63.10:2013 Section 7.8.2 | | |
| Test Setup: | Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane | | |
| Limit: | 2/3 of the 20dB bandwidth | | |
| LIIIIIL. | Remark: the transmission power is less than 0.125W. | | |
| Exploratory Test Mode: | Hopping transmitting with all kind of modulation and all kind of data type. | | |
| Final Test Mode: | Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. | | |
| Instruments Used: | Refer to section 5.10 for details | | |
| Test Results: | Pass | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agpx.and for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /imspection report & certificate, please contactus at telephone: (86-755) 8307 1443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: ZR/2019/2000803

32 of 78 Page:

4.6.1 **Test Results**

| GFSK mode | | | | | | |
|--------------|--------------------------------------|-------------|--------|--|--|--|
| Test channel | Carrier Frequencies Separation (kHz) | Limit (kHz) | Result | | | |
| Middle | 1025 | 643.3 | Pass | | | |
| | π/4DQPSK mode | | | | | |
| Test channel | Carrier Frequencies Separation (kHz) | Limit (kHz) | Result | | | |
| Middle | 686 | 863.1 | Pass | | | |
| 8DPSK mode | | | | | | |
| Test channel | Carrier Frequencies Separation (kHz) | Limit (kHz) | Result | | | |
| Middle | 998 | 863.1 | Pass | | | |

Remark: According to section 6.4

| Mode | 20dB bandwidth (kHz) (worse case) | Limit (kHz) (Carrier Frequencies Separation) |
|----------|--------------------------------------|---|
| GFSK | 965.0 | 643.3 |
| π/4DQPSK | 1294.7 | 863.1 |
| 8DPSK | 1294.7 | 863.1 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing imspection report a certificate, please contactus at telephone: (85-755) 83071443,




Report No.: ZR/2019/2000803

Page: 33 of 78

4.6.2 Test plots:







Date: 8.MAR.2019 09:47:14



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, **Certificate.**

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Sherzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/2000803

Page: 34 of 78



Date: 8 MAR 2019 09:46:38



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


sgs.china@sgs.com



Report No.: ZR/2019/2000803

35 of 78 Page:

Hopping Channel Number 4.7



4.7.1 **Test Results**

| Mode | Hopping channel numbers | Limit |
|----------|-------------------------|-------|
| GFSK | 79 | ≥15 |
| π/4DQPSK | 79 | ≥15 |
| 8DPSK | 79 | ≥15 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agpx.and for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /imspection report & certificate, please contactus at telephone: (86-755) 8307 1443,




Report No.: ZR/2019/2000803

Page: 36 of 78


4.7.2 Test plots

4.7.2.1 GFSK



Date: 8.MAR.2019 09:40:46

4.7.2.2 $\pi/4DQPSK$



Date: 8.MAR.2019 09:42:19




or email: CN. Doscheck@sgs.com No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国 · 深圳 · 科技园中区M–10株一号厂房 邮编: 518057 t (86–755) 26012053 f (86–755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/2000803

Page: 37 of 78

4.7.2.3 8DPSK



Date: 8.MAR.2019 09:43:26



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing imspection report a certificate, please contactus at telephone: (85-755) 83071443,

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: ZR/2019/2000803

38 of 78 Page:

Dwell Time 4.8

| Test Requirement: | 47 CFR Part 15C Section 15.247 (a)(1) | | | | | | |
|-------------------|---|--|--|--|--|--|--|
| Test Method: | ANSI C63.10:2013 Section 7.8.4 | | | | | | |
| Test Setup: | Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane | | | | | | |
| Instruments Used: | Refer to section 5.10 for details | | | | | | |
| Test Mode: | Hopping transmitting with all kind of modulation and all kind of data type. | | | | | | |
| Limit: | 0.4 Second | | | | | | |
| Test Results: | Pass | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing imspection report a certificate, please contactus at telephone: (85-755) 83071443,



modes)

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

Report No.: ZR/2019/2000803

Page: 39 of 78

4.8.1 Test Results

| Operation Modes | On time (ms) on one channel |
|-----------------|-----------------------------|
| DH1 | 0.401 |
| DH3 | 1.660 |
| DH5 | 2.915 |
| 2-DH1 | 0.408 |
| 2-DH3 | 1.663 |
| 2-DH5 | 2.915 |
| 3-DH1 | 0.407 |
| 3-DH3 | 1.660 |
| 3-DH5 | 2.915 |

Bluetooth Time of Occupancy Calculation

Typically, Bluetooth 1x/EDR mode has a channel hopping rate of 1600 hops/s, since 1x/EDR modes use 5 transmit and 1 receive slot, for a total of 6 slots, the Bluetooth transmitter is actually hopping at a rate of 1600/6=266.67 hops/slot

400ms x 79 Channel = 31.6 s (Time of Occupancy Limit)

Worst case BT has 266.67 hops/second (for 1x/EDR modes with 3-DH5 operation)

266.67 hops/second/79 channels=3.38 hops/second (# of hops/second on one channel)

3.38 hops/second/channel*31.6seconds=106.67 hops (#hops over a 31.6 second period)

106.67 hops *2.915 ms/channel =310.94 ms(worst case dwell time for one channel in 1x/EDR

With AFH, the number of channels is reduced to a minimum of 20 channels and the channel hopping rate is reduced by 50% to 800hops/s, AFH mode also uses 6 slots so the Bluetooth transmitter hops at a rate of 800/6=133.3 hops/s/slot

400ms x 20 Channel = 8 s (Time of Occupancy Limit)

Worst case BT has 133.3 hops/second/slot (for AFH mode with 3-DH5 operation)

133.3 hops/second/20 channels=6.67 hops/second (#hops/second on one channel)

6.67 hops/second *8seconds=53.34 hops (#hops over a 8 seconds period)

53.34 hops x2.915 ms/channel=155.49 ms(worst case dwell time for one channel in AFH mode)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contacturs at telephone: [86-755] 8307 1443.




Report No.: ZR/2019/2000803

Page: 40 of 78


4.8.2 Test plots

4.8.2.1 DH1 Middle Channel



Date: 8.MAR.2019 10:05:38

4.8.2.2 DH3 Middle Channel



Date: 8.MAR.2019 09:59:54






Report No.: ZR/2019/2000803


Page: 41 of 78

4.8.2.3 DH5 Middle Channel



Date: 8.MAR.2019 09:58:41

4.8.2.4 2DH1 Middle Channel



Date: 8.MAR.2019 10:04:47






Report No.: ZR/2019/2000803


Page: 42 of 78

4.8.2.5 2DH3 Middle Channel



Date: 8.MAR.2019 10:01:17

4.8.2.6 2DH5 _ Middle Channel



Date: 8.MAR.2019 09:58:12






Report No.: ZR/2019/2000803


Page: 43 of 78

4.8.2.7 3DH1 Middle Channel



Date: 8.MAR.2019 10:04:17

4.8.2.8 3DH3 _ Middle Channel



Date: 8.MAR.2019 10:02:38






Report No.: ZR/2019/2000803

Page: 44 of 78

4.8.2.9 3DH5 Middle Channel



Date: 8.MAR.2019 09:57:40



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com

Report No.: ZR/2019/2000803

45 of 78

Band-edge for RF Conducted Emissions 4.9

| Test Requirement: | 47 CFR Part 15C Section 15.247 (d) | | | | | | |
|------------------------|---|--|--|--|--|--|--|
| Test Method: | ANSI C63.10:2013 Section 7.8.6 | | | | | | |
| Test Setup: | Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane | | | | | | |
| Limit: | In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. | | | | | | |
| Exploratory Test Mode: | Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type | | | | | | |
| Final Test Mode: | Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. | | | | | | |
| Instruments Used: | Refer to section 5.10 for details | | | | | | |
| Test Results: | Pass | | | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; CMD.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




Report No.: ZR/2019/2000803

Page: 46 of 78


4.9.1 Test plots

4.9.1.1 GFSK _Lowest Channel_ Hopping ON



Date: 14.MAR.2019 14:16:50

4.9.1.2 GFSK _Lowest Channel_ Hopping OFF



Date: 7.MAR.2019 17:31:21



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803


47 of 78 Page:

4.9.1.3 GFSK Highest Channel Hopping ON



Date: 14.MAR.2019 14:27:26

4.9.1.4 GFSK Highest Channel Hopping OFF



Date: 7.MAR.2019 17:29:17



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: ZR/2019/2000803


Page: 48 of 78

4.9.1.5 π/4DQPSK _Lowest Channel_ Hopping ON



Date: 14.MAR.2019 14:22:38

4.9.1.6 π/4DQPSK _Lowest Channel_ Hopping OFF



Date: 7.MAR.2019 17:32:06



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803

Page: 49 of 78

4.9.1.7 π/4DQPSK _Highest Channel_ Hopping ON



Date: 14.MAR.2019 14:24:23

4.9.1.8 π/4DQPSK _Highest Channel_ Hopping OFF



Date: 7.MAR.2019 17:28:24



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803


50 of 78 Page:

4.9.1.9 8DPSK Lowest Channel Hopping ON



Date: 14.MAR.2019 14:20:55

4.9.1.10



Date: 7.MAR.2019 17:32:48



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2019/2000803

Page: 51 of 78


4.9.1.11 8DPSK Highest Channel Hopping ON



Date: 14.MAR.2019 14:25:59

4.9.1.12

8DPSK _Highest Channel_ Hopping OFF



Date: 7.MAR.2019 17:27:31



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.

or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: ZR/2019/2000803

Page: 52 of 78

4.10 Spurious RF Conducted Emissions

| Test Requirement: | 47 CFR Part 15C Section 15.247 (d) | | | | |
|------------------------|---|--|--|--|--|
| Test Method: | ANSI C63.10:2013 Section 7.8.8 | | | | |
| Test Setup: | Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane | | | | |
| Limit: | In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. | | | | |
| Exploratory Test Mode: | Non-hopping transmitting with all kind of modulation and all kind of data type | | | | |
| Final Test Mode: | Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type. | | | | |
| Instruments Used: | Refer to section 5.10 for details | | | | |
| Test Results: | Pass | | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; CMD.Doccheck@gs.com.




Report No.: ZR/2019/2000803

Page: 53 of 78

4.10.1 Test plots

4.10.1.1 GFSK Lowest Channel



Date: 7.MAR.2019 17:18:29



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803


Page: 54 of 78

4.10.1.2 GFSK _Middle Channel



Date: 7.MAR.2019 17:23:03

4.10.1.3 GFSK Highest Channel



Date: 7.MAR.2019 17:23:57



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803


Page: 55 of 78

4.10.1.4 π/4DQPSK _Lowest Channel



Date: 7.MAR.2019 17:19:50

4.10.1.5 $\pi/4DQPSK_Middle$ Channel



Date: 7.MAR.2019 17:22:16



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803


Page: 56 of 78

4.10.1.6 π/4DQPSK _Highest Channel



Date: 7.MAR.2019 17:24:45

4.10.1.7 8DPSK



Date: 7.MAR.2019 17:20:36



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803


57 of 78 Page:

4.10.1.8 8DPSK Middle Channel



Date: 7.MAR.2019 17:21:28

4.10.1.9



Date: 7.MAR.2019 17:25:39



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn



Report No.: ZR/2019/2000803

Page: 58 of 78

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803

Page: 59 of 78

4.11 Radiated Spurious Emission

| Test Requirement: | 47 CFR Part 15C Section 15.209 and 15.205 | | | | | | | | | |
|-------------------|---|---|----------------------|------------|---------------------------------|--|--|--|--|--|
| Test Method: | ANSI C63.10: 2013 | | | | | | | | | |
| Test Site: | Measurement Distance: 3m or 10m (Semi-Anechoic Chamber) | | | | | | | | | |
| | Frequency | Detector | RBW | VBW | Remark | | | | | |
| | 0.009MHz-0.090MHz | Peak | 10kHz | 30kHz | Peak | | | | | |
| | 0.009MHz-0.090MHz | Average | 10kHz | 30kHz | Average | | | | | |
| | 0.090MHz-0.110MHz | Quasi-peak | 10kHz | 30kHz | Quasi-peak | | | | | |
| Deseiver Setup | 0.110MHz-0.490MHz | Peak | 10kHz | 30kHz | Peak | | | | | |
| Receiver Setup: | 0.110MHz-0.490MHz | Average | 10kHz | 30kHz | Average | | | | | |
| | 0.490MHz -30MHz | Quasi-peak | 10kHz | 30kHz | Quasi-peak | | | | | |
| | 30MHz-1GHz | Quasi-peak | 100 kHz | 300kHz | Quasi-peak | | | | | |
| | Above 1GHz | Peak | 1MHz | 3MHz | Peak | | | | | |
| | | Peak | 1MHz | 10Hz | Average | | | | | |
| | Frequency | Field strength (microvolt/meter) | Limit (dBuV/ m | Remark | Measuremen t distance (m) | | | | | |
| | 0.009MHz-0.490MHz | 2400/F(kHz) | - | - | 300 | | | | | |
| | 0.490MHz-1.705MHz | 24000/F(kHz) | - | - | 30 | | | | | |
| | 1.705MHz-30MHz | 30 | - | - | 30 | | | | | |
| | 30MHz-88MHz | 100 | 40.0 | Quasi-peak | 3 | | | | | |
| Limit: | 88MHz-216MHz | 150 | 43.5 | Quasi-peak | 3 | | | | | |
| | 216MHz-960MHz | 200 | 46.0 | Quasi-peak | 3 | | | | | |
| | 960MHz-1GHz | 500 | 54.0 | Quasi-peak | 3 | | | | | |
| | Above 1GHz | 500 | 54.0 | Average | 3 | | | | | |
| | Remark: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device. | | | | | | | | | |




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; CMD.Doccheck@gs.com.



Report No.: ZR/2019/2000803

60 of 78 Page:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.

中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2019/2000803

Page: 61 of 78

| Test Results: | Pass |
|------------------------|--|
| Instruments Used: | Refer to section 5.10 for details |
| | Only the worst case is recorded in the report. |
| | For below 1GHz part, through pre-scan, the worst case is the lowest channel. |
| Final Test Mode: | Pretest the EUT at Charge + Transmitting mode |
| | DH5 of data type and GFSK modulation is the worst case. |
| | Through Pre-scan, find the |
| Exploratory Test Mode: | data type Charge + Transmitting mode. |
| Evalenatory Test Made | Non-hopping transmitting mode with all kind of modulation and all kind of |
| | j. Repeat above procedures until all frequencies measured was complete. |
| | i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the |
| | (2441MHz), the Highest channel (2480MHz) |
| | h. Test the EUT in the lowest channel (2402MHz),the middle channel |
| | margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. |
| | EUT would be reported. Otherwise the emissions that did not have 10dB |
| | g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the |
| | Bandwidth with Maximum Hold Mode. |
| | degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified |
| | the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 |
| Test Procedure: | and then the antenna was tuned to heights from 1 meter to 4 meters (for |
| | measurement. e. For each suspected emission, the EUT was arranged to its worst case |
| | ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the |
| | tower. d. The antenna height is varied from one meter to four meters above the |
| | antenna, which was mounted on the top of a variable-height antenna |
| | radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving |
| | meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest |
| | b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 |
| | table was rotated 360 degrees to determine the position of the highest radiation. |
| | a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Coll. Doccheck-02/93.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn

中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




Report No.: ZR/2019/2000803

62 of 78 Page:

4.11.1 Radiated Emission below 1GHz

4.11.1.1 **Charge + Transmitting, Vertical**



Suspected List

| Suspected List | | | | | | | | | |
|----------------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|----------|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | |
| 1 | 36.3082 | 33.13 | -32.34 | 40.00 | 6.87 | 100 | 16 | Vertical | |
| 2 | 43.5868 | 28.87 | -30.48 | 40.00 | 11.13 | 100 | 91 | Vertical | |
| 3 | 118.3142 | 19.86 | -33.00 | 43.50 | 23.64 | 100 | 63 | Vertical | |
| 4 | 262.9165 | 18.12 | -28.88 | 46.00 | 27.88 | 100 | 16 | Vertical | |
| 5 | 407.0335 | 21.60 | -24.77 | 46.00 | 24.40 | 100 | 50 | Vertical | |
| 6 | 957.2986 | 24.12 | -14.38 | 46.00 | 21.88 | 100 | 168 | Vertical | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2019/2000803

63 of 78 Page:

4.11.1.2 **Charge + Transmitting, Horizontal**



Suspected List

| Suspected List | | | | | | | | | |
|----------------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|------------|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | |
| 1 | 43.5868 | 21.58 | -30.48 | 40.00 | 18.42 | 200 | 303 | Horizontal | |
| 2 | 103.2716 | 14.71 | -31.68 | 43.50 | 28.79 | 200 | 243 | Horizontal | |
| 3 | 169.7499 | 18.28 | -33.63 | 43.50 | 25.22 | 200 | 54 | Horizontal | |
| 4 | 250.7854 | 29.12 | -29.23 | 46.00 | 16.88 | 100 | 63 | Horizontal | |
| 5 | 396.8434 | 27.71 | -25.04 | 46.00 | 18.29 | 100 | 266 | Horizontal | |
| 6 | 901.9810 | 26.26 | -15.20 | 46.00 | 19.74 | 100 | 199 | Horizontal | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: ZR/2019/2000803

Page: 64 of 78

4.11.2 Transmitter Emission above 1GHz

4.11.2.1 GFSK(DH5) _Lowest Channel _Vertical



| Suspe | Suspected List | | | | | | | | | |
|-------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 2866.966 | 34.07 | 2.22 | 54.00 | 19.93 | 150 | 107 | Vertical | | |
| 2 | 2892.473 | 45.24 | 2.25 | 74.00 | 28.76 | 150 | 161 | Vertical | | |
| 3 | 4804.000 | 38.42 | -20.38 | 74.00 | 35.58 | 150 | 229 | Vertical | | |
| 4 | 4804.000 | 26.76 | -20.38 | 54.00 | 27.24 | 150 | 18 | Vertical | | |
| 5 | 7206.000 | 43.20 | -12.76 | 74.00 | 30.80 | 150 | 18 | Vertical | | |
| 6 | 7206.000 | 31.85 | -12.76 | 54.00 | 22.15 | 150 | 229 | Vertical | | |
| 7 | 17613.48 | 45.48 | 1.28 | 54.00 | 8.52 | 150 | 26 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803

Page: 65 of 78

4.11.2.2 GFSK(DH5) _Middle Channel _Vertical



| Suspected List | | | | | | | | | |
|----------------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|----------|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | |
| 1 | 2905.476 | 45.07 | 2.26 | 74.00 | 28.93 | 150 | 27 | Vertical | |
| 2 | 2978.494 | 34.20 | 2.31 | 54.00 | 19.80 | 150 | 126 | Vertical | |
| 3 | 4882.000 | 28.14 | -19.26 | 54.00 | 25.86 | 150 | 164 | Vertical | |
| 4 | 4882.000 | 39.27 | -19.26 | 74.00 | 34.73 | 150 | 229 | Vertical | |
| 5 | 7323.000 | 45.09 | -11.38 | 74.00 | 28.91 | 150 | 245 | Vertical | |
| 6 | 7323.000 | 34.01 | -11.38 | 54.00 | 19.99 | 150 | 212 | Vertical | |
| 7 | 17998.49 | 45.63 | -0.36 | 54.00 | 8.37 | 150 | 314 | Vertical | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-中国・深圳・科技図中区M-10栋一号厂房 邮编: 518057 t (86-

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


sgs.china@sgs.com



Report No.: ZR/2019/2000803

Page: 66 of 78

4.11.2.3 GFSK(DH5) _Highest Channel _Vertical



| Suspected List | | | | | | | | | | |
|----------------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 2954.988 | 45.28 | 2.30 | 74.00 | 28.72 | 150 | 347 | Vertical | | |
| 2 | 2958.489 | 34.05 | 2.30 | 54.00 | 19.95 | 150 | 133 | Vertical | | |
| 3 | 4960.000 | 28.05 | -18.67 | 54.00 | 25.95 | 150 | 148 | Vertical | | |
| 4 | 4960.000 | 39.18 | -18.67 | 74.00 | 34.82 | 150 | 132 | Vertical | | |
| 5 | 7440.000 | 46.23 | -10.72 | 74.00 | 27.77 | 150 | 164 | Vertical | | |
| 6 | 7440.000 | 34.86 | -10.72 | 54.00 | 19.14 | 150 | 246 | Vertical | | |
| 7 | 17614.48 | 45.24 | 1.25 | 54.00 | 8.76 | 150 | 84 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t 中国・深圳・科技図中区M-10栋一号厂房 邮编: 518057 t

n,China 518057 t (86-755) 26012053 f (86-755) 26710594 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


sgs.china@sgs.com



Report No.: ZR/2019/2000803

67 of 78 Page:

4.11.2.4 GFSK(DH5) Lowest Channel Horizontal



| Suspe | Suspected List | | | | | | | | | | |
|-------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|------------|--|--|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | | |
| 1 | 2912.478 | 44.79 | 2.27 | 74.00 | 29.21 | 150 | 47 | Horizontal | | | |
| 2 | 2957.989 | 33.86 | 2.30 | 54.00 | 20.14 | 150 | 288 | Horizontal | | | |
| 3 | 4804.000 | 38.80 | -20.38 | 74.00 | 35.20 | 150 | 180 | Horizontal | | | |
| 4 | 4804.000 | 26.71 | -20.38 | 54.00 | 27.29 | 150 | 164 | Horizontal | | | |
| 5 | 7206.000 | 42.22 | -12.76 | 74.00 | 31.78 | 150 | 180 | Horizontal | | | |
| 6 | 7206.000 | 31.56 | -12.76 | 54.00 | 22.44 | 150 | 360 | Horizontal | | | |
| 7 | 17982.49 | 45.56 | -0.48 | 54.00 | 8.44 | 150 | 85 | Horizontal | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2019/2000803

Page: 68 of 78

4.11.2.5 GFSK(DH5) _Middle Channel _ Horizontal



| Suspe | Suspected List | | | | | | | | | |
|-------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 2923.981 | 33.96 | 2.28 | 54.00 | 20.04 | 150 | 278 | Horizontal | | |
| 2 | 2985.996 | 44.99 | 2.32 | 74.00 | 29.01 | 150 | 127 | Horizontal | | |
| 3 | 4882.000 | 28.18 | -19.26 | 54.00 | 25.82 | 150 | 211 | Horizontal | | |
| 4 | 4882.000 | 38.98 | -19.26 | 74.00 | 35.02 | 150 | 360 | Horizontal | | |
| 5 | 7323.000 | 45.60 | -11.38 | 74.00 | 28.40 | 150 | 356 | Horizontal | | |
| 6 | 7323.000 | 33.96 | -11.38 | 54.00 | 20.04 | 150 | 83 | Horizontal | | |
| 7 | 17616.98 | 45.35 | 1.19 | 54.00 | 8.65 | 150 | 2 | Horizontal | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (8 中国・深圳・科技国中区M-10栋一号厂房 邮编: 518057 t (8)

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


sgs.china@sgs.com



Report No.: ZR/2019/2000803

69 of 78 Page:

4.11.2.6 **GFSK(DH5) Highest Channel Horizontal**



| Suspe | Suspected List | | | | | | | | | |
|-------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 2963.490 | 34.27 | 2.30 | 54.00 | 19.73 | 150 | 2 | Horizontal | | |
| 2 | 2981.995 | 45.31 | 2.32 | 74.00 | 28.69 | 150 | 333 | Horizontal | | |
| 3 | 4960.000 | 28.21 | -18.67 | 54.00 | 25.79 | 150 | 18 | Horizontal | | |
| 4 | 4960.000 | 41.70 | -18.67 | 74.00 | 32.30 | 150 | 262 | Horizontal | | |
| 5 | 7440.000 | 47.41 | -10.72 | 74.00 | 26.59 | 150 | 116 | Horizontal | | |
| 6 | 7440.000 | 34.82 | -10.72 | 54.00 | 19.18 | 150 | 148 | Horizontal | | |
| 7 | 17523.47 | 45.29 | 0.65 | 54.00 | 8.71 | 150 | 228 | Horizontal | | |

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.Doccheck@csc.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594

中国·深圳·科技园中区M-10栋一号厂房




Report No.: ZR/2019/2000803

70 of 78 Page:

4.12 Restricted bands around fundamental frequency

| Test Requirement: | 47 CFR Part 15C Section | 47 CFR Part 15C Section 15.209 and 15.205 | | | | | | |
|-------------------|---|---|------------------|--|--|--|--|--|
| Test Method: | ANSI C63.10: 2013 | | | | | | | |
| Test Site: | Measurement Distance: 3m or 10m (Semi-Anechoic Chamber) | | | | | | | |
| | Frequency | Limit (dBuV/m @3m) | Remark | | | | | |
| | 30MHz-88MHz | 40.0 | Quasi-peak Value | | | | | |
| | 88MHz-216MHz | 43.5 | Quasi-peak Value | | | | | |
| Limit: | 216MHz-960MHz | 46.0 | Quasi-peak Value | | | | | |
| | 960MHz-1GHz | 54.0 | Quasi-peak Value | | | | | |
| | Above 1GHz | 54.0 | Average Value | | | | | |
| | Above IGHZ | 74.0 | Peak Value | | | | | |
| Test Setup: | | | | | | | | |






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2019/2000803

Page: 71 of 78

| Test Procedure: | a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation. c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel h. Test the EUT in the lowest channel , the Highest channel i. The radiation measurements are performed in X, Y, Z axis positioning which it is the worst case. j. Repeat above procedures until all frequencies measured was complete. |
|------------------------|--|
| Exploratory Test Mode: | Non-hopping transmitting mode with all kind of modulation and all kind of data type Charge + Transmitting mode. |
| Final Test Mode: | Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case. Pretest the EUT at Charge + Transmitting mode, Only the worst case is recorded in the report. |
| Instruments Used: | Refer to section 5.10 for details |
| Test Results: | Pass |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Coll. Doccheck-02/93.com.




Report No.: ZR/2019/2000803

72 of 78 Page:

4.12.1 **Test plots**

4.12.1.1 Worst Case Mode (GFSK(DH5)) _Lowest Channel _Vertical



| Suspe | Suspected List | | | | | | | | | |
|-------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 2353.243 | 47.59 | 1.08 | 74.00 | 26.41 | 150 | 192 | Vertical | | |
| 2 | 2362.552 | 34.16 | 1.13 | 54.00 | 19.84 | 150 | 210 | Vertical | | |
| 3 | 2390.000 | 46.29 | 1.25 | 74.00 | 27.71 | 150 | 290 | Vertical | | |
| 4 | 2390.000 | 34.06 | 1.25 | 54.00 | 19.94 | 150 | 144 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: ZR/2019/2000803

Page: 73 of 78

4.12.1.2 Worst Case Mode (GFSK(DH5)) _Highest Channel _Vertical



| Suspe | Suspected List | | | | | | | | | |
|-------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|----------|--|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 2483.500 | 53.68 | 1.52 | 74.00 | 20.32 | 150 | 338 | Vertical | | |
| 2 | 2483.500 | 34.76 | 1.52 | 54.00 | 19.24 | 150 | 183 | Vertical | | |
| 3 | 2489.044 | 34.64 | 1.54 | 54.00 | 19.36 | 150 | 198 | Vertical | | |
| 4 | 2494.297 | 48.52 | 1.55 | 74.00 | 25.48 | 150 | 334 | Vertical | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803

Page: 74 of 78

4.12.1.3 Worst Case Mode (GFSK(DH5)) _Lowest Channel _Horizontal



| Suspe | Suspected List | | | | | | | | | |
|-------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|------------|--|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | | |
| 1 | 2364.054 | 48.25 | 1.13 | 74.00 | 25.75 | 150 | 286 | Horizontal | | |
| 2 | 2367.207 | 34.24 | 1.15 | 54.00 | 19.76 | 150 | 71 | Horizontal | | |
| 3 | 2390.000 | 48.24 | 1.25 | 74.00 | 25.76 | 150 | 233 | Horizontal | | |
| 4 | 2390.000 | 34.30 | 1.25 | 54.00 | 19.70 | 150 | 260 | Horizontal | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.



Report No.: ZR/2019/2000803

Page: 75 of 78

4.12.1.4 Worst Case Mode (GFSK(DH5)) _Highest Channel _ Horizontal



| Suspe | Suspected List | | | | | | | | |
|-------|----------------|-------------------|----------------|-------------------|----------------|----------------|--------------|------------|--|
| NO. | Freq. [MHz] | Level [dBµV/m] | Factor [dB] | Limit [dBµV/m] | Margin [dB] | Height [cm] | Angle [°] | Polarity | |
| 1 | 2483.500 | 53.70 | 1.52 | 74.00 | 20.30 | 150 | 253 | Horizontal | |
| 2 | 2483.500 | 40.63 | 1.52 | 54.00 | 13.37 | 150 | 217 | Horizontal | |
| 3 | 2485.342 | 39.22 | 1.53 | 54.00 | 14.78 | 150 | 217 | Horizontal | |
| 4 | 2485.792 | 53.20 | 1.53 | 74.00 | 20.80 | 150 | 6 | Horizontal | |

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, as a small CND Docchecked Socs. Comp.

Report No.: ZR/2019/2000803

Page: 76 of 78

5 Measurement Uncertainty (95% confidence levels, k=2)

| No. | Item | Measurement Uncertainty | |
|-----|---------------------------------|-------------------------|--|
| 1 | Total RF power, conducted | ±0.75dB | |
| 2 | RF power density, conducted | ±2.84dB | |
| 3 | Spurious emissions, conducted | ±0.75dB | |
| 4 | Padiated Spurious emission test | ±4.5dB (30MHz-1GHz) | |
| 4 | Radiated Spurious emission test | ±4.8dB (1GHz-25GHz) | |
| 5 | Conduct emission test | ±3.12 dB(9KHz- 30MHz) | |
| 6 | Temperature test | ±1°C | |
| 7 | Humidity test | ±3% | |
| 8 | DC and low frequency voltages | ±0.5% | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; CMD.Doccheck@gs.com.



Report No.: ZR/2019/2000803

Page: 77 of 78

6 Equipment List

| Conducted Emission | | | | | | | | | |
|----------------------|------------------------------------|-----------------|---------------|--------------|--------------|--|--|--|--|
| Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date | Cal.Duedate | | | | |
| rest Equipment | Manufacturer | Woder No. | inventory No. | (yyyy-mm-dd) | (yyyy-mm-dd) | | | | |
| Shielding Room | ZhongYu Electron | GB-88 | SEM001-06 | 2017/5/10 | 2020/5/9 | | | | |
| LISN | Rohde & Schwarz | ENV216 | SEM007-01 | 2018/9/2 | 2019/9/2 | | | | |
| LISN | ETS-LINDGREN | Feb-16 | SEM007-02 | 2018/4/2 | 2019/4/1 | | | | |
| Measurement Software | AUDIX | e3 V5.4.1221d | N/A | N/A | N/A | | | | |
| Coaxial Cable | SGS | N/A | SEM024-01 | 2018/7/12 | 2019/7/11 | | | | |
| 2 Line ISN | Fischer Custom Communications Inc. | FCC-TLISN-T2-02 | EMC0122 | 2019/2/11 | 2020/2/10 | | | | |
| EMI Test Receiver | Rohde & Schwarz | ESCI | SEM004-02 | 2018/4/2 | 2019/4/1 | | | | |

| | RF conducted test | | | | | | | | |
|---------------------|--------------------------|------------------|---------------|--------------|--------------|--|--|--|--|
| Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date | Cal.Duedate | | | | |
| rest Equipment | Manufacturer | Wiodel No. | inventory No. | (yyyy-mm-dd) | (yyyy-mm-dd) | | | | |
| DC Power Supply | Agilent Technologies Inc | 66311B | W009-09 | 2018/9/15 | 2019/9/15 | | | | |
| Signal Analyzer | Rohde & Schwarz | FSV | W025-05 | 2019/1/13 | 2020/1/12 | | | | |
| Coaxial Cable | SGS | N/A | SEM031-01 | 2018/7/13 | 2019/7/12 | | | | |
| Attenuator | Weinschel Associates | WA41 | SEM021-09 | N/A | N/A | | | | |
| Signal Generator | KEYSIGHT | N5173B | SEM006-05 | 2018/9/2 | 2019/9/2 | | | | |
| Temperature Chamber | GIANT FORCE | ICT-150-40-CP-AR | W027-03 | 2018/11/27 | 2019/11/27 | | | | |
| Power Meter | Rohde & Schwarz | NRVS | SEM014-02 | 2018/9/2 | 2019/9/2 | | | | |
| | DE | in Chambar | | | | | | | |

| RE in Chamber | | | | | | | | | |
|------------------------------------|----------------------|-----------------|---------------|--------------|--------------|--|--|--|--|
| Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date | Cal.Due date | | | | |
| rest Equipment | Manufacturer | Wiodel No. | inventory No. | (yyyy-mm-dd) | (yyyy-mm-dd) | | | | |
| 3m Semi-Anechoic Chamber | ETS-LINDGREN | N/A | SEM001-01 | 2017/8/5 | 2020/8/4 | | | | |
| Measurement Software | AUDIX | e3 V8.2014-6-27 | N/A | N/A | N/A | | | | |
| Coaxial Cable | SGS | N/A | SEM025-01 | 2018/7/12 | 2019/7/11 | | | | |
| MXE EMI Receiver (20Hz- 8.4GHz) | Agilent Technologies | N9038A | SEM004-05 | 2018/9/2 | 2019/9/2 | | | | |
| BiConiLog Antenna (26- 3000MHz) | ETS-LINDGREN | 3142C | SEM003-01 | 2017/6/27 | 2020/6/26 | | | | |
| Pre-amplifier (0.1-1.3GHz) | Agilent Technologies | 8447D | SEM005-01 | 2018/4/2 | 2019/4/1 | | | | |

| RE in Chamber | | | | | | | | |
|--|--------------------------|-----------------------|---------------|--------------|--------------|--|--|--|
| Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. date | Cal.Due date | | | |
| | | | | (yyyy-mm-dd) | (yyyy-mm-dd) | | | |
| 3m Semi-Anechoic Chamber | AUDIX | N/A | SEM001-02 | 2018/3/13 | 2021/3/12 | | | |
| Measurement Software | AUDIX | e3V8.2014-6-27 | N/A | N/A | N/A | | | |
| Coaxial Cable | SGS | N/A | SEM026-01 | 2018/7/12 | 2019/7/11 | | | |
| EXA Signal Analyzer (10Hz- 26.5GHz) | Agilent Technologies Inc | N9010A | SEM004-09 | 2018/4/13 | 2019/4/12 | | | |
| BiConiLog Antenna (26- 3000MHz) | ETS-Lindgren | 3142C | SEM003-01 | 2017/6/27 | 2020/6/26 | | | |
| Horn Antenna (0.8-18GHz) | Rohde & Schwarz | HF907 | SEM003-07 | 2018/4/13 | 2021/4/12 | | | |
| Pre-amplifier(0.1-1.3GHz) | HP | 8447D | SEM005-02 | 2018/9/2 | 2019/9/2 | | | |
| Low Noise Amplifier(100MHz- 18GHz) | Black Diamond Series | BDLNA-0118- 352810 | SEM005-05 | 2018/9/27 | 2019/9/27 | | | |
| Horn Antenna (15-40GHz) | Schwarzbeck | BBHA 9170 | SEM003-15 | 2017/10/17 | 2020/10/16 | | | |
| Pre-amplifier(18-26GHz) | Rohde & Schwarz | CH14-H052 | SEM005-17 | 2018/4/2 | 2019/4/1 | | | |
| Band filter | N/A | N/A | SEM023-01 | N/A | N/A | | | |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small; CMD.Doccheck@gs.com.



Report No.: ZR/2019/2000803

Page: 78 of 78

| RE in Chamber | | | | | | | | |
|------------------------------------|-----------------|-----------------|---------------|---------------------------|-------------------------------|--|--|--|
| Test Equipment | Manufacturer | Model No. | Inventory No. | Cal. Date (yyyy-mm-dd) | Cal. Due date (yyyy-mm-dd) | | | |
| 10m Semi-Anechoic Chamber | SAEMC | FSAC1018 | SEM001-03 | 2018/3/31 | 2021/3/30 | | | |
| EMI Test Receiver (9k-7GHz) | Rohde & Schwarz | ESR | SEM004-03 | 2018/4/2 | 2019/4/1 | | | |
| Trilog-Broadband Antenna(25M-2GHz) | Schwarzbeck | VULB9168 | SEM003-18 | 2016/6/29 | 2019/6/28 | | | |
| Pre-amplifier (9k-1GHz) | Sonoma | 310N | SEM005-03 | 2018/4/13 | 2019/4/12 | | | |
| Loop Antenna (9kHz-30MHz) | ETS-Lindgren | 6502 | SEM003-08 | 2017/8/22 | 2020/8/21 | | | |
| Measurement Software | AUDIX | e3 V8.2014-6-27 | N/A | N/A | N/A | | | |
| Coaxial Cable | SGS | N/A | SEM029-01 | 2018/7/12 | 2019/7/11 | | | |

7 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of EUT Constructional Details for ZR/2019/20008.

The End



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNI.Doccheck@gs.com.