



# The Photos of SAR test

No. I19Z61432-SEM01

For

**TCL Communication Ltd.**

**UMTS/GSM mobile phone**

**Model name: 3078G**

With

**Hardware Version: PIO**

**Software Version: V1.0**

**Issued Date: 2019-9-16**



**Note:**

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

**Test Laboratory:**

CTTL, Telecommunication Technology Labs, CAICT

No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: [ctl\\_terminals@caict.ac.cn](mailto:ctl_terminals@caict.ac.cn), website: [www.caict.ac.cn](http://www.caict.ac.cn)



**Picture 1: Constituents of the sample**

**Test positions for body:**

The Body SAR is tested at the following 6 test positions all with the distance =10mm between the EUT and the phantom bottom:




**Picture 1: Rear with 10mm**



**Picture 2: Left with 10mm**



**Picture 3: Right with 10mm**



**Picture 4: Front with 10mm**



**Picture 5: Top with 10mm**



**Picture 6: Bottom with 10mm**



**Picture 6: Rear with headset**