



# FCC TEST REPORT

**Application No:** ZR/2019/C0035  
**Applicant:** TCL Communication Ltd.  
**Address of Applicant:** 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science Park, Shatin, NT, Hong Kong  
**Manufacturer:** TCL Communication Ltd.  
**Address of Manufacturer:** 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science Park, Shatin, NT, Hong Kong  
**EUT Description:** LTE/UMTS/GSM mobile phone  
**Model No.:** 5029E  
**Trade Mark:** alcatel  
**FCC ID:** 2AC CJH119  
**Standards:** 47 CFR FCC Part 2, Subpart J  
47 CFR Part 15, Subpart C  
**Test Method:** KDB558074 D01 15.247 Meas Guidance v05r02  
ANSI C63.10 (2013)  
**Date of Receipt:** 2019/12/27  
**Date of Test:** 2019/12/27 to 2020/1/16  
**Date of Issue:** 2020/1/16

|                     |               |
|---------------------|---------------|
| <b>Test Result:</b> | <b>PASS *</b> |
|---------------------|---------------|

\* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Derek Yang  
Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch / 深圳分公司 / 实验室

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 1 Version

| Revision Record |         |           |          |          |
|-----------------|---------|-----------|----------|----------|
| Version         | Chapter | Date      | Modifier | Remark   |
| 00              |         | 2020/1/16 |          | Original |
|                 |         |           |          |          |
|                 |         |           |          |          |

|                          |  |                                                                                                                           |                            |
|--------------------------|--|---------------------------------------------------------------------------------------------------------------------------|----------------------------|
| Authorized for issue by: |  |                                                                                                                           |                            |
| Tested By                |  | <br>_____<br>(Mike Hu) /Project Engineer | 2020/1/16<br>_____<br>Date |
| Checked By               |  | <br>_____<br>(David Chen) /Reviewer     | 2020/1/16<br>_____<br>Date |





## 2 Test Summary

| Test Item                                                               | Test Requirement        | Test method      | Test Result | Result |
|-------------------------------------------------------------------------|-------------------------|------------------|-------------|--------|
| AC Power Line<br>Conducted Emission                                     | 15.207                  | ANSI C63.10 2013 | Clause 4.2  | PASS   |
| Duty Cycle                                                              | --                      | --               | Clause 4.3  | PASS   |
| Conducted Output Power                                                  | 15.247 (b)(3)           | ANSI C63.10 2013 | Clause 4.4  | PASS   |
| DTS (6 dB) Bandwidth & 99%<br>Occupied Bandwidth                        | 15.247 (a)(2)           | ANSI C63.10 2013 | Clause 4.5  | PASS   |
| Power Spectral Density                                                  | 15.247 (e)              | ANSI C63.10 2013 | Clause 4.6  | PASS   |
| Band-edge for RF<br>Conducted Emissions                                 | 15.247(d)               | ANSI C63.10 2013 | Clause 4.7  | PASS   |
| RF Conducted Spurious<br>Emissions                                      | 15.247(d)               | ANSI C63.10 2013 | Clause 4.8  | PASS   |
| Radiated Spurious Emissions                                             | 15.247(d);15.205/15.209 | ANSI C63.10 2013 | Clause 4.9  | PASS   |
| Restricted bands around<br>fundamental frequency (Radiated<br>Emission) | 15.247(d);15.205/15.209 | ANSI C63.10 2013 | Clause 4.10 | PASS   |



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Technical Services Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## Contents

|          |                                                             |            |
|----------|-------------------------------------------------------------|------------|
| <b>1</b> | <b>VERSION</b>                                              | <b>2</b>   |
| <b>2</b> | <b>TEST SUMMARY</b>                                         | <b>3</b>   |
| <b>3</b> | <b>GENERAL INFORMATION</b>                                  | <b>5</b>   |
| 3.1      | CLIENT INFORMATION                                          | 5          |
| 3.2      | TEST LOCATION                                               | 5          |
| 3.3      | TEST FACILITY                                               | 5          |
| 3.4      | GENERAL DESCRIPTION OF EUT                                  | 6          |
| 3.5      | TEST ENVIRONMENT AND MODE                                   | 7          |
| 3.6      | DESCRIPTION OF SUPPORT UNITS                                | 8          |
| <b>4</b> | <b>TEST RESULTS AND MEASUREMENT DATA</b>                    | <b>9</b>   |
| 4.1      | ANTENNA REQUIREMENT                                         | 9          |
| 4.2      | AC POWER LINE CONDUCTED EMISSIONS                           | 10         |
| 4.3      | DUTY CYCLE                                                  | 14         |
| 4.3.1    | Test Results                                                | 14         |
| 4.3.1    | Test Plots                                                  | 14         |
| 4.4      | CONDUCTED OUTPUT POWER                                      | 17         |
| 4.4.1    | Test Results                                                | 18         |
| 4.5      | DTS (6 dB) BANDWIDTH & 99% OCCUPIED BANDWIDTH               | 19         |
| 4.5.1    | Test Results                                                | 19         |
| 4.5.2    | Test plots                                                  | 20         |
| 4.6      | POWER SPECTRAL DENSITY                                      | 32         |
| 4.6.1    | Test Results                                                | 32         |
| 4.6.2    | Test plots                                                  | 33         |
| 4.7      | BAND-EDGE FOR RF CONDUCTED EMISSIONS                        | 39         |
| 4.7.1    | Test plots                                                  | 40         |
| 4.8      | RF CONDUCTED SPURIOUS EMISSIONS                             | 44         |
| 4.8.1    | Test plots                                                  | 45         |
| 4.9      | RADIATED SPURIOUS EMISSIONS                                 | 87         |
| 4.9.1    | Radiated emission below 1GHz                                | 90         |
| 4.9.2    | Transmitter emission above 1GHz                             | 92         |
| 4.10     | RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY               | 116        |
| 4.10.1   | ANT1                                                        | 118        |
| <b>5</b> | <b>MEASUREMENT UNCERTAINTY (95% CONFIDENCE LEVELS, K=2)</b> | <b>134</b> |
| <b>6</b> | <b>EQUIPMENT LIST</b>                                       | <b>135</b> |
| <b>7</b> | <b>PHOTOGRAPHS - EUT CONSTRUCTIONAL DETAILS</b>             | <b>136</b> |





### 3 General Information

#### 3.1 Client Information

|                          |                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------|
| Applicant:               | TCL Communication Ltd.                                                                        |
| Address of Applicant:    | 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science Park, Shatin, NT, Hong Kong |
| Manufacturer:            | TCL Communication Ltd.                                                                        |
| Address of Manufacturer: | 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science Park, Shatin, NT, Hong Kong |

#### 3.2 Test Location

|            |                                                                                             |
|------------|---------------------------------------------------------------------------------------------|
| Company:   | SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch                             |
| Address:   | No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China |
| Post code: | 518057                                                                                      |
| Telephone: | +86 (0) 755 2601 2053                                                                       |
| Fax:       | +86 (0) 755 2671 0594                                                                       |
| E-mail:    | ee.shenzhen@sgs.com                                                                         |

#### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **CNAS (No. CNAS L2929)**

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• **A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

• **VCCI**

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• **FCC –Designation Number: CN1178**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

• **Industry Canada (IC)**

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



### 3.4 General Description of EUT

|                                 |                                                                                                                                                                                                                                                                                                        |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| EUT Description:                | LTE/UMTS/GSM mobile phone                                                                                                                                                                                                                                                                              |
| Model No.:                      | 5029E                                                                                                                                                                                                                                                                                                  |
| Trade Mark:                     | alcatel                                                                                                                                                                                                                                                                                                |
| Hardware Version:               | PIO                                                                                                                                                                                                                                                                                                    |
| Software Version:               | v4F5E                                                                                                                                                                                                                                                                                                  |
| IEEE 802.11 WLAN Mode Supported | <input checked="" type="checkbox"/> 802.11B (20 MHz channel bandwidth),<br><input checked="" type="checkbox"/> 802.11G (20 MHz channel bandwidth)<br><input checked="" type="checkbox"/> 802.11N (20 MHz channel bandwidth),<br><input checked="" type="checkbox"/> 802.11N (40 MHz channel bandwidth) |
| Operation Frequency:            | 2400 MHz -2483.5MHz<br>$f_c = 2407 \text{ MHz} + N * 5 \text{ MHz}$ , where:<br>$-f_c$ = "Operating Frequency" in MHz,<br>$-N$ = "Channel Number" with the range from 1 to 11 for the 20 MHz channel bandwidth, or 3 to 9 for the 40 MHz channel bandwidth.                                            |
| Type of Modulation:             | IEEE for 802.11B: DSSS<br>IEEE for 802.11G : OFDM<br>IEEE for 802.11N(HT20) : OFDM<br>IEEE for 802.11N(HT40) : OFDM                                                                                                                                                                                    |
| Sample Type:                    | <input checked="" type="checkbox"/> Portable Device, <input type="checkbox"/> Module                                                                                                                                                                                                                   |
| Antenna Type:                   | <input type="checkbox"/> External, <input checked="" type="checkbox"/> Integrated                                                                                                                                                                                                                      |
| Antenna Ports                   | <input checked="" type="checkbox"/> Ant 1, <input type="checkbox"/> Ant 2, <input type="checkbox"/> Ant 3                                                                                                                                                                                              |
| Smart System                    | <input checked="" type="checkbox"/> SISO (for 802.11B/G/N),<br><input type="checkbox"/> MIMO (for 802.11N): 2 Tx & 2 Rx,<br><input type="checkbox"/> Diversity (for 802.11B/G) : Tx & Rx                                                                                                               |
| Antenna Gain:                   | 0.36dBi                                                                                                                                                                                                                                                                                                |
| Power Supply                    | <input type="checkbox"/> AC/DC Adapter; <input checked="" type="checkbox"/> Battery <input type="checkbox"/> PoE;; <input type="checkbox"/> Other:                                                                                                                                                     |

|           | No. | P/N          | Remark                       | Comment                                                       |
|-----------|-----|--------------|------------------------------|---------------------------------------------------------------|
| Adaptor   | 1   | CBA0059AGAC7 | UC13US;Chenyang 5V2A Charger |                                                               |
|           | 2   | CBA0059AGAC5 | UC13US ;PUAN 5V2A Charger    |                                                               |
| USB cable | 1   | CDA0000024C8 | PUAN                         |                                                               |
|           | 2   | CDA0000024C2 | JUWEI                        |                                                               |
| Headset   | 1   | CCB0046A10C1 | JUWEI                        |                                                               |
|           | 2   | CCB0046A10C4 | MEIHAO                       |                                                               |
|           | 3   | CCB0049A10C1 | JUWEI                        |                                                               |
|           | 4   | CCB0049A10C4 | MEIHAO                       |                                                               |
|           | 5   | CCB0046A15C1 | JUWEI                        | CCB0046A15C1 Same with CCB0046A10C1, only remove alcatel logo |
|           | 6   | CCB0046A15C4 | MEIHAO                       | CCB0046A15C4 Same with CCB0046A10C4,                          |





|         |   |              |                  |                                                                   |
|---------|---|--------------|------------------|-------------------------------------------------------------------|
|         |   |              |                  | only remove alcatel logo                                          |
|         | 7 | CCB0049A12C1 | JUWEI            | CCB CCB0049A12C1 Same with CCB0049A10C1, only remove alcatel logo |
|         | 8 | CCB0049A12C4 | MEIHAO           | CCB CCB0049A12C4 Same with CCB0049A10C4, only remove alcatel logo |
| Battery | 1 | CAC3860024C1 | TLp038D1; BYD    |                                                                   |
|         | 2 | CAC3860025C7 | TLp038D7; VEKEN; |                                                                   |

| Operation Frequency of each channel (802.11B/G/N HT20) |           |         |           |         |           |         |           |
|--------------------------------------------------------|-----------|---------|-----------|---------|-----------|---------|-----------|
| Channel                                                | Frequency | Channel | Frequency | Channel | Frequency | Channel | Frequency |
| 1                                                      | 2412MHz   | 4       | 2427MHz   | 7       | 2442MHz   | 10      | 2457MHz   |
| 2                                                      | 2417MHz   | 5       | 2432MHz   | 8       | 2447MHz   | 11      | 2462MHz   |
| 3                                                      | 2422MHz   | 6       | 2437MHz   | 9       | 2452MHz   |         |           |
| Operation Frequency of each channel (802.11N HT40)     |           |         |           |         |           |         |           |
| Channel                                                | Frequency | Channel | Frequency | Channel | Frequency |         |           |
| 3                                                      | 2422MHz   | 6       | 2437MHz   | 9       | 2452MHz   |         |           |
| 4                                                      | 2427MHz   | 7       | 2442MHz   |         |           |         |           |
| 5                                                      | 2432MHz   | 8       | 2447MHz   |         |           |         |           |

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

| Channel             | Frequency for 802.11B/G/N (HT20) | Frequency for 802.11N (HT40) |
|---------------------|----------------------------------|------------------------------|
| The Lowest channel  | 2412MHz                          | 2422MHz                      |
| The Middle channel  | 2437MHz                          | 2437MHz                      |
| The Highest channel | 2462MHz                          | 2452MHz                      |

### 3.5 Test Environment and Mode

| Operating Environment: |         |
|------------------------|---------|
| Temperature:           | 25.0 °C |



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (M-10) Science & Technology Park

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



|                       |                                                                                          |
|-----------------------|------------------------------------------------------------------------------------------|
| Humidity:             | 50 % RH                                                                                  |
| Atmospheric Pressure: | 101.30 KPa                                                                               |
| <b>Test mode:</b>     |                                                                                          |
| Transmitting mode:    | Keep the EUT in transmitting mode with all kind of modulation and all kind of data rate. |

### 3.6 Description of Support Units

The EUT has been tested independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## 4 Test results and Measurement Data

### 4.1 Antenna Requirement

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| <b>Standard requirement:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 47 CFR Part 15C Section 15.203 /247(c) |
| <p>15.203 requirement:</p> <p>An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.</p> <p>15.247(b) (4) requirement:</p> <p>The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.</p> <p>The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 0.36dBi.</p> |                                        |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Technical Services Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com




## 4.2 AC Power Line Conducted Emissions

|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |              |           |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----------|
| Test Requirement:                                | 47 CFR Part 15C Section 15.207                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |              |           |
| Test Method:                                     | ANSI C63.10: 2013                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |              |           |
| Test Frequency Range:                            | 150kHz to 30MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |              |           |
| Limit:                                           | Frequency range (MHz)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Limit (dBuV) |           |
|                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Quasi-peak   | Average   |
|                                                  | 0.15-0.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 66 to 56*    | 56 to 46* |
|                                                  | 0.5-5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 56           | 46        |
|                                                  | 5-30                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 60           | 50        |
| * Decreases with the logarithm of the frequency. |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |              |           |
| Test Procedure:                                  | <ol style="list-style-type: none"> <li>1) The mains terminal disturbance voltage test was conducted in a shielded room.</li> <li>2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.</li> <li>3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,</li> <li>4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.</li> <li>5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10: 2013 on conducted measurement.</li> </ol> |              |           |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

|                        |                                                                                                                                                                                          |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Setup:            |                                                                                                        |
| Exploratory Test Mode: | <p>Transmitting with all kind of modulations, data rates at lowest, middle and highest channel.</p> <p>Charge + Transmitting mode.</p>                                                   |
| Final Test Mode:       | <p>Through Pre-scan, find the 1Mbps of rate of 802.11B at lowest channel is the worst case.</p> <p>Charge + Transmitting mode.</p> <p>Only the worst case is recorded in the report.</p> |
| Instruments Used:      | Refer to section 5.10 for details                                                                                                                                                        |
| Test Results:          | Pass                                                                                                                                                                                     |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Technical Services E&C Laboratory


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

## Live Line:




## Final Data List

| NO. | Freq. [MHz] | Factor [dB] | QP Value [dBμV] | QP Limit [dBμV] | QP Margin [dB] | AV Value [dBμV] | AV Limit [dBμV] | AV Margin [dB] | Type |
|-----|-------------|-------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|------|
| 1   | 0.1843      | 10.10       | 58.73           | 64.29           | 5.56           | 37.42           | 54.29           | 16.87          | L    |
| 2   | 0.2296      | 10.10       | 56.34           | 62.46           | 6.12           | 28.76           | 52.46           | 23.70          | L    |
| 3   | 0.3084      | 10.10       | 51.23           | 60.01           | 8.78           | 28.76           | 50.01           | 21.25          | L    |
| 4   | 0.3940      | 10.10       | 47.74           | 57.98           | 10.24          | 17.35           | 47.98           | 30.63          | L    |
| 5   | 15.8474     | 10.11       | 40.55           | 60.00           | 19.45          | 32.08           | 50.00           | 17.92          | L    |
| 6   | 24.2446     | 10.11       | 44.43           | 60.00           | 15.57          | 35.38           | 50.00           | 14.62          | L    |



Neutral Line:



## Final Data List

| NO. | Freq. [MHz] | Factor [dB] | QP Value [dBμV] | QP Limit [dBμV] | QP Margin [dB] | AV Value [dBμV] | AV Limit [dBμV] | AV Margin [dB] | Type |
|-----|-------------|-------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|------|
| 1   | 0.1584      | 10.10       | 61.12           | 65.55           | 4.43           | 28.81           | 55.55           | 26.74          | N    |
| 2   | 0.1814      | 10.10       | 58.29           | 64.42           | 6.13           | 35.96           | 54.42           | 18.46          | N    |
| 3   | 0.2252      | 10.10       | 55.85           | 62.62           | 6.77           | 26.17           | 52.62           | 26.45          | N    |
| 4   | 0.3075      | 10.10       | 51.40           | 60.04           | 8.64           | 24.45           | 50.04           | 25.59          | N    |
| 5   | 16.1172     | 10.11       | 39.76           | 60.00           | 20.24          | 27.08           | 50.00           | 22.92          | N    |
| 6   | 24.2226     | 10.11       | 42.37           | 60.00           | 17.63          | 33.70           | 50.00           | 16.30          | N    |

## Remarks:

1. The following Quasi-Peak and Average measurements were performed on the EUT:
2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.





## 4.3 Duty Cycle


### 4.3.1 Test Results

| Test Mode | TX Freq. [MHz] | Duty cycle [%] |
|-----------|----------------|----------------|
| 11B       | Ant 1: CH1     | 99.52          |
| 11G       | Ant 1: CH1     | 95.83          |
| 11N20     | Ant 1: CH1     | 95.91          |
| 11N40     | Ant 1: CH3     | 88.76          |


### 4.3.1 Test Plots

#### 4.3.1.1 ANT1


##### 4.3.1.1.1 11B




## 4.3.1.1.2 11G



## 4.3.1.1.3 11N20



## 4.3.1.1.4 11N40




SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## 4.4 Conducted Output Power

|                        |                                                                                                                                                                                                                                          |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement:      | 47 CFR Part 15C Section 15.247 (b)(3)                                                                                                                                                                                                    |
| Test Method:           | ANSI C63.10 :2013 Section 11.9.1.3                                                                                                                                                                                                       |
| Test Setup:            |                                                                                                                                                        |
| Test Instruments:      | Refer to section 5.10 for details                                                                                                                                                                                                        |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates                                                                                                                                                                                    |
| Final Test Mode:       | Through Pre-scan, find the<br>1Mbps of rate is the worst case of 802.11B;<br>6Mbps of rate is the worst case of 802.11G ;<br>6.5Mbps of rate is the worst case of 802.11N(HT20);<br>13.5Mbps of rate is the worst case of 802.11N(HT40). |
| Limit:                 | 30dBm                                                                                                                                                                                                                                    |
| Test Results:          | Pass                                                                                                                                                                                                                                     |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SGS-CSTC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



#### 4.4.1 Test Results

**Measurement Data of Average Power:**


| Mode      | Test Channel | Average Output Power (dBm) | Result              |
|-----------|--------------|----------------------------|---------------------|
| 802.11B   | Lowest       | 16.61                      | Report purpose only |
|           | Middle       | 16.92                      | Report purpose only |
|           | Highest      | 16.76                      | Report purpose only |
| 802.11G   | Lowest       | 15.12                      | Report purpose only |
|           | Middle       | 14.81                      | Report purpose only |
|           | Highest      | 14.68                      | Report purpose only |
| 802.11N20 | Lowest       | 13.44                      | Report purpose only |
|           | Middle       | 13.12                      | Report purpose only |
|           | Highest      | 12.91                      | Report purpose only |
| 802.11N40 | Lowest       | 12.85                      | Report purpose only |
|           | Middle       | 12.74                      | Report purpose only |
|           | Highest      | 12.87                      | Report purpose only |

**Measurement Data of Peak Power:**

| Mode      | Test Channel | Peak Output Power (dBm) | Limit (dBm) | Result |
|-----------|--------------|-------------------------|-------------|--------|
| 802.11B   | Lowest       | 21.49                   | 30.00       | Pass   |
|           | Middle       | 23.14                   | 30.00       | Pass   |
|           | Highest      | 22.94                   | 30.00       | Pass   |
| 802.11G   | Lowest       | 23.48                   | 30.00       | Pass   |
|           | Middle       | 23.34                   | 30.00       | Pass   |
|           | Highest      | 23.11                   | 30.00       | Pass   |
| 802.11N20 | Lowest       | 22.55                   | 30.00       | Pass   |
|           | Middle       | 22.19                   | 30.00       | Pass   |
|           | Highest      | 22.10                   | 30.00       | Pass   |
| 802.11N40 | Lowest       | 21.01                   | 30.00       | Pass   |
|           | Middle       | 20.98                   | 30.00       | Pass   |
|           | Highest      | 21.08                   | 30.00       | Pass   |



## 4.5 DTS (6 dB) Bandwidth & 99% Occupied Bandwidth

|                        |                                                                                                                                                                                                                                         |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement:      | 47 CFR Part 15C Section 15.247 (a)(2)                                                                                                                                                                                                   |
| Test Method:           | ANSI C63.10: 2013 Section 11.8.1 Option 1                                                                                                                                                                                               |
| Test Setup:            |                                                                                                                                                       |
| Instruments Used:      | Refer to section 5.10 for details                                                                                                                                                                                                       |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates                                                                                                                                                                                   |
| Final Test Mode:       | Through Pre-scan, find the<br>1Mbps of rate is the worst case of 802.11B;<br>6Mbps of rate is the worst case of 802.11G;<br>6.5Mbps of rate is the worst case of 802.11N(HT20);<br>13.5Mbps of rate is the worst case of 802.11N(HT40). |
| Limit:                 | ≥ 500 kHz                                                                                                                                                                                                                               |
| Test Results:          | Pass                                                                                                                                                                                                                                    |

### 4.5.1 Test Results

| Mode      | Test Channel | Occupied Bandwidth (MHz) | 6dB Emission Bandwidth (MHz) | Limit (kHz) | Result |
|-----------|--------------|--------------------------|------------------------------|-------------|--------|
| 802.11B   | Lowest       | 12.61                    | 8.07                         | ≥500        | Pass   |
|           | Middle       | 13.29                    | 8.59                         | ≥500        | Pass   |
|           | Highest      | 12.71                    | 8.06                         | ≥500        | Pass   |
| 802.11G   | Lowest       | 16.81                    | 15.00                        | ≥500        | Pass   |
|           | Middle       | 16.61                    | 15.17                        | ≥500        | Pass   |
|           | Highest      | 16.36                    | 15.13                        | ≥500        | Pass   |
| 802.11N20 | Lowest       | 17.88                    | 15.09                        | ≥500        | Pass   |
|           | Middle       | 17.71                    | 16.80                        | ≥500        | Pass   |
|           | Highest      | 17.47                    | 13.85                        | ≥500        | Pass   |
| 802.11N40 | Lowest       | 35.68                    | 31.32                        | ≥500        | Pass   |
|           | Middle       | 36.50                    | 35.98                        | ≥500        | Pass   |
|           | Highest      | 35.93                    | 34.03                        | ≥500        | Pass   |



## 4.5.2 Test plots

### 4.5.2.1 ANT1

#### 4.5.2.1.1 802.11B Lowest Channel




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


## 4.5.2.1.2 802.11B Middle Channel




## 4.5.2.1.3 802.11B\_Highest Channel




## 4.5.2.1.4 802.11G Lowest Channel




## 4.5.2.1.5 802.11G Middle Channel




## 4.5.2.1.6 802.11G\_Highest Channel




## 4.5.2.1.7 802.11N20 Lowest Channel




## 4.5.2.1.8 802.11 N20\_Middle Channel




## 4.5.2.1.9 802.11 N20\_Highest Channel




## 4.5.2.1.10 802.11N40 Lowest Channel




## 4.5.2.1.11 802.11 N40\_Middle Channel



## 4.5.2.1.12 802.11 N40\_Highest Channel



## 4.6 Power Spectral Density

|                        |                                                                                                                                                                                                                                          |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement:      | 47 CFR Part 15C Section 15.247 (e)                                                                                                                                                                                                       |
| Test Method:           | ANSI C63.10 :2013 Section 11.10.2                                                                                                                                                                                                        |
| Test Setup:            |                                                                                                                                                        |
| Test Instruments:      | Refer to section 5.10 for details                                                                                                                                                                                                        |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates                                                                                                                                                                                    |
| Final Test Mode:       | Through Pre-scan, find the<br>1Mbps of rate is the worst case of 802.11B;<br>6Mbps of rate is the worst case of 802.11G ;<br>6.5Mbps of rate is the worst case of 802.11N(HT20);<br>13.5Mbps of rate is the worst case of 802.11N(HT40). |
| Limit:                 | ≤8.00dBm/3kHz                                                                                                                                                                                                                            |
| Test Results:          | Pass                                                                                                                                                                                                                                     |

### 4.6.1 Test Results

| Mode      | Test Channel | Power Spectral Density (dBm/3kHz) | Limit (dBm/3kHz) | Result |
|-----------|--------------|-----------------------------------|------------------|--------|
| 802.11B   | Lowest       | -5.50                             | ≤8.00            | Pass   |
|           | Middle       | -4.44                             | ≤8.00            | Pass   |
|           | Highest      | -3.52                             | ≤8.00            | Pass   |
| 802.11G   | Lowest       | -7.20                             | ≤8.00            | Pass   |
|           | Middle       | -8.10                             | ≤8.00            | Pass   |
|           | Highest      | -8.30                             | ≤8.00            | Pass   |
| 802.11N20 | Lowest       | -8.06                             | ≤8.00            | Pass   |
|           | Middle       | -9.17                             | ≤8.00            | Pass   |
|           | Highest      | -8.35                             | ≤8.00            | Pass   |
| 802.11N40 | Lowest       | -10.93                            | ≤8.00            | Pass   |
|           | Middle       | -14.80                            | ≤8.00            | Pass   |
|           | Highest      | -13.29                            | ≤8.00            | Pass   |




## 4.6.2 Test plots

### 4.6.2.1 ANT1

#### 4.6.2.1.1 802.11B Lowest Channel



#### 4.6.2.1.2 802.11B Middle Channel




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SGS-CSTC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


#### 4.6.2.1.3 802.11B Highest Channel




#### 4.6.2.1.4 802.11G Lowest Channel




#### 4.6.2.1.5 802.11G Middle Channel




#### 4.6.2.1.6 802.11G Highest Channel




#### 4.6.2.1.7 802.11N20 Lowest Channel




#### 4.6.2.1.8 802.11 N20 Middle Channel




#### 4.6.2.1.9 802.11 N20\_Highest Channel




#### 4.6.2.1.10 802.11N40\_Lowest Channel




#### 4.6.2.1.11 802.11 N40\_Middle Channel



#### 4.6.2.1.12 802.11 N40\_Highest Channel



## 4.7 Band-edge for RF Conducted Emissions

|                        |                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement:      | 47 CFR Part 15C Section 15.247 (d)                                                                                                                                                                                                                                                                                                                                                      |
| Test Method:           | ANSI C63.10: 2013 Section 11.13                                                                                                                                                                                                                                                                                                                                                         |
| Test Setup:            |                                                                                                                                                                                                                                                                                                       |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates                                                                                                                                                                                                                                                                                                                                   |
| Final Test Mode:       | Through Pre-scan, find the<br>1Mbps of rate is the worst case of 802.11B;<br>6Mbps of rate is the worst case of 802.11G ;<br>6.5Mbps of rate is the worst case of 802.11N(HT20) ;<br>13.5Mbps of rate is the worst case of 802.11N(HT40).                                                                                                                                               |
| Limit:                 | In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. |
| Instruments Used:      | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                       |
| Test Results:          | Pass                                                                                                                                                                                                                                                                                                                                                                                    |

## 4.7.1 Test plots

### 4.7.1.1 ANT1

#### 4.7.1.1.1 802.11B Lowest Channel



#### 4.7.1.1.2 802.11B Highest Channel



## 4.7.1.1.3 802.11G Lowest Channel



## 4.7.1.1.4 802.11G Highest Channel




## 4.7.1.1.5 802.11N20 Lowest Channel




## 4.7.1.1.6 802.11 N20 Highest Channel




## 4.7.1.1.7 802.11N40 Lowest Channel



## 4.7.1.1.8 802.11 N40 Highest Channel



## 4.8 RF Conducted Spurious Emissions


|                        |                                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement:      | 47 CFR Part 15C Section 15.247 (d)                                                                                                                                                                                                                                                                                                                                                      |
| Test Method:           | ANSI C63.10: 2013 Section 11.11                                                                                                                                                                                                                                                                                                                                                         |
| Test Setup:            |                                                                                                                                                                                                                                                                                                       |
| Exploratory Test Mode: | Transmitting with all kind of modulations, data rates                                                                                                                                                                                                                                                                                                                                   |
| Final Test Mode:       | Through Pre-scan, find the<br>1Mbps of rate is the worst case of 802.11B;<br>6Mbps of rate is the worst case of 802.11G;<br>6.5Mbps of rate is the worst case of 802.11N(HT20);<br>13.5Mbps of rate is the worst case of 802.11N(HT40).                                                                                                                                                 |
| Limit:                 | In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement. |
| Instruments Used:      | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                       |
| Test Results:          | Pass                                                                                                                                                                                                                                                                                                                                                                                    |

## 4.8.1 Test plots

### 4.8.1.1 ANT1

#### 4.8.1.1.1 802.11B Lowest Channel











#### 4.8.1.1.2 802.11B Middle Channel











## 4.8.1.1.3 802.11B\_Highest Channel








SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 [www.sgs.com](http://www.sgs.com)  
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)




#### 4.8.1.1.4 802.11G Lowest Channel











## 4.8.1.1.5 802.11G Middle Channel









#### 4.8.1.1.6 802.11G\_Highest Channel

