



Fig.77 99% Occupied bandwidth (802.11a, 5200MHz)




Fig.78 99% Occupied bandwidth (802.11a, 5240MHz)




Fig.79 99% Occupied bandwidth (802.11n-HT20, 5180MHz)




Fig.80 99% Occupied bandwidth (802.11n-HT20, 5200MHz)




Fig.81 99% Occupied bandwidth (802.11n-HT20, 5240MHz)




Fig.82 99% Occupied bandwidth (802.11ac-HT20, 5180MHz)




Fig.83 99% Occupied bandwidth (802.11ac-HT20, 5200MHz)




Fig.84 99% Occupied bandwidth (802.11ac-HT20, 5240MHz)




Fig.85 99% Occupied bandwidth (802.11n-HT40, 5190MHz)




Fig.86 99% Occupied bandwidth (802.11n-HT40, 5230MHz)




Fig.87 99% Occupied bandwidth (802.11ac-HT40, 5190MHz)




Fig.88 99% Occupied bandwidth (802.11ac-HT40, 5230MHz)




Fig.89 99% Occupied bandwidth (802.11ac-HT80, 5210MHz)

A.10. Power control

A Transmission Power Control mechanism is not required for systems with an e.i.r.p. of less than 27dBm (500 mW).

ANNEX B: Accreditation Certificate

<p>United States Department of Commerce National Institute of Standards and Technology</p> 	
<hr/> <p>Certificate of Accreditation to ISO/IEC 17025:2005</p> <hr/>	
<p>NVLAP LAB CODE: 600118-0</p>	
<p>Telecommunication Technology Labs, CAICT Beijing China</p>	
<p><i>is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:</i></p>	
<p>Electromagnetic Compatibility & Telecommunications</p>	
<p><i>This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).</i></p>	
<hr/> <p>2019-09-26 through 2020-09-30 <i>Effective Dates</i></p>	  <hr/> <p><i>For the National Voluntary Laboratory Accreditation Program</i></p>

*** END OF REPORT BODY ***