



The Photos of SAR test

No. I21Z62139-SEM01

For

TCL Communication Ltd.

LTE / UMTS / GSM mobile phone

Model Name: 5033EP/5033MP

with

Hardware Version: PIO

Software Version: RD52

FCC ID: 2ACCJH156

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504

Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample




Picture 2: Left Head Touch Cheek Position



Picture 3: Left Head Tilt 15° Position




Picture 4: Right Head Touch Cheek Position




Picture 5: Right Head Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 8 test positions all with the distance =15/10mm between the EUT and the phantom bottom:




Picture 6: Front 15mm




Picture 7: Front 10mm




Picture 12: Rear 15mm




Picture 13: Rear 10mm



Picture 16: Left 10mm



Picture 17: Right 10mm



Picture 18: Bottom 10mm



Picture 22: Top 10mm

Transmit Antenna Separation Distances

