



TEST REPORT

No. I22N01222-RF-NR

for

TCL Communication Ltd.

GSM/UMTS/LTE/NR mobile phone

Model Name: T771A

FCC ID: 2ACCJH169

with

Hardware Version: 05

Software Version: HR1J-3

Issued Date: 2022-09-27

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of SAICT.

Test Laboratory:

SAICT, Shenzhen Academy of Information and Communications Technology

Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000.

Tel:+86(0)755-33322000, Fax:+86(0)755-33322001

Email: yewu@caict.ac.cn www.saict.ac.cn



REPORT HISTORY

Report Number	Revision	Description	Issue Date
I22N01500-RF-NR	Rev.0	1st edition	2022-09-27

CONTENTS

1. SUMMARY OF TEST REPORT	4
1.1. TEST ITEMS.....	4
1.2. TEST STANDARDS	4
1.3. TEST RESULT	4
1.4. TESTING LOCATION	4
1.5. PROJECT DATA	4
1.6. SIGNATURE.....	4
2. CLIENT INFORMATION	5
2.1. APPLICANT INFORMATION.....	5
2.2. MANUFACTURER INFORMATION.....	5
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	6
3.1. ABOUT EUT.....	6
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	6
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST.....	6
3.4. GENERAL DESCRIPTION	7
4. REFERENCE DOCUMENTS.....	8
5. LABORATORY ENVIRONMENT.....	9
6. SUMMARY OF TEST RESULTS	10
7. STATEMENT	12
8. TEST EQUIPMENTS UTILIZED.....	13
ANNEX A: MEASUREMENT RESULTS	14
A.1 OUTPUT POWER.....	14
A.2 FIELD STRENGTH OF SPURIOUS RADIATION.....	170
A.3 FREQUENCY STABILITY	176
A.4 OCCUPIED BANDWIDTH.....	179
A.5 EMISSION BANDWIDTH	206
A.6 BAND EDGE COMPLIANCE.....	233
A.7 CONDUCTED SPURIOUS EMISSION	253
A.8 PEAK-TO-AVERAGE POWER RATIO.....	256

1. SUMMARY OF TEST REPORT

1.1. Test Items

Description	GSM/UMTS/LTE/NR mobile phone
Model Name	T771A
Brand Name	TCL
Applicant's name	TCL Communication Ltd.
Manufacturer's Name	TCL Communication Ltd.

1.2. Test Standards

FCC Part 2/27	10-1-20 Edition
ANSI C63.26	2015
KDB971168 D01	v03r01

1.3. Test Result

All test items are pass. Please refer to "6 Summary of Test Results" for detail.

1.4. Testing Location


Address: Building G, Shenzhen International Innovation Center, No.1006 Shennan Road, Futian District, Shenzhen, Guangdong, P. R. China 518000

1.5. Project Data


Testing Start Date:2022-07-25

Testing End Date: 2022-09-25


1.6. Signature



Wang Ping
(Prepared this test report)



Huang Qiuqin
(Reviewed this test report)



Zhang Hao
(Approved this test report)



2. CLIENT INFORMATION

2.1. Applicant Information

Company Name: TCL Communication Ltd.
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science Park,
Shatin, NT, Hong Kong
Contact Person: Annie Jiang
Contact Email: nianxiang.jiang@tcl.com
Telephone: +86 755 3661 1621
Fax: +86 755 3661 2000-81722

2.2. Manufacturer Information

Company Name: TCL Communication Ltd.
Address /Post: 5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science Park,
Shatin, NT, Hong Kong
Contact Person: Annie Jiang
Contact Email: nianxiang.jiang@tcl.com
Telephone: +86 755 3661 1621
Fax: +86 755 3661 2000-81722

3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT

(AE)

3.1. About EUT

Description	GSM/UMTS/LTE/NR mobile phone
Model Name	T771A
FCC ID	2ACCJH169
EN-DC Bands	DC_2A_n7A,DC_66A_n7A,DC_2A_n66A,DC_12A_n66A,DC_2A_n78A,DC_7A_n78A,DC_38A_n78A,DC_66A_n78A,DC_5A_n78A,DC_7C-n78A
Antenna	Integrated
Extreme vol. Limits	3.6V to 4.4V (nominal: 3.85V)
Condition of EUT as received	No abnormality in appearance

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of SAICT.

3.2. Internal Identification of EUT used during the test

EUT ID*	SN or IMEI	HW Version	SW Version	Date of receipt
UT06aa	356613230200586	05	HR1J-3	2022-07-25
UT05aa	356613230200628	05	HR1J-3	2022-08-26

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID* Description

AE1 Battery

AE1-1

Model	TLp048A7
Manufacturer	NINGBO VEKEN BATTERY CO., LTD
Capacity	Min4850mAh/typ 5000mAh
Nominal Voltage	3.85 V

AE1-2

Model	TLp048A1
Manufacturer	Shenzhen BYD lithium BATTERY CO., LTD
Capacity	Min4850mAh/typ 5000mAh
Nominal Voltage	3.85 V

*AE ID: is used to identify the test sample in the lab internally.

3.4. General Description

The Equipment Under Test (EUT) is a model Mobile Phone with integrated antenna. It consists of normal options: lithium battery, charger. Manual and specifications of the EUT were provided to fulfil the test. Samples undergoing test were selected by the Client.

Note: NR Operating Band information as follow:

NR Bands	Uplink (UL)	Downlink (DL)	SCS (kHz)	Bandwidths(MHz)
n7	2500 MHz-2570 MHz	2620 MHz-2690 MHz	15	5/10/15/20
n66	1710 MHz-1780 MHz	2110 MHz-220 MHz	15	5/10/15/20/40
n78L	3450 MHz-3550 MHz	3450 MHz-3550 MHz	30	10/15/20/40/50/60/80/90/100
n78H	3700 MHz-3800 MHz	3700 MHz-3800 MHz	30	10/15/20/40/50/60/80/90/100

NR modulation: DFT-s-OFDM Pi/2 BPSK/QPSK/16QAM/64QAM; CP-OFDM QPSK/16QAM,64QAM;



4. REFERENCE DOCUMENTS

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 2	FREQUENCY ALLOCATIONS AND RADIO TREATY MATTERS; GENERAL RULES AND REGULATIONS	10-1-19 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-19 Edition
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB971168 D01	Power Meas License Digital Systems	v03r01

5. LABORATORY ENVIRONMENT

Shielded room did not exceed following limits along the RF testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz>60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 4 Ω

Fully-anechoic chamber did not exceed following limits along the EMC testing

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 75 %
Shielding effectiveness	0.014MHz-1MHz> 60 dB; 1MHz-18000MHz>90 dB
Electrical insulation	> 2MΩ
Ground system resistance	< 4 Ω
Voltage Standing Wave Ratio (VSWR)	≤ 6 dB, from 1 to 18 GHz, 3 m distance
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

6. SUMMARY OF TEST RESULTS

Abbreviations used in this clause:		
Verdict Column	P	Pass
	F	Fail
	NA	Not applicable
	NM	Not measured

Note1: The test results provided in this report represent the worst case configuration.

Note3: For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

Note2: For all the NSA combinations of the same NR band, output powers are pretested under the maximum bandwidth and mid channel so that the modes with the maximum output power values are chosen out, which are DC_2A_n7A, DC_2A_n66A, DC_2A_n78A(3450 MHz-3550 MHz), DC_2A_n78A(3700 MHz-3800 MHz). Only the results of the modes chosen by the max values are presented in the report. Then all the conducted test cases under the modes chosen out are performed.

n7

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(h)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(m)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(m)	A.4	P
5	Emission Bandwidth	2.1049/27.53(m)	A.5	P
6	Band Edge Compliance	2.1051/27.53(m)	A.6	P
7	Conducted Spurious Emission	2.1051/27.53(m)	A.7	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.8	P

n66

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(d)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(h)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(h)	A.4	P
5	Emission Bandwidth	2.1049/27.53(h)	A.5	P
6	Band Edge Compliance	2.1051/27.53(h)	A.6	P
7	Conducted Spurious Emission	2.1051/27.53(h)	A.7	P
8	Peak-to-Average Power Ratio	27.50(a)/ KDB971168 D01	A.8	P

n78L (3450MHz-3550MHz)

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(k)	A.1	P
2	Field Strength of Spurious Radiation	2.1053/27.53(n)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(n)	A.4	P
5	Emission Bandwidth	2.1049/27.53(n)	A.5	P
6	Band Edge Compliance	2.1051/27.53(n)	A.6	P
7	Conducted Spurious Emission	2.1051/27.53(n)	A.7	P
8	Peak-to-Average Power Ratio	27.50(k)/ KDB971168 D01	A.8	P

n78H(3700MHz-3800MHz)

Items	Test Name	Clause in FCC rules	Section in this report	Verdict
1	Output Power	2.1046/27.50(j)	A.1	P
2	Field Strength of Spurious Radiation	2.1051/27.53(l)	A.2	P
3	Frequency Stability	2.1055/27.54	A.3	P
4	Occupied Bandwidth	2.1049/27.53(l)	A.4	P
5	Emission Bandwidth	2.1049/27.53(l)	A.5	P
6	Band Edge Compliance	2.1051/27.53(l)	A.6	P
7	Conducted Spurious Emission	2.1051/27.53(l)	A.7	P
8	Peak-to-Average Power Ratio	27.50(j)/ KDB971168 D01	A.8	P



7. STATEMENT

Since the information of samples in this report is provided by the client, the laboratory is not responsible for the authenticity of sample information.

This report takes measured values as criterion of test conclusion. The test conclusion meets the limit requirements.

8. TEST EQUIPMENTS UTILIZED

NO.	Description	TYPE	Manufacture	series number	CAL DUE DATE
1	Test Receiver	ESR7	R&S	101676	2022-11-24
2	BiLog Antenna	3142E	ETS-Lindgren	0224831	2024-05-27
3	Horn Antenna	3117	ETS-Lindgren	00066577	2025-04-17
4	Horn Antenna	QSH-SL-18 -26-S-20	Q-par	17013	2023-01-06
5	Antenna	BBHA 9120D	Schwarzbeck	1593	2022-12-05
6	Antenna	VUBA 9117	Schwarzbeck	207	2023-07-15
7	Antenna	QWH-SL-18 -40-K-SG	Q-par	15979	2023-01-06
8	preamplifier	83017A	Agilent	MY39501110	/
9	Signal Generator	SMB100A	R&S	179725	2022-11-24
10	Fully Anechoic Chamber	FACT3-2.0	ETS-Lindgren	1285	2023-05-29
11	Spectrum Analyzer	FSV40	R&S	101192	2023-01-12
12	Universal Radio Communication Tester	MT8821C	Anritsu	6262025268	2023-03-29
13	Universal Radio Communication Tester	MT8000A	Anritsu	6261987936	2023-03-29
14	Spectrum Analyzer	FSW26	R&S	101967	2023-05-07
15	Temperature Chamber	SH-241	ESPEC	92007516	2022-10-15
16	DC Power Supply	U3606A	Agilent Technologies	MY50450012	2022-11-13

Test software

Item	Name	Vesion
Radiated	EMC32	V10.50.40

ANNEX A: MEASUREMENT RESULTS

A.1 OUTPUT POWER

Reference

FCC: CFR Part 2.1046, 27.50.

A.1.1 Summary

During the process of testing, the EUT was controlled via Rhode & Schwarz Digital Radio Communication tester to ensure max power transmission and proper modulation.

This result contains peak output power and ERP/EIRP measurements for the EUT.

In all cases, output power is within the specified limits.

A.1.2 Conducted

A.1.2.1 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

A.1.2.2 Measurement result

DC_2A_n7A

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	21.91
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.53
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.54
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	21.60
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.16
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	21.11
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	21.16
n7	5	15	2502.5	DFT	QPSK	Outer_Full	21.21
n7	5	15	2502.5	DFT	16QAM	Inner_Full	21.22
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	20.42
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	20.53
n7	5	15	2502.5	DFT	16QAM	Outer_Full	20.21
n7	5	15	2502.5	DFT	64QAM	Inner_Full	19.68
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	19.65
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	19.52
n7	5	15	2502.5	DFT	64QAM	Outer_Full	19.31
n7	5	15	2502.5	DFT	256QAM	Inner_Full	17.50
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	17.67
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	17.66
n7	5	15	2502.5	DFT	256QAM	Outer_Full	17.70
n7	5	15	2502.5	CP	QPSK	Inner_Full	20.53
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	19.09
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	19.17



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2502.5	CP	QPSK	Outer_Full	19.16
n7	5	15	2502.5	CP	16QAM	Inner_Full	20.13
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	19.43
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	19.54
n7	5	15	2502.5	CP	16QAM	Outer_Full	19.10
n7	5	15	2502.5	CP	64QAM	Inner_Full	18.80
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	18.81
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	18.90
n7	5	15	2502.5	CP	64QAM	Outer_Full	18.73
n7	5	15	2502.5	CP	256QAM	Inner_Full	15.46
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	15.72
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	15.70
n7	5	15	2502.5	CP	256QAM	Outer_Full	15.55
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	22.61
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.07
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.16
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.24
n7	5	15	2535	DFT	QPSK	Inner_Full	22.77
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	21.66
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	21.74
n7	5	15	2535	DFT	QPSK	Outer_Full	21.82
n7	5	15	2535	DFT	16QAM	Inner_Full	21.82
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.04
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.10
n7	5	15	2535	DFT	16QAM	Outer_Full	20.82
n7	5	15	2535	DFT	64QAM	Inner_Full	20.27
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.23
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.07
n7	5	15	2535	DFT	64QAM	Outer_Full	20.19
n7	5	15	2535	DFT	256QAM	Inner_Full	18.22
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.26
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.35
n7	5	15	2535	DFT	256QAM	Outer_Full	18.35
n7	5	15	2535	CP	QPSK	Inner_Full	21.09
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	19.62
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	19.69
n7	5	15	2535	CP	QPSK	Outer_Full	19.74
n7	5	15	2535	CP	16QAM	Inner_Full	20.69
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	19.89
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.08



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2535	CP	16QAM	Outer_Full	19.68
n7	5	15	2535	CP	64QAM	Inner_Full	19.21
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	19.24
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	19.30
n7	5	15	2535	CP	64QAM	Outer_Full	19.17
n7	5	15	2535	CP	256QAM	Inner_Full	16.21
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	16.27
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	16.34
n7	5	15	2535	CP	256QAM	Outer_Full	16.23
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	22.05
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.62
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.62
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	21.72
n7	5	15	2567.5	DFT	QPSK	Inner_Full	22.23
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	21.21
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	21.18
n7	5	15	2567.5	DFT	QPSK	Outer_Full	21.26
n7	5	15	2567.5	DFT	16QAM	Inner_Full	21.25
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.53
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.49
n7	5	15	2567.5	DFT	16QAM	Outer_Full	20.22
n7	5	15	2567.5	DFT	64QAM	Inner_Full	19.68
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	19.53
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	19.48
n7	5	15	2567.5	DFT	64QAM	Outer_Full	19.63
n7	5	15	2567.5	DFT	256QAM	Inner_Full	17.57
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	17.72
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	17.84
n7	5	15	2567.5	DFT	256QAM	Outer_Full	17.79
n7	5	15	2567.5	CP	QPSK	Inner_Full	20.48
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	19.13
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	19.12
n7	5	15	2567.5	CP	QPSK	Outer_Full	19.18
n7	5	15	2567.5	CP	16QAM	Inner_Full	20.10
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	19.46
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	19.43
n7	5	15	2567.5	CP	16QAM	Outer_Full	19.09
n7	5	15	2567.5	CP	64QAM	Inner_Full	18.80
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	18.93
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	18.87



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	5	15	2567.5	CP	64QAM	Outer_Full	18.74
n7	5	15	2567.5	CP	256QAM	Inner_Full	15.64
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	15.77
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	15.79
n7	5	15	2567.5	CP	256QAM	Outer_Full	15.62
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	21.97
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	21.39
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.62
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	21.53
n7	10	15	2505	DFT	QPSK	Inner_Full	22.12
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	20.96
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	21.21
n7	10	15	2505	DFT	QPSK	Outer_Full	21.10
n7	10	15	2505	DFT	16QAM	Inner_Full	21.08
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	20.31
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	20.45
n7	10	15	2505	DFT	16QAM	Outer_Full	20.13
n7	10	15	2505	DFT	64QAM	Inner_Full	19.50
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	19.31
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	19.46
n7	10	15	2505	DFT	64QAM	Outer_Full	19.57
n7	10	15	2505	DFT	256QAM	Inner_Full	17.47
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	17.51
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	17.64
n7	10	15	2505	DFT	256QAM	Outer_Full	17.56
n7	10	15	2505	CP	QPSK	Inner_Full	20.46
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	18.88
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	19.12
n7	10	15	2505	CP	QPSK	Outer_Full	19.02
n7	10	15	2505	CP	16QAM	Inner_Full	20.05
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	19.22
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	19.48
n7	10	15	2505	CP	16QAM	Outer_Full	18.99
n7	10	15	2505	CP	64QAM	Inner_Full	18.61
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	18.67
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	18.86
n7	10	15	2505	CP	64QAM	Outer_Full	18.71
n7	10	15	2505	CP	256QAM	Inner_Full	15.41
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	15.53
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	15.70



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	10	15	2505	CP	256QAM	Outer_Full	15.45
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	22.44
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.82
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.00
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.06
n7	10	15	2535	DFT	QPSK	Inner_Full	22.59
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	21.38
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.56
n7	10	15	2535	DFT	QPSK	Outer_Full	21.68
n7	10	15	2535	DFT	16QAM	Inner_Full	21.62
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	20.73
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	20.91
n7	10	15	2535	DFT	16QAM	Outer_Full	20.68
n7	10	15	2535	DFT	64QAM	Inner_Full	19.99
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.06
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	19.96
n7	10	15	2535	DFT	64QAM	Outer_Full	20.09
n7	10	15	2535	DFT	256QAM	Inner_Full	18.19
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.13
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	18.26
n7	10	15	2535	DFT	256QAM	Outer_Full	18.22
n7	10	15	2535	CP	QPSK	Inner_Full	20.97
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	19.40
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	19.50
n7	10	15	2535	CP	QPSK	Outer_Full	19.54
n7	10	15	2535	CP	16QAM	Inner_Full	20.53
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	19.57
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	19.74
n7	10	15	2535	CP	16QAM	Outer_Full	19.52
n7	10	15	2535	CP	64QAM	Inner_Full	18.96
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.10
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	18.99
n7	10	15	2535	CP	64QAM	Outer_Full	19.06
n7	10	15	2535	CP	256QAM	Inner_Full	16.17
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	16.15
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	16.33
n7	10	15	2535	CP	256QAM	Outer_Full	16.12
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	21.96
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.52
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	21.40



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	21.56
n7	10	15	2565	DFT	QPSK	Inner_Full	22.10
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.10
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	20.98
n7	10	15	2565	DFT	QPSK	Outer_Full	21.14
n7	10	15	2565	DFT	16QAM	Inner_Full	21.11
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	20.45
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.28
n7	10	15	2565	DFT	16QAM	Outer_Full	20.17
n7	10	15	2565	DFT	64QAM	Inner_Full	19.50
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	19.45
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	19.30
n7	10	15	2565	DFT	64QAM	Outer_Full	19.58
n7	10	15	2565	DFT	256QAM	Inner_Full	17.60
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	17.80
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	17.67
n7	10	15	2565	DFT	256QAM	Outer_Full	17.72
n7	10	15	2565	CP	QPSK	Inner_Full	20.45
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	19.03
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	18.90
n7	10	15	2565	CP	QPSK	Outer_Full	18.98
n7	10	15	2565	CP	16QAM	Inner_Full	20.01
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	19.37
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.17
n7	10	15	2565	CP	16QAM	Outer_Full	18.98
n7	10	15	2565	CP	64QAM	Inner_Full	18.59
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	18.79
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	18.65
n7	10	15	2565	CP	64QAM	Outer_Full	18.71
n7	10	15	2565	CP	256QAM	Inner_Full	15.68
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	15.87
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	15.68
n7	10	15	2565	CP	256QAM	Outer_Full	15.60
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.19
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.52
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	21.80
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.34
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.12
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.36



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2507.5	DFT	QPSK	Outer_Full	21.37
n7	15	15	2507.5	DFT	16QAM	Inner_Full	21.35
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	20.42
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.67
n7	15	15	2507.5	DFT	16QAM	Outer_Full	20.31
n7	15	15	2507.5	DFT	64QAM	Inner_Full	19.79
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	19.69
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	19.66
n7	15	15	2507.5	DFT	64QAM	Outer_Full	19.86
n7	15	15	2507.5	DFT	256QAM	Inner_Full	17.82
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	17.74
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	18.08
n7	15	15	2507.5	DFT	256QAM	Outer_Full	17.94
n7	15	15	2507.5	CP	QPSK	Inner_Full	20.72
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	19.04
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	19.28
n7	15	15	2507.5	CP	QPSK	Outer_Full	19.26
n7	15	15	2507.5	CP	16QAM	Inner_Full	20.19
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	19.38
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	19.63
n7	15	15	2507.5	CP	16QAM	Outer_Full	19.25
n7	15	15	2507.5	CP	64QAM	Inner_Full	18.94
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	18.78
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	19.04
n7	15	15	2507.5	CP	64QAM	Outer_Full	18.94
n7	15	15	2507.5	CP	256QAM	Inner_Full	15.97
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	15.81
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	16.08
n7	15	15	2507.5	CP	256QAM	Outer_Full	15.89
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	22.59
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.15
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	22.19
n7	15	15	2535	DFT	QPSK	Inner_Full	22.77
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.47
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	21.71
n7	15	15	2535	DFT	QPSK	Outer_Full	21.79
n7	15	15	2535	DFT	16QAM	Inner_Full	21.80
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	20.82
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	21.04



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2535	DFT	16QAM	Outer_Full	20.83
n7	15	15	2535	DFT	64QAM	Inner_Full	20.26
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	19.84
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.02
n7	15	15	2535	DFT	64QAM	Outer_Full	20.30
n7	15	15	2535	DFT	256QAM	Inner_Full	18.25
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	18.17
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.40
n7	15	15	2535	DFT	256QAM	Outer_Full	18.40
n7	15	15	2535	CP	QPSK	Inner_Full	21.14
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	19.40
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	19.62
n7	15	15	2535	CP	QPSK	Outer_Full	19.68
n7	15	15	2535	CP	16QAM	Inner_Full	20.62
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	19.79
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	19.93
n7	15	15	2535	CP	16QAM	Outer_Full	19.74
n7	15	15	2535	CP	64QAM	Inner_Full	19.19
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.21
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.21
n7	15	15	2535	CP	64QAM	Outer_Full	19.23
n7	15	15	2535	CP	256QAM	Inner_Full	16.35
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	16.24
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	16.42
n7	15	15	2535	CP	256QAM	Outer_Full	16.34
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.21
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.87
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.55
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.80
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.34
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.46
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.14
n7	15	15	2562.5	DFT	QPSK	Outer_Full	21.35
n7	15	15	2562.5	DFT	16QAM	Inner_Full	21.33
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.79
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.47
n7	15	15	2562.5	DFT	16QAM	Outer_Full	20.38
n7	15	15	2562.5	DFT	64QAM	Inner_Full	19.81
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.76
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.66



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	15	15	2562.5	DFT	64QAM	Outer_Full	19.83
n7	15	15	2562.5	DFT	256QAM	Inner_Full	17.81
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	18.12
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	17.80
n7	15	15	2562.5	DFT	256QAM	Outer_Full	17.94
n7	15	15	2562.5	CP	QPSK	Inner_Full	20.68
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	19.36
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	19.03
n7	15	15	2562.5	CP	QPSK	Outer_Full	19.26
n7	15	15	2562.5	CP	16QAM	Inner_Full	20.19
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	19.66
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.32
n7	15	15	2562.5	CP	16QAM	Outer_Full	19.26
n7	15	15	2562.5	CP	64QAM	Inner_Full	18.90
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	18.90
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	18.82
n7	15	15	2562.5	CP	64QAM	Outer_Full	18.95
n7	15	15	2562.5	CP	256QAM	Inner_Full	15.84
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	16.15
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	15.78
n7	15	15	2562.5	CP	256QAM	Outer_Full	15.91
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	22.27
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	21.49
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	21.80
n7	20	15	2510	DFT	QPSK	Inner_Full	22.41
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.08
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.35
n7	20	15	2510	DFT	QPSK	Outer_Full	21.35
n7	20	15	2510	DFT	16QAM	Inner_Full	21.46
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	20.36
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	20.66
n7	20	15	2510	DFT	16QAM	Outer_Full	20.36
n7	20	15	2510	DFT	64QAM	Inner_Full	19.85
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	19.37
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	19.66
n7	20	15	2510	DFT	64QAM	Outer_Full	19.84
n7	20	15	2510	DFT	256QAM	Inner_Full	17.96
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	17.67
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.04



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2510	DFT	256QAM	Outer_Full	17.91
n7	20	15	2510	CP	QPSK	Inner_Full	20.79
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	18.94
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	19.33
n7	20	15	2510	CP	QPSK	Outer_Full	19.27
n7	20	15	2510	CP	16QAM	Inner_Full	20.39
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	19.36
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	19.58
n7	20	15	2510	CP	16QAM	Outer_Full	19.26
n7	20	15	2510	CP	64QAM	Inner_Full	19.04
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	18.62
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.02
n7	20	15	2510	CP	64QAM	Outer_Full	18.98
n7	20	15	2510	CP	256QAM	Inner_Full	15.93
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	15.80
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	16.11
n7	20	15	2510	CP	256QAM	Outer_Full	15.87
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	22.59
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.82
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.10
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	22.18
n7	20	15	2535	DFT	QPSK	Inner_Full	22.73
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.44
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	21.64
n7	20	15	2535	DFT	QPSK	Outer_Full	21.80
n7	20	15	2535	DFT	16QAM	Inner_Full	21.79
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	20.76
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	21.01
n7	20	15	2535	DFT	16QAM	Outer_Full	20.80
n7	20	15	2535	DFT	64QAM	Inner_Full	20.21
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	19.77
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.02
n7	20	15	2535	DFT	64QAM	Outer_Full	20.25
n7	20	15	2535	DFT	256QAM	Inner_Full	18.29
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	18.07
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	18.36
n7	20	15	2535	DFT	256QAM	Outer_Full	18.35
n7	20	15	2535	CP	QPSK	Inner_Full	21.15
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	19.32
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	19.65



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2535	CP	QPSK	Outer_Full	19.71
n7	20	15	2535	CP	16QAM	Inner_Full	20.79
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	19.60
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	19.95
n7	20	15	2535	CP	16QAM	Outer_Full	19.72
n7	20	15	2535	CP	64QAM	Inner_Full	19.30
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.11
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.22
n7	20	15	2535	CP	64QAM	Outer_Full	19.27
n7	20	15	2535	CP	256QAM	Inner_Full	16.34
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	16.12
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	16.44
n7	20	15	2535	CP	256QAM	Outer_Full	16.34
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	22.25
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.96
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.54
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	21.93
n7	20	15	2560	DFT	QPSK	Inner_Full	22.43
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.54
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	21.07
n7	20	15	2560	DFT	QPSK	Outer_Full	21.50
n7	20	15	2560	DFT	16QAM	Inner_Full	21.41
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	20.88
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.42
n7	20	15	2560	DFT	16QAM	Outer_Full	20.50
n7	20	15	2560	DFT	64QAM	Inner_Full	19.81
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	19.91
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	19.63
n7	20	15	2560	DFT	64QAM	Outer_Full	19.95
n7	20	15	2560	DFT	256QAM	Inner_Full	17.95
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	18.20
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	17.77
n7	20	15	2560	DFT	256QAM	Outer_Full	18.07
n7	20	15	2560	CP	QPSK	Inner_Full	20.77
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	19.48
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	19.04
n7	20	15	2560	CP	QPSK	Outer_Full	19.35
n7	20	15	2560	CP	16QAM	Inner_Full	20.35
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	19.80
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.33



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n7	20	15	2560	CP	16QAM	Outer_Full	19.38
n7	20	15	2560	CP	64QAM	Inner_Full	19.07
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.09
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	18.80
n7	20	15	2560	CP	64QAM	Outer_Full	18.91
n7	20	15	2560	CP	256QAM	Inner_Full	15.92
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	16.25
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	15.81
n7	20	15	2560	CP	256QAM	Outer_Full	15.96



DC_2A_n66A

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	20.30
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	19.60
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	19.96
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	19.97
n66	5	15	1712.5	DFT	QPSK	Inner_Full	21.30
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	20.17
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	20.45
n66	5	15	1712.5	DFT	QPSK	Outer_Full	20.38
n66	5	15	1712.5	DFT	16QAM	Inner_Full	20.39
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	19.39
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	19.69
n66	5	15	1712.5	DFT	16QAM	Outer_Full	19.54
n66	5	15	1712.5	DFT	64QAM	Inner_Full	19.09
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	18.82
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	19.01
n66	5	15	1712.5	DFT	64QAM	Outer_Full	19.05
n66	5	15	1712.5	DFT	256QAM	Inner_Full	16.88
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	16.49
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	16.38
n66	5	15	1712.5	DFT	256QAM	Outer_Full	16.04
n66	5	15	1712.5	CP	QPSK	Inner_Full	18.79
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	18.38
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	18.59
n66	5	15	1712.5	CP	QPSK	Outer_Full	18.34
n66	5	15	1712.5	CP	16QAM	Inner_Full	19.27
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	18.33
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	18.58
n66	5	15	1712.5	CP	16QAM	Outer_Full	18.48
n66	5	15	1712.5	CP	64QAM	Inner_Full	18.01
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	18.36
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	18.43
n66	5	15	1712.5	CP	64QAM	Outer_Full	18.01
n66	5	15	1712.5	CP	256QAM	Inner_Full	14.97
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	14.58
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	14.83
n66	5	15	1712.5	CP	256QAM	Outer_Full	14.92
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	21.95
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.49
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.46



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	21.57
n66	5	15	1745	DFT	QPSK	Inner_Full	22.08
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	21.16
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	21.03
n66	5	15	1745	DFT	QPSK	Outer_Full	21.15
n66	5	15	1745	DFT	16QAM	Inner_Full	21.16
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	20.16
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	20.08
n66	5	15	1745	DFT	16QAM	Outer_Full	20.16
n66	5	15	1745	DFT	64QAM	Inner_Full	19.83
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	19.69
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	19.79
n66	5	15	1745	DFT	64QAM	Outer_Full	19.66
n66	5	15	1745	DFT	256QAM	Inner_Full	17.61
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	17.41
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	17.35
n66	5	15	1745	DFT	256QAM	Outer_Full	17.68
n66	5	15	1745	CP	QPSK	Inner_Full	20.51
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	19.35
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	19.31
n66	5	15	1745	CP	QPSK	Outer_Full	19.20
n66	5	15	1745	CP	16QAM	Inner_Full	19.97
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	19.26
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	19.16
n66	5	15	1745	CP	16QAM	Outer_Full	19.23
n66	5	15	1745	CP	64QAM	Inner_Full	18.71
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	19.18
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	19.14
n66	5	15	1745	CP	64QAM	Outer_Full	18.76
n66	5	15	1745	CP	256QAM	Inner_Full	15.70
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	15.66
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	15.62
n66	5	15	1745	CP	256QAM	Outer_Full	15.68
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	21.91
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.29
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.50
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	21.53
n66	5	15	1777.5	DFT	QPSK	Inner_Full	22.05
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	20.90
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	21.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1777.5	DFT	QPSK	Outer_Full	21.01
n66	5	15	1777.5	DFT	16QAM	Inner_Full	21.01
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	19.83
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	20.03
n66	5	15	1777.5	DFT	16QAM	Outer_Full	20.02
n66	5	15	1777.5	DFT	64QAM	Inner_Full	19.52
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	19.31
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	19.48
n66	5	15	1777.5	DFT	64QAM	Outer_Full	19.49
n66	5	15	1777.5	DFT	256QAM	Inner_Full	17.53
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	17.15
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	17.33
n66	5	15	1777.5	DFT	256QAM	Outer_Full	17.60
n66	5	15	1777.5	CP	QPSK	Inner_Full	20.37
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	19.02
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	19.28
n66	5	15	1777.5	CP	QPSK	Outer_Full	19.04
n66	5	15	1777.5	CP	16QAM	Inner_Full	19.81
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	18.86
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	19.13
n66	5	15	1777.5	CP	16QAM	Outer_Full	19.08
n66	5	15	1777.5	CP	64QAM	Inner_Full	18.56
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	18.86
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	19.09
n66	5	15	1777.5	CP	64QAM	Outer_Full	18.62
n66	5	15	1777.5	CP	256QAM	Inner_Full	15.59
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	15.14
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	15.57
n66	5	15	1777.5	CP	256QAM	Outer_Full	15.52
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	21.19
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	20.50
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	20.84
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	20.73
n66	10	15	1715	DFT	QPSK	Inner_Full	21.35
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	20.12
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	20.43
n66	10	15	1715	DFT	QPSK	Outer_Full	20.28
n66	10	15	1715	DFT	16QAM	Inner_Full	20.34
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	19.27
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	19.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1715	DFT	16QAM	Outer_Full	19.39
n66	10	15	1715	DFT	64QAM	Inner_Full	19.02
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	18.72
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	19.13
n66	10	15	1715	DFT	64QAM	Outer_Full	18.89
n66	10	15	1715	DFT	256QAM	Inner_Full	16.82
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	16.37
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	16.67
n66	10	15	1715	DFT	256QAM	Outer_Full	16.87
n66	10	15	1715	CP	QPSK	Inner_Full	19.72
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	18.29
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	18.63
n66	10	15	1715	CP	QPSK	Outer_Full	18.36
n66	10	15	1715	CP	16QAM	Inner_Full	19.40
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	18.16
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	18.52
n66	10	15	1715	CP	16QAM	Outer_Full	18.48
n66	10	15	1715	CP	64QAM	Inner_Full	17.96
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	18.16
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	18.31
n66	10	15	1715	CP	64QAM	Outer_Full	17.94
n66	10	15	1715	CP	256QAM	Inner_Full	14.84
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	14.36
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	14.71
n66	10	15	1715	CP	256QAM	Outer_Full	14.91
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	21.82
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.34
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.13
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	21.34
n66	10	15	1745	DFT	QPSK	Inner_Full	21.95
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	21.03
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	20.82
n66	10	15	1745	DFT	QPSK	Outer_Full	20.88
n66	10	15	1745	DFT	16QAM	Inner_Full	20.97
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	19.81
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	19.51
n66	10	15	1745	DFT	16QAM	Outer_Full	19.57
n66	10	15	1745	DFT	64QAM	Inner_Full	19.13
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	19.19
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	19.14



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1745	DFT	64QAM	Outer_Full	19.16
n66	10	15	1745	DFT	256QAM	Inner_Full	17.19
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	17.15
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	16.76
n66	10	15	1745	DFT	256QAM	Outer_Full	17.26
n66	10	15	1745	CP	QPSK	Inner_Full	20.27
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	19.11
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	18.97
n66	10	15	1745	CP	QPSK	Outer_Full	18.81
n66	10	15	1745	CP	16QAM	Inner_Full	19.74
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	18.90
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	18.62
n66	10	15	1745	CP	16QAM	Outer_Full	18.86
n66	10	15	1745	CP	64QAM	Inner_Full	18.41
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	18.67
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	18.59
n66	10	15	1745	CP	64QAM	Outer_Full	18.37
n66	10	15	1745	CP	256QAM	Inner_Full	15.27
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	15.01
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	14.85
n66	10	15	1745	CP	256QAM	Outer_Full	15.26
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	21.42
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	20.71
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	20.94
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	21.01
n66	10	15	1775	DFT	QPSK	Inner_Full	21.48
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	20.32
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	20.65
n66	10	15	1775	DFT	QPSK	Outer_Full	20.50
n66	10	15	1775	DFT	16QAM	Inner_Full	20.57
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	19.34
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	19.61
n66	10	15	1775	DFT	16QAM	Outer_Full	19.50
n66	10	15	1775	DFT	64QAM	Inner_Full	18.95
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	18.83
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	19.05
n66	10	15	1775	DFT	64QAM	Outer_Full	19.00
n66	10	15	1775	DFT	256QAM	Inner_Full	16.99
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	16.55
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	16.88



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	10	15	1775	DFT	256QAM	Outer_Full	17.06
n66	10	15	1775	CP	QPSK	Inner_Full	19.89
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	18.65
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	18.95
n66	10	15	1775	CP	QPSK	Outer_Full	18.77
n66	10	15	1775	CP	16QAM	Inner_Full	19.55
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	18.51
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	18.77
n66	10	15	1775	CP	16QAM	Outer_Full	18.77
n66	10	15	1775	CP	64QAM	Inner_Full	18.38
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	18.33
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	18.63
n66	10	15	1775	CP	64QAM	Outer_Full	18.30
n66	10	15	1775	CP	256QAM	Inner_Full	15.20
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	14.78
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	15.03
n66	10	15	1775	CP	256QAM	Outer_Full	15.19
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	21.32
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	20.53
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.05
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	20.85
n66	15	15	1717.5	DFT	QPSK	Inner_Full	21.40
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	20.09
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	20.57
n66	15	15	1717.5	DFT	QPSK	Outer_Full	20.40
n66	15	15	1717.5	DFT	16QAM	Inner_Full	20.40
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	19.30
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	19.61
n66	15	15	1717.5	DFT	16QAM	Outer_Full	19.28
n66	15	15	1717.5	DFT	64QAM	Inner_Full	18.91
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	18.55
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	19.15
n66	15	15	1717.5	DFT	64QAM	Outer_Full	18.88
n66	15	15	1717.5	DFT	256QAM	Inner_Full	16.70
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	16.15
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	16.67
n66	15	15	1717.5	DFT	256QAM	Outer_Full	16.75
n66	15	15	1717.5	CP	QPSK	Inner_Full	19.65
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	18.09
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	18.61



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1717.5	CP	QPSK	Outer_Full	18.26
n66	15	15	1717.5	CP	16QAM	Inner_Full	19.18
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	17.87
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	18.40
n66	15	15	1717.5	CP	16QAM	Outer_Full	18.28
n66	15	15	1717.5	CP	64QAM	Inner_Full	17.82
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	17.92
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	18.49
n66	15	15	1717.5	CP	64QAM	Outer_Full	17.79
n66	15	15	1717.5	CP	256QAM	Inner_Full	14.84
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	14.38
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	14.69
n66	15	15	1717.5	CP	256QAM	Outer_Full	14.70
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	21.67
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.22
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	20.91
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	21.22
n66	15	15	1745	DFT	QPSK	Inner_Full	21.72
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	20.77
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	20.49
n66	15	15	1745	DFT	QPSK	Outer_Full	20.73
n66	15	15	1745	DFT	16QAM	Inner_Full	20.77
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	19.77
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	19.50
n66	15	15	1745	DFT	16QAM	Outer_Full	19.76
n66	15	15	1745	DFT	64QAM	Inner_Full	19.24
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	19.18
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	19.10
n66	15	15	1745	DFT	64QAM	Outer_Full	19.26
n66	15	15	1745	DFT	256QAM	Inner_Full	17.20
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	16.94
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	16.73
n66	15	15	1745	DFT	256QAM	Outer_Full	17.30
n66	15	15	1745	CP	QPSK	Inner_Full	20.29
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	18.96
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	18.72
n66	15	15	1745	CP	QPSK	Outer_Full	18.85
n66	15	15	1745	CP	16QAM	Inner_Full	19.89
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	18.84
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	18.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1745	CP	16QAM	Outer_Full	18.92
n66	15	15	1745	CP	64QAM	Inner_Full	18.40
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	18.80
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	18.53
n66	15	15	1745	CP	64QAM	Outer_Full	18.36
n66	15	15	1745	CP	256QAM	Inner_Full	15.38
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	15.00
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	14.79
n66	15	15	1745	CP	256QAM	Outer_Full	15.27
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	21.36
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	20.52
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.02
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	20.95
n66	15	15	1772.5	DFT	QPSK	Inner_Full	21.49
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	20.18
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	20.71
n66	15	15	1772.5	DFT	QPSK	Outer_Full	20.56
n66	15	15	1772.5	DFT	16QAM	Inner_Full	20.54
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	19.25
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	19.62
n66	15	15	1772.5	DFT	16QAM	Outer_Full	19.51
n66	15	15	1772.5	DFT	64QAM	Inner_Full	18.97
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	18.94
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	19.10
n66	15	15	1772.5	DFT	64QAM	Outer_Full	19.02
n66	15	15	1772.5	DFT	256QAM	Inner_Full	16.95
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	16.45
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	17.12
n66	15	15	1772.5	DFT	256QAM	Outer_Full	17.09
n66	15	15	1772.5	CP	QPSK	Inner_Full	20.07
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	18.52
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	18.88
n66	15	15	1772.5	CP	QPSK	Outer_Full	18.77
n66	15	15	1772.5	CP	16QAM	Inner_Full	19.64
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	18.30
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	18.67
n66	15	15	1772.5	CP	16QAM	Outer_Full	18.69
n66	15	15	1772.5	CP	64QAM	Inner_Full	18.11
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	18.27
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	18.48



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	15	15	1772.5	CP	64QAM	Outer_Full	18.09
n66	15	15	1772.5	CP	256QAM	Inner_Full	15.13
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	14.69
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	15.16
n66	15	15	1772.5	CP	256QAM	Outer_Full	15.04
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	21.16
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	20.17
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	20.94
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	20.50
n66	20	15	1720	DFT	QPSK	Inner_Full	21.19
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	19.81
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	20.46
n66	20	15	1720	DFT	QPSK	Outer_Full	20.10
n66	20	15	1720	DFT	16QAM	Inner_Full	20.23
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	18.95
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	19.58
n66	20	15	1720	DFT	16QAM	Outer_Full	19.08
n66	20	15	1720	DFT	64QAM	Inner_Full	18.79
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	18.49
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	19.21
n66	20	15	1720	DFT	64QAM	Outer_Full	18.69
n66	20	15	1720	DFT	256QAM	Inner_Full	16.71
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	16.08
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	16.99
n66	20	15	1720	DFT	256QAM	Outer_Full	16.59
n66	20	15	1720	CP	QPSK	Inner_Full	19.62
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	18.01
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	18.84
n66	20	15	1720	CP	QPSK	Outer_Full	18.21
n66	20	15	1720	CP	16QAM	Inner_Full	19.21
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	17.83
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	18.66
n66	20	15	1720	CP	16QAM	Outer_Full	18.23
n66	20	15	1720	CP	64QAM	Inner_Full	17.82
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	17.85
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	18.49
n66	20	15	1720	CP	64QAM	Outer_Full	17.69
n66	20	15	1720	CP	256QAM	Inner_Full	14.77
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	14.08
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	14.89



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	20	15	1720	CP	256QAM	Outer_Full	14.62
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	21.59
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	20.95
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	20.71
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	21.13
n66	20	15	1745	DFT	QPSK	Inner_Full	21.71
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	20.60
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	20.36
n66	20	15	1745	DFT	QPSK	Outer_Full	20.75
n66	20	15	1745	DFT	16QAM	Inner_Full	20.73
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	19.63
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	19.37
n66	20	15	1745	DFT	16QAM	Outer_Full	19.72
n66	20	15	1745	DFT	64QAM	Inner_Full	19.16
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	19.09
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	18.95
n66	20	15	1745	DFT	64QAM	Outer_Full	19.38
n66	20	15	1745	DFT	256QAM	Inner_Full	17.20
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	16.88
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	16.57
n66	20	15	1745	DFT	256QAM	Outer_Full	17.28
n66	20	15	1745	CP	QPSK	Inner_Full	20.11
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	18.77
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	18.50
n66	20	15	1745	CP	QPSK	Outer_Full	18.79
n66	20	15	1745	CP	16QAM	Inner_Full	19.63
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	18.79
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	18.29
n66	20	15	1745	CP	16QAM	Outer_Full	19.05
n66	20	15	1745	CP	64QAM	Inner_Full	18.51
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	18.87
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	18.64
n66	20	15	1745	CP	64QAM	Outer_Full	18.61
n66	20	15	1745	CP	256QAM	Inner_Full	15.45
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	15.14
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	14.91
n66	20	15	1745	CP	256QAM	Outer_Full	15.53
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	21.52
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	20.75
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.14



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	20.96
n66	20	15	1770	DFT	QPSK	Inner_Full	21.60
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	20.20
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	20.57
n66	20	15	1770	DFT	QPSK	Outer_Full	20.49
n66	20	15	1770	DFT	16QAM	Inner_Full	20.63
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	19.22
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	19.57
n66	20	15	1770	DFT	16QAM	Outer_Full	19.53
n66	20	15	1770	DFT	64QAM	Inner_Full	19.03
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	18.90
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	19.08
n66	20	15	1770	DFT	64QAM	Outer_Full	18.98
n66	20	15	1770	DFT	256QAM	Inner_Full	16.87
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	16.40
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	16.80
n66	20	15	1770	DFT	256QAM	Outer_Full	16.99
n66	20	15	1770	CP	QPSK	Inner_Full	19.84
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	18.39
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	18.80
n66	20	15	1770	CP	QPSK	Outer_Full	18.54
n66	20	15	1770	CP	16QAM	Inner_Full	19.43
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	18.22
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	18.63
n66	20	15	1770	CP	16QAM	Outer_Full	18.56
n66	20	15	1770	CP	64QAM	Inner_Full	17.99
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	18.18
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	18.60
n66	20	15	1770	CP	64QAM	Outer_Full	18.04
n66	20	15	1770	CP	256QAM	Inner_Full	14.92
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	14.42
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	14.88
n66	20	15	1770	CP	256QAM	Outer_Full	14.98



DC_2A_n78A(3450 MHz-3550 MHz)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	20.55
n78L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.01
n78L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.85
n78L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	20.06
n78L	10	30	3455.01	DFT	QPSK	Inner_Full	20.54
n78L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	19.45
n78L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	19.37
n78L	10	30	3455.01	DFT	QPSK	Outer_Full	19.42
n78L	10	30	3455.01	DFT	16QAM	Inner_Full	19.51
n78L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	18.63
n78L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	18.60
n78L	10	30	3455.01	DFT	16QAM	Outer_Full	18.52
n78L	10	30	3455.01	DFT	64QAM	Inner_Full	18.08
n78L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	17.85
n78L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	17.67
n78L	10	30	3455.01	DFT	64QAM	Outer_Full	18.01
n78L	10	30	3455.01	DFT	256QAM	Inner_Full	16.11
n78L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	15.79
n78L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	16.17
n78L	10	30	3455.01	DFT	256QAM	Outer_Full	16.22
n78L	10	30	3455.01	CP	QPSK	Inner_Full	19.10
n78L	10	30	3455.01	CP	QPSK	Edge_1RB_Left	17.77
n78L	10	30	3455.01	CP	QPSK	Edge_1RB_Right	17.65
n78L	10	30	3455.01	CP	QPSK	Outer_Full	17.70
n78L	10	30	3455.01	CP	16QAM	Inner_Full	18.55
n78L	10	30	3455.01	CP	16QAM	Edge_1RB_Left	17.89
n78L	10	30	3455.01	CP	16QAM	Edge_1RB_Right	17.95
n78L	10	30	3455.01	CP	16QAM	Outer_Full	17.78
n78L	10	30	3455.01	CP	64QAM	Inner_Full	17.30
n78L	10	30	3455.01	CP	64QAM	Edge_1RB_Left	17.39
n78L	10	30	3455.01	CP	64QAM	Edge_1RB_Right	17.32
n78L	10	30	3455.01	CP	64QAM	Outer_Full	17.16
n78L	10	30	3455.01	CP	256QAM	Inner_Full	14.20
n78L	10	30	3455.01	CP	256QAM	Edge_1RB_Left	14.00
n78L	10	30	3455.01	CP	256QAM	Edge_1RB_Right	14.23
n78L	10	30	3455.01	CP	256QAM	Outer_Full	14.28
n78L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.83
n78L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.14
n78L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.37
n78L	10	30	3500.01	DFT	QPSK	Inner_Full	20.81
n78L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.60
n78L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.90
n78L	10	30	3500.01	DFT	QPSK	Outer_Full	19.85
n78L	10	30	3500.01	DFT	16QAM	Inner_Full	19.80
n78L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.73
n78L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	19.02
n78L	10	30	3500.01	DFT	16QAM	Outer_Full	18.79
n78L	10	30	3500.01	DFT	64QAM	Inner_Full	18.37
n78L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.86
n78L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	18.27
n78L	10	30	3500.01	DFT	64QAM	Outer_Full	18.28
n78L	10	30	3500.01	DFT	256QAM	Inner_Full	16.40
n78L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	16.38
n78L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.64
n78L	10	30	3500.01	DFT	256QAM	Outer_Full	16.43
n78L	10	30	3500.01	CP	QPSK	Inner_Full	19.24
n78L	10	30	3500.01	CP	QPSK	Edge_1RB_Left	17.92
n78L	10	30	3500.01	CP	QPSK	Edge_1RB_Right	18.16
n78L	10	30	3500.01	CP	QPSK	Outer_Full	17.91
n78L	10	30	3500.01	CP	16QAM	Inner_Full	18.76
n78L	10	30	3500.01	CP	16QAM	Edge_1RB_Left	17.91
n78L	10	30	3500.01	CP	16QAM	Edge_1RB_Right	18.09
n78L	10	30	3500.01	CP	16QAM	Outer_Full	17.94
n78L	10	30	3500.01	CP	64QAM	Inner_Full	17.45
n78L	10	30	3500.01	CP	64QAM	Edge_1RB_Left	17.46
n78L	10	30	3500.01	CP	64QAM	Edge_1RB_Right	17.59
n78L	10	30	3500.01	CP	64QAM	Outer_Full	17.41
n78L	10	30	3500.01	CP	256QAM	Inner_Full	14.36
n78L	10	30	3500.01	CP	256QAM	Edge_1RB_Left	14.04
n78L	10	30	3500.01	CP	256QAM	Edge_1RB_Right	14.23
n78L	10	30	3500.01	CP	256QAM	Outer_Full	14.45
n78L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	20.86
n78L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.30
n78L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	20.22
n78L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	20.33
n78L	10	30	3544.98	DFT	QPSK	Inner_Full	20.84
n78L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	19.83
n78L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	19.68



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	10	30	3544.98	DFT	QPSK	Outer_Full	19.82
n78L	10	30	3544.98	DFT	16QAM	Inner_Full	19.80
n78L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	18.89
n78L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	18.76
n78L	10	30	3544.98	DFT	16QAM	Outer_Full	18.85
n78L	10	30	3544.98	DFT	64QAM	Inner_Full	18.26
n78L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	18.45
n78L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	18.32
n78L	10	30	3544.98	DFT	64QAM	Outer_Full	18.30
n78L	10	30	3544.98	DFT	256QAM	Inner_Full	16.41
n78L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	16.18
n78L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	16.16
n78L	10	30	3544.98	DFT	256QAM	Outer_Full	16.40
n78L	10	30	3544.98	CP	QPSK	Inner_Full	19.32
n78L	10	30	3544.98	CP	QPSK	Edge_1RB_Left	18.02
n78L	10	30	3544.98	CP	QPSK	Edge_1RB_Right	17.98
n78L	10	30	3544.98	CP	QPSK	Outer_Full	17.89
n78L	10	30	3544.98	CP	16QAM	Inner_Full	18.83
n78L	10	30	3544.98	CP	16QAM	Edge_1RB_Left	17.99
n78L	10	30	3544.98	CP	16QAM	Edge_1RB_Right	17.88
n78L	10	30	3544.98	CP	16QAM	Outer_Full	18.00
n78L	10	30	3544.98	CP	64QAM	Inner_Full	17.45
n78L	10	30	3544.98	CP	64QAM	Edge_1RB_Left	17.81
n78L	10	30	3544.98	CP	64QAM	Edge_1RB_Right	17.70
n78L	10	30	3544.98	CP	64QAM	Outer_Full	17.36
n78L	10	30	3544.98	CP	256QAM	Inner_Full	14.42
n78L	10	30	3544.98	CP	256QAM	Edge_1RB_Left	14.16
n78L	10	30	3544.98	CP	256QAM	Edge_1RB_Right	14.11
n78L	10	30	3544.98	CP	256QAM	Outer_Full	14.40
n78L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	20.57
n78L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	20.01
n78L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	19.81
n78L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	20.09
n78L	15	30	3457.5	DFT	QPSK	Inner_Full	20.62
n78L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	19.54
n78L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	19.28
n78L	15	30	3457.5	DFT	QPSK	Outer_Full	19.57
n78L	15	30	3457.5	DFT	16QAM	Inner_Full	19.52
n78L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	18.66
n78L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	18.48



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	15	30	3457.5	DFT	16QAM	Outer_Full	18.50
n78L	15	30	3457.5	DFT	64QAM	Inner_Full	18.13
n78L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	18.29
n78L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	18.08
n78L	15	30	3457.5	DFT	64QAM	Outer_Full	18.01
n78L	15	30	3457.5	DFT	256QAM	Inner_Full	16.14
n78L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	15.77
n78L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	15.96
n78L	15	30	3457.5	DFT	256QAM	Outer_Full	16.10
n78L	15	30	3457.5	CP	QPSK	Inner_Full	19.04
n78L	15	30	3457.5	CP	QPSK	Edge_1RB_Left	17.75
n78L	15	30	3457.5	CP	QPSK	Edge_1RB_Right	17.57
n78L	15	30	3457.5	CP	QPSK	Outer_Full	17.66
n78L	15	30	3457.5	CP	16QAM	Inner_Full	18.48
n78L	15	30	3457.5	CP	16QAM	Edge_1RB_Left	17.67
n78L	15	30	3457.5	CP	16QAM	Edge_1RB_Right	17.44
n78L	15	30	3457.5	CP	16QAM	Outer_Full	17.67
n78L	15	30	3457.5	CP	64QAM	Inner_Full	17.13
n78L	15	30	3457.5	CP	64QAM	Edge_1RB_Left	17.27
n78L	15	30	3457.5	CP	64QAM	Edge_1RB_Right	17.29
n78L	15	30	3457.5	CP	64QAM	Outer_Full	17.11
n78L	15	30	3457.5	CP	256QAM	Inner_Full	14.13
n78L	15	30	3457.5	CP	256QAM	Edge_1RB_Left	14.16
n78L	15	30	3457.5	CP	256QAM	Edge_1RB_Right	13.67
n78L	15	30	3457.5	CP	256QAM	Outer_Full	14.10
n78L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.74
n78L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.96
n78L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.36
n78L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.29
n78L	15	30	3500.01	DFT	QPSK	Inner_Full	20.80
n78L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.38
n78L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.87
n78L	15	30	3500.01	DFT	QPSK	Outer_Full	19.81
n78L	15	30	3500.01	DFT	16QAM	Inner_Full	19.77
n78L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.58
n78L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	18.89
n78L	15	30	3500.01	DFT	16QAM	Outer_Full	18.74
n78L	15	30	3500.01	DFT	64QAM	Inner_Full	18.30
n78L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	18.12
n78L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	18.47



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	15	30	3500.01	DFT	64QAM	Outer_Full	18.27
n78L	15	30	3500.01	DFT	256QAM	Inner_Full	16.35
n78L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.88
n78L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.15
n78L	15	30	3500.01	DFT	256QAM	Outer_Full	16.37
n78L	15	30	3500.01	CP	QPSK	Inner_Full	19.36
n78L	15	30	3500.01	CP	QPSK	Edge_1RB_Left	17.73
n78L	15	30	3500.01	CP	QPSK	Edge_1RB_Right	18.12
n78L	15	30	3500.01	CP	QPSK	Outer_Full	17.92
n78L	15	30	3500.01	CP	16QAM	Inner_Full	18.79
n78L	15	30	3500.01	CP	16QAM	Edge_1RB_Left	17.71
n78L	15	30	3500.01	CP	16QAM	Edge_1RB_Right	18.07
n78L	15	30	3500.01	CP	16QAM	Outer_Full	17.93
n78L	15	30	3500.01	CP	64QAM	Inner_Full	17.40
n78L	15	30	3500.01	CP	64QAM	Edge_1RB_Left	17.54
n78L	15	30	3500.01	CP	64QAM	Edge_1RB_Right	17.92
n78L	15	30	3500.01	CP	64QAM	Outer_Full	17.37
n78L	15	30	3500.01	CP	256QAM	Inner_Full	14.41
n78L	15	30	3500.01	CP	256QAM	Edge_1RB_Left	13.87
n78L	15	30	3500.01	CP	256QAM	Edge_1RB_Right	14.23
n78L	15	30	3500.01	CP	256QAM	Outer_Full	14.32
n78L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	20.81
n78L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	20.35
n78L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	20.14
n78L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	20.35
n78L	15	30	3542.49	DFT	QPSK	Inner_Full	20.87
n78L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	19.88
n78L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	19.66
n78L	15	30	3542.49	DFT	QPSK	Outer_Full	19.82
n78L	15	30	3542.49	DFT	16QAM	Inner_Full	19.84
n78L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	18.95
n78L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	18.76
n78L	15	30	3542.49	DFT	16QAM	Outer_Full	18.76
n78L	15	30	3542.49	DFT	64QAM	Inner_Full	18.38
n78L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	18.49
n78L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	18.34
n78L	15	30	3542.49	DFT	64QAM	Outer_Full	18.29
n78L	15	30	3542.49	DFT	256QAM	Inner_Full	16.39
n78L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	16.65
n78L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	16.49



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	15	30	3542.49	DFT	256QAM	Outer_Full	16.45
n78L	15	30	3542.49	CP	QPSK	Inner_Full	19.29
n78L	15	30	3542.49	CP	QPSK	Edge_1RB_Left	18.06
n78L	15	30	3542.49	CP	QPSK	Edge_1RB_Right	17.85
n78L	15	30	3542.49	CP	QPSK	Outer_Full	17.97
n78L	15	30	3542.49	CP	16QAM	Inner_Full	18.83
n78L	15	30	3542.49	CP	16QAM	Edge_1RB_Left	18.25
n78L	15	30	3542.49	CP	16QAM	Edge_1RB_Right	17.96
n78L	15	30	3542.49	CP	16QAM	Outer_Full	17.99
n78L	15	30	3542.49	CP	64QAM	Inner_Full	17.45
n78L	15	30	3542.49	CP	64QAM	Edge_1RB_Left	17.47
n78L	15	30	3542.49	CP	64QAM	Edge_1RB_Right	17.48
n78L	15	30	3542.49	CP	64QAM	Outer_Full	17.47
n78L	15	30	3542.49	CP	256QAM	Inner_Full	14.45
n78L	15	30	3542.49	CP	256QAM	Edge_1RB_Left	14.37
n78L	15	30	3542.49	CP	256QAM	Edge_1RB_Right	14.40
n78L	15	30	3542.49	CP	256QAM	Outer_Full	14.43
n78L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	20.56
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	20.02
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	19.77
n78L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	20.06
n78L	20	30	3460.02	DFT	QPSK	Inner_Full	20.58
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	19.51
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	19.31
n78L	20	30	3460.02	DFT	QPSK	Outer_Full	19.56
n78L	20	30	3460.02	DFT	16QAM	Inner_Full	19.57
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	18.63
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	18.41
n78L	20	30	3460.02	DFT	16QAM	Outer_Full	18.61
n78L	20	30	3460.02	DFT	64QAM	Inner_Full	18.05
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	18.24
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	17.95
n78L	20	30	3460.02	DFT	64QAM	Outer_Full	17.97
n78L	20	30	3460.02	DFT	256QAM	Inner_Full	16.15
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	15.85
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	15.53
n78L	20	30	3460.02	DFT	256QAM	Outer_Full	16.13
n78L	20	30	3460.02	CP	QPSK	Inner_Full	18.97
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	17.76
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	17.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	20	30	3460.02	CP	QPSK	Outer_Full	17.64
n78L	20	30	3460.02	CP	16QAM	Inner_Full	18.51
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	17.85
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	17.52
n78L	20	30	3460.02	CP	16QAM	Outer_Full	17.68
n78L	20	30	3460.02	CP	64QAM	Inner_Full	17.27
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	17.27
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	17.35
n78L	20	30	3460.02	CP	64QAM	Outer_Full	17.18
n78L	20	30	3460.02	CP	256QAM	Inner_Full	14.09
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	13.89
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	14.00
n78L	20	30	3460.02	CP	256QAM	Outer_Full	14.06
n78L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.83
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.93
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.45
n78L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.33
n78L	20	30	3500.01	DFT	QPSK	Inner_Full	20.83
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.43
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.97
n78L	20	30	3500.01	DFT	QPSK	Outer_Full	19.84
n78L	20	30	3500.01	DFT	16QAM	Inner_Full	19.81
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.45
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	19.15
n78L	20	30	3500.01	DFT	16QAM	Outer_Full	18.82
n78L	20	30	3500.01	DFT	64QAM	Inner_Full	18.32
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	18.00
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	18.72
n78L	20	30	3500.01	DFT	64QAM	Outer_Full	18.29
n78L	20	30	3500.01	DFT	256QAM	Inner_Full	16.42
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	16.03
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.19
n78L	20	30	3500.01	DFT	256QAM	Outer_Full	16.44
n78L	20	30	3500.01	CP	QPSK	Inner_Full	19.25
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	17.65
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	18.26
n78L	20	30	3500.01	CP	QPSK	Outer_Full	17.92
n78L	20	30	3500.01	CP	16QAM	Inner_Full	18.80
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	17.58
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	18.17



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	20	30	3500.01	CP	16QAM	Outer_Full	17.94
n78L	20	30	3500.01	CP	64QAM	Inner_Full	17.51
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	17.46
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	17.72
n78L	20	30	3500.01	CP	64QAM	Outer_Full	17.44
n78L	20	30	3500.01	CP	256QAM	Inner_Full	14.43
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	14.09
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	14.39
n78L	20	30	3500.01	CP	256QAM	Outer_Full	14.32
n78L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	20.85
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	20.42
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	20.10
n78L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	20.37
n78L	20	30	3540	DFT	QPSK	Inner_Full	20.88
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Left	19.99
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Right	19.63
n78L	20	30	3540	DFT	QPSK	Outer_Full	19.90
n78L	20	30	3540	DFT	16QAM	Inner_Full	19.88
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Left	19.01
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Right	18.76
n78L	20	30	3540	DFT	16QAM	Outer_Full	18.91
n78L	20	30	3540	DFT	64QAM	Inner_Full	18.33
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Left	18.53
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Right	18.30
n78L	20	30	3540	DFT	64QAM	Outer_Full	18.34
n78L	20	30	3540	DFT	256QAM	Inner_Full	16.44
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Left	16.56
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Right	16.28
n78L	20	30	3540	DFT	256QAM	Outer_Full	16.49
n78L	20	30	3540	CP	QPSK	Inner_Full	19.33
n78L	20	30	3540	CP	QPSK	Edge_1RB_Left	18.15
n78L	20	30	3540	CP	QPSK	Edge_1RB_Right	17.93
n78L	20	30	3540	CP	QPSK	Outer_Full	17.98
n78L	20	30	3540	CP	16QAM	Inner_Full	18.80
n78L	20	30	3540	CP	16QAM	Edge_1RB_Left	18.14
n78L	20	30	3540	CP	16QAM	Edge_1RB_Right	17.90
n78L	20	30	3540	CP	16QAM	Outer_Full	18.00
n78L	20	30	3540	CP	64QAM	Inner_Full	17.51
n78L	20	30	3540	CP	64QAM	Edge_1RB_Left	17.88
n78L	20	30	3540	CP	64QAM	Edge_1RB_Right	17.75



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	20	30	3540	CP	64QAM	Outer_Full	17.49
n78L	20	30	3540	CP	256QAM	Inner_Full	14.45
n78L	20	30	3540	CP	256QAM	Edge_1RB_Left	14.26
n78L	20	30	3540	CP	256QAM	Edge_1RB_Right	14.04
n78L	20	30	3540	CP	256QAM	Outer_Full	14.40
n78L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	20.44
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.65
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.35
n78L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	19.93
n78L	40	30	3470.01	DFT	QPSK	Inner_Full	20.48
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	19.20
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	18.88
n78L	40	30	3470.01	DFT	QPSK	Outer_Full	19.38
n78L	40	30	3470.01	DFT	16QAM	Inner_Full	19.43
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	18.26
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	17.98
n78L	40	30	3470.01	DFT	16QAM	Outer_Full	18.35
n78L	40	30	3470.01	DFT	64QAM	Inner_Full	17.91
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	17.83
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	17.42
n78L	40	30	3470.01	DFT	64QAM	Outer_Full	17.84
n78L	40	30	3470.01	DFT	256QAM	Inner_Full	16.01
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	15.77
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	15.05
n78L	40	30	3470.01	DFT	256QAM	Outer_Full	15.89
n78L	40	30	3470.01	CP	QPSK	Inner_Full	18.87
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	17.32
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	17.04
n78L	40	30	3470.01	CP	QPSK	Outer_Full	17.42
n78L	40	30	3470.01	CP	16QAM	Inner_Full	18.43
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	17.32
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	16.91
n78L	40	30	3470.01	CP	16QAM	Outer_Full	17.41
n78L	40	30	3470.01	CP	64QAM	Inner_Full	16.98
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	16.71
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	16.61
n78L	40	30	3470.01	CP	64QAM	Outer_Full	16.88
n78L	40	30	3470.01	CP	256QAM	Inner_Full	13.98
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	13.62
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	13.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	40	30	3470.01	CP	256QAM	Outer_Full	13.88
n78L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.72
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.40
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.08
n78L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.19
n78L	40	30	3500.01	DFT	QPSK	Inner_Full	20.78
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	18.92
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.49
n78L	40	30	3500.01	DFT	QPSK	Outer_Full	19.71
n78L	40	30	3500.01	DFT	16QAM	Inner_Full	19.72
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.16
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	18.86
n78L	40	30	3500.01	DFT	16QAM	Outer_Full	18.64
n78L	40	30	3500.01	DFT	64QAM	Inner_Full	18.22
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.34
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	17.80
n78L	40	30	3500.01	DFT	64QAM	Outer_Full	18.13
n78L	40	30	3500.01	DFT	256QAM	Inner_Full	16.34
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.69
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.11
n78L	40	30	3500.01	DFT	256QAM	Outer_Full	16.22
n78L	40	30	3500.01	CP	QPSK	Inner_Full	19.18
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	17.13
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	17.81
n78L	40	30	3500.01	CP	QPSK	Outer_Full	17.78
n78L	40	30	3500.01	CP	16QAM	Inner_Full	18.80
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	17.25
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	17.95
n78L	40	30	3500.01	CP	16QAM	Outer_Full	17.81
n78L	40	30	3500.01	CP	64QAM	Inner_Full	17.34
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	16.86
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	17.61
n78L	40	30	3500.01	CP	64QAM	Outer_Full	17.26
n78L	40	30	3500.01	CP	256QAM	Inner_Full	14.30
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	13.29
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	13.97
n78L	40	30	3500.01	CP	256QAM	Outer_Full	14.25
n78L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	21.01
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.16
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	19.63



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	20.37
n78L	40	30	3529.98	DFT	QPSK	Inner_Full	21.06
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	19.70
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	19.08
n78L	40	30	3529.98	DFT	QPSK	Outer_Full	19.93
n78L	40	30	3529.98	DFT	16QAM	Inner_Full	20.07
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	18.82
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	18.30
n78L	40	30	3529.98	DFT	16QAM	Outer_Full	18.86
n78L	40	30	3529.98	DFT	64QAM	Inner_Full	18.50
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	18.30
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	17.83
n78L	40	30	3529.98	DFT	64QAM	Outer_Full	18.35
n78L	40	30	3529.98	DFT	256QAM	Inner_Full	16.60
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	15.92
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	15.37
n78L	40	30	3529.98	DFT	256QAM	Outer_Full	16.49
n78L	40	30	3529.98	CP	QPSK	Inner_Full	19.49
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	17.92
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	17.34
n78L	40	30	3529.98	CP	QPSK	Outer_Full	17.94
n78L	40	30	3529.98	CP	16QAM	Inner_Full	19.05
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	17.89
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	17.50
n78L	40	30	3529.98	CP	16QAM	Outer_Full	17.98
n78L	40	30	3529.98	CP	64QAM	Inner_Full	17.58
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	17.65
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	16.88
n78L	40	30	3529.98	CP	64QAM	Outer_Full	17.42
n78L	40	30	3529.98	CP	256QAM	Inner_Full	14.57
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	14.07
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	13.53
n78L	40	30	3529.98	CP	256QAM	Outer_Full	14.45
n78L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	20.41
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	19.84
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	19.83
n78L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	19.98
n78L	50	30	3475.02	DFT	QPSK	Inner_Full	20.43
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	19.44
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	19.34



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	50	30	3475.02	DFT	QPSK	Outer_Full	19.46
n78L	50	30	3475.02	DFT	16QAM	Inner_Full	19.43
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	18.50
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	18.41
n78L	50	30	3475.02	DFT	16QAM	Outer_Full	18.46
n78L	50	30	3475.02	DFT	64QAM	Inner_Full	17.90
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	18.15
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	17.94
n78L	50	30	3475.02	DFT	64QAM	Outer_Full	17.93
n78L	50	30	3475.02	DFT	256QAM	Inner_Full	16.01
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	15.81
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	15.79
n78L	50	30	3475.02	DFT	256QAM	Outer_Full	16.07
n78L	50	30	3475.02	CP	QPSK	Inner_Full	18.85
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	17.68
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	17.67
n78L	50	30	3475.02	CP	QPSK	Outer_Full	17.54
n78L	50	30	3475.02	CP	16QAM	Inner_Full	18.41
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	17.59
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	17.55
n78L	50	30	3475.02	CP	16QAM	Outer_Full	17.56
n78L	50	30	3475.02	CP	64QAM	Inner_Full	17.02
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	17.51
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	17.50
n78L	50	30	3475.02	CP	64QAM	Outer_Full	17.07
n78L	50	30	3475.02	CP	256QAM	Inner_Full	13.98
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	13.84
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	14.09
n78L	50	30	3475.02	CP	256QAM	Outer_Full	14.01
n78L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.79
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.69
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.22
n78L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.27
n78L	50	30	3500.01	DFT	QPSK	Inner_Full	20.82
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.18
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.75
n78L	50	30	3500.01	DFT	QPSK	Outer_Full	19.78
n78L	50	30	3500.01	DFT	16QAM	Inner_Full	19.85
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.30
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	18.82



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	50	30	3500.01	DFT	16QAM	Outer_Full	18.75
n78L	50	30	3500.01	DFT	64QAM	Inner_Full	18.26
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.97
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	18.39
n78L	50	30	3500.01	DFT	64QAM	Outer_Full	18.26
n78L	50	30	3500.01	DFT	256QAM	Inner_Full	16.38
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.69
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.21
n78L	50	30	3500.01	DFT	256QAM	Outer_Full	16.38
n78L	50	30	3500.01	CP	QPSK	Inner_Full	19.28
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	17.50
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	18.04
n78L	50	30	3500.01	CP	QPSK	Outer_Full	17.91
n78L	50	30	3500.01	CP	16QAM	Inner_Full	18.84
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	17.49
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	18.05
n78L	50	30	3500.01	CP	16QAM	Outer_Full	17.90
n78L	50	30	3500.01	CP	64QAM	Inner_Full	17.45
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	17.32
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	17.55
n78L	50	30	3500.01	CP	64QAM	Outer_Full	17.43
n78L	50	30	3500.01	CP	256QAM	Inner_Full	14.42
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	13.72
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	14.46
n78L	50	30	3500.01	CP	256QAM	Outer_Full	14.37
n78L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	21.14
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	20.15
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	19.82
n78L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	20.45
n78L	50	30	3525	DFT	QPSK	Inner_Full	21.15
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Left	19.59
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Right	19.38
n78L	50	30	3525	DFT	QPSK	Outer_Full	20.00
n78L	50	30	3525	DFT	16QAM	Inner_Full	20.19
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Left	18.78
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Right	18.45
n78L	50	30	3525	DFT	16QAM	Outer_Full	18.95
n78L	50	30	3525	DFT	64QAM	Inner_Full	18.63
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Left	18.40
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Right	18.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	50	30	3525	DFT	64QAM	Outer_Full	18.46
n78L	50	30	3525	DFT	256QAM	Inner_Full	16.72
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Left	16.30
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Right	15.83
n78L	50	30	3525	DFT	256QAM	Outer_Full	16.60
n78L	50	30	3525	CP	QPSK	Inner_Full	19.55
n78L	50	30	3525	CP	QPSK	Edge_1RB_Left	17.91
n78L	50	30	3525	CP	QPSK	Edge_1RB_Right	17.65
n78L	50	30	3525	CP	QPSK	Outer_Full	18.05
n78L	50	30	3525	CP	16QAM	Inner_Full	19.09
n78L	50	30	3525	CP	16QAM	Edge_1RB_Left	18.10
n78L	50	30	3525	CP	16QAM	Edge_1RB_Right	17.86
n78L	50	30	3525	CP	16QAM	Outer_Full	18.08
n78L	50	30	3525	CP	64QAM	Inner_Full	17.69
n78L	50	30	3525	CP	64QAM	Edge_1RB_Left	17.46
n78L	50	30	3525	CP	64QAM	Edge_1RB_Right	17.22
n78L	50	30	3525	CP	64QAM	Outer_Full	17.56
n78L	50	30	3525	CP	256QAM	Inner_Full	14.76
n78L	50	30	3525	CP	256QAM	Edge_1RB_Left	14.18
n78L	50	30	3525	CP	256QAM	Edge_1RB_Right	14.20
n78L	50	30	3525	CP	256QAM	Outer_Full	14.50
n78L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	20.46
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	19.81
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	20.08
n78L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	20.04
n78L	60	30	3480	DFT	QPSK	Inner_Full	20.46
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Left	19.31
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Right	19.59
n78L	60	30	3480	DFT	QPSK	Outer_Full	19.53
n78L	60	30	3480	DFT	16QAM	Inner_Full	19.48
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Left	18.43
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Right	18.76
n78L	60	30	3480	DFT	16QAM	Outer_Full	18.51
n78L	60	30	3480	DFT	64QAM	Inner_Full	17.93
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Left	17.58
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Right	17.89
n78L	60	30	3480	DFT	64QAM	Outer_Full	17.99
n78L	60	30	3480	DFT	256QAM	Inner_Full	16.02
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Left	15.80
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Right	16.27



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	60	30	3480	DFT	256QAM	Outer_Full	16.09
n78L	60	30	3480	CP	QPSK	Inner_Full	18.89
n78L	60	30	3480	CP	QPSK	Edge_1RB_Left	17.69
n78L	60	30	3480	CP	QPSK	Edge_1RB_Right	17.96
n78L	60	30	3480	CP	QPSK	Outer_Full	17.61
n78L	60	30	3480	CP	16QAM	Inner_Full	18.39
n78L	60	30	3480	CP	16QAM	Edge_1RB_Left	17.77
n78L	60	30	3480	CP	16QAM	Edge_1RB_Right	18.05
n78L	60	30	3480	CP	16QAM	Outer_Full	17.61
n78L	60	30	3480	CP	64QAM	Inner_Full	17.04
n78L	60	30	3480	CP	64QAM	Edge_1RB_Left	17.15
n78L	60	30	3480	CP	64QAM	Edge_1RB_Right	17.43
n78L	60	30	3480	CP	64QAM	Outer_Full	17.09
n78L	60	30	3480	CP	256QAM	Inner_Full	14.07
n78L	60	30	3480	CP	256QAM	Edge_1RB_Left	14.08
n78L	60	30	3480	CP	256QAM	Edge_1RB_Right	14.35
n78L	60	30	3480	CP	256QAM	Outer_Full	14.02
n78L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.82
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.67
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.05
n78L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.26
n78L	60	30	3500.01	DFT	QPSK	Inner_Full	20.82
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.19
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.54
n78L	60	30	3500.01	DFT	QPSK	Outer_Full	19.76
n78L	60	30	3500.01	DFT	16QAM	Inner_Full	19.85
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.31
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	18.60
n78L	60	30	3500.01	DFT	16QAM	Outer_Full	18.75
n78L	60	30	3500.01	DFT	64QAM	Inner_Full	18.26
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.97
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	18.20
n78L	60	30	3500.01	DFT	64QAM	Outer_Full	18.20
n78L	60	30	3500.01	DFT	256QAM	Inner_Full	16.42
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.96
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.01
n78L	60	30	3500.01	DFT	256QAM	Outer_Full	16.36
n78L	60	30	3500.01	CP	QPSK	Inner_Full	19.26
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	17.52
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	17.87



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	60	30	3500.01	CP	QPSK	Outer_Full	17.83
n78L	60	30	3500.01	CP	16QAM	Inner_Full	18.79
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	17.39
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	17.74
n78L	60	30	3500.01	CP	16QAM	Outer_Full	17.83
n78L	60	30	3500.01	CP	64QAM	Inner_Full	17.41
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	17.29
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	17.62
n78L	60	30	3500.01	CP	64QAM	Outer_Full	17.34
n78L	60	30	3500.01	CP	256QAM	Inner_Full	14.43
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	13.69
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	14.00
n78L	60	30	3500.01	CP	256QAM	Outer_Full	14.31
n78L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	21.14
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	19.76
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	19.73
n78L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	20.38
n78L	60	30	3519.99	DFT	QPSK	Inner_Full	21.16
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	19.25
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	19.28
n78L	60	30	3519.99	DFT	QPSK	Outer_Full	19.88
n78L	60	30	3519.99	DFT	16QAM	Inner_Full	20.15
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	18.32
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	18.32
n78L	60	30	3519.99	DFT	16QAM	Outer_Full	18.84
n78L	60	30	3519.99	DFT	64QAM	Inner_Full	18.60
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	17.95
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	17.83
n78L	60	30	3519.99	DFT	64QAM	Outer_Full	18.31
n78L	60	30	3519.99	DFT	256QAM	Inner_Full	16.71
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	16.02
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	15.98
n78L	60	30	3519.99	DFT	256QAM	Outer_Full	16.46
n78L	60	30	3519.99	CP	QPSK	Inner_Full	19.59
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	17.60
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	17.62
n78L	60	30	3519.99	CP	QPSK	Outer_Full	17.94
n78L	60	30	3519.99	CP	16QAM	Inner_Full	19.11
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	17.48
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	17.58



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	60	30	3519.99	CP	16QAM	Outer_Full	17.96
n78L	60	30	3519.99	CP	64QAM	Inner_Full	17.74
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	17.09
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	17.29
n78L	60	30	3519.99	CP	64QAM	Outer_Full	17.47
n78L	60	30	3519.99	CP	256QAM	Inner_Full	14.73
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	13.73
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	13.72
n78L	60	30	3519.99	CP	256QAM	Outer_Full	14.42
n78L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	20.61
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	19.62
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	19.68
n78L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	20.13
n78L	80	30	3490.02	DFT	QPSK	Inner_Full	20.62
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	19.12
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	19.22
n78L	80	30	3490.02	DFT	QPSK	Outer_Full	19.62
n78L	80	30	3490.02	DFT	16QAM	Inner_Full	19.65
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	18.27
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	18.21
n78L	80	30	3490.02	DFT	16QAM	Outer_Full	18.61
n78L	80	30	3490.02	DFT	64QAM	Inner_Full	18.12
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	17.67
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	17.77
n78L	80	30	3490.02	DFT	64QAM	Outer_Full	18.14
n78L	80	30	3490.02	DFT	256QAM	Inner_Full	16.25
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	15.48
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	15.60
n78L	80	30	3490.02	DFT	256QAM	Outer_Full	16.30
n78L	80	30	3490.02	CP	QPSK	Inner_Full	19.05
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	17.72
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	17.81
n78L	80	30	3490.02	CP	QPSK	Outer_Full	17.70
n78L	80	30	3490.02	CP	16QAM	Inner_Full	18.57
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	17.34
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	17.90
n78L	80	30	3490.02	CP	16QAM	Outer_Full	17.77
n78L	80	30	3490.02	CP	64QAM	Inner_Full	17.26
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	17.38
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	17.52



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	80	30	3490.02	CP	64QAM	Outer_Full	17.30
n78L	80	30	3490.02	CP	256QAM	Inner_Full	14.22
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	13.94
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	14.07
n78L	80	30	3490.02	CP	256QAM	Outer_Full	14.25
n78L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.85
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.54
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.49
n78L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.19
n78L	80	30	3500.01	DFT	QPSK	Inner_Full	20.84
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.01
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.01
n78L	80	30	3500.01	DFT	QPSK	Outer_Full	19.66
n78L	80	30	3500.01	DFT	16QAM	Inner_Full	19.88
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.13
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	18.10
n78L	80	30	3500.01	DFT	16QAM	Outer_Full	18.69
n78L	80	30	3500.01	DFT	64QAM	Inner_Full	18.36
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.83
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	17.69
n78L	80	30	3500.01	DFT	64QAM	Outer_Full	18.17
n78L	80	30	3500.01	DFT	256QAM	Inner_Full	16.41
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.65
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	15.43
n78L	80	30	3500.01	DFT	256QAM	Outer_Full	16.32
n78L	80	30	3500.01	CP	QPSK	Inner_Full	19.34
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	17.48
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	17.65
n78L	80	30	3500.01	CP	QPSK	Outer_Full	17.80
n78L	80	30	3500.01	CP	16QAM	Inner_Full	18.74
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	17.93
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	17.84
n78L	80	30	3500.01	CP	16QAM	Outer_Full	17.85
n78L	80	30	3500.01	CP	64QAM	Inner_Full	17.46
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	16.92
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	17.15
n78L	80	30	3500.01	CP	64QAM	Outer_Full	17.33
n78L	80	30	3500.01	CP	256QAM	Inner_Full	14.42
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	14.01
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	13.73



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	80	30	3500.01	CP	256QAM	Outer_Full	14.31
n78L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	20.95
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	19.49
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	19.41
n78L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	20.19
n78L	80	30	3510	DFT	QPSK	Inner_Full	20.96
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Left	18.98
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Right	18.92
n78L	80	30	3510	DFT	QPSK	Outer_Full	19.68
n78L	80	30	3510	DFT	16QAM	Inner_Full	19.98
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Left	18.16
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Right	18.21
n78L	80	30	3510	DFT	16QAM	Outer_Full	18.69
n78L	80	30	3510	DFT	64QAM	Inner_Full	18.39
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Left	17.21
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Right	17.09
n78L	80	30	3510	DFT	64QAM	Outer_Full	18.16
n78L	80	30	3510	DFT	256QAM	Inner_Full	16.52
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Left	15.87
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Right	15.41
n78L	80	30	3510	DFT	256QAM	Outer_Full	16.31
n78L	80	30	3510	CP	QPSK	Inner_Full	19.39
n78L	80	30	3510	CP	QPSK	Edge_1RB_Left	17.49
n78L	80	30	3510	CP	QPSK	Edge_1RB_Right	17.26
n78L	80	30	3510	CP	QPSK	Outer_Full	17.82
n78L	80	30	3510	CP	16QAM	Inner_Full	18.89
n78L	80	30	3510	CP	16QAM	Edge_1RB_Left	17.60
n78L	80	30	3510	CP	16QAM	Edge_1RB_Right	17.59
n78L	80	30	3510	CP	16QAM	Outer_Full	17.81
n78L	80	30	3510	CP	64QAM	Inner_Full	17.58
n78L	80	30	3510	CP	64QAM	Edge_1RB_Left	17.23
n78L	80	30	3510	CP	64QAM	Edge_1RB_Right	17.26
n78L	80	30	3510	CP	64QAM	Outer_Full	17.32
n78L	80	30	3510	CP	256QAM	Inner_Full	14.55
n78L	80	30	3510	CP	256QAM	Edge_1RB_Left	13.57
n78L	80	30	3510	CP	256QAM	Edge_1RB_Right	13.56
n78L	80	30	3510	CP	256QAM	Outer_Full	14.31
n78L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	20.66
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	19.44
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	19.28



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	20.10
n78L	90	30	3495	DFT	QPSK	Inner_Full	20.67
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Left	18.95
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Right	18.74
n78L	90	30	3495	DFT	QPSK	Outer_Full	19.58
n78L	90	30	3495	DFT	16QAM	Inner_Full	19.64
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Left	17.95
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Right	17.87
n78L	90	30	3495	DFT	16QAM	Outer_Full	18.56
n78L	90	30	3495	DFT	64QAM	Inner_Full	18.18
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Left	17.51
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Right	17.45
n78L	90	30	3495	DFT	64QAM	Outer_Full	18.04
n78L	90	30	3495	DFT	256QAM	Inner_Full	16.28
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Left	15.46
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Right	15.27
n78L	90	30	3495	DFT	256QAM	Outer_Full	16.21
n78L	90	30	3495	CP	QPSK	Inner_Full	19.10
n78L	90	30	3495	CP	QPSK	Edge_1RB_Left	17.36
n78L	90	30	3495	CP	QPSK	Edge_1RB_Right	17.27
n78L	90	30	3495	CP	QPSK	Outer_Full	17.68
n78L	90	30	3495	CP	16QAM	Inner_Full	18.64
n78L	90	30	3495	CP	16QAM	Edge_1RB_Left	17.31
n78L	90	30	3495	CP	16QAM	Edge_1RB_Right	17.45
n78L	90	30	3495	CP	16QAM	Outer_Full	17.75
n78L	90	30	3495	CP	64QAM	Inner_Full	17.23
n78L	90	30	3495	CP	64QAM	Edge_1RB_Left	16.88
n78L	90	30	3495	CP	64QAM	Edge_1RB_Right	17.17
n78L	90	30	3495	CP	64QAM	Outer_Full	17.19
n78L	90	30	3495	CP	256QAM	Inner_Full	14.20
n78L	90	30	3495	CP	256QAM	Edge_1RB_Left	13.81
n78L	90	30	3495	CP	256QAM	Edge_1RB_Right	13.71
n78L	90	30	3495	CP	256QAM	Outer_Full	14.17
n78L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.79
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.42
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.22
n78L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.15
n78L	90	30	3500.01	DFT	QPSK	Inner_Full	20.80
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	18.86
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	18.74



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	90	30	3500.01	DFT	QPSK	Outer_Full	19.64
n78L	90	30	3500.01	DFT	16QAM	Inner_Full	19.81
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	17.96
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	17.92
n78L	90	30	3500.01	DFT	16QAM	Outer_Full	18.61
n78L	90	30	3500.01	DFT	64QAM	Inner_Full	18.27
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.53
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	17.55
n78L	90	30	3500.01	DFT	64QAM	Outer_Full	18.08
n78L	90	30	3500.01	DFT	256QAM	Inner_Full	16.39
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.74
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	15.60
n78L	90	30	3500.01	DFT	256QAM	Outer_Full	16.29
n78L	90	30	3500.01	CP	QPSK	Inner_Full	19.21
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	17.36
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	17.23
n78L	90	30	3500.01	CP	QPSK	Outer_Full	17.79
n78L	90	30	3500.01	CP	16QAM	Inner_Full	18.73
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	17.35
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	17.16
n78L	90	30	3500.01	CP	16QAM	Outer_Full	17.81
n78L	90	30	3500.01	CP	64QAM	Inner_Full	17.39
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	17.14
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	17.04
n78L	90	30	3500.01	CP	64QAM	Outer_Full	17.26
n78L	90	30	3500.01	CP	256QAM	Inner_Full	14.37
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	13.63
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	13.37
n78L	90	30	3500.01	CP	256QAM	Outer_Full	14.22
n78L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	20.89
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	19.41
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	19.26
n78L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	20.17
n78L	90	30	3504.99	DFT	QPSK	Inner_Full	20.91
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	18.88
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	18.65
n78L	90	30	3504.99	DFT	QPSK	Outer_Full	19.68
n78L	90	30	3504.99	DFT	16QAM	Inner_Full	19.89
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	17.95
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	17.83



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	90	30	3504.99	DFT	16QAM	Outer_Full	18.62
n78L	90	30	3504.99	DFT	64QAM	Inner_Full	18.37
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	17.60
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	17.38
n78L	90	30	3504.99	DFT	64QAM	Outer_Full	18.11
n78L	90	30	3504.99	DFT	256QAM	Inner_Full	16.48
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	15.79
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	15.22
n78L	90	30	3504.99	DFT	256QAM	Outer_Full	16.28
n78L	90	30	3504.99	CP	QPSK	Inner_Full	19.27
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	17.42
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	17.25
n78L	90	30	3504.99	CP	QPSK	Outer_Full	17.80
n78L	90	30	3504.99	CP	16QAM	Inner_Full	18.87
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	17.39
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	17.23
n78L	90	30	3504.99	CP	16QAM	Outer_Full	17.80
n78L	90	30	3504.99	CP	64QAM	Inner_Full	17.52
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	16.89
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	16.73
n78L	90	30	3504.99	CP	64QAM	Outer_Full	17.29
n78L	90	30	3504.99	CP	256QAM	Inner_Full	14.47
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	13.51
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	13.36
n78L	90	30	3504.99	CP	256QAM	Outer_Full	14.23
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.77
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.28
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.08
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.06
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	20.81
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	18.77
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	18.55
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	19.57
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	19.81
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	17.87
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	17.66
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	18.53
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	18.27
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.51
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	17.25



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	18.04
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	16.43
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.51
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	15.29
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	16.22
n78L	100	30	3500.01	CP	QPSK	Inner_Full	19.24
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	17.33
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	17.08
n78L	100	30	3500.01	CP	QPSK	Outer_Full	17.71
n78L	100	30	3500.01	CP	16QAM	Inner_Full	18.71
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	17.34
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	17.08
n78L	100	30	3500.01	CP	16QAM	Outer_Full	17.73
n78L	100	30	3500.01	CP	64QAM	Inner_Full	17.45
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	17.03
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	16.79
n78L	100	30	3500.01	CP	64QAM	Outer_Full	17.23
n78L	100	30	3500.01	CP	256QAM	Inner_Full	14.37
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	13.55
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	13.28
n78L	100	30	3500.01	CP	256QAM	Outer_Full	14.16
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.78
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.31
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.07
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.05
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	20.79
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	18.81
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	18.55
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	19.56
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	19.76
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	17.97
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	17.75
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	18.53
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	18.27
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.10
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	16.87
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	18.03
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	16.37
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.64
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	15.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	16.23
n78L	100	30	3500.01	CP	QPSK	Inner_Full	19.21
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	17.26
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	17.01
n78L	100	30	3500.01	CP	QPSK	Outer_Full	17.72
n78L	100	30	3500.01	CP	16QAM	Inner_Full	18.74
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	17.50
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	17.29
n78L	100	30	3500.01	CP	16QAM	Outer_Full	17.68
n78L	100	30	3500.01	CP	64QAM	Inner_Full	17.47
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	16.79
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	16.54
n78L	100	30	3500.01	CP	64QAM	Outer_Full	17.20
n78L	100	30	3500.01	CP	256QAM	Inner_Full	14.36
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	13.66
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	13.39
n78L	100	30	3500.01	CP	256QAM	Outer_Full	14.16
n78L	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	20.74
n78L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	19.30
n78L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	19.06
n78L	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	20.07
n78L	100	30	3499.98	DFT	QPSK	Inner_Full	20.80
n78L	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	18.74
n78L	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	18.51
n78L	100	30	3499.98	DFT	QPSK	Outer_Full	19.56
n78L	100	30	3499.98	DFT	16QAM	Inner_Full	19.74
n78L	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	17.88
n78L	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	17.64
n78L	100	30	3499.98	DFT	16QAM	Outer_Full	18.52
n78L	100	30	3499.98	DFT	64QAM	Inner_Full	18.22
n78L	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	17.47
n78L	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	17.23
n78L	100	30	3499.98	DFT	64QAM	Outer_Full	18.04
n78L	100	30	3499.98	DFT	256QAM	Inner_Full	16.40
n78L	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	15.45
n78L	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	15.25
n78L	100	30	3499.98	DFT	256QAM	Outer_Full	16.20
n78L	100	30	3499.98	CP	QPSK	Inner_Full	19.23
n78L	100	30	3499.98	CP	QPSK	Edge_1RB_Left	17.28
n78L	100	30	3499.98	CP	QPSK	Edge_1RB_Right	17.08



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78L	100	30	3499.98	CP	QPSK	Outer_Full	17.67
n78L	100	30	3499.98	CP	16QAM	Inner_Full	18.71
n78L	100	30	3499.98	CP	16QAM	Edge_1RB_Left	17.33
n78L	100	30	3499.98	CP	16QAM	Edge_1RB_Right	17.09
n78L	100	30	3499.98	CP	16QAM	Outer_Full	17.70
n78L	100	30	3499.98	CP	64QAM	Inner_Full	17.45
n78L	100	30	3499.98	CP	64QAM	Edge_1RB_Left	17.02
n78L	100	30	3499.98	CP	64QAM	Edge_1RB_Right	16.72
n78L	100	30	3499.98	CP	64QAM	Outer_Full	17.22
n78L	100	30	3499.98	CP	256QAM	Inner_Full	14.37
n78L	100	30	3499.98	CP	256QAM	Edge_1RB_Left	13.56
n78L	100	30	3499.98	CP	256QAM	Edge_1RB_Right	13.30
n78L	100	30	3499.98	CP	256QAM	Outer_Full	14.09



DC_2A_n78A(3700 MHz-3800 MHz)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	10	30	3705	DFT	pi/2 BPSK	Inner_Full	20.34
n78H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Left	19.69
n78H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Right	19.69
n78H	10	30	3705	DFT	pi/2 BPSK	Outer_Full	19.80
n78H	10	30	3705	DFT	QPSK	Inner_Full	20.27
n78H	10	30	3705	DFT	QPSK	Edge_1RB_Left	19.18
n78H	10	30	3705	DFT	QPSK	Edge_1RB_Right	19.16
n78H	10	30	3705	DFT	QPSK	Outer_Full	19.25
n78H	10	30	3705	DFT	16QAM	Inner_Full	19.37
n78H	10	30	3705	DFT	16QAM	Edge_1RB_Left	18.40
n78H	10	30	3705	DFT	16QAM	Edge_1RB_Right	18.27
n78H	10	30	3705	DFT	16QAM	Outer_Full	18.24
n78H	10	30	3705	DFT	64QAM	Inner_Full	17.90
n78H	10	30	3705	DFT	64QAM	Edge_1RB_Left	17.98
n78H	10	30	3705	DFT	64QAM	Edge_1RB_Right	17.90
n78H	10	30	3705	DFT	64QAM	Outer_Full	17.90
n78H	10	30	3705	DFT	256QAM	Inner_Full	15.87
n78H	10	30	3705	DFT	256QAM	Edge_1RB_Left	15.88
n78H	10	30	3705	DFT	256QAM	Edge_1RB_Right	15.60
n78H	10	30	3705	DFT	256QAM	Outer_Full	15.90
n78H	10	30	3705	CP	QPSK	Inner_Full	18.70
n78H	10	30	3705	CP	QPSK	Edge_1RB_Left	17.49
n78H	10	30	3705	CP	QPSK	Edge_1RB_Right	17.44
n78H	10	30	3705	CP	QPSK	Outer_Full	17.30
n78H	10	30	3705	CP	16QAM	Inner_Full	18.20
n78H	10	30	3705	CP	16QAM	Edge_1RB_Left	17.49
n78H	10	30	3705	CP	16QAM	Edge_1RB_Right	17.49
n78H	10	30	3705	CP	16QAM	Outer_Full	17.32
n78H	10	30	3705	CP	64QAM	Inner_Full	16.91
n78H	10	30	3705	CP	64QAM	Edge_1RB_Left	17.22
n78H	10	30	3705	CP	64QAM	Edge_1RB_Right	17.13
n78H	10	30	3705	CP	64QAM	Outer_Full	16.86
n78H	10	30	3705	CP	256QAM	Inner_Full	13.89
n78H	10	30	3705	CP	256QAM	Edge_1RB_Left	13.86
n78H	10	30	3705	CP	256QAM	Edge_1RB_Right	13.82
n78H	10	30	3705	CP	256QAM	Outer_Full	13.83
n78H	10	30	3750	DFT	pi/2 BPSK	Inner_Full	20.39
n78H	10	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.80
n78H	10	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.71



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	10	30	3750	DFT	pi/2 BPSK	Outer_Full	19.86
n78H	10	30	3750	DFT	QPSK	Inner_Full	20.39
n78H	10	30	3750	DFT	QPSK	Edge_1RB_Left	19.31
n78H	10	30	3750	DFT	QPSK	Edge_1RB_Right	19.21
n78H	10	30	3750	DFT	QPSK	Outer_Full	19.33
n78H	10	30	3750	DFT	16QAM	Inner_Full	19.34
n78H	10	30	3750	DFT	16QAM	Edge_1RB_Left	18.46
n78H	10	30	3750	DFT	16QAM	Edge_1RB_Right	18.33
n78H	10	30	3750	DFT	16QAM	Outer_Full	18.31
n78H	10	30	3750	DFT	64QAM	Inner_Full	18.03
n78H	10	30	3750	DFT	64QAM	Edge_1RB_Left	18.15
n78H	10	30	3750	DFT	64QAM	Edge_1RB_Right	18.13
n78H	10	30	3750	DFT	64QAM	Outer_Full	17.97
n78H	10	30	3750	DFT	256QAM	Inner_Full	15.99
n78H	10	30	3750	DFT	256QAM	Edge_1RB_Left	15.66
n78H	10	30	3750	DFT	256QAM	Edge_1RB_Right	15.93
n78H	10	30	3750	DFT	256QAM	Outer_Full	15.97
n78H	10	30	3750	CP	QPSK	Inner_Full	18.81
n78H	10	30	3750	CP	QPSK	Edge_1RB_Left	17.62
n78H	10	30	3750	CP	QPSK	Edge_1RB_Right	17.55
n78H	10	30	3750	CP	QPSK	Outer_Full	17.33
n78H	10	30	3750	CP	16QAM	Inner_Full	18.25
n78H	10	30	3750	CP	16QAM	Edge_1RB_Left	17.63
n78H	10	30	3750	CP	16QAM	Edge_1RB_Right	17.39
n78H	10	30	3750	CP	16QAM	Outer_Full	17.39
n78H	10	30	3750	CP	64QAM	Inner_Full	17.04
n78H	10	30	3750	CP	64QAM	Edge_1RB_Left	17.30
n78H	10	30	3750	CP	64QAM	Edge_1RB_Right	17.25
n78H	10	30	3750	CP	64QAM	Outer_Full	16.87
n78H	10	30	3750	CP	256QAM	Inner_Full	13.91
n78H	10	30	3750	CP	256QAM	Edge_1RB_Left	13.71
n78H	10	30	3750	CP	256QAM	Edge_1RB_Right	13.56
n78H	10	30	3750	CP	256QAM	Outer_Full	13.94
n78H	10	30	3795	DFT	pi/2 BPSK	Inner_Full	20.49
n78H	10	30	3795	DFT	pi/2 BPSK	Edge_1RB_Left	19.85
n78H	10	30	3795	DFT	pi/2 BPSK	Edge_1RB_Right	19.92
n78H	10	30	3795	DFT	pi/2 BPSK	Outer_Full	20.00
n78H	10	30	3795	DFT	QPSK	Inner_Full	20.49
n78H	10	30	3795	DFT	QPSK	Edge_1RB_Left	19.34
n78H	10	30	3795	DFT	QPSK	Edge_1RB_Right	19.43



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	10	30	3795	DFT	QPSK	Outer_Full	19.50
n78H	10	30	3795	DFT	16QAM	Inner_Full	19.54
n78H	10	30	3795	DFT	16QAM	Edge_1RB_Left	18.42
n78H	10	30	3795	DFT	16QAM	Edge_1RB_Right	18.49
n78H	10	30	3795	DFT	16QAM	Outer_Full	18.39
n78H	10	30	3795	DFT	64QAM	Inner_Full	17.96
n78H	10	30	3795	DFT	64QAM	Edge_1RB_Left	17.98
n78H	10	30	3795	DFT	64QAM	Edge_1RB_Right	18.14
n78H	10	30	3795	DFT	64QAM	Outer_Full	17.95
n78H	10	30	3795	DFT	256QAM	Inner_Full	16.07
n78H	10	30	3795	DFT	256QAM	Edge_1RB_Left	16.13
n78H	10	30	3795	DFT	256QAM	Edge_1RB_Right	15.92
n78H	10	30	3795	DFT	256QAM	Outer_Full	16.12
n78H	10	30	3795	CP	QPSK	Inner_Full	18.96
n78H	10	30	3795	CP	QPSK	Edge_1RB_Left	17.61
n78H	10	30	3795	CP	QPSK	Edge_1RB_Right	17.68
n78H	10	30	3795	CP	QPSK	Outer_Full	17.52
n78H	10	30	3795	CP	16QAM	Inner_Full	18.41
n78H	10	30	3795	CP	16QAM	Edge_1RB_Left	17.72
n78H	10	30	3795	CP	16QAM	Edge_1RB_Right	17.94
n78H	10	30	3795	CP	16QAM	Outer_Full	17.58
n78H	10	30	3795	CP	64QAM	Inner_Full	17.06
n78H	10	30	3795	CP	64QAM	Edge_1RB_Left	17.20
n78H	10	30	3795	CP	64QAM	Edge_1RB_Right	17.23
n78H	10	30	3795	CP	64QAM	Outer_Full	16.95
n78H	10	30	3795	CP	256QAM	Inner_Full	14.08
n78H	10	30	3795	CP	256QAM	Edge_1RB_Left	13.85
n78H	10	30	3795	CP	256QAM	Edge_1RB_Right	13.98
n78H	10	30	3795	CP	256QAM	Outer_Full	14.08
n78H	15	30	3707.52	DFT	pi/2 BPSK	Inner_Full	20.18
n78H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Left	19.60
n78H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Right	19.58
n78H	15	30	3707.52	DFT	pi/2 BPSK	Outer_Full	19.73
n78H	15	30	3707.52	DFT	QPSK	Inner_Full	20.19
n78H	15	30	3707.52	DFT	QPSK	Edge_1RB_Left	19.09
n78H	15	30	3707.52	DFT	QPSK	Edge_1RB_Right	19.11
n78H	15	30	3707.52	DFT	QPSK	Outer_Full	19.19
n78H	15	30	3707.52	DFT	16QAM	Inner_Full	19.18
n78H	15	30	3707.52	DFT	16QAM	Edge_1RB_Left	18.18
n78H	15	30	3707.52	DFT	16QAM	Edge_1RB_Right	18.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	15	30	3707.52	DFT	16QAM	Outer_Full	18.10
n78H	15	30	3707.52	DFT	64QAM	Inner_Full	17.88
n78H	15	30	3707.52	DFT	64QAM	Edge_1RB_Left	18.00
n78H	15	30	3707.52	DFT	64QAM	Edge_1RB_Right	18.03
n78H	15	30	3707.52	DFT	64QAM	Outer_Full	17.83
n78H	15	30	3707.52	DFT	256QAM	Inner_Full	15.76
n78H	15	30	3707.52	DFT	256QAM	Edge_1RB_Left	15.79
n78H	15	30	3707.52	DFT	256QAM	Edge_1RB_Right	15.83
n78H	15	30	3707.52	DFT	256QAM	Outer_Full	15.76
n78H	15	30	3707.52	CP	QPSK	Inner_Full	18.58
n78H	15	30	3707.52	CP	QPSK	Edge_1RB_Left	17.42
n78H	15	30	3707.52	CP	QPSK	Edge_1RB_Right	17.29
n78H	15	30	3707.52	CP	QPSK	Outer_Full	17.28
n78H	15	30	3707.52	CP	16QAM	Inner_Full	18.13
n78H	15	30	3707.52	CP	16QAM	Edge_1RB_Left	17.31
n78H	15	30	3707.52	CP	16QAM	Edge_1RB_Right	17.29
n78H	15	30	3707.52	CP	16QAM	Outer_Full	17.27
n78H	15	30	3707.52	CP	64QAM	Inner_Full	16.74
n78H	15	30	3707.52	CP	64QAM	Edge_1RB_Left	16.82
n78H	15	30	3707.52	CP	64QAM	Edge_1RB_Right	17.14
n78H	15	30	3707.52	CP	64QAM	Outer_Full	16.76
n78H	15	30	3707.52	CP	256QAM	Inner_Full	13.77
n78H	15	30	3707.52	CP	256QAM	Edge_1RB_Left	13.44
n78H	15	30	3707.52	CP	256QAM	Edge_1RB_Right	13.73
n78H	15	30	3707.52	CP	256QAM	Outer_Full	13.68
n78H	15	30	3750	DFT	pi/2 BPSK	Inner_Full	20.29
n78H	15	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.75
n78H	15	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.61
n78H	15	30	3750	DFT	pi/2 BPSK	Outer_Full	19.81
n78H	15	30	3750	DFT	QPSK	Inner_Full	20.33
n78H	15	30	3750	DFT	QPSK	Edge_1RB_Left	19.21
n78H	15	30	3750	DFT	QPSK	Edge_1RB_Right	19.08
n78H	15	30	3750	DFT	QPSK	Outer_Full	19.30
n78H	15	30	3750	DFT	16QAM	Inner_Full	19.29
n78H	15	30	3750	DFT	16QAM	Edge_1RB_Left	18.36
n78H	15	30	3750	DFT	16QAM	Edge_1RB_Right	18.26
n78H	15	30	3750	DFT	16QAM	Outer_Full	18.25
n78H	15	30	3750	DFT	64QAM	Inner_Full	18.01
n78H	15	30	3750	DFT	64QAM	Edge_1RB_Left	18.17
n78H	15	30	3750	DFT	64QAM	Edge_1RB_Right	17.91



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	15	30	3750	DFT	64QAM	Outer_Full	17.97
n78H	15	30	3750	DFT	256QAM	Inner_Full	15.90
n78H	15	30	3750	DFT	256QAM	Edge_1RB_Left	15.99
n78H	15	30	3750	DFT	256QAM	Edge_1RB_Right	15.90
n78H	15	30	3750	DFT	256QAM	Outer_Full	15.90
n78H	15	30	3750	CP	QPSK	Inner_Full	18.76
n78H	15	30	3750	CP	QPSK	Edge_1RB_Left	17.52
n78H	15	30	3750	CP	QPSK	Edge_1RB_Right	17.39
n78H	15	30	3750	CP	QPSK	Outer_Full	17.40
n78H	15	30	3750	CP	16QAM	Inner_Full	18.23
n78H	15	30	3750	CP	16QAM	Edge_1RB_Left	17.37
n78H	15	30	3750	CP	16QAM	Edge_1RB_Right	17.27
n78H	15	30	3750	CP	16QAM	Outer_Full	17.43
n78H	15	30	3750	CP	64QAM	Inner_Full	16.90
n78H	15	30	3750	CP	64QAM	Edge_1RB_Left	17.00
n78H	15	30	3750	CP	64QAM	Edge_1RB_Right	17.05
n78H	15	30	3750	CP	64QAM	Outer_Full	16.86
n78H	15	30	3750	CP	256QAM	Inner_Full	13.90
n78H	15	30	3750	CP	256QAM	Edge_1RB_Left	13.66
n78H	15	30	3750	CP	256QAM	Edge_1RB_Right	13.51
n78H	15	30	3750	CP	256QAM	Outer_Full	13.76
n78H	15	30	3792.48	DFT	pi/2 BPSK	Inner_Full	20.38
n78H	15	30	3792.48	DFT	pi/2 BPSK	Edge_1RB_Left	19.68
n78H	15	30	3792.48	DFT	pi/2 BPSK	Edge_1RB_Right	19.84
n78H	15	30	3792.48	DFT	pi/2 BPSK	Outer_Full	19.89
n78H	15	30	3792.48	DFT	QPSK	Inner_Full	20.39
n78H	15	30	3792.48	DFT	QPSK	Edge_1RB_Left	19.23
n78H	15	30	3792.48	DFT	QPSK	Edge_1RB_Right	19.15
n78H	15	30	3792.48	DFT	QPSK	Outer_Full	19.35
n78H	15	30	3792.48	DFT	16QAM	Inner_Full	19.34
n78H	15	30	3792.48	DFT	16QAM	Edge_1RB_Left	18.26
n78H	15	30	3792.48	DFT	16QAM	Edge_1RB_Right	18.35
n78H	15	30	3792.48	DFT	16QAM	Outer_Full	18.37
n78H	15	30	3792.48	DFT	64QAM	Inner_Full	17.96
n78H	15	30	3792.48	DFT	64QAM	Edge_1RB_Left	17.90
n78H	15	30	3792.48	DFT	64QAM	Edge_1RB_Right	18.11
n78H	15	30	3792.48	DFT	64QAM	Outer_Full	17.85
n78H	15	30	3792.48	DFT	256QAM	Inner_Full	15.94
n78H	15	30	3792.48	DFT	256QAM	Edge_1RB_Left	15.95
n78H	15	30	3792.48	DFT	256QAM	Edge_1RB_Right	15.75



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	15	30	3792.48	DFT	256QAM	Outer_Full	15.96
n78H	15	30	3792.48	CP	QPSK	Inner_Full	18.87
n78H	15	30	3792.48	CP	QPSK	Edge_1RB_Left	17.47
n78H	15	30	3792.48	CP	QPSK	Edge_1RB_Right	17.61
n78H	15	30	3792.48	CP	QPSK	Outer_Full	17.48
n78H	15	30	3792.48	CP	16QAM	Inner_Full	18.31
n78H	15	30	3792.48	CP	16QAM	Edge_1RB_Left	17.48
n78H	15	30	3792.48	CP	16QAM	Edge_1RB_Right	17.50
n78H	15	30	3792.48	CP	16QAM	Outer_Full	17.49
n78H	15	30	3792.48	CP	64QAM	Inner_Full	16.92
n78H	15	30	3792.48	CP	64QAM	Edge_1RB_Left	17.13
n78H	15	30	3792.48	CP	64QAM	Edge_1RB_Right	17.21
n78H	15	30	3792.48	CP	64QAM	Outer_Full	16.94
n78H	15	30	3792.48	CP	256QAM	Inner_Full	14.02
n78H	15	30	3792.48	CP	256QAM	Edge_1RB_Left	13.77
n78H	15	30	3792.48	CP	256QAM	Edge_1RB_Right	13.76
n78H	15	30	3792.48	CP	256QAM	Outer_Full	13.90
n78H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	20.12
n78H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.54
n78H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.58
n78H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	19.69
n78H	20	30	3710.01	DFT	QPSK	Inner_Full	20.16
n78H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	19.02
n78H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	18.99
n78H	20	30	3710.01	DFT	QPSK	Outer_Full	19.18
n78H	20	30	3710.01	DFT	16QAM	Inner_Full	19.14
n78H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	18.25
n78H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	18.22
n78H	20	30	3710.01	DFT	16QAM	Outer_Full	18.09
n78H	20	30	3710.01	DFT	64QAM	Inner_Full	17.80
n78H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	17.39
n78H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	17.44
n78H	20	30	3710.01	DFT	64QAM	Outer_Full	17.80
n78H	20	30	3710.01	DFT	256QAM	Inner_Full	15.76
n78H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	15.81
n78H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	15.35
n78H	20	30	3710.01	DFT	256QAM	Outer_Full	15.75
n78H	20	30	3710.01	CP	QPSK	Inner_Full	18.55
n78H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	17.26
n78H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	17.40



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	20	30	3710.01	CP	QPSK	Outer_Full	17.25
n78H	20	30	3710.01	CP	16QAM	Inner_Full	18.07
n78H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	17.39
n78H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	17.49
n78H	20	30	3710.01	CP	16QAM	Outer_Full	17.19
n78H	20	30	3710.01	CP	64QAM	Inner_Full	16.78
n78H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	17.07
n78H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	17.14
n78H	20	30	3710.01	CP	64QAM	Outer_Full	16.78
n78H	20	30	3710.01	CP	256QAM	Inner_Full	13.75
n78H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	13.70
n78H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	13.46
n78H	20	30	3710.01	CP	256QAM	Outer_Full	13.66
n78H	20	30	3750	DFT	pi/2 BPSK	Inner_Full	20.31
n78H	20	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.72
n78H	20	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.60
n78H	20	30	3750	DFT	pi/2 BPSK	Outer_Full	19.84
n78H	20	30	3750	DFT	QPSK	Inner_Full	20.29
n78H	20	30	3750	DFT	QPSK	Edge_1RB_Left	19.25
n78H	20	30	3750	DFT	QPSK	Edge_1RB_Right	19.13
n78H	20	30	3750	DFT	QPSK	Outer_Full	19.29
n78H	20	30	3750	DFT	16QAM	Inner_Full	19.28
n78H	20	30	3750	DFT	16QAM	Edge_1RB_Left	18.43
n78H	20	30	3750	DFT	16QAM	Edge_1RB_Right	18.24
n78H	20	30	3750	DFT	16QAM	Outer_Full	18.30
n78H	20	30	3750	DFT	64QAM	Inner_Full	17.94
n78H	20	30	3750	DFT	64QAM	Edge_1RB_Left	18.03
n78H	20	30	3750	DFT	64QAM	Edge_1RB_Right	17.84
n78H	20	30	3750	DFT	64QAM	Outer_Full	17.89
n78H	20	30	3750	DFT	256QAM	Inner_Full	15.82
n78H	20	30	3750	DFT	256QAM	Edge_1RB_Left	15.71
n78H	20	30	3750	DFT	256QAM	Edge_1RB_Right	15.61
n78H	20	30	3750	DFT	256QAM	Outer_Full	15.92
n78H	20	30	3750	CP	QPSK	Inner_Full	18.77
n78H	20	30	3750	CP	QPSK	Edge_1RB_Left	17.55
n78H	20	30	3750	CP	QPSK	Edge_1RB_Right	17.43
n78H	20	30	3750	CP	QPSK	Outer_Full	17.38
n78H	20	30	3750	CP	16QAM	Inner_Full	18.28
n78H	20	30	3750	CP	16QAM	Edge_1RB_Left	17.62
n78H	20	30	3750	CP	16QAM	Edge_1RB_Right	17.49



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	20	30	3750	CP	16QAM	Outer_Full	17.42
n78H	20	30	3750	CP	64QAM	Inner_Full	16.92
n78H	20	30	3750	CP	64QAM	Edge_1RB_Left	16.98
n78H	20	30	3750	CP	64QAM	Edge_1RB_Right	16.86
n78H	20	30	3750	CP	64QAM	Outer_Full	16.96
n78H	20	30	3750	CP	256QAM	Inner_Full	13.86
n78H	20	30	3750	CP	256QAM	Edge_1RB_Left	13.81
n78H	20	30	3750	CP	256QAM	Edge_1RB_Right	13.71
n78H	20	30	3750	CP	256QAM	Outer_Full	13.84
n78H	20	30	3789.99	DFT	pi/2 BPSK	Inner_Full	20.37
n78H	20	30	3789.99	DFT	pi/2 BPSK	Edge_1RB_Left	19.62
n78H	20	30	3789.99	DFT	pi/2 BPSK	Edge_1RB_Right	19.81
n78H	20	30	3789.99	DFT	pi/2 BPSK	Outer_Full	19.85
n78H	20	30	3789.99	DFT	QPSK	Inner_Full	20.39
n78H	20	30	3789.99	DFT	QPSK	Edge_1RB_Left	19.10
n78H	20	30	3789.99	DFT	QPSK	Edge_1RB_Right	19.34
n78H	20	30	3789.99	DFT	QPSK	Outer_Full	19.30
n78H	20	30	3789.99	DFT	16QAM	Inner_Full	19.36
n78H	20	30	3789.99	DFT	16QAM	Edge_1RB_Left	18.29
n78H	20	30	3789.99	DFT	16QAM	Edge_1RB_Right	18.42
n78H	20	30	3789.99	DFT	16QAM	Outer_Full	18.33
n78H	20	30	3789.99	DFT	64QAM	Inner_Full	17.82
n78H	20	30	3789.99	DFT	64QAM	Edge_1RB_Left	17.81
n78H	20	30	3789.99	DFT	64QAM	Edge_1RB_Right	17.99
n78H	20	30	3789.99	DFT	64QAM	Outer_Full	17.79
n78H	20	30	3789.99	DFT	256QAM	Inner_Full	16.04
n78H	20	30	3789.99	DFT	256QAM	Edge_1RB_Left	15.33
n78H	20	30	3789.99	DFT	256QAM	Edge_1RB_Right	15.99
n78H	20	30	3789.99	DFT	256QAM	Outer_Full	15.95
n78H	20	30	3789.99	CP	QPSK	Inner_Full	18.81
n78H	20	30	3789.99	CP	QPSK	Edge_1RB_Left	17.40
n78H	20	30	3789.99	CP	QPSK	Edge_1RB_Right	17.63
n78H	20	30	3789.99	CP	QPSK	Outer_Full	17.43
n78H	20	30	3789.99	CP	16QAM	Inner_Full	18.27
n78H	20	30	3789.99	CP	16QAM	Edge_1RB_Left	17.22
n78H	20	30	3789.99	CP	16QAM	Edge_1RB_Right	17.72
n78H	20	30	3789.99	CP	16QAM	Outer_Full	17.46
n78H	20	30	3789.99	CP	64QAM	Inner_Full	17.04
n78H	20	30	3789.99	CP	64QAM	Edge_1RB_Left	17.06
n78H	20	30	3789.99	CP	64QAM	Edge_1RB_Right	17.43



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	20	30	3789.99	CP	64QAM	Outer_Full	16.94
n78H	20	30	3789.99	CP	256QAM	Inner_Full	13.97
n78H	20	30	3789.99	CP	256QAM	Edge_1RB_Left	13.46
n78H	20	30	3789.99	CP	256QAM	Edge_1RB_Right	13.74
n78H	20	30	3789.99	CP	256QAM	Outer_Full	13.83
n78H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	20.14
n78H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	19.11
n78H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	19.40
n78H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	19.61
n78H	40	30	3720	DFT	QPSK	Inner_Full	20.14
n78H	40	30	3720	DFT	QPSK	Edge_1RB_Left	18.62
n78H	40	30	3720	DFT	QPSK	Edge_1RB_Right	18.85
n78H	40	30	3720	DFT	QPSK	Outer_Full	19.11
n78H	40	30	3720	DFT	16QAM	Inner_Full	19.12
n78H	40	30	3720	DFT	16QAM	Edge_1RB_Left	17.77
n78H	40	30	3720	DFT	16QAM	Edge_1RB_Right	18.09
n78H	40	30	3720	DFT	16QAM	Outer_Full	18.07
n78H	40	30	3720	DFT	64QAM	Inner_Full	17.76
n78H	40	30	3720	DFT	64QAM	Edge_1RB_Left	17.17
n78H	40	30	3720	DFT	64QAM	Edge_1RB_Right	17.22
n78H	40	30	3720	DFT	64QAM	Outer_Full	17.70
n78H	40	30	3720	DFT	256QAM	Inner_Full	15.73
n78H	40	30	3720	DFT	256QAM	Edge_1RB_Left	15.06
n78H	40	30	3720	DFT	256QAM	Edge_1RB_Right	15.27
n78H	40	30	3720	DFT	256QAM	Outer_Full	15.65
n78H	40	30	3720	CP	QPSK	Inner_Full	18.60
n78H	40	30	3720	CP	QPSK	Edge_1RB_Left	16.76
n78H	40	30	3720	CP	QPSK	Edge_1RB_Right	17.13
n78H	40	30	3720	CP	QPSK	Outer_Full	17.16
n78H	40	30	3720	CP	16QAM	Inner_Full	18.13
n78H	40	30	3720	CP	16QAM	Edge_1RB_Left	17.03
n78H	40	30	3720	CP	16QAM	Edge_1RB_Right	17.51
n78H	40	30	3720	CP	16QAM	Outer_Full	17.18
n78H	40	30	3720	CP	64QAM	Inner_Full	16.75
n78H	40	30	3720	CP	64QAM	Edge_1RB_Left	16.45
n78H	40	30	3720	CP	64QAM	Edge_1RB_Right	16.76
n78H	40	30	3720	CP	64QAM	Outer_Full	16.65
n78H	40	30	3720	CP	256QAM	Inner_Full	13.74
n78H	40	30	3720	CP	256QAM	Edge_1RB_Left	12.97
n78H	40	30	3720	CP	256QAM	Edge_1RB_Right	13.22



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	40	30	3720	CP	256QAM	Outer_Full	13.66
n78H	40	30	3750	DFT	pi/2 BPSK	Inner_Full	20.29
n78H	40	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.28
n78H	40	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.29
n78H	40	30	3750	DFT	pi/2 BPSK	Outer_Full	19.68
n78H	40	30	3750	DFT	QPSK	Inner_Full	20.29
n78H	40	30	3750	DFT	QPSK	Edge_1RB_Left	18.66
n78H	40	30	3750	DFT	QPSK	Edge_1RB_Right	18.85
n78H	40	30	3750	DFT	QPSK	Outer_Full	19.17
n78H	40	30	3750	DFT	16QAM	Inner_Full	19.29
n78H	40	30	3750	DFT	16QAM	Edge_1RB_Left	17.87
n78H	40	30	3750	DFT	16QAM	Edge_1RB_Right	17.95
n78H	40	30	3750	DFT	16QAM	Outer_Full	18.13
n78H	40	30	3750	DFT	64QAM	Inner_Full	17.91
n78H	40	30	3750	DFT	64QAM	Edge_1RB_Left	17.51
n78H	40	30	3750	DFT	64QAM	Edge_1RB_Right	17.53
n78H	40	30	3750	DFT	64QAM	Outer_Full	17.79
n78H	40	30	3750	DFT	256QAM	Inner_Full	15.89
n78H	40	30	3750	DFT	256QAM	Edge_1RB_Left	15.42
n78H	40	30	3750	DFT	256QAM	Edge_1RB_Right	15.45
n78H	40	30	3750	DFT	256QAM	Outer_Full	15.75
n78H	40	30	3750	CP	QPSK	Inner_Full	18.73
n78H	40	30	3750	CP	QPSK	Edge_1RB_Left	16.97
n78H	40	30	3750	CP	QPSK	Edge_1RB_Right	17.03
n78H	40	30	3750	CP	QPSK	Outer_Full	17.28
n78H	40	30	3750	CP	16QAM	Inner_Full	18.30
n78H	40	30	3750	CP	16QAM	Edge_1RB_Left	16.88
n78H	40	30	3750	CP	16QAM	Edge_1RB_Right	17.18
n78H	40	30	3750	CP	16QAM	Outer_Full	17.30
n78H	40	30	3750	CP	64QAM	Inner_Full	16.81
n78H	40	30	3750	CP	64QAM	Edge_1RB_Left	16.81
n78H	40	30	3750	CP	64QAM	Edge_1RB_Right	16.80
n78H	40	30	3750	CP	64QAM	Outer_Full	16.72
n78H	40	30	3750	CP	256QAM	Inner_Full	13.83
n78H	40	30	3750	CP	256QAM	Edge_1RB_Left	13.46
n78H	40	30	3750	CP	256QAM	Edge_1RB_Right	13.18
n78H	40	30	3750	CP	256QAM	Outer_Full	13.75
n78H	40	30	3780	DFT	pi/2 BPSK	Inner_Full	20.26
n78H	40	30	3780	DFT	pi/2 BPSK	Edge_1RB_Left	19.02
n78H	40	30	3780	DFT	pi/2 BPSK	Edge_1RB_Right	19.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	40	30	3780	DFT	pi/2 BPSK	Outer_Full	19.72
n78H	40	30	3780	DFT	QPSK	Inner_Full	20.24
n78H	40	30	3780	DFT	QPSK	Edge_1RB_Left	18.51
n78H	40	30	3780	DFT	QPSK	Edge_1RB_Right	18.97
n78H	40	30	3780	DFT	QPSK	Outer_Full	19.12
n78H	40	30	3780	DFT	16QAM	Inner_Full	19.21
n78H	40	30	3780	DFT	16QAM	Edge_1RB_Left	17.65
n78H	40	30	3780	DFT	16QAM	Edge_1RB_Right	18.08
n78H	40	30	3780	DFT	16QAM	Outer_Full	18.08
n78H	40	30	3780	DFT	64QAM	Inner_Full	17.86
n78H	40	30	3780	DFT	64QAM	Edge_1RB_Left	17.32
n78H	40	30	3780	DFT	64QAM	Edge_1RB_Right	17.73
n78H	40	30	3780	DFT	64QAM	Outer_Full	17.75
n78H	40	30	3780	DFT	256QAM	Inner_Full	15.87
n78H	40	30	3780	DFT	256QAM	Edge_1RB_Left	15.26
n78H	40	30	3780	DFT	256QAM	Edge_1RB_Right	15.72
n78H	40	30	3780	DFT	256QAM	Outer_Full	15.77
n78H	40	30	3780	CP	QPSK	Inner_Full	18.68
n78H	40	30	3780	CP	QPSK	Edge_1RB_Left	16.74
n78H	40	30	3780	CP	QPSK	Edge_1RB_Right	17.24
n78H	40	30	3780	CP	QPSK	Outer_Full	17.24
n78H	40	30	3780	CP	16QAM	Inner_Full	18.20
n78H	40	30	3780	CP	16QAM	Edge_1RB_Left	16.93
n78H	40	30	3780	CP	16QAM	Edge_1RB_Right	17.37
n78H	40	30	3780	CP	16QAM	Outer_Full	17.26
n78H	40	30	3780	CP	64QAM	Inner_Full	16.79
n78H	40	30	3780	CP	64QAM	Edge_1RB_Left	16.29
n78H	40	30	3780	CP	64QAM	Edge_1RB_Right	16.78
n78H	40	30	3780	CP	64QAM	Outer_Full	16.73
n78H	40	30	3780	CP	256QAM	Inner_Full	13.76
n78H	40	30	3780	CP	256QAM	Edge_1RB_Left	12.93
n78H	40	30	3780	CP	256QAM	Edge_1RB_Right	13.36
n78H	40	30	3780	CP	256QAM	Outer_Full	13.72
n78H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	20.26
n78H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.34
n78H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.69
n78H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	19.77
n78H	50	30	3725.01	DFT	QPSK	Inner_Full	20.28
n78H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	18.79
n78H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	19.15



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	50	30	3725.01	DFT	QPSK	Outer_Full	19.20
n78H	50	30	3725.01	DFT	16QAM	Inner_Full	19.31
n78H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	17.95
n78H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	18.21
n78H	50	30	3725.01	DFT	16QAM	Outer_Full	18.20
n78H	50	30	3725.01	DFT	64QAM	Inner_Full	17.86
n78H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	17.83
n78H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	17.91
n78H	50	30	3725.01	DFT	64QAM	Outer_Full	17.86
n78H	50	30	3725.01	DFT	256QAM	Inner_Full	15.85
n78H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	15.15
n78H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	15.79
n78H	50	30	3725.01	DFT	256QAM	Outer_Full	15.87
n78H	50	30	3725.01	CP	QPSK	Inner_Full	18.74
n78H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	17.20
n78H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	17.54
n78H	50	30	3725.01	CP	QPSK	Outer_Full	17.35
n78H	50	30	3725.01	CP	16QAM	Inner_Full	18.25
n78H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	17.28
n78H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	17.61
n78H	50	30	3725.01	CP	16QAM	Outer_Full	17.34
n78H	50	30	3725.01	CP	64QAM	Inner_Full	16.86
n78H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	16.40
n78H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	16.73
n78H	50	30	3725.01	CP	64QAM	Outer_Full	16.77
n78H	50	30	3725.01	CP	256QAM	Inner_Full	13.93
n78H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	13.66
n78H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	13.93
n78H	50	30	3725.01	CP	256QAM	Outer_Full	13.84
n78H	50	30	3750	DFT	pi/2 BPSK	Inner_Full	20.30
n78H	50	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.38
n78H	50	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.53
n78H	50	30	3750	DFT	pi/2 BPSK	Outer_Full	19.75
n78H	50	30	3750	DFT	QPSK	Inner_Full	20.30
n78H	50	30	3750	DFT	QPSK	Edge_1RB_Left	18.90
n78H	50	30	3750	DFT	QPSK	Edge_1RB_Right	18.98
n78H	50	30	3750	DFT	QPSK	Outer_Full	19.24
n78H	50	30	3750	DFT	16QAM	Inner_Full	19.30
n78H	50	30	3750	DFT	16QAM	Edge_1RB_Left	18.06
n78H	50	30	3750	DFT	16QAM	Edge_1RB_Right	18.17



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	50	30	3750	DFT	16QAM	Outer_Full	18.22
n78H	50	30	3750	DFT	64QAM	Inner_Full	17.92
n78H	50	30	3750	DFT	64QAM	Edge_1RB_Left	17.28
n78H	50	30	3750	DFT	64QAM	Edge_1RB_Right	17.46
n78H	50	30	3750	DFT	64QAM	Outer_Full	17.87
n78H	50	30	3750	DFT	256QAM	Inner_Full	15.91
n78H	50	30	3750	DFT	256QAM	Edge_1RB_Left	15.64
n78H	50	30	3750	DFT	256QAM	Edge_1RB_Right	15.32
n78H	50	30	3750	DFT	256QAM	Outer_Full	15.90
n78H	50	30	3750	CP	QPSK	Inner_Full	18.74
n78H	50	30	3750	CP	QPSK	Edge_1RB_Left	17.27
n78H	50	30	3750	CP	QPSK	Edge_1RB_Right	17.37
n78H	50	30	3750	CP	QPSK	Outer_Full	17.32
n78H	50	30	3750	CP	16QAM	Inner_Full	18.25
n78H	50	30	3750	CP	16QAM	Edge_1RB_Left	17.30
n78H	50	30	3750	CP	16QAM	Edge_1RB_Right	17.23
n78H	50	30	3750	CP	16QAM	Outer_Full	17.35
n78H	50	30	3750	CP	64QAM	Inner_Full	16.83
n78H	50	30	3750	CP	64QAM	Edge_1RB_Left	17.05
n78H	50	30	3750	CP	64QAM	Edge_1RB_Right	17.20
n78H	50	30	3750	CP	64QAM	Outer_Full	16.82
n78H	50	30	3750	CP	256QAM	Inner_Full	13.88
n78H	50	30	3750	CP	256QAM	Edge_1RB_Left	13.38
n78H	50	30	3750	CP	256QAM	Edge_1RB_Right	13.52
n78H	50	30	3750	CP	256QAM	Outer_Full	13.84
n78H	50	30	3774.99	DFT	pi/2 BPSK	Inner_Full	20.15
n78H	50	30	3774.99	DFT	pi/2 BPSK	Edge_1RB_Left	19.34
n78H	50	30	3774.99	DFT	pi/2 BPSK	Edge_1RB_Right	19.70
n78H	50	30	3774.99	DFT	pi/2 BPSK	Outer_Full	19.69
n78H	50	30	3774.99	DFT	QPSK	Inner_Full	20.18
n78H	50	30	3774.99	DFT	QPSK	Edge_1RB_Left	18.81
n78H	50	30	3774.99	DFT	QPSK	Edge_1RB_Right	19.20
n78H	50	30	3774.99	DFT	QPSK	Outer_Full	19.16
n78H	50	30	3774.99	DFT	16QAM	Inner_Full	19.26
n78H	50	30	3774.99	DFT	16QAM	Edge_1RB_Left	17.91
n78H	50	30	3774.99	DFT	16QAM	Edge_1RB_Right	18.29
n78H	50	30	3774.99	DFT	16QAM	Outer_Full	18.12
n78H	50	30	3774.99	DFT	64QAM	Inner_Full	17.81
n78H	50	30	3774.99	DFT	64QAM	Edge_1RB_Left	17.73
n78H	50	30	3774.99	DFT	64QAM	Edge_1RB_Right	17.80



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	50	30	3774.99	DFT	64QAM	Outer_Full	17.77
n78H	50	30	3774.99	DFT	256QAM	Inner_Full	15.80
n78H	50	30	3774.99	DFT	256QAM	Edge_1RB_Left	15.63
n78H	50	30	3774.99	DFT	256QAM	Edge_1RB_Right	15.65
n78H	50	30	3774.99	DFT	256QAM	Outer_Full	15.78
n78H	50	30	3774.99	CP	QPSK	Inner_Full	18.64
n78H	50	30	3774.99	CP	QPSK	Edge_1RB_Left	17.17
n78H	50	30	3774.99	CP	QPSK	Edge_1RB_Right	17.52
n78H	50	30	3774.99	CP	QPSK	Outer_Full	17.27
n78H	50	30	3774.99	CP	16QAM	Inner_Full	18.13
n78H	50	30	3774.99	CP	16QAM	Edge_1RB_Left	17.32
n78H	50	30	3774.99	CP	16QAM	Edge_1RB_Right	17.50
n78H	50	30	3774.99	CP	16QAM	Outer_Full	17.26
n78H	50	30	3774.99	CP	64QAM	Inner_Full	16.74
n78H	50	30	3774.99	CP	64QAM	Edge_1RB_Left	16.85
n78H	50	30	3774.99	CP	64QAM	Edge_1RB_Right	17.05
n78H	50	30	3774.99	CP	64QAM	Outer_Full	16.74
n78H	50	30	3774.99	CP	256QAM	Inner_Full	13.78
n78H	50	30	3774.99	CP	256QAM	Edge_1RB_Left	13.28
n78H	50	30	3774.99	CP	256QAM	Edge_1RB_Right	13.69
n78H	50	30	3774.99	CP	256QAM	Outer_Full	13.76
n78H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	20.34
n78H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	19.20
n78H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	19.39
n78H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	19.71
n78H	60	30	3730.02	DFT	QPSK	Inner_Full	20.29
n78H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	18.69
n78H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	18.79
n78H	60	30	3730.02	DFT	QPSK	Outer_Full	19.18
n78H	60	30	3730.02	DFT	16QAM	Inner_Full	19.29
n78H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	17.80
n78H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	17.95
n78H	60	30	3730.02	DFT	16QAM	Outer_Full	18.11
n78H	60	30	3730.02	DFT	64QAM	Inner_Full	17.90
n78H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	17.53
n78H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	17.77
n78H	60	30	3730.02	DFT	64QAM	Outer_Full	17.83
n78H	60	30	3730.02	DFT	256QAM	Inner_Full	15.90
n78H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	15.43
n78H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	15.18



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	60	30	3730.02	DFT	256QAM	Outer_Full	15.78
n78H	60	30	3730.02	CP	QPSK	Inner_Full	18.72
n78H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	17.04
n78H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	17.27
n78H	60	30	3730.02	CP	QPSK	Outer_Full	17.24
n78H	60	30	3730.02	CP	16QAM	Inner_Full	18.26
n78H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	16.90
n78H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	17.23
n78H	60	30	3730.02	CP	16QAM	Outer_Full	17.23
n78H	60	30	3730.02	CP	64QAM	Inner_Full	16.88
n78H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	16.85
n78H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	17.07
n78H	60	30	3730.02	CP	64QAM	Outer_Full	16.78
n78H	60	30	3730.02	CP	256QAM	Inner_Full	13.88
n78H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	13.20
n78H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	13.42
n78H	60	30	3730.02	CP	256QAM	Outer_Full	13.76
n78H	60	30	3750	DFT	pi/2 BPSK	Inner_Full	20.31
n78H	60	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.17
n78H	60	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.46
n78H	60	30	3750	DFT	pi/2 BPSK	Outer_Full	19.72
n78H	60	30	3750	DFT	QPSK	Inner_Full	20.24
n78H	60	30	3750	DFT	QPSK	Edge_1RB_Left	18.71
n78H	60	30	3750	DFT	QPSK	Edge_1RB_Right	18.85
n78H	60	30	3750	DFT	QPSK	Outer_Full	19.17
n78H	60	30	3750	DFT	16QAM	Inner_Full	19.24
n78H	60	30	3750	DFT	16QAM	Edge_1RB_Left	17.74
n78H	60	30	3750	DFT	16QAM	Edge_1RB_Right	18.12
n78H	60	30	3750	DFT	16QAM	Outer_Full	18.11
n78H	60	30	3750	DFT	64QAM	Inner_Full	17.86
n78H	60	30	3750	DFT	64QAM	Edge_1RB_Left	17.68
n78H	60	30	3750	DFT	64QAM	Edge_1RB_Right	17.75
n78H	60	30	3750	DFT	64QAM	Outer_Full	17.77
n78H	60	30	3750	DFT	256QAM	Inner_Full	15.85
n78H	60	30	3750	DFT	256QAM	Edge_1RB_Left	15.06
n78H	60	30	3750	DFT	256QAM	Edge_1RB_Right	15.89
n78H	60	30	3750	DFT	256QAM	Outer_Full	15.81
n78H	60	30	3750	CP	QPSK	Inner_Full	18.70
n78H	60	30	3750	CP	QPSK	Edge_1RB_Left	16.99
n78H	60	30	3750	CP	QPSK	Edge_1RB_Right	17.32



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	60	30	3750	CP	QPSK	Outer_Full	17.22
n78H	60	30	3750	CP	16QAM	Inner_Full	18.19
n78H	60	30	3750	CP	16QAM	Edge_1RB_Left	17.19
n78H	60	30	3750	CP	16QAM	Edge_1RB_Right	17.42
n78H	60	30	3750	CP	16QAM	Outer_Full	17.26
n78H	60	30	3750	CP	64QAM	Inner_Full	16.88
n78H	60	30	3750	CP	64QAM	Edge_1RB_Left	16.65
n78H	60	30	3750	CP	64QAM	Edge_1RB_Right	16.96
n78H	60	30	3750	CP	64QAM	Outer_Full	16.76
n78H	60	30	3750	CP	256QAM	Inner_Full	13.88
n78H	60	30	3750	CP	256QAM	Edge_1RB_Left	13.55
n78H	60	30	3750	CP	256QAM	Edge_1RB_Right	13.60
n78H	60	30	3750	CP	256QAM	Outer_Full	13.76
n78H	60	30	3769.98	DFT	pi/2 BPSK	Inner_Full	20.18
n78H	60	30	3769.98	DFT	pi/2 BPSK	Edge_1RB_Left	19.34
n78H	60	30	3769.98	DFT	pi/2 BPSK	Edge_1RB_Right	19.66
n78H	60	30	3769.98	DFT	pi/2 BPSK	Outer_Full	19.71
n78H	60	30	3769.98	DFT	QPSK	Inner_Full	20.13
n78H	60	30	3769.98	DFT	QPSK	Edge_1RB_Left	18.71
n78H	60	30	3769.98	DFT	QPSK	Edge_1RB_Right	19.05
n78H	60	30	3769.98	DFT	QPSK	Outer_Full	19.13
n78H	60	30	3769.98	DFT	16QAM	Inner_Full	19.15
n78H	60	30	3769.98	DFT	16QAM	Edge_1RB_Left	18.00
n78H	60	30	3769.98	DFT	16QAM	Edge_1RB_Right	18.31
n78H	60	30	3769.98	DFT	16QAM	Outer_Full	18.11
n78H	60	30	3769.98	DFT	64QAM	Inner_Full	17.73
n78H	60	30	3769.98	DFT	64QAM	Edge_1RB_Left	17.60
n78H	60	30	3769.98	DFT	64QAM	Edge_1RB_Right	17.93
n78H	60	30	3769.98	DFT	64QAM	Outer_Full	17.78
n78H	60	30	3769.98	DFT	256QAM	Inner_Full	15.70
n78H	60	30	3769.98	DFT	256QAM	Edge_1RB_Left	15.44
n78H	60	30	3769.98	DFT	256QAM	Edge_1RB_Right	15.51
n78H	60	30	3769.98	DFT	256QAM	Outer_Full	15.76
n78H	60	30	3769.98	CP	QPSK	Inner_Full	18.55
n78H	60	30	3769.98	CP	QPSK	Edge_1RB_Left	17.25
n78H	60	30	3769.98	CP	QPSK	Edge_1RB_Right	17.49
n78H	60	30	3769.98	CP	QPSK	Outer_Full	17.24
n78H	60	30	3769.98	CP	16QAM	Inner_Full	18.06
n78H	60	30	3769.98	CP	16QAM	Edge_1RB_Left	17.36
n78H	60	30	3769.98	CP	16QAM	Edge_1RB_Right	17.34



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	60	30	3769.98	CP	16QAM	Outer_Full	17.22
n78H	60	30	3769.98	CP	64QAM	Inner_Full	16.71
n78H	60	30	3769.98	CP	64QAM	Edge_1RB_Left	17.01
n78H	60	30	3769.98	CP	64QAM	Edge_1RB_Right	17.29
n78H	60	30	3769.98	CP	64QAM	Outer_Full	16.77
n78H	60	30	3769.98	CP	256QAM	Inner_Full	13.79
n78H	60	30	3769.98	CP	256QAM	Edge_1RB_Left	13.36
n78H	60	30	3769.98	CP	256QAM	Edge_1RB_Right	13.65
n78H	60	30	3769.98	CP	256QAM	Outer_Full	13.74
n78H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	20.32
n78H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	18.90
n78H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.28
n78H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	19.64
n78H	80	30	3740.01	DFT	QPSK	Inner_Full	20.30
n78H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	18.33
n78H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	18.70
n78H	80	30	3740.01	DFT	QPSK	Outer_Full	19.11
n78H	80	30	3740.01	DFT	16QAM	Inner_Full	19.31
n78H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	17.47
n78H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	17.84
n78H	80	30	3740.01	DFT	16QAM	Outer_Full	18.12
n78H	80	30	3740.01	DFT	64QAM	Inner_Full	18.01
n78H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	17.20
n78H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	17.58
n78H	80	30	3740.01	DFT	64QAM	Outer_Full	17.80
n78H	80	30	3740.01	DFT	256QAM	Inner_Full	15.93
n78H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	15.12
n78H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	15.48
n78H	80	30	3740.01	DFT	256QAM	Outer_Full	15.80
n78H	80	30	3740.01	CP	QPSK	Inner_Full	18.77
n78H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	16.95
n78H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	17.32
n78H	80	30	3740.01	CP	QPSK	Outer_Full	17.17
n78H	80	30	3740.01	CP	16QAM	Inner_Full	18.21
n78H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	17.03
n78H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	17.39
n78H	80	30	3740.01	CP	16QAM	Outer_Full	17.24
n78H	80	30	3740.01	CP	64QAM	Inner_Full	16.93
n78H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	16.38
n78H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	16.76



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	80	30	3740.01	CP	64QAM	Outer_Full	16.74
n78H	80	30	3740.01	CP	256QAM	Inner_Full	13.95
n78H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	13.23
n78H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	13.60
n78H	80	30	3740.01	CP	256QAM	Outer_Full	13.81
n78H	80	30	3750	DFT	pi/2 BPSK	Inner_Full	20.34
n78H	80	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	18.84
n78H	80	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.36
n78H	80	30	3750	DFT	pi/2 BPSK	Outer_Full	19.68
n78H	80	30	3750	DFT	QPSK	Inner_Full	20.30
n78H	80	30	3750	DFT	QPSK	Edge_1RB_Left	18.31
n78H	80	30	3750	DFT	QPSK	Edge_1RB_Right	18.82
n78H	80	30	3750	DFT	QPSK	Outer_Full	19.19
n78H	80	30	3750	DFT	16QAM	Inner_Full	19.32
n78H	80	30	3750	DFT	16QAM	Edge_1RB_Left	17.55
n78H	80	30	3750	DFT	16QAM	Edge_1RB_Right	17.94
n78H	80	30	3750	DFT	16QAM	Outer_Full	18.15
n78H	80	30	3750	DFT	64QAM	Inner_Full	17.99
n78H	80	30	3750	DFT	64QAM	Edge_1RB_Left	17.50
n78H	80	30	3750	DFT	64QAM	Edge_1RB_Right	17.43
n78H	80	30	3750	DFT	64QAM	Outer_Full	17.89
n78H	80	30	3750	DFT	256QAM	Inner_Full	15.92
n78H	80	30	3750	DFT	256QAM	Edge_1RB_Left	14.91
n78H	80	30	3750	DFT	256QAM	Edge_1RB_Right	15.81
n78H	80	30	3750	DFT	256QAM	Outer_Full	15.86
n78H	80	30	3750	CP	QPSK	Inner_Full	18.75
n78H	80	30	3750	CP	QPSK	Edge_1RB_Left	16.75
n78H	80	30	3750	CP	QPSK	Edge_1RB_Right	17.16
n78H	80	30	3750	CP	QPSK	Outer_Full	17.23
n78H	80	30	3750	CP	16QAM	Inner_Full	18.23
n78H	80	30	3750	CP	16QAM	Edge_1RB_Left	16.63
n78H	80	30	3750	CP	16QAM	Edge_1RB_Right	17.59
n78H	80	30	3750	CP	16QAM	Outer_Full	17.31
n78H	80	30	3750	CP	64QAM	Inner_Full	16.91
n78H	80	30	3750	CP	64QAM	Edge_1RB_Left	16.68
n78H	80	30	3750	CP	64QAM	Edge_1RB_Right	17.15
n78H	80	30	3750	CP	64QAM	Outer_Full	16.78
n78H	80	30	3750	CP	256QAM	Inner_Full	13.89
n78H	80	30	3750	CP	256QAM	Edge_1RB_Left	13.04
n78H	80	30	3750	CP	256QAM	Edge_1RB_Right	13.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	80	30	3750	CP	256QAM	Outer_Full	13.80
n78H	80	30	3759.99	DFT	pi/2 BPSK	Inner_Full	20.29
n78H	80	30	3759.99	DFT	pi/2 BPSK	Edge_1RB_Left	18.89
n78H	80	30	3759.99	DFT	pi/2 BPSK	Edge_1RB_Right	19.40
n78H	80	30	3759.99	DFT	pi/2 BPSK	Outer_Full	19.71
n78H	80	30	3759.99	DFT	QPSK	Inner_Full	20.25
n78H	80	30	3759.99	DFT	QPSK	Edge_1RB_Left	18.48
n78H	80	30	3759.99	DFT	QPSK	Edge_1RB_Right	18.93
n78H	80	30	3759.99	DFT	QPSK	Outer_Full	19.21
n78H	80	30	3759.99	DFT	16QAM	Inner_Full	19.27
n78H	80	30	3759.99	DFT	16QAM	Edge_1RB_Left	17.55
n78H	80	30	3759.99	DFT	16QAM	Edge_1RB_Right	17.99
n78H	80	30	3759.99	DFT	16QAM	Outer_Full	18.16
n78H	80	30	3759.99	DFT	64QAM	Inner_Full	17.96
n78H	80	30	3759.99	DFT	64QAM	Edge_1RB_Left	17.43
n78H	80	30	3759.99	DFT	64QAM	Edge_1RB_Right	17.61
n78H	80	30	3759.99	DFT	64QAM	Outer_Full	17.85
n78H	80	30	3759.99	DFT	256QAM	Inner_Full	15.89
n78H	80	30	3759.99	DFT	256QAM	Edge_1RB_Left	14.95
n78H	80	30	3759.99	DFT	256QAM	Edge_1RB_Right	15.55
n78H	80	30	3759.99	DFT	256QAM	Outer_Full	15.78
n78H	80	30	3759.99	CP	QPSK	Inner_Full	18.71
n78H	80	30	3759.99	CP	QPSK	Edge_1RB_Left	16.79
n78H	80	30	3759.99	CP	QPSK	Edge_1RB_Right	17.32
n78H	80	30	3759.99	CP	QPSK	Outer_Full	17.28
n78H	80	30	3759.99	CP	16QAM	Inner_Full	18.21
n78H	80	30	3759.99	CP	16QAM	Edge_1RB_Left	16.95
n78H	80	30	3759.99	CP	16QAM	Edge_1RB_Right	17.77
n78H	80	30	3759.99	CP	16QAM	Outer_Full	17.37
n78H	80	30	3759.99	CP	64QAM	Inner_Full	16.90
n78H	80	30	3759.99	CP	64QAM	Edge_1RB_Left	16.53
n78H	80	30	3759.99	CP	64QAM	Edge_1RB_Right	17.01
n78H	80	30	3759.99	CP	64QAM	Outer_Full	16.83
n78H	80	30	3759.99	CP	256QAM	Inner_Full	13.89
n78H	80	30	3759.99	CP	256QAM	Edge_1RB_Left	13.38
n78H	80	30	3759.99	CP	256QAM	Edge_1RB_Right	13.91
n78H	80	30	3759.99	CP	256QAM	Outer_Full	13.83
n78H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	20.30
n78H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	18.74
n78H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	19.28



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	19.69
n78H	90	30	3745.02	DFT	QPSK	Inner_Full	20.32
n78H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	18.28
n78H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	18.69
n78H	90	30	3745.02	DFT	QPSK	Outer_Full	19.18
n78H	90	30	3745.02	DFT	16QAM	Inner_Full	19.31
n78H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	17.39
n78H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	17.85
n78H	90	30	3745.02	DFT	16QAM	Outer_Full	18.14
n78H	90	30	3745.02	DFT	64QAM	Inner_Full	18.00
n78H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	17.23
n78H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	17.58
n78H	90	30	3745.02	DFT	64QAM	Outer_Full	17.88
n78H	90	30	3745.02	DFT	256QAM	Inner_Full	15.91
n78H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	14.70
n78H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	15.22
n78H	90	30	3745.02	DFT	256QAM	Outer_Full	15.82
n78H	90	30	3745.02	CP	QPSK	Inner_Full	18.70
n78H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	16.78
n78H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	17.26
n78H	90	30	3745.02	CP	QPSK	Outer_Full	17.31
n78H	90	30	3745.02	CP	16QAM	Inner_Full	18.25
n78H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	16.64
n78H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	17.12
n78H	90	30	3745.02	CP	16QAM	Outer_Full	17.30
n78H	90	30	3745.02	CP	64QAM	Inner_Full	16.90
n78H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	16.23
n78H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	16.73
n78H	90	30	3745.02	CP	64QAM	Outer_Full	16.78
n78H	90	30	3745.02	CP	256QAM	Inner_Full	13.85
n78H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	12.87
n78H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	13.37
n78H	90	30	3745.02	CP	256QAM	Outer_Full	13.77
n78H	90	30	3750	DFT	pi/2 BPSK	Inner_Full	20.29
n78H	90	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	18.61
n78H	90	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.18
n78H	90	30	3750	DFT	pi/2 BPSK	Outer_Full	19.67
n78H	90	30	3750	DFT	QPSK	Inner_Full	20.27
n78H	90	30	3750	DFT	QPSK	Edge_1RB_Left	18.19
n78H	90	30	3750	DFT	QPSK	Edge_1RB_Right	18.75



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	90	30	3750	DFT	QPSK	Outer_Full	19.15
n78H	90	30	3750	DFT	16QAM	Inner_Full	19.23
n78H	90	30	3750	DFT	16QAM	Edge_1RB_Left	17.23
n78H	90	30	3750	DFT	16QAM	Edge_1RB_Right	17.79
n78H	90	30	3750	DFT	16QAM	Outer_Full	18.09
n78H	90	30	3750	DFT	64QAM	Inner_Full	17.95
n78H	90	30	3750	DFT	64QAM	Edge_1RB_Left	17.27
n78H	90	30	3750	DFT	64QAM	Edge_1RB_Right	17.45
n78H	90	30	3750	DFT	64QAM	Outer_Full	17.83
n78H	90	30	3750	DFT	256QAM	Inner_Full	15.87
n78H	90	30	3750	DFT	256QAM	Edge_1RB_Left	14.63
n78H	90	30	3750	DFT	256QAM	Edge_1RB_Right	15.61
n78H	90	30	3750	DFT	256QAM	Outer_Full	15.73
n78H	90	30	3750	CP	QPSK	Inner_Full	18.68
n78H	90	30	3750	CP	QPSK	Edge_1RB_Left	16.65
n78H	90	30	3750	CP	QPSK	Edge_1RB_Right	17.19
n78H	90	30	3750	CP	QPSK	Outer_Full	17.26
n78H	90	30	3750	CP	16QAM	Inner_Full	18.19
n78H	90	30	3750	CP	16QAM	Edge_1RB_Left	16.53
n78H	90	30	3750	CP	16QAM	Edge_1RB_Right	17.09
n78H	90	30	3750	CP	16QAM	Outer_Full	17.23
n78H	90	30	3750	CP	64QAM	Inner_Full	16.85
n78H	90	30	3750	CP	64QAM	Edge_1RB_Left	16.50
n78H	90	30	3750	CP	64QAM	Edge_1RB_Right	16.89
n78H	90	30	3750	CP	64QAM	Outer_Full	16.73
n78H	90	30	3750	CP	256QAM	Inner_Full	13.87
n78H	90	30	3750	CP	256QAM	Edge_1RB_Left	12.80
n78H	90	30	3750	CP	256QAM	Edge_1RB_Right	13.32
n78H	90	30	3750	CP	256QAM	Outer_Full	13.74
n78H	90	30	3754.98	DFT	pi/2 BPSK	Inner_Full	20.26
n78H	90	30	3754.98	DFT	pi/2 BPSK	Edge_1RB_Left	18.67
n78H	90	30	3754.98	DFT	pi/2 BPSK	Edge_1RB_Right	19.23
n78H	90	30	3754.98	DFT	pi/2 BPSK	Outer_Full	19.65
n78H	90	30	3754.98	DFT	QPSK	Inner_Full	20.23
n78H	90	30	3754.98	DFT	QPSK	Edge_1RB_Left	18.09
n78H	90	30	3754.98	DFT	QPSK	Edge_1RB_Right	18.71
n78H	90	30	3754.98	DFT	QPSK	Outer_Full	19.13
n78H	90	30	3754.98	DFT	16QAM	Inner_Full	19.19
n78H	90	30	3754.98	DFT	16QAM	Edge_1RB_Left	17.20
n78H	90	30	3754.98	DFT	16QAM	Edge_1RB_Right	17.82



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	90	30	3754.98	DFT	16QAM	Outer_Full	18.07
n78H	90	30	3754.98	DFT	64QAM	Inner_Full	17.93
n78H	90	30	3754.98	DFT	64QAM	Edge_1RB_Left	17.18
n78H	90	30	3754.98	DFT	64QAM	Edge_1RB_Right	17.55
n78H	90	30	3754.98	DFT	64QAM	Outer_Full	17.81
n78H	90	30	3754.98	DFT	256QAM	Inner_Full	15.87
n78H	90	30	3754.98	DFT	256QAM	Edge_1RB_Left	14.81
n78H	90	30	3754.98	DFT	256QAM	Edge_1RB_Right	15.17
n78H	90	30	3754.98	DFT	256QAM	Outer_Full	15.74
n78H	90	30	3754.98	CP	QPSK	Inner_Full	18.66
n78H	90	30	3754.98	CP	QPSK	Edge_1RB_Left	16.72
n78H	90	30	3754.98	CP	QPSK	Edge_1RB_Right	17.21
n78H	90	30	3754.98	CP	QPSK	Outer_Full	17.24
n78H	90	30	3754.98	CP	16QAM	Inner_Full	18.19
n78H	90	30	3754.98	CP	16QAM	Edge_1RB_Left	16.65
n78H	90	30	3754.98	CP	16QAM	Edge_1RB_Right	17.39
n78H	90	30	3754.98	CP	16QAM	Outer_Full	17.24
n78H	90	30	3754.98	CP	64QAM	Inner_Full	16.81
n78H	90	30	3754.98	CP	64QAM	Edge_1RB_Left	16.41
n78H	90	30	3754.98	CP	64QAM	Edge_1RB_Right	16.73
n78H	90	30	3754.98	CP	64QAM	Outer_Full	16.72
n78H	90	30	3754.98	CP	256QAM	Inner_Full	13.80
n78H	90	30	3754.98	CP	256QAM	Edge_1RB_Left	13.03
n78H	90	30	3754.98	CP	256QAM	Edge_1RB_Right	13.33
n78H	90	30	3754.98	CP	256QAM	Outer_Full	13.70
n78H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	20.27
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	18.50
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.07
n78H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	19.58
n78H	100	30	3750	DFT	QPSK	Inner_Full	20.28
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Left	17.97
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Right	18.52
n78H	100	30	3750	DFT	QPSK	Outer_Full	19.09
n78H	100	30	3750	DFT	16QAM	Inner_Full	19.25
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Left	17.10
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Right	17.63
n78H	100	30	3750	DFT	16QAM	Outer_Full	18.02
n78H	100	30	3750	DFT	64QAM	Inner_Full	17.95
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Left	17.14
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Right	17.28



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	100	30	3750	DFT	64QAM	Outer_Full	17.77
n78H	100	30	3750	DFT	256QAM	Inner_Full	15.87
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Left	14.80
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Right	15.41
n78H	100	30	3750	DFT	256QAM	Outer_Full	15.74
n78H	100	30	3750	CP	QPSK	Inner_Full	18.70
n78H	100	30	3750	CP	QPSK	Edge_1RB_Left	16.62
n78H	100	30	3750	CP	QPSK	Edge_1RB_Right	17.11
n78H	100	30	3750	CP	QPSK	Outer_Full	17.18
n78H	100	30	3750	CP	16QAM	Inner_Full	18.22
n78H	100	30	3750	CP	16QAM	Edge_1RB_Left	16.56
n78H	100	30	3750	CP	16QAM	Edge_1RB_Right	17.16
n78H	100	30	3750	CP	16QAM	Outer_Full	17.19
n78H	100	30	3750	CP	64QAM	Inner_Full	16.90
n78H	100	30	3750	CP	64QAM	Edge_1RB_Left	16.24
n78H	100	30	3750	CP	64QAM	Edge_1RB_Right	16.81
n78H	100	30	3750	CP	64QAM	Outer_Full	16.70
n78H	100	30	3750	CP	256QAM	Inner_Full	13.87
n78H	100	30	3750	CP	256QAM	Edge_1RB_Left	12.78
n78H	100	30	3750	CP	256QAM	Edge_1RB_Right	13.34
n78H	100	30	3750	CP	256QAM	Outer_Full	13.66
n78H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	20.28
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	18.51
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.06
n78H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	19.57
n78H	100	30	3750	DFT	QPSK	Inner_Full	20.23
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Left	18.00
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Right	18.55
n78H	100	30	3750	DFT	QPSK	Outer_Full	19.07
n78H	100	30	3750	DFT	16QAM	Inner_Full	19.22
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Left	17.17
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Right	17.76
n78H	100	30	3750	DFT	16QAM	Outer_Full	18.02
n78H	100	30	3750	DFT	64QAM	Inner_Full	17.92
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Left	16.76
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Right	16.88
n78H	100	30	3750	DFT	64QAM	Outer_Full	17.75
n78H	100	30	3750	DFT	256QAM	Inner_Full	15.85
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Left	14.80
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Right	15.40



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	100	30	3750	DFT	256QAM	Outer_Full	15.71
n78H	100	30	3750	CP	QPSK	Inner_Full	18.67
n78H	100	30	3750	CP	QPSK	Edge_1RB_Left	16.54
n78H	100	30	3750	CP	QPSK	Edge_1RB_Right	17.07
n78H	100	30	3750	CP	QPSK	Outer_Full	17.19
n78H	100	30	3750	CP	16QAM	Inner_Full	18.18
n78H	100	30	3750	CP	16QAM	Edge_1RB_Left	16.76
n78H	100	30	3750	CP	16QAM	Edge_1RB_Right	17.36
n78H	100	30	3750	CP	16QAM	Outer_Full	17.21
n78H	100	30	3750	CP	64QAM	Inner_Full	16.89
n78H	100	30	3750	CP	64QAM	Edge_1RB_Left	16.05
n78H	100	30	3750	CP	64QAM	Edge_1RB_Right	16.54
n78H	100	30	3750	CP	64QAM	Outer_Full	16.68
n78H	100	30	3750	CP	256QAM	Inner_Full	13.87
n78H	100	30	3750	CP	256QAM	Edge_1RB_Left	12.88
n78H	100	30	3750	CP	256QAM	Edge_1RB_Right	13.44
n78H	100	30	3750	CP	256QAM	Outer_Full	13.65
n78H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	20.29
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	18.50
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.04
n78H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	19.55
n78H	100	30	3750	DFT	QPSK	Inner_Full	20.26
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Left	17.98
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Right	18.54
n78H	100	30	3750	DFT	QPSK	Outer_Full	19.08
n78H	100	30	3750	DFT	16QAM	Inner_Full	19.27
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Left	17.08
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Right	17.70
n78H	100	30	3750	DFT	16QAM	Outer_Full	18.04
n78H	100	30	3750	DFT	64QAM	Inner_Full	17.95
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Left	17.06
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Right	17.24
n78H	100	30	3750	DFT	64QAM	Outer_Full	17.78
n78H	100	30	3750	DFT	256QAM	Inner_Full	15.92
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Left	14.80
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Right	15.30
n78H	100	30	3750	DFT	256QAM	Outer_Full	15.70
n78H	100	30	3750	CP	QPSK	Inner_Full	18.70
n78H	100	30	3750	CP	QPSK	Edge_1RB_Left	16.65
n78H	100	30	3750	CP	QPSK	Edge_1RB_Right	17.11



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n78H	100	30	3750	CP	QPSK	Outer_Full	17.20
n78H	100	30	3750	CP	16QAM	Inner_Full	18.21
n78H	100	30	3750	CP	16QAM	Edge_1RB_Left	16.56
n78H	100	30	3750	CP	16QAM	Edge_1RB_Right	17.15
n78H	100	30	3750	CP	16QAM	Outer_Full	17.19
n78H	100	30	3750	CP	64QAM	Inner_Full	16.92
n78H	100	30	3750	CP	64QAM	Edge_1RB_Left	16.30
n78H	100	30	3750	CP	64QAM	Edge_1RB_Right	16.81
n78H	100	30	3750	CP	64QAM	Outer_Full	16.71
n78H	100	30	3750	CP	256QAM	Inner_Full	13.87
n78H	100	30	3750	CP	256QAM	Edge_1RB_Left	12.79
n78H	100	30	3750	CP	256QAM	Edge_1RB_Right	13.34
n78H	100	30	3750	CP	256QAM	Outer_Full	13.63

A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

NR Band 7: Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

NR Band 66: Part 27.50(d)(4) specifies "Fixed, mobile, and portable(handheld) stations operating in the 1710–1755 MHz band and mobile and portable stations operating in the 1695–1710 MHz and 1755–1780 MHz bands are limited to 1 watt EIRP".

NR Band 78(3450MHz-3550MHz):Part 27.50(k)(3) specifies "Mobile devices are limited to 1Watt (30 dBm) EIRP. Mobile devices operating in these bands must employ a means for limiting power to the minimum necessary for successful communications".

NR Band 78(3700MHz-3800MHz): Part 27.50(j)(3) Mobile and portable stations are limited to 1 Watt EIRP. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

A.1.3.2 Method of Measurement

ANSI C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = \text{PMea} + \text{GT}$$

Where

ERP or EIRP effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as PMea , e.g., dBm or dBW)

PMea measured transmitter output power or PSD, in dBm or dBW

GT gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP)

A.1.3.3 Measurement result

DC_2A_n7A - EIRP Part 27.50(h)(2)

Limits: ≤33 dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	5	15	2502.5	DFT	pi/2 BPSK	Inner_Full	21.91	21.01
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.53	20.63
n7	5	15	2502.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.54	20.64
n7	5	15	2502.5	DFT	pi/2 BPSK	Outer_Full	21.60	20.70
n7	5	15	2502.5	DFT	QPSK	Inner_Full	22.16	21.26
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Left	21.11	20.21
n7	5	15	2502.5	DFT	QPSK	Edge_1RB_Right	21.16	20.26
n7	5	15	2502.5	DFT	QPSK	Outer_Full	21.21	20.31
n7	5	15	2502.5	DFT	16QAM	Inner_Full	21.22	20.32
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Left	20.42	19.52
n7	5	15	2502.5	DFT	16QAM	Edge_1RB_Right	20.53	19.63
n7	5	15	2502.5	DFT	16QAM	Outer_Full	20.21	19.31
n7	5	15	2502.5	DFT	64QAM	Inner_Full	19.68	18.78
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Left	19.65	18.75
n7	5	15	2502.5	DFT	64QAM	Edge_1RB_Right	19.52	18.62
n7	5	15	2502.5	DFT	64QAM	Outer_Full	19.31	18.41
n7	5	15	2502.5	DFT	256QAM	Inner_Full	17.50	16.60
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Left	17.67	16.77
n7	5	15	2502.5	DFT	256QAM	Edge_1RB_Right	17.66	16.76
n7	5	15	2502.5	DFT	256QAM	Outer_Full	17.70	16.80
n7	5	15	2502.5	CP	QPSK	Inner_Full	20.53	19.63
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Left	19.09	18.19
n7	5	15	2502.5	CP	QPSK	Edge_1RB_Right	19.17	18.27
n7	5	15	2502.5	CP	QPSK	Outer_Full	19.16	18.26
n7	5	15	2502.5	CP	16QAM	Inner_Full	20.13	19.23
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Left	19.43	18.53
n7	5	15	2502.5	CP	16QAM	Edge_1RB_Right	19.54	18.64
n7	5	15	2502.5	CP	16QAM	Outer_Full	19.10	18.20
n7	5	15	2502.5	CP	64QAM	Inner_Full	18.80	17.90
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Left	18.81	17.91
n7	5	15	2502.5	CP	64QAM	Edge_1RB_Right	18.90	18.00
n7	5	15	2502.5	CP	64QAM	Outer_Full	18.73	17.83
n7	5	15	2502.5	CP	256QAM	Inner_Full	15.46	14.56



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Left	15.72	14.82
n7	5	15	2502.5	CP	256QAM	Edge_1RB_Right	15.70	14.80
n7	5	15	2502.5	CP	256QAM	Outer_Full	15.55	14.65
n7	5	15	2535	DFT	pi/2 BPSK	Inner_Full	22.61	21.71
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	22.07	21.17
n7	5	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.16	21.26
n7	5	15	2535	DFT	pi/2 BPSK	Outer_Full	22.24	21.34
n7	5	15	2535	DFT	QPSK	Inner_Full	22.77	21.87
n7	5	15	2535	DFT	QPSK	Edge_1RB_Left	21.66	20.76
n7	5	15	2535	DFT	QPSK	Edge_1RB_Right	21.74	20.84
n7	5	15	2535	DFT	QPSK	Outer_Full	21.82	20.92
n7	5	15	2535	DFT	16QAM	Inner_Full	21.82	20.92
n7	5	15	2535	DFT	16QAM	Edge_1RB_Left	21.04	20.14
n7	5	15	2535	DFT	16QAM	Edge_1RB_Right	21.10	20.20
n7	5	15	2535	DFT	16QAM	Outer_Full	20.82	19.92
n7	5	15	2535	DFT	64QAM	Inner_Full	20.27	19.37
n7	5	15	2535	DFT	64QAM	Edge_1RB_Left	20.23	19.33
n7	5	15	2535	DFT	64QAM	Edge_1RB_Right	20.07	19.17
n7	5	15	2535	DFT	64QAM	Outer_Full	20.19	19.29
n7	5	15	2535	DFT	256QAM	Inner_Full	18.22	17.32
n7	5	15	2535	DFT	256QAM	Edge_1RB_Left	18.26	17.36
n7	5	15	2535	DFT	256QAM	Edge_1RB_Right	18.35	17.45
n7	5	15	2535	DFT	256QAM	Outer_Full	18.35	17.45
n7	5	15	2535	CP	QPSK	Inner_Full	21.09	20.19
n7	5	15	2535	CP	QPSK	Edge_1RB_Left	19.62	18.72
n7	5	15	2535	CP	QPSK	Edge_1RB_Right	19.69	18.79
n7	5	15	2535	CP	QPSK	Outer_Full	19.74	18.84
n7	5	15	2535	CP	16QAM	Inner_Full	20.69	19.79
n7	5	15	2535	CP	16QAM	Edge_1RB_Left	19.89	18.99
n7	5	15	2535	CP	16QAM	Edge_1RB_Right	20.08	19.18
n7	5	15	2535	CP	16QAM	Outer_Full	19.68	18.78
n7	5	15	2535	CP	64QAM	Inner_Full	19.21	18.31
n7	5	15	2535	CP	64QAM	Edge_1RB_Left	19.24	18.34
n7	5	15	2535	CP	64QAM	Edge_1RB_Right	19.30	18.40
n7	5	15	2535	CP	64QAM	Outer_Full	19.17	18.27
n7	5	15	2535	CP	256QAM	Inner_Full	16.21	15.31



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	5	15	2535	CP	256QAM	Edge_1RB_Left	16.27	15.37
n7	5	15	2535	CP	256QAM	Edge_1RB_Right	16.34	15.44
n7	5	15	2535	CP	256QAM	Outer_Full	16.23	15.33
n7	5	15	2567.5	DFT	pi/2 BPSK	Inner_Full	22.05	21.15
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.62	20.72
n7	5	15	2567.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.62	20.72
n7	5	15	2567.5	DFT	pi/2 BPSK	Outer_Full	21.72	20.82
n7	5	15	2567.5	DFT	QPSK	Inner_Full	22.23	21.33
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Left	21.21	20.31
n7	5	15	2567.5	DFT	QPSK	Edge_1RB_Right	21.18	20.28
n7	5	15	2567.5	DFT	QPSK	Outer_Full	21.26	20.36
n7	5	15	2567.5	DFT	16QAM	Inner_Full	21.25	20.35
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Left	20.53	19.63
n7	5	15	2567.5	DFT	16QAM	Edge_1RB_Right	20.49	19.59
n7	5	15	2567.5	DFT	16QAM	Outer_Full	20.22	19.32
n7	5	15	2567.5	DFT	64QAM	Inner_Full	19.68	18.78
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Left	19.53	18.63
n7	5	15	2567.5	DFT	64QAM	Edge_1RB_Right	19.48	18.58
n7	5	15	2567.5	DFT	64QAM	Outer_Full	19.63	18.73
n7	5	15	2567.5	DFT	256QAM	Inner_Full	17.57	16.67
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Left	17.72	16.82
n7	5	15	2567.5	DFT	256QAM	Edge_1RB_Right	17.84	16.94
n7	5	15	2567.5	DFT	256QAM	Outer_Full	17.79	16.89
n7	5	15	2567.5	CP	QPSK	Inner_Full	20.48	19.58
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Left	19.13	18.23
n7	5	15	2567.5	CP	QPSK	Edge_1RB_Right	19.12	18.22
n7	5	15	2567.5	CP	QPSK	Outer_Full	19.18	18.28
n7	5	15	2567.5	CP	16QAM	Inner_Full	20.10	19.20
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Left	19.46	18.56
n7	5	15	2567.5	CP	16QAM	Edge_1RB_Right	19.43	18.53
n7	5	15	2567.5	CP	16QAM	Outer_Full	19.09	18.19
n7	5	15	2567.5	CP	64QAM	Inner_Full	18.80	17.90
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Left	18.93	18.03
n7	5	15	2567.5	CP	64QAM	Edge_1RB_Right	18.87	17.97
n7	5	15	2567.5	CP	64QAM	Outer_Full	18.74	17.84
n7	5	15	2567.5	CP	256QAM	Inner_Full	15.64	14.74



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Left	15.77	14.87
n7	5	15	2567.5	CP	256QAM	Edge_1RB_Right	15.79	14.89
n7	5	15	2567.5	CP	256QAM	Outer_Full	15.62	14.72
n7	10	15	2505	DFT	pi/2 BPSK	Inner_Full	21.97	21.07
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Left	21.39	20.49
n7	10	15	2505	DFT	pi/2 BPSK	Edge_1RB_Right	21.62	20.72
n7	10	15	2505	DFT	pi/2 BPSK	Outer_Full	21.53	20.63
n7	10	15	2505	DFT	QPSK	Inner_Full	22.12	21.22
n7	10	15	2505	DFT	QPSK	Edge_1RB_Left	20.96	20.06
n7	10	15	2505	DFT	QPSK	Edge_1RB_Right	21.21	20.31
n7	10	15	2505	DFT	QPSK	Outer_Full	21.10	20.20
n7	10	15	2505	DFT	16QAM	Inner_Full	21.08	20.18
n7	10	15	2505	DFT	16QAM	Edge_1RB_Left	20.31	19.41
n7	10	15	2505	DFT	16QAM	Edge_1RB_Right	20.45	19.55
n7	10	15	2505	DFT	16QAM	Outer_Full	20.13	19.23
n7	10	15	2505	DFT	64QAM	Inner_Full	19.50	18.60
n7	10	15	2505	DFT	64QAM	Edge_1RB_Left	19.31	18.41
n7	10	15	2505	DFT	64QAM	Edge_1RB_Right	19.46	18.56
n7	10	15	2505	DFT	64QAM	Outer_Full	19.57	18.67
n7	10	15	2505	DFT	256QAM	Inner_Full	17.47	16.57
n7	10	15	2505	DFT	256QAM	Edge_1RB_Left	17.51	16.61
n7	10	15	2505	DFT	256QAM	Edge_1RB_Right	17.64	16.74
n7	10	15	2505	DFT	256QAM	Outer_Full	17.56	16.66
n7	10	15	2505	CP	QPSK	Inner_Full	20.46	19.56
n7	10	15	2505	CP	QPSK	Edge_1RB_Left	18.88	17.98
n7	10	15	2505	CP	QPSK	Edge_1RB_Right	19.12	18.22
n7	10	15	2505	CP	QPSK	Outer_Full	19.02	18.12
n7	10	15	2505	CP	16QAM	Inner_Full	20.05	19.15
n7	10	15	2505	CP	16QAM	Edge_1RB_Left	19.22	18.32
n7	10	15	2505	CP	16QAM	Edge_1RB_Right	19.48	18.58
n7	10	15	2505	CP	16QAM	Outer_Full	18.99	18.09
n7	10	15	2505	CP	64QAM	Inner_Full	18.61	17.71
n7	10	15	2505	CP	64QAM	Edge_1RB_Left	18.67	17.77
n7	10	15	2505	CP	64QAM	Edge_1RB_Right	18.86	17.96
n7	10	15	2505	CP	64QAM	Outer_Full	18.71	17.81
n7	10	15	2505	CP	256QAM	Inner_Full	15.41	14.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	10	15	2505	CP	256QAM	Edge_1RB_Left	15.53	14.63
n7	10	15	2505	CP	256QAM	Edge_1RB_Right	15.70	14.80
n7	10	15	2505	CP	256QAM	Outer_Full	15.45	14.55
n7	10	15	2535	DFT	pi/2 BPSK	Inner_Full	22.44	21.54
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.82	20.92
n7	10	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.00	21.10
n7	10	15	2535	DFT	pi/2 BPSK	Outer_Full	22.06	21.16
n7	10	15	2535	DFT	QPSK	Inner_Full	22.59	21.69
n7	10	15	2535	DFT	QPSK	Edge_1RB_Left	21.38	20.48
n7	10	15	2535	DFT	QPSK	Edge_1RB_Right	21.56	20.66
n7	10	15	2535	DFT	QPSK	Outer_Full	21.68	20.78
n7	10	15	2535	DFT	16QAM	Inner_Full	21.62	20.72
n7	10	15	2535	DFT	16QAM	Edge_1RB_Left	20.73	19.83
n7	10	15	2535	DFT	16QAM	Edge_1RB_Right	20.91	20.01
n7	10	15	2535	DFT	16QAM	Outer_Full	20.68	19.78
n7	10	15	2535	DFT	64QAM	Inner_Full	19.99	19.09
n7	10	15	2535	DFT	64QAM	Edge_1RB_Left	20.06	19.16
n7	10	15	2535	DFT	64QAM	Edge_1RB_Right	19.96	19.06
n7	10	15	2535	DFT	64QAM	Outer_Full	20.09	19.19
n7	10	15	2535	DFT	256QAM	Inner_Full	18.19	17.29
n7	10	15	2535	DFT	256QAM	Edge_1RB_Left	18.13	17.23
n7	10	15	2535	DFT	256QAM	Edge_1RB_Right	18.26	17.36
n7	10	15	2535	DFT	256QAM	Outer_Full	18.22	17.32
n7	10	15	2535	CP	QPSK	Inner_Full	20.97	20.07
n7	10	15	2535	CP	QPSK	Edge_1RB_Left	19.40	18.50
n7	10	15	2535	CP	QPSK	Edge_1RB_Right	19.50	18.60
n7	10	15	2535	CP	QPSK	Outer_Full	19.54	18.64
n7	10	15	2535	CP	16QAM	Inner_Full	20.53	19.63
n7	10	15	2535	CP	16QAM	Edge_1RB_Left	19.57	18.67
n7	10	15	2535	CP	16QAM	Edge_1RB_Right	19.74	18.84
n7	10	15	2535	CP	16QAM	Outer_Full	19.52	18.62
n7	10	15	2535	CP	64QAM	Inner_Full	18.96	18.06
n7	10	15	2535	CP	64QAM	Edge_1RB_Left	19.10	18.20
n7	10	15	2535	CP	64QAM	Edge_1RB_Right	18.99	18.09
n7	10	15	2535	CP	64QAM	Outer_Full	19.06	18.16
n7	10	15	2535	CP	256QAM	Inner_Full	16.17	15.27



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	10	15	2535	CP	256QAM	Edge_1RB_Left	16.15	15.25
n7	10	15	2535	CP	256QAM	Edge_1RB_Right	16.33	15.43
n7	10	15	2535	CP	256QAM	Outer_Full	16.12	15.22
n7	10	15	2565	DFT	pi/2 BPSK	Inner_Full	21.96	21.06
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Left	21.52	20.62
n7	10	15	2565	DFT	pi/2 BPSK	Edge_1RB_Right	21.40	20.50
n7	10	15	2565	DFT	pi/2 BPSK	Outer_Full	21.56	20.66
n7	10	15	2565	DFT	QPSK	Inner_Full	22.10	21.20
n7	10	15	2565	DFT	QPSK	Edge_1RB_Left	21.10	20.20
n7	10	15	2565	DFT	QPSK	Edge_1RB_Right	20.98	20.08
n7	10	15	2565	DFT	QPSK	Outer_Full	21.14	20.24
n7	10	15	2565	DFT	16QAM	Inner_Full	21.11	20.21
n7	10	15	2565	DFT	16QAM	Edge_1RB_Left	20.45	19.55
n7	10	15	2565	DFT	16QAM	Edge_1RB_Right	20.28	19.38
n7	10	15	2565	DFT	16QAM	Outer_Full	20.17	19.27
n7	10	15	2565	DFT	64QAM	Inner_Full	19.50	18.60
n7	10	15	2565	DFT	64QAM	Edge_1RB_Left	19.45	18.55
n7	10	15	2565	DFT	64QAM	Edge_1RB_Right	19.30	18.40
n7	10	15	2565	DFT	64QAM	Outer_Full	19.58	18.68
n7	10	15	2565	DFT	256QAM	Inner_Full	17.60	16.70
n7	10	15	2565	DFT	256QAM	Edge_1RB_Left	17.80	16.90
n7	10	15	2565	DFT	256QAM	Edge_1RB_Right	17.67	16.77
n7	10	15	2565	DFT	256QAM	Outer_Full	17.72	16.82
n7	10	15	2565	CP	QPSK	Inner_Full	20.45	19.55
n7	10	15	2565	CP	QPSK	Edge_1RB_Left	19.03	18.13
n7	10	15	2565	CP	QPSK	Edge_1RB_Right	18.90	18.00
n7	10	15	2565	CP	QPSK	Outer_Full	18.98	18.08
n7	10	15	2565	CP	16QAM	Inner_Full	20.01	19.11
n7	10	15	2565	CP	16QAM	Edge_1RB_Left	19.37	18.47
n7	10	15	2565	CP	16QAM	Edge_1RB_Right	19.17	18.27
n7	10	15	2565	CP	16QAM	Outer_Full	18.98	18.08
n7	10	15	2565	CP	64QAM	Inner_Full	18.59	17.69
n7	10	15	2565	CP	64QAM	Edge_1RB_Left	18.79	17.89
n7	10	15	2565	CP	64QAM	Edge_1RB_Right	18.65	17.75
n7	10	15	2565	CP	64QAM	Outer_Full	18.71	17.81
n7	10	15	2565	CP	256QAM	Inner_Full	15.68	14.78



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	10	15	2565	CP	256QAM	Edge_1RB_Left	15.87	14.97
n7	10	15	2565	CP	256QAM	Edge_1RB_Right	15.68	14.78
n7	10	15	2565	CP	256QAM	Outer_Full	15.60	14.70
n7	15	15	2507.5	DFT	pi/2 BPSK	Inner_Full	22.19	21.29
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.52	20.62
n7	15	15	2507.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.82	20.92
n7	15	15	2507.5	DFT	pi/2 BPSK	Outer_Full	21.80	20.90
n7	15	15	2507.5	DFT	QPSK	Inner_Full	22.34	21.44
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Left	21.12	20.22
n7	15	15	2507.5	DFT	QPSK	Edge_1RB_Right	21.36	20.46
n7	15	15	2507.5	DFT	QPSK	Outer_Full	21.37	20.47
n7	15	15	2507.5	DFT	16QAM	Inner_Full	21.35	20.45
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Left	20.42	19.52
n7	15	15	2507.5	DFT	16QAM	Edge_1RB_Right	20.67	19.77
n7	15	15	2507.5	DFT	16QAM	Outer_Full	20.31	19.41
n7	15	15	2507.5	DFT	64QAM	Inner_Full	19.79	18.89
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Left	19.69	18.79
n7	15	15	2507.5	DFT	64QAM	Edge_1RB_Right	19.66	18.76
n7	15	15	2507.5	DFT	64QAM	Outer_Full	19.86	18.96
n7	15	15	2507.5	DFT	256QAM	Inner_Full	17.82	16.92
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Left	17.74	16.84
n7	15	15	2507.5	DFT	256QAM	Edge_1RB_Right	18.08	17.18
n7	15	15	2507.5	DFT	256QAM	Outer_Full	17.94	17.04
n7	15	15	2507.5	CP	QPSK	Inner_Full	20.72	19.82
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Left	19.04	18.14
n7	15	15	2507.5	CP	QPSK	Edge_1RB_Right	19.28	18.38
n7	15	15	2507.5	CP	QPSK	Outer_Full	19.26	18.36
n7	15	15	2507.5	CP	16QAM	Inner_Full	20.19	19.29
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Left	19.38	18.48
n7	15	15	2507.5	CP	16QAM	Edge_1RB_Right	19.63	18.73
n7	15	15	2507.5	CP	16QAM	Outer_Full	19.25	18.35
n7	15	15	2507.5	CP	64QAM	Inner_Full	18.94	18.04
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Left	18.78	17.88
n7	15	15	2507.5	CP	64QAM	Edge_1RB_Right	19.04	18.14
n7	15	15	2507.5	CP	64QAM	Outer_Full	18.94	18.04
n7	15	15	2507.5	CP	256QAM	Inner_Full	15.97	15.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Left	15.81	14.91
n7	15	15	2507.5	CP	256QAM	Edge_1RB_Right	16.08	15.18
n7	15	15	2507.5	CP	256QAM	Outer_Full	15.89	14.99
n7	15	15	2535	DFT	pi/2 BPSK	Inner_Full	22.59	21.69
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.91	21.01
n7	15	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.15	21.25
n7	15	15	2535	DFT	pi/2 BPSK	Outer_Full	22.19	21.29
n7	15	15	2535	DFT	QPSK	Inner_Full	22.77	21.87
n7	15	15	2535	DFT	QPSK	Edge_1RB_Left	21.47	20.57
n7	15	15	2535	DFT	QPSK	Edge_1RB_Right	21.71	20.81
n7	15	15	2535	DFT	QPSK	Outer_Full	21.79	20.89
n7	15	15	2535	DFT	16QAM	Inner_Full	21.80	20.90
n7	15	15	2535	DFT	16QAM	Edge_1RB_Left	20.82	19.92
n7	15	15	2535	DFT	16QAM	Edge_1RB_Right	21.04	20.14
n7	15	15	2535	DFT	16QAM	Outer_Full	20.83	19.93
n7	15	15	2535	DFT	64QAM	Inner_Full	20.26	19.36
n7	15	15	2535	DFT	64QAM	Edge_1RB_Left	19.84	18.94
n7	15	15	2535	DFT	64QAM	Edge_1RB_Right	20.02	19.12
n7	15	15	2535	DFT	64QAM	Outer_Full	20.30	19.40
n7	15	15	2535	DFT	256QAM	Inner_Full	18.25	17.35
n7	15	15	2535	DFT	256QAM	Edge_1RB_Left	18.17	17.27
n7	15	15	2535	DFT	256QAM	Edge_1RB_Right	18.40	17.50
n7	15	15	2535	DFT	256QAM	Outer_Full	18.40	17.50
n7	15	15	2535	CP	QPSK	Inner_Full	21.14	20.24
n7	15	15	2535	CP	QPSK	Edge_1RB_Left	19.40	18.50
n7	15	15	2535	CP	QPSK	Edge_1RB_Right	19.62	18.72
n7	15	15	2535	CP	QPSK	Outer_Full	19.68	18.78
n7	15	15	2535	CP	16QAM	Inner_Full	20.62	19.72
n7	15	15	2535	CP	16QAM	Edge_1RB_Left	19.79	18.89
n7	15	15	2535	CP	16QAM	Edge_1RB_Right	19.93	19.03
n7	15	15	2535	CP	16QAM	Outer_Full	19.74	18.84
n7	15	15	2535	CP	64QAM	Inner_Full	19.19	18.29
n7	15	15	2535	CP	64QAM	Edge_1RB_Left	19.21	18.31
n7	15	15	2535	CP	64QAM	Edge_1RB_Right	19.21	18.31
n7	15	15	2535	CP	64QAM	Outer_Full	19.23	18.33
n7	15	15	2535	CP	256QAM	Inner_Full	16.35	15.45



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	15	15	2535	CP	256QAM	Edge_1RB_Left	16.24	15.34
n7	15	15	2535	CP	256QAM	Edge_1RB_Right	16.42	15.52
n7	15	15	2535	CP	256QAM	Outer_Full	16.34	15.44
n7	15	15	2562.5	DFT	pi/2 BPSK	Inner_Full	22.21	21.31
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.87	20.97
n7	15	15	2562.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.55	20.65
n7	15	15	2562.5	DFT	pi/2 BPSK	Outer_Full	21.80	20.90
n7	15	15	2562.5	DFT	QPSK	Inner_Full	22.34	21.44
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Left	21.46	20.56
n7	15	15	2562.5	DFT	QPSK	Edge_1RB_Right	21.14	20.24
n7	15	15	2562.5	DFT	QPSK	Outer_Full	21.35	20.45
n7	15	15	2562.5	DFT	16QAM	Inner_Full	21.33	20.43
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Left	20.79	19.89
n7	15	15	2562.5	DFT	16QAM	Edge_1RB_Right	20.47	19.57
n7	15	15	2562.5	DFT	16QAM	Outer_Full	20.38	19.48
n7	15	15	2562.5	DFT	64QAM	Inner_Full	19.81	18.91
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Left	19.76	18.86
n7	15	15	2562.5	DFT	64QAM	Edge_1RB_Right	19.66	18.76
n7	15	15	2562.5	DFT	64QAM	Outer_Full	19.83	18.93
n7	15	15	2562.5	DFT	256QAM	Inner_Full	17.81	16.91
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Left	18.12	17.22
n7	15	15	2562.5	DFT	256QAM	Edge_1RB_Right	17.80	16.90
n7	15	15	2562.5	DFT	256QAM	Outer_Full	17.94	17.04
n7	15	15	2562.5	CP	QPSK	Inner_Full	20.68	19.78
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Left	19.36	18.46
n7	15	15	2562.5	CP	QPSK	Edge_1RB_Right	19.03	18.13
n7	15	15	2562.5	CP	QPSK	Outer_Full	19.26	18.36
n7	15	15	2562.5	CP	16QAM	Inner_Full	20.19	19.29
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Left	19.66	18.76
n7	15	15	2562.5	CP	16QAM	Edge_1RB_Right	19.32	18.42
n7	15	15	2562.5	CP	16QAM	Outer_Full	19.26	18.36
n7	15	15	2562.5	CP	64QAM	Inner_Full	18.90	18.00
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Left	18.90	18.00
n7	15	15	2562.5	CP	64QAM	Edge_1RB_Right	18.82	17.92
n7	15	15	2562.5	CP	64QAM	Outer_Full	18.95	18.05
n7	15	15	2562.5	CP	256QAM	Inner_Full	15.84	14.94



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Left	16.15	15.25
n7	15	15	2562.5	CP	256QAM	Edge_1RB_Right	15.78	14.88
n7	15	15	2562.5	CP	256QAM	Outer_Full	15.91	15.01
n7	20	15	2510	DFT	pi/2 BPSK	Inner_Full	22.27	21.37
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Left	21.49	20.59
n7	20	15	2510	DFT	pi/2 BPSK	Edge_1RB_Right	21.79	20.89
n7	20	15	2510	DFT	pi/2 BPSK	Outer_Full	21.80	20.90
n7	20	15	2510	DFT	QPSK	Inner_Full	22.41	21.51
n7	20	15	2510	DFT	QPSK	Edge_1RB_Left	21.08	20.18
n7	20	15	2510	DFT	QPSK	Edge_1RB_Right	21.35	20.45
n7	20	15	2510	DFT	QPSK	Outer_Full	21.35	20.45
n7	20	15	2510	DFT	16QAM	Inner_Full	21.46	20.56
n7	20	15	2510	DFT	16QAM	Edge_1RB_Left	20.36	19.46
n7	20	15	2510	DFT	16QAM	Edge_1RB_Right	20.66	19.76
n7	20	15	2510	DFT	16QAM	Outer_Full	20.36	19.46
n7	20	15	2510	DFT	64QAM	Inner_Full	19.85	18.95
n7	20	15	2510	DFT	64QAM	Edge_1RB_Left	19.37	18.47
n7	20	15	2510	DFT	64QAM	Edge_1RB_Right	19.66	18.76
n7	20	15	2510	DFT	64QAM	Outer_Full	19.84	18.94
n7	20	15	2510	DFT	256QAM	Inner_Full	17.96	17.06
n7	20	15	2510	DFT	256QAM	Edge_1RB_Left	17.67	16.77
n7	20	15	2510	DFT	256QAM	Edge_1RB_Right	18.04	17.14
n7	20	15	2510	DFT	256QAM	Outer_Full	17.91	17.01
n7	20	15	2510	CP	QPSK	Inner_Full	20.79	19.89
n7	20	15	2510	CP	QPSK	Edge_1RB_Left	18.94	18.04
n7	20	15	2510	CP	QPSK	Edge_1RB_Right	19.33	18.43
n7	20	15	2510	CP	QPSK	Outer_Full	19.27	18.37
n7	20	15	2510	CP	16QAM	Inner_Full	20.39	19.49
n7	20	15	2510	CP	16QAM	Edge_1RB_Left	19.36	18.46
n7	20	15	2510	CP	16QAM	Edge_1RB_Right	19.58	18.68
n7	20	15	2510	CP	16QAM	Outer_Full	19.26	18.36
n7	20	15	2510	CP	64QAM	Inner_Full	19.04	18.14
n7	20	15	2510	CP	64QAM	Edge_1RB_Left	18.62	17.72
n7	20	15	2510	CP	64QAM	Edge_1RB_Right	19.02	18.12
n7	20	15	2510	CP	64QAM	Outer_Full	18.98	18.08
n7	20	15	2510	CP	256QAM	Inner_Full	15.93	15.03



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	20	15	2510	CP	256QAM	Edge_1RB_Left	15.80	14.90
n7	20	15	2510	CP	256QAM	Edge_1RB_Right	16.11	15.21
n7	20	15	2510	CP	256QAM	Outer_Full	15.87	14.97
n7	20	15	2535	DFT	pi/2 BPSK	Inner_Full	22.59	21.69
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Left	21.82	20.92
n7	20	15	2535	DFT	pi/2 BPSK	Edge_1RB_Right	22.10	21.20
n7	20	15	2535	DFT	pi/2 BPSK	Outer_Full	22.18	21.28
n7	20	15	2535	DFT	QPSK	Inner_Full	22.73	21.83
n7	20	15	2535	DFT	QPSK	Edge_1RB_Left	21.44	20.54
n7	20	15	2535	DFT	QPSK	Edge_1RB_Right	21.64	20.74
n7	20	15	2535	DFT	QPSK	Outer_Full	21.80	20.90
n7	20	15	2535	DFT	16QAM	Inner_Full	21.79	20.89
n7	20	15	2535	DFT	16QAM	Edge_1RB_Left	20.76	19.86
n7	20	15	2535	DFT	16QAM	Edge_1RB_Right	21.01	20.11
n7	20	15	2535	DFT	16QAM	Outer_Full	20.80	19.90
n7	20	15	2535	DFT	64QAM	Inner_Full	20.21	19.31
n7	20	15	2535	DFT	64QAM	Edge_1RB_Left	19.77	18.87
n7	20	15	2535	DFT	64QAM	Edge_1RB_Right	20.02	19.12
n7	20	15	2535	DFT	64QAM	Outer_Full	20.25	19.35
n7	20	15	2535	DFT	256QAM	Inner_Full	18.29	17.39
n7	20	15	2535	DFT	256QAM	Edge_1RB_Left	18.07	17.17
n7	20	15	2535	DFT	256QAM	Edge_1RB_Right	18.36	17.46
n7	20	15	2535	DFT	256QAM	Outer_Full	18.35	17.45
n7	20	15	2535	CP	QPSK	Inner_Full	21.15	20.25
n7	20	15	2535	CP	QPSK	Edge_1RB_Left	19.32	18.42
n7	20	15	2535	CP	QPSK	Edge_1RB_Right	19.65	18.75
n7	20	15	2535	CP	QPSK	Outer_Full	19.71	18.81
n7	20	15	2535	CP	16QAM	Inner_Full	20.79	19.89
n7	20	15	2535	CP	16QAM	Edge_1RB_Left	19.60	18.70
n7	20	15	2535	CP	16QAM	Edge_1RB_Right	19.95	19.05
n7	20	15	2535	CP	16QAM	Outer_Full	19.72	18.82
n7	20	15	2535	CP	64QAM	Inner_Full	19.30	18.40
n7	20	15	2535	CP	64QAM	Edge_1RB_Left	19.11	18.21
n7	20	15	2535	CP	64QAM	Edge_1RB_Right	19.22	18.32
n7	20	15	2535	CP	64QAM	Outer_Full	19.27	18.37
n7	20	15	2535	CP	256QAM	Inner_Full	16.34	15.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	20	15	2535	CP	256QAM	Edge_1RB_Left	16.12	15.22
n7	20	15	2535	CP	256QAM	Edge_1RB_Right	16.44	15.54
n7	20	15	2535	CP	256QAM	Outer_Full	16.34	15.44
n7	20	15	2560	DFT	pi/2 BPSK	Inner_Full	22.25	21.35
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Left	21.96	21.06
n7	20	15	2560	DFT	pi/2 BPSK	Edge_1RB_Right	21.54	20.64
n7	20	15	2560	DFT	pi/2 BPSK	Outer_Full	21.93	21.03
n7	20	15	2560	DFT	QPSK	Inner_Full	22.43	21.53
n7	20	15	2560	DFT	QPSK	Edge_1RB_Left	21.54	20.64
n7	20	15	2560	DFT	QPSK	Edge_1RB_Right	21.07	20.17
n7	20	15	2560	DFT	QPSK	Outer_Full	21.50	20.60
n7	20	15	2560	DFT	16QAM	Inner_Full	21.41	20.51
n7	20	15	2560	DFT	16QAM	Edge_1RB_Left	20.88	19.98
n7	20	15	2560	DFT	16QAM	Edge_1RB_Right	20.42	19.52
n7	20	15	2560	DFT	16QAM	Outer_Full	20.50	19.60
n7	20	15	2560	DFT	64QAM	Inner_Full	19.81	18.91
n7	20	15	2560	DFT	64QAM	Edge_1RB_Left	19.91	19.01
n7	20	15	2560	DFT	64QAM	Edge_1RB_Right	19.63	18.73
n7	20	15	2560	DFT	64QAM	Outer_Full	19.95	19.05
n7	20	15	2560	DFT	256QAM	Inner_Full	17.95	17.05
n7	20	15	2560	DFT	256QAM	Edge_1RB_Left	18.20	17.30
n7	20	15	2560	DFT	256QAM	Edge_1RB_Right	17.77	16.87
n7	20	15	2560	DFT	256QAM	Outer_Full	18.07	17.17
n7	20	15	2560	CP	QPSK	Inner_Full	20.77	19.87
n7	20	15	2560	CP	QPSK	Edge_1RB_Left	19.48	18.58
n7	20	15	2560	CP	QPSK	Edge_1RB_Right	19.04	18.14
n7	20	15	2560	CP	QPSK	Outer_Full	19.35	18.45
n7	20	15	2560	CP	16QAM	Inner_Full	20.35	19.45
n7	20	15	2560	CP	16QAM	Edge_1RB_Left	19.80	18.90
n7	20	15	2560	CP	16QAM	Edge_1RB_Right	19.33	18.43
n7	20	15	2560	CP	16QAM	Outer_Full	19.38	18.48
n7	20	15	2560	CP	64QAM	Inner_Full	19.07	18.17
n7	20	15	2560	CP	64QAM	Edge_1RB_Left	19.09	18.19
n7	20	15	2560	CP	64QAM	Edge_1RB_Right	18.80	17.90
n7	20	15	2560	CP	64QAM	Outer_Full	18.91	18.01
n7	20	15	2560	CP	256QAM	Inner_Full	15.92	15.02



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n7	20	15	2560	CP	256QAM	Edge_1RB_Left	16.25	15.35
n7	20	15	2560	CP	256QAM	Edge_1RB_Right	15.81	14.91
n7	20	15	2560	CP	256QAM	Outer_Full	15.96	15.06



DC_2A_n66A - EIRP Part 27.50(d)

Limits: ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	20.30	20.80
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	19.60	20.10
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	19.96	20.46
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	19.97	20.47
n66	5	15	1712.5	DFT	QPSK	Inner_Full	21.30	21.80
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	20.17	20.67
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	20.45	20.95
n66	5	15	1712.5	DFT	QPSK	Outer_Full	20.38	20.88
n66	5	15	1712.5	DFT	16QAM	Inner_Full	20.39	20.89
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	19.39	19.89
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	19.69	20.19
n66	5	15	1712.5	DFT	16QAM	Outer_Full	19.54	20.04
n66	5	15	1712.5	DFT	64QAM	Inner_Full	19.09	19.59
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	18.82	19.32
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	19.01	19.51
n66	5	15	1712.5	DFT	64QAM	Outer_Full	19.05	19.55
n66	5	15	1712.5	DFT	256QAM	Inner_Full	16.88	17.38
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	16.49	16.99
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	16.38	16.88
n66	5	15	1712.5	DFT	256QAM	Outer_Full	16.04	16.54
n66	5	15	1712.5	CP	QPSK	Inner_Full	18.79	19.29
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	18.38	18.88
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	18.59	19.09
n66	5	15	1712.5	CP	QPSK	Outer_Full	18.34	18.84
n66	5	15	1712.5	CP	16QAM	Inner_Full	19.27	19.77
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	18.33	18.83
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	18.58	19.08
n66	5	15	1712.5	CP	16QAM	Outer_Full	18.48	18.98
n66	5	15	1712.5	CP	64QAM	Inner_Full	18.01	18.51
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	18.36	18.86
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	18.43	18.93
n66	5	15	1712.5	CP	64QAM	Outer_Full	18.01	18.51
n66	5	15	1712.5	CP	256QAM	Inner_Full	14.97	15.47
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	14.58	15.08



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	14.83	15.33
n66	5	15	1712.5	CP	256QAM	Outer_Full	14.92	15.42
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	21.95	22.45
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.49	21.99
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.46	21.96
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	21.57	22.07
n66	5	15	1745	DFT	QPSK	Inner_Full	22.08	22.58
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	21.16	21.66
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	21.03	21.53
n66	5	15	1745	DFT	QPSK	Outer_Full	21.15	21.65
n66	5	15	1745	DFT	16QAM	Inner_Full	21.16	21.66
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	20.16	20.66
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	20.08	20.58
n66	5	15	1745	DFT	16QAM	Outer_Full	20.16	20.66
n66	5	15	1745	DFT	64QAM	Inner_Full	19.83	20.33
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	19.69	20.19
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	19.79	20.29
n66	5	15	1745	DFT	64QAM	Outer_Full	19.66	20.16
n66	5	15	1745	DFT	256QAM	Inner_Full	17.61	18.11
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	17.41	17.91
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	17.35	17.85
n66	5	15	1745	DFT	256QAM	Outer_Full	17.68	18.18
n66	5	15	1745	CP	QPSK	Inner_Full	20.51	21.01
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	19.35	19.85
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	19.31	19.81
n66	5	15	1745	CP	QPSK	Outer_Full	19.20	19.70
n66	5	15	1745	CP	16QAM	Inner_Full	19.97	20.47
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	19.26	19.76
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	19.16	19.66
n66	5	15	1745	CP	16QAM	Outer_Full	19.23	19.73
n66	5	15	1745	CP	64QAM	Inner_Full	18.71	19.21
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	19.18	19.68
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	19.14	19.64
n66	5	15	1745	CP	64QAM	Outer_Full	18.76	19.26
n66	5	15	1745	CP	256QAM	Inner_Full	15.70	16.20
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	15.66	16.16



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	15.62	16.12
n66	5	15	1745	CP	256QAM	Outer_Full	15.68	16.18
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	21.91	22.41
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.29	21.79
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.50	22.00
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	21.53	22.03
n66	5	15	1777.5	DFT	QPSK	Inner_Full	22.05	22.55
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	20.90	21.40
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	21.07	21.57
n66	5	15	1777.5	DFT	QPSK	Outer_Full	21.01	21.51
n66	5	15	1777.5	DFT	16QAM	Inner_Full	21.01	21.51
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	19.83	20.33
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	20.03	20.53
n66	5	15	1777.5	DFT	16QAM	Outer_Full	20.02	20.52
n66	5	15	1777.5	DFT	64QAM	Inner_Full	19.52	20.02
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	19.31	19.81
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	19.48	19.98
n66	5	15	1777.5	DFT	64QAM	Outer_Full	19.49	19.99
n66	5	15	1777.5	DFT	256QAM	Inner_Full	17.53	18.03
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	17.15	17.65
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	17.33	17.83
n66	5	15	1777.5	DFT	256QAM	Outer_Full	17.60	18.10
n66	5	15	1777.5	CP	QPSK	Inner_Full	20.37	20.87
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	19.02	19.52
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	19.28	19.78
n66	5	15	1777.5	CP	QPSK	Outer_Full	19.04	19.54
n66	5	15	1777.5	CP	16QAM	Inner_Full	19.81	20.31
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	18.86	19.36
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	19.13	19.63
n66	5	15	1777.5	CP	16QAM	Outer_Full	19.08	19.58
n66	5	15	1777.5	CP	64QAM	Inner_Full	18.56	19.06
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	18.86	19.36
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	19.09	19.59
n66	5	15	1777.5	CP	64QAM	Outer_Full	18.62	19.12
n66	5	15	1777.5	CP	256QAM	Inner_Full	15.59	16.09
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	15.14	15.64



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	15.57	16.07
n66	5	15	1777.5	CP	256QAM	Outer_Full	15.52	16.02
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	21.19	21.69
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	20.50	21.00
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	20.84	21.34
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	20.73	21.23
n66	10	15	1715	DFT	QPSK	Inner_Full	21.35	21.85
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	20.12	20.62
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	20.43	20.93
n66	10	15	1715	DFT	QPSK	Outer_Full	20.28	20.78
n66	10	15	1715	DFT	16QAM	Inner_Full	20.34	20.84
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	19.27	19.77
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	19.56	20.06
n66	10	15	1715	DFT	16QAM	Outer_Full	19.39	19.89
n66	10	15	1715	DFT	64QAM	Inner_Full	19.02	19.52
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	18.72	19.22
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	19.13	19.63
n66	10	15	1715	DFT	64QAM	Outer_Full	18.89	19.39
n66	10	15	1715	DFT	256QAM	Inner_Full	16.82	17.32
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	16.37	16.87
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	16.67	17.17
n66	10	15	1715	DFT	256QAM	Outer_Full	16.87	17.37
n66	10	15	1715	CP	QPSK	Inner_Full	19.72	20.22
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	18.29	18.79
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	18.63	19.13
n66	10	15	1715	CP	QPSK	Outer_Full	18.36	18.86
n66	10	15	1715	CP	16QAM	Inner_Full	19.40	19.90
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	18.16	18.66
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	18.52	19.02
n66	10	15	1715	CP	16QAM	Outer_Full	18.48	18.98
n66	10	15	1715	CP	64QAM	Inner_Full	17.96	18.46
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	18.16	18.66
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	18.31	18.81
n66	10	15	1715	CP	64QAM	Outer_Full	17.94	18.44
n66	10	15	1715	CP	256QAM	Inner_Full	14.84	15.34
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	14.36	14.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	14.71	15.21
n66	10	15	1715	CP	256QAM	Outer_Full	14.91	15.41
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	21.82	22.32
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.34	21.84
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.13	21.63
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	21.34	21.84
n66	10	15	1745	DFT	QPSK	Inner_Full	21.95	22.45
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	21.03	21.53
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	20.82	21.32
n66	10	15	1745	DFT	QPSK	Outer_Full	20.88	21.38
n66	10	15	1745	DFT	16QAM	Inner_Full	20.97	21.47
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	19.81	20.31
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	19.51	20.01
n66	10	15	1745	DFT	16QAM	Outer_Full	19.57	20.07
n66	10	15	1745	DFT	64QAM	Inner_Full	19.13	19.63
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	19.19	19.69
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	19.14	19.64
n66	10	15	1745	DFT	64QAM	Outer_Full	19.16	19.66
n66	10	15	1745	DFT	256QAM	Inner_Full	17.19	17.69
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	17.15	17.65
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	16.76	17.26
n66	10	15	1745	DFT	256QAM	Outer_Full	17.26	17.76
n66	10	15	1745	CP	QPSK	Inner_Full	20.27	20.77
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	19.11	19.61
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	18.97	19.47
n66	10	15	1745	CP	QPSK	Outer_Full	18.81	19.31
n66	10	15	1745	CP	16QAM	Inner_Full	19.74	20.24
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	18.90	19.40
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	18.62	19.12
n66	10	15	1745	CP	16QAM	Outer_Full	18.86	19.36
n66	10	15	1745	CP	64QAM	Inner_Full	18.41	18.91
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	18.67	19.17
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	18.59	19.09
n66	10	15	1745	CP	64QAM	Outer_Full	18.37	18.87
n66	10	15	1745	CP	256QAM	Inner_Full	15.27	15.77
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	15.01	15.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	14.85	15.35
n66	10	15	1745	CP	256QAM	Outer_Full	15.26	15.76
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	21.42	21.92
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	20.71	21.21
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	20.94	21.44
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	21.01	21.51
n66	10	15	1775	DFT	QPSK	Inner_Full	21.48	21.98
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	20.32	20.82
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	20.65	21.15
n66	10	15	1775	DFT	QPSK	Outer_Full	20.50	21.00
n66	10	15	1775	DFT	16QAM	Inner_Full	20.57	21.07
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	19.34	19.84
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	19.61	20.11
n66	10	15	1775	DFT	16QAM	Outer_Full	19.50	20.00
n66	10	15	1775	DFT	64QAM	Inner_Full	18.95	19.45
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	18.83	19.33
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	19.05	19.55
n66	10	15	1775	DFT	64QAM	Outer_Full	19.00	19.50
n66	10	15	1775	DFT	256QAM	Inner_Full	16.99	17.49
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	16.55	17.05
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	16.88	17.38
n66	10	15	1775	DFT	256QAM	Outer_Full	17.06	17.56
n66	10	15	1775	CP	QPSK	Inner_Full	19.89	20.39
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	18.65	19.15
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	18.95	19.45
n66	10	15	1775	CP	QPSK	Outer_Full	18.77	19.27
n66	10	15	1775	CP	16QAM	Inner_Full	19.55	20.05
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	18.51	19.01
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	18.77	19.27
n66	10	15	1775	CP	16QAM	Outer_Full	18.77	19.27
n66	10	15	1775	CP	64QAM	Inner_Full	18.38	18.88
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	18.33	18.83
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	18.63	19.13
n66	10	15	1775	CP	64QAM	Outer_Full	18.30	18.80
n66	10	15	1775	CP	256QAM	Inner_Full	15.20	15.70
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	14.78	15.28



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	15.03	15.53
n66	10	15	1775	CP	256QAM	Outer_Full	15.19	15.69
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	21.32	21.82
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	20.53	21.03
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.05	21.55
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	20.85	21.35
n66	15	15	1717.5	DFT	QPSK	Inner_Full	21.40	21.90
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	20.09	20.59
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	20.57	21.07
n66	15	15	1717.5	DFT	QPSK	Outer_Full	20.40	20.90
n66	15	15	1717.5	DFT	16QAM	Inner_Full	20.40	20.90
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	19.30	19.80
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	19.61	20.11
n66	15	15	1717.5	DFT	16QAM	Outer_Full	19.28	19.78
n66	15	15	1717.5	DFT	64QAM	Inner_Full	18.91	19.41
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	18.55	19.05
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	19.15	19.65
n66	15	15	1717.5	DFT	64QAM	Outer_Full	18.88	19.38
n66	15	15	1717.5	DFT	256QAM	Inner_Full	16.70	17.20
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	16.15	16.65
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	16.67	17.17
n66	15	15	1717.5	DFT	256QAM	Outer_Full	16.75	17.25
n66	15	15	1717.5	CP	QPSK	Inner_Full	19.65	20.15
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	18.09	18.59
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	18.61	19.11
n66	15	15	1717.5	CP	QPSK	Outer_Full	18.26	18.76
n66	15	15	1717.5	CP	16QAM	Inner_Full	19.18	19.68
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	17.87	18.37
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	18.40	18.90
n66	15	15	1717.5	CP	16QAM	Outer_Full	18.28	18.78
n66	15	15	1717.5	CP	64QAM	Inner_Full	17.82	18.32
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	17.92	18.42
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	18.49	18.99
n66	15	15	1717.5	CP	64QAM	Outer_Full	17.79	18.29
n66	15	15	1717.5	CP	256QAM	Inner_Full	14.84	15.34
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	14.38	14.88



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	14.69	15.19
n66	15	15	1717.5	CP	256QAM	Outer_Full	14.70	15.20
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	21.67	22.17
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.22	21.72
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	20.91	21.41
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	21.22	21.72
n66	15	15	1745	DFT	QPSK	Inner_Full	21.72	22.22
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	20.77	21.27
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	20.49	20.99
n66	15	15	1745	DFT	QPSK	Outer_Full	20.73	21.23
n66	15	15	1745	DFT	16QAM	Inner_Full	20.77	21.27
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	19.77	20.27
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	19.50	20.00
n66	15	15	1745	DFT	16QAM	Outer_Full	19.76	20.26
n66	15	15	1745	DFT	64QAM	Inner_Full	19.24	19.74
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	19.18	19.68
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	19.10	19.60
n66	15	15	1745	DFT	64QAM	Outer_Full	19.26	19.76
n66	15	15	1745	DFT	256QAM	Inner_Full	17.20	17.70
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	16.94	17.44
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	16.73	17.23
n66	15	15	1745	DFT	256QAM	Outer_Full	17.30	17.80
n66	15	15	1745	CP	QPSK	Inner_Full	20.29	20.79
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	18.96	19.46
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	18.72	19.22
n66	15	15	1745	CP	QPSK	Outer_Full	18.85	19.35
n66	15	15	1745	CP	16QAM	Inner_Full	19.89	20.39
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	18.84	19.34
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	18.56	19.06
n66	15	15	1745	CP	16QAM	Outer_Full	18.92	19.42
n66	15	15	1745	CP	64QAM	Inner_Full	18.40	18.90
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	18.80	19.30
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	18.53	19.03
n66	15	15	1745	CP	64QAM	Outer_Full	18.36	18.86
n66	15	15	1745	CP	256QAM	Inner_Full	15.38	15.88
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	15.00	15.50



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	14.79	15.29
n66	15	15	1745	CP	256QAM	Outer_Full	15.27	15.77
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	21.36	21.86
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	20.52	21.02
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.02	21.52
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	20.95	21.45
n66	15	15	1772.5	DFT	QPSK	Inner_Full	21.49	21.99
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	20.18	20.68
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	20.71	21.21
n66	15	15	1772.5	DFT	QPSK	Outer_Full	20.56	21.06
n66	15	15	1772.5	DFT	16QAM	Inner_Full	20.54	21.04
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	19.25	19.75
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	19.62	20.12
n66	15	15	1772.5	DFT	16QAM	Outer_Full	19.51	20.01
n66	15	15	1772.5	DFT	64QAM	Inner_Full	18.97	19.47
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	18.94	19.44
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	19.10	19.60
n66	15	15	1772.5	DFT	64QAM	Outer_Full	19.02	19.52
n66	15	15	1772.5	DFT	256QAM	Inner_Full	16.95	17.45
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	16.45	16.95
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	17.12	17.62
n66	15	15	1772.5	DFT	256QAM	Outer_Full	17.09	17.59
n66	15	15	1772.5	CP	QPSK	Inner_Full	20.07	20.57
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	18.52	19.02
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	18.88	19.38
n66	15	15	1772.5	CP	QPSK	Outer_Full	18.77	19.27
n66	15	15	1772.5	CP	16QAM	Inner_Full	19.64	20.14
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	18.30	18.80
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	18.67	19.17
n66	15	15	1772.5	CP	16QAM	Outer_Full	18.69	19.19
n66	15	15	1772.5	CP	64QAM	Inner_Full	18.11	18.61
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	18.27	18.77
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	18.48	18.98
n66	15	15	1772.5	CP	64QAM	Outer_Full	18.09	18.59
n66	15	15	1772.5	CP	256QAM	Inner_Full	15.13	15.63
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	14.69	15.19



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	15.16	15.66
n66	15	15	1772.5	CP	256QAM	Outer_Full	15.04	15.54
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	21.16	21.66
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	20.17	20.67
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	20.94	21.44
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	20.50	21.00
n66	20	15	1720	DFT	QPSK	Inner_Full	21.19	21.69
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	19.81	20.31
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	20.46	20.96
n66	20	15	1720	DFT	QPSK	Outer_Full	20.10	20.60
n66	20	15	1720	DFT	16QAM	Inner_Full	20.23	20.73
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	18.95	19.45
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	19.58	20.08
n66	20	15	1720	DFT	16QAM	Outer_Full	19.08	19.58
n66	20	15	1720	DFT	64QAM	Inner_Full	18.79	19.29
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	18.49	18.99
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	19.21	19.71
n66	20	15	1720	DFT	64QAM	Outer_Full	18.69	19.19
n66	20	15	1720	DFT	256QAM	Inner_Full	16.71	17.21
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	16.08	16.58
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	16.99	17.49
n66	20	15	1720	DFT	256QAM	Outer_Full	16.59	17.09
n66	20	15	1720	CP	QPSK	Inner_Full	19.62	20.12
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	18.01	18.51
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	18.84	19.34
n66	20	15	1720	CP	QPSK	Outer_Full	18.21	18.71
n66	20	15	1720	CP	16QAM	Inner_Full	19.21	19.71
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	17.83	18.33
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	18.66	19.16
n66	20	15	1720	CP	16QAM	Outer_Full	18.23	18.73
n66	20	15	1720	CP	64QAM	Inner_Full	17.82	18.32
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	17.85	18.35
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	18.49	18.99
n66	20	15	1720	CP	64QAM	Outer_Full	17.69	18.19
n66	20	15	1720	CP	256QAM	Inner_Full	14.77	15.27
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	14.08	14.58



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	14.89	15.39
n66	20	15	1720	CP	256QAM	Outer_Full	14.62	15.12
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	21.59	22.09
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	20.95	21.45
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	20.71	21.21
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	21.13	21.63
n66	20	15	1745	DFT	QPSK	Inner_Full	21.71	22.21
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	20.60	21.10
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	20.36	20.86
n66	20	15	1745	DFT	QPSK	Outer_Full	20.75	21.25
n66	20	15	1745	DFT	16QAM	Inner_Full	20.73	21.23
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	19.63	20.13
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	19.37	19.87
n66	20	15	1745	DFT	16QAM	Outer_Full	19.72	20.22
n66	20	15	1745	DFT	64QAM	Inner_Full	19.16	19.66
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	19.09	19.59
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	18.95	19.45
n66	20	15	1745	DFT	64QAM	Outer_Full	19.38	19.88
n66	20	15	1745	DFT	256QAM	Inner_Full	17.20	17.70
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	16.88	17.38
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	16.57	17.07
n66	20	15	1745	DFT	256QAM	Outer_Full	17.28	17.78
n66	20	15	1745	CP	QPSK	Inner_Full	20.11	20.61
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	18.77	19.27
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	18.50	19.00
n66	20	15	1745	CP	QPSK	Outer_Full	18.79	19.29
n66	20	15	1745	CP	16QAM	Inner_Full	19.63	20.13
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	18.79	19.29
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	18.29	18.79
n66	20	15	1745	CP	16QAM	Outer_Full	19.05	19.55
n66	20	15	1745	CP	64QAM	Inner_Full	18.51	19.01
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	18.87	19.37
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	18.64	19.14
n66	20	15	1745	CP	64QAM	Outer_Full	18.61	19.11
n66	20	15	1745	CP	256QAM	Inner_Full	15.45	15.95
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	15.14	15.64



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	14.91	15.41
n66	20	15	1745	CP	256QAM	Outer_Full	15.53	16.03
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	21.52	22.02
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	20.75	21.25
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.14	21.64
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	20.96	21.46
n66	20	15	1770	DFT	QPSK	Inner_Full	21.60	22.10
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	20.20	20.70
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	20.57	21.07
n66	20	15	1770	DFT	QPSK	Outer_Full	20.49	20.99
n66	20	15	1770	DFT	16QAM	Inner_Full	20.63	21.13
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	19.22	19.72
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	19.57	20.07
n66	20	15	1770	DFT	16QAM	Outer_Full	19.53	20.03
n66	20	15	1770	DFT	64QAM	Inner_Full	19.03	19.53
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	18.90	19.40
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	19.08	19.58
n66	20	15	1770	DFT	64QAM	Outer_Full	18.98	19.48
n66	20	15	1770	DFT	256QAM	Inner_Full	16.87	17.37
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	16.40	16.90
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	16.80	17.30
n66	20	15	1770	DFT	256QAM	Outer_Full	16.99	17.49
n66	20	15	1770	CP	QPSK	Inner_Full	19.84	20.34
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	18.39	18.89
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	18.80	19.30
n66	20	15	1770	CP	QPSK	Outer_Full	18.54	19.04
n66	20	15	1770	CP	16QAM	Inner_Full	19.43	19.93
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	18.22	18.72
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	18.63	19.13
n66	20	15	1770	CP	16QAM	Outer_Full	18.56	19.06
n66	20	15	1770	CP	64QAM	Inner_Full	17.99	18.49
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	18.18	18.68
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	18.60	19.10
n66	20	15	1770	CP	64QAM	Outer_Full	18.04	18.54
n66	20	15	1770	CP	256QAM	Inner_Full	14.92	15.42
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	14.42	14.92



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	14.88	15.38
n66	20	15	1770	CP	256QAM	Outer_Full	14.98	15.48



DC_2A_n78A (3450MHz-3550MHz)- EIRP 27.50(k)(3)

Limits: ≤33dBm (2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	10	30	3455.01	DFT	pi/2 BPSK	Inner_Full	20.55	21.05
n78L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.01	20.51
n78L	10	30	3455.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.85	20.35
n78L	10	30	3455.01	DFT	pi/2 BPSK	Outer_Full	20.06	20.56
n78L	10	30	3455.01	DFT	QPSK	Inner_Full	20.54	21.04
n78L	10	30	3455.01	DFT	QPSK	Edge_1RB_Left	19.45	19.95
n78L	10	30	3455.01	DFT	QPSK	Edge_1RB_Right	19.37	19.87
n78L	10	30	3455.01	DFT	QPSK	Outer_Full	19.42	19.92
n78L	10	30	3455.01	DFT	16QAM	Inner_Full	19.51	20.01
n78L	10	30	3455.01	DFT	16QAM	Edge_1RB_Left	18.63	19.13
n78L	10	30	3455.01	DFT	16QAM	Edge_1RB_Right	18.60	19.10
n78L	10	30	3455.01	DFT	16QAM	Outer_Full	18.52	19.02
n78L	10	30	3455.01	DFT	64QAM	Inner_Full	18.08	18.58
n78L	10	30	3455.01	DFT	64QAM	Edge_1RB_Left	17.85	18.35
n78L	10	30	3455.01	DFT	64QAM	Edge_1RB_Right	17.67	18.17
n78L	10	30	3455.01	DFT	64QAM	Outer_Full	18.01	18.51
n78L	10	30	3455.01	DFT	256QAM	Inner_Full	16.11	16.61
n78L	10	30	3455.01	DFT	256QAM	Edge_1RB_Left	15.79	16.29
n78L	10	30	3455.01	DFT	256QAM	Edge_1RB_Right	16.17	16.67
n78L	10	30	3455.01	DFT	256QAM	Outer_Full	16.22	16.72
n78L	10	30	3455.01	CP	QPSK	Inner_Full	19.10	19.60
n78L	10	30	3455.01	CP	QPSK	Edge_1RB_Left	17.77	18.27
n78L	10	30	3455.01	CP	QPSK	Edge_1RB_Right	17.65	18.15
n78L	10	30	3455.01	CP	QPSK	Outer_Full	17.70	18.20
n78L	10	30	3455.01	CP	16QAM	Inner_Full	18.55	19.05
n78L	10	30	3455.01	CP	16QAM	Edge_1RB_Left	17.89	18.39
n78L	10	30	3455.01	CP	16QAM	Edge_1RB_Right	17.95	18.45
n78L	10	30	3455.01	CP	16QAM	Outer_Full	17.78	18.28
n78L	10	30	3455.01	CP	64QAM	Inner_Full	17.30	17.80
n78L	10	30	3455.01	CP	64QAM	Edge_1RB_Left	17.39	17.89
n78L	10	30	3455.01	CP	64QAM	Edge_1RB_Right	17.32	17.82
n78L	10	30	3455.01	CP	64QAM	Outer_Full	17.16	17.66
n78L	10	30	3455.01	CP	256QAM	Inner_Full	14.20	14.70
n78L	10	30	3455.01	CP	256QAM	Edge_1RB_Left	14.00	14.50



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	10	30	3455.01	CP	256QAM	Edge_1RB_Right	14.23	14.73
n78L	10	30	3455.01	CP	256QAM	Outer_Full	14.28	14.78
n78L	10	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.83	21.33
n78L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	20.14	20.64
n78L	10	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.45	20.95
n78L	10	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.37	20.87
n78L	10	30	3500.01	DFT	QPSK	Inner_Full	20.81	21.31
n78L	10	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.60	20.10
n78L	10	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.90	20.40
n78L	10	30	3500.01	DFT	QPSK	Outer_Full	19.85	20.35
n78L	10	30	3500.01	DFT	16QAM	Inner_Full	19.80	20.30
n78L	10	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.73	19.23
n78L	10	30	3500.01	DFT	16QAM	Edge_1RB_Right	19.02	19.52
n78L	10	30	3500.01	DFT	16QAM	Outer_Full	18.79	19.29
n78L	10	30	3500.01	DFT	64QAM	Inner_Full	18.37	18.87
n78L	10	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.86	18.36
n78L	10	30	3500.01	DFT	64QAM	Edge_1RB_Right	18.27	18.77
n78L	10	30	3500.01	DFT	64QAM	Outer_Full	18.28	18.78
n78L	10	30	3500.01	DFT	256QAM	Inner_Full	16.40	16.90
n78L	10	30	3500.01	DFT	256QAM	Edge_1RB_Left	16.38	16.88
n78L	10	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.64	17.14
n78L	10	30	3500.01	DFT	256QAM	Outer_Full	16.43	16.93
n78L	10	30	3500.01	CP	QPSK	Inner_Full	19.24	19.74
n78L	10	30	3500.01	CP	QPSK	Edge_1RB_Left	17.92	18.42
n78L	10	30	3500.01	CP	QPSK	Edge_1RB_Right	18.16	18.66
n78L	10	30	3500.01	CP	QPSK	Outer_Full	17.91	18.41
n78L	10	30	3500.01	CP	16QAM	Inner_Full	18.76	19.26
n78L	10	30	3500.01	CP	16QAM	Edge_1RB_Left	17.91	18.41
n78L	10	30	3500.01	CP	16QAM	Edge_1RB_Right	18.09	18.59
n78L	10	30	3500.01	CP	16QAM	Outer_Full	17.94	18.44
n78L	10	30	3500.01	CP	64QAM	Inner_Full	17.45	17.95
n78L	10	30	3500.01	CP	64QAM	Edge_1RB_Left	17.46	17.96
n78L	10	30	3500.01	CP	64QAM	Edge_1RB_Right	17.59	18.09
n78L	10	30	3500.01	CP	64QAM	Outer_Full	17.41	17.91
n78L	10	30	3500.01	CP	256QAM	Inner_Full	14.36	14.86
n78L	10	30	3500.01	CP	256QAM	Edge_1RB_Left	14.04	14.54



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	10	30	3500.01	CP	256QAM	Edge_1RB_Right	14.23	14.73
n78L	10	30	3500.01	CP	256QAM	Outer_Full	14.45	14.95
n78L	10	30	3544.98	DFT	pi/2 BPSK	Inner_Full	20.86	21.36
n78L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.30	20.80
n78L	10	30	3544.98	DFT	pi/2 BPSK	Edge_1RB_Right	20.22	20.72
n78L	10	30	3544.98	DFT	pi/2 BPSK	Outer_Full	20.33	20.83
n78L	10	30	3544.98	DFT	QPSK	Inner_Full	20.84	21.34
n78L	10	30	3544.98	DFT	QPSK	Edge_1RB_Left	19.83	20.33
n78L	10	30	3544.98	DFT	QPSK	Edge_1RB_Right	19.68	20.18
n78L	10	30	3544.98	DFT	QPSK	Outer_Full	19.82	20.32
n78L	10	30	3544.98	DFT	16QAM	Inner_Full	19.80	20.30
n78L	10	30	3544.98	DFT	16QAM	Edge_1RB_Left	18.89	19.39
n78L	10	30	3544.98	DFT	16QAM	Edge_1RB_Right	18.76	19.26
n78L	10	30	3544.98	DFT	16QAM	Outer_Full	18.85	19.35
n78L	10	30	3544.98	DFT	64QAM	Inner_Full	18.26	18.76
n78L	10	30	3544.98	DFT	64QAM	Edge_1RB_Left	18.45	18.95
n78L	10	30	3544.98	DFT	64QAM	Edge_1RB_Right	18.32	18.82
n78L	10	30	3544.98	DFT	64QAM	Outer_Full	18.30	18.80
n78L	10	30	3544.98	DFT	256QAM	Inner_Full	16.41	16.91
n78L	10	30	3544.98	DFT	256QAM	Edge_1RB_Left	16.18	16.68
n78L	10	30	3544.98	DFT	256QAM	Edge_1RB_Right	16.16	16.66
n78L	10	30	3544.98	DFT	256QAM	Outer_Full	16.40	16.90
n78L	10	30	3544.98	CP	QPSK	Inner_Full	19.32	19.82
n78L	10	30	3544.98	CP	QPSK	Edge_1RB_Left	18.02	18.52
n78L	10	30	3544.98	CP	QPSK	Edge_1RB_Right	17.98	18.48
n78L	10	30	3544.98	CP	QPSK	Outer_Full	17.89	18.39
n78L	10	30	3544.98	CP	16QAM	Inner_Full	18.83	19.33
n78L	10	30	3544.98	CP	16QAM	Edge_1RB_Left	17.99	18.49
n78L	10	30	3544.98	CP	16QAM	Edge_1RB_Right	17.88	18.38
n78L	10	30	3544.98	CP	16QAM	Outer_Full	18.00	18.50
n78L	10	30	3544.98	CP	64QAM	Inner_Full	17.45	17.95
n78L	10	30	3544.98	CP	64QAM	Edge_1RB_Left	17.81	18.31
n78L	10	30	3544.98	CP	64QAM	Edge_1RB_Right	17.70	18.20
n78L	10	30	3544.98	CP	64QAM	Outer_Full	17.36	17.86
n78L	10	30	3544.98	CP	256QAM	Inner_Full	14.42	14.92
n78L	10	30	3544.98	CP	256QAM	Edge_1RB_Left	14.16	14.66



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	10	30	3544.98	CP	256QAM	Edge_1RB_Right	14.11	14.61
n78L	10	30	3544.98	CP	256QAM	Outer_Full	14.40	14.90
n78L	15	30	3457.5	DFT	pi/2 BPSK	Inner_Full	20.57	21.07
n78L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Left	20.01	20.51
n78L	15	30	3457.5	DFT	pi/2 BPSK	Edge_1RB_Right	19.81	20.31
n78L	15	30	3457.5	DFT	pi/2 BPSK	Outer_Full	20.09	20.59
n78L	15	30	3457.5	DFT	QPSK	Inner_Full	20.62	21.12
n78L	15	30	3457.5	DFT	QPSK	Edge_1RB_Left	19.54	20.04
n78L	15	30	3457.5	DFT	QPSK	Edge_1RB_Right	19.28	19.78
n78L	15	30	3457.5	DFT	QPSK	Outer_Full	19.57	20.07
n78L	15	30	3457.5	DFT	16QAM	Inner_Full	19.52	20.02
n78L	15	30	3457.5	DFT	16QAM	Edge_1RB_Left	18.66	19.16
n78L	15	30	3457.5	DFT	16QAM	Edge_1RB_Right	18.48	18.98
n78L	15	30	3457.5	DFT	16QAM	Outer_Full	18.50	19.00
n78L	15	30	3457.5	DFT	64QAM	Inner_Full	18.13	18.63
n78L	15	30	3457.5	DFT	64QAM	Edge_1RB_Left	18.29	18.79
n78L	15	30	3457.5	DFT	64QAM	Edge_1RB_Right	18.08	18.58
n78L	15	30	3457.5	DFT	64QAM	Outer_Full	18.01	18.51
n78L	15	30	3457.5	DFT	256QAM	Inner_Full	16.14	16.64
n78L	15	30	3457.5	DFT	256QAM	Edge_1RB_Left	15.77	16.27
n78L	15	30	3457.5	DFT	256QAM	Edge_1RB_Right	15.96	16.46
n78L	15	30	3457.5	DFT	256QAM	Outer_Full	16.10	16.60
n78L	15	30	3457.5	CP	QPSK	Inner_Full	19.04	19.54
n78L	15	30	3457.5	CP	QPSK	Edge_1RB_Left	17.75	18.25
n78L	15	30	3457.5	CP	QPSK	Edge_1RB_Right	17.57	18.07
n78L	15	30	3457.5	CP	QPSK	Outer_Full	17.66	18.16
n78L	15	30	3457.5	CP	16QAM	Inner_Full	18.48	18.98
n78L	15	30	3457.5	CP	16QAM	Edge_1RB_Left	17.67	18.17
n78L	15	30	3457.5	CP	16QAM	Edge_1RB_Right	17.44	17.94
n78L	15	30	3457.5	CP	16QAM	Outer_Full	17.67	18.17
n78L	15	30	3457.5	CP	64QAM	Inner_Full	17.13	17.63
n78L	15	30	3457.5	CP	64QAM	Edge_1RB_Left	17.27	17.77
n78L	15	30	3457.5	CP	64QAM	Edge_1RB_Right	17.29	17.79
n78L	15	30	3457.5	CP	64QAM	Outer_Full	17.11	17.61
n78L	15	30	3457.5	CP	256QAM	Inner_Full	14.13	14.63
n78L	15	30	3457.5	CP	256QAM	Edge_1RB_Left	14.16	14.66



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	15	30	3457.5	CP	256QAM	Edge_1RB_Right	13.67	14.17
n78L	15	30	3457.5	CP	256QAM	Outer_Full	14.10	14.60
n78L	15	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.74	21.24
n78L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.96	20.46
n78L	15	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.36	20.86
n78L	15	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.29	20.79
n78L	15	30	3500.01	DFT	QPSK	Inner_Full	20.80	21.30
n78L	15	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.38	19.88
n78L	15	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.87	20.37
n78L	15	30	3500.01	DFT	QPSK	Outer_Full	19.81	20.31
n78L	15	30	3500.01	DFT	16QAM	Inner_Full	19.77	20.27
n78L	15	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.58	19.08
n78L	15	30	3500.01	DFT	16QAM	Edge_1RB_Right	18.89	19.39
n78L	15	30	3500.01	DFT	16QAM	Outer_Full	18.74	19.24
n78L	15	30	3500.01	DFT	64QAM	Inner_Full	18.30	18.80
n78L	15	30	3500.01	DFT	64QAM	Edge_1RB_Left	18.12	18.62
n78L	15	30	3500.01	DFT	64QAM	Edge_1RB_Right	18.47	18.97
n78L	15	30	3500.01	DFT	64QAM	Outer_Full	18.27	18.77
n78L	15	30	3500.01	DFT	256QAM	Inner_Full	16.35	16.85
n78L	15	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.88	16.38
n78L	15	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.15	16.65
n78L	15	30	3500.01	DFT	256QAM	Outer_Full	16.37	16.87
n78L	15	30	3500.01	CP	QPSK	Inner_Full	19.36	19.86
n78L	15	30	3500.01	CP	QPSK	Edge_1RB_Left	17.73	18.23
n78L	15	30	3500.01	CP	QPSK	Edge_1RB_Right	18.12	18.62
n78L	15	30	3500.01	CP	QPSK	Outer_Full	17.92	18.42
n78L	15	30	3500.01	CP	16QAM	Inner_Full	18.79	19.29
n78L	15	30	3500.01	CP	16QAM	Edge_1RB_Left	17.71	18.21
n78L	15	30	3500.01	CP	16QAM	Edge_1RB_Right	18.07	18.57
n78L	15	30	3500.01	CP	16QAM	Outer_Full	17.93	18.43
n78L	15	30	3500.01	CP	64QAM	Inner_Full	17.40	17.90
n78L	15	30	3500.01	CP	64QAM	Edge_1RB_Left	17.54	18.04
n78L	15	30	3500.01	CP	64QAM	Edge_1RB_Right	17.92	18.42
n78L	15	30	3500.01	CP	64QAM	Outer_Full	17.37	17.87
n78L	15	30	3500.01	CP	256QAM	Inner_Full	14.41	14.91
n78L	15	30	3500.01	CP	256QAM	Edge_1RB_Left	13.87	14.37



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	15	30	3500.01	CP	256QAM	Edge_1RB_Right	14.23	14.73
n78L	15	30	3500.01	CP	256QAM	Outer_Full	14.32	14.82
n78L	15	30	3542.49	DFT	pi/2 BPSK	Inner_Full	20.81	21.31
n78L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Left	20.35	20.85
n78L	15	30	3542.49	DFT	pi/2 BPSK	Edge_1RB_Right	20.14	20.64
n78L	15	30	3542.49	DFT	pi/2 BPSK	Outer_Full	20.35	20.85
n78L	15	30	3542.49	DFT	QPSK	Inner_Full	20.87	21.37
n78L	15	30	3542.49	DFT	QPSK	Edge_1RB_Left	19.88	20.38
n78L	15	30	3542.49	DFT	QPSK	Edge_1RB_Right	19.66	20.16
n78L	15	30	3542.49	DFT	QPSK	Outer_Full	19.82	20.32
n78L	15	30	3542.49	DFT	16QAM	Inner_Full	19.84	20.34
n78L	15	30	3542.49	DFT	16QAM	Edge_1RB_Left	18.95	19.45
n78L	15	30	3542.49	DFT	16QAM	Edge_1RB_Right	18.76	19.26
n78L	15	30	3542.49	DFT	16QAM	Outer_Full	18.76	19.26
n78L	15	30	3542.49	DFT	64QAM	Inner_Full	18.38	18.88
n78L	15	30	3542.49	DFT	64QAM	Edge_1RB_Left	18.49	18.99
n78L	15	30	3542.49	DFT	64QAM	Edge_1RB_Right	18.34	18.84
n78L	15	30	3542.49	DFT	64QAM	Outer_Full	18.29	18.79
n78L	15	30	3542.49	DFT	256QAM	Inner_Full	16.39	16.89
n78L	15	30	3542.49	DFT	256QAM	Edge_1RB_Left	16.65	17.15
n78L	15	30	3542.49	DFT	256QAM	Edge_1RB_Right	16.49	16.99
n78L	15	30	3542.49	DFT	256QAM	Outer_Full	16.45	16.95
n78L	15	30	3542.49	CP	QPSK	Inner_Full	19.29	19.79
n78L	15	30	3542.49	CP	QPSK	Edge_1RB_Left	18.06	18.56
n78L	15	30	3542.49	CP	QPSK	Edge_1RB_Right	17.85	18.35
n78L	15	30	3542.49	CP	QPSK	Outer_Full	17.97	18.47
n78L	15	30	3542.49	CP	16QAM	Inner_Full	18.83	19.33
n78L	15	30	3542.49	CP	16QAM	Edge_1RB_Left	18.25	18.75
n78L	15	30	3542.49	CP	16QAM	Edge_1RB_Right	17.96	18.46
n78L	15	30	3542.49	CP	16QAM	Outer_Full	17.99	18.49
n78L	15	30	3542.49	CP	64QAM	Inner_Full	17.45	17.95
n78L	15	30	3542.49	CP	64QAM	Edge_1RB_Left	17.47	17.97
n78L	15	30	3542.49	CP	64QAM	Edge_1RB_Right	17.48	17.98
n78L	15	30	3542.49	CP	64QAM	Outer_Full	17.47	17.97
n78L	15	30	3542.49	CP	256QAM	Inner_Full	14.45	14.95
n78L	15	30	3542.49	CP	256QAM	Edge_1RB_Left	14.37	14.87



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	15	30	3542.49	CP	256QAM	Edge_1RB_Right	14.40	14.90
n78L	15	30	3542.49	CP	256QAM	Outer_Full	14.43	14.93
n78L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	20.56	21.06
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	20.02	20.52
n78L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	19.77	20.27
n78L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	20.06	20.56
n78L	20	30	3460.02	DFT	QPSK	Inner_Full	20.58	21.08
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	19.51	20.01
n78L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	19.31	19.81
n78L	20	30	3460.02	DFT	QPSK	Outer_Full	19.56	20.06
n78L	20	30	3460.02	DFT	16QAM	Inner_Full	19.57	20.07
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	18.63	19.13
n78L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	18.41	18.91
n78L	20	30	3460.02	DFT	16QAM	Outer_Full	18.61	19.11
n78L	20	30	3460.02	DFT	64QAM	Inner_Full	18.05	18.55
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	18.24	18.74
n78L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	17.95	18.45
n78L	20	30	3460.02	DFT	64QAM	Outer_Full	17.97	18.47
n78L	20	30	3460.02	DFT	256QAM	Inner_Full	16.15	16.65
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	15.85	16.35
n78L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	15.53	16.03
n78L	20	30	3460.02	DFT	256QAM	Outer_Full	16.13	16.63
n78L	20	30	3460.02	CP	QPSK	Inner_Full	18.97	19.47
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	17.76	18.26
n78L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	17.56	18.06
n78L	20	30	3460.02	CP	QPSK	Outer_Full	17.64	18.14
n78L	20	30	3460.02	CP	16QAM	Inner_Full	18.51	19.01
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	17.85	18.35
n78L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	17.52	18.02
n78L	20	30	3460.02	CP	16QAM	Outer_Full	17.68	18.18
n78L	20	30	3460.02	CP	64QAM	Inner_Full	17.27	17.77
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	17.27	17.77
n78L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	17.35	17.85
n78L	20	30	3460.02	CP	64QAM	Outer_Full	17.18	17.68
n78L	20	30	3460.02	CP	256QAM	Inner_Full	14.09	14.59
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	13.89	14.39



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	14.00	14.50
n78L	20	30	3460.02	CP	256QAM	Outer_Full	14.06	14.56
n78L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.83	21.33
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.93	20.43
n78L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.45	20.95
n78L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.33	20.83
n78L	20	30	3500.01	DFT	QPSK	Inner_Full	20.83	21.33
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.43	19.93
n78L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.97	20.47
n78L	20	30	3500.01	DFT	QPSK	Outer_Full	19.84	20.34
n78L	20	30	3500.01	DFT	16QAM	Inner_Full	19.81	20.31
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.45	18.95
n78L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	19.15	19.65
n78L	20	30	3500.01	DFT	16QAM	Outer_Full	18.82	19.32
n78L	20	30	3500.01	DFT	64QAM	Inner_Full	18.32	18.82
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	18.00	18.50
n78L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	18.72	19.22
n78L	20	30	3500.01	DFT	64QAM	Outer_Full	18.29	18.79
n78L	20	30	3500.01	DFT	256QAM	Inner_Full	16.42	16.92
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	16.03	16.53
n78L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.19	16.69
n78L	20	30	3500.01	DFT	256QAM	Outer_Full	16.44	16.94
n78L	20	30	3500.01	CP	QPSK	Inner_Full	19.25	19.75
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	17.65	18.15
n78L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	18.26	18.76
n78L	20	30	3500.01	CP	QPSK	Outer_Full	17.92	18.42
n78L	20	30	3500.01	CP	16QAM	Inner_Full	18.80	19.30
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	17.58	18.08
n78L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	18.17	18.67
n78L	20	30	3500.01	CP	16QAM	Outer_Full	17.94	18.44
n78L	20	30	3500.01	CP	64QAM	Inner_Full	17.51	18.01
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	17.46	17.96
n78L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	17.72	18.22
n78L	20	30	3500.01	CP	64QAM	Outer_Full	17.44	17.94
n78L	20	30	3500.01	CP	256QAM	Inner_Full	14.43	14.93
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	14.09	14.59



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	14.39	14.89
n78L	20	30	3500.01	CP	256QAM	Outer_Full	14.32	14.82
n78L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	20.85	21.35
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	20.42	20.92
n78L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	20.10	20.60
n78L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	20.37	20.87
n78L	20	30	3540	DFT	QPSK	Inner_Full	20.88	21.38
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Left	19.99	20.49
n78L	20	30	3540	DFT	QPSK	Edge_1RB_Right	19.63	20.13
n78L	20	30	3540	DFT	QPSK	Outer_Full	19.90	20.40
n78L	20	30	3540	DFT	16QAM	Inner_Full	19.88	20.38
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Left	19.01	19.51
n78L	20	30	3540	DFT	16QAM	Edge_1RB_Right	18.76	19.26
n78L	20	30	3540	DFT	16QAM	Outer_Full	18.91	19.41
n78L	20	30	3540	DFT	64QAM	Inner_Full	18.33	18.83
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Left	18.53	19.03
n78L	20	30	3540	DFT	64QAM	Edge_1RB_Right	18.30	18.80
n78L	20	30	3540	DFT	64QAM	Outer_Full	18.34	18.84
n78L	20	30	3540	DFT	256QAM	Inner_Full	16.44	16.94
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Left	16.56	17.06
n78L	20	30	3540	DFT	256QAM	Edge_1RB_Right	16.28	16.78
n78L	20	30	3540	DFT	256QAM	Outer_Full	16.49	16.99
n78L	20	30	3540	CP	QPSK	Inner_Full	19.33	19.83
n78L	20	30	3540	CP	QPSK	Edge_1RB_Left	18.15	18.65
n78L	20	30	3540	CP	QPSK	Edge_1RB_Right	17.93	18.43
n78L	20	30	3540	CP	QPSK	Outer_Full	17.98	18.48
n78L	20	30	3540	CP	16QAM	Inner_Full	18.80	19.30
n78L	20	30	3540	CP	16QAM	Edge_1RB_Left	18.14	18.64
n78L	20	30	3540	CP	16QAM	Edge_1RB_Right	17.90	18.40
n78L	20	30	3540	CP	16QAM	Outer_Full	18.00	18.50
n78L	20	30	3540	CP	64QAM	Inner_Full	17.51	18.01
n78L	20	30	3540	CP	64QAM	Edge_1RB_Left	17.88	18.38
n78L	20	30	3540	CP	64QAM	Edge_1RB_Right	17.75	18.25
n78L	20	30	3540	CP	64QAM	Outer_Full	17.49	17.99
n78L	20	30	3540	CP	256QAM	Inner_Full	14.45	14.95
n78L	20	30	3540	CP	256QAM	Edge_1RB_Left	14.26	14.76



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	20	30	3540	CP	256QAM	Edge_1RB_Right	14.04	14.54
n78L	20	30	3540	CP	256QAM	Outer_Full	14.40	14.90
n78L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	20.44	20.94
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.65	20.15
n78L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.35	19.85
n78L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	19.93	20.43
n78L	40	30	3470.01	DFT	QPSK	Inner_Full	20.48	20.98
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	19.20	19.70
n78L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	18.88	19.38
n78L	40	30	3470.01	DFT	QPSK	Outer_Full	19.38	19.88
n78L	40	30	3470.01	DFT	16QAM	Inner_Full	19.43	19.93
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	18.26	18.76
n78L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	17.98	18.48
n78L	40	30	3470.01	DFT	16QAM	Outer_Full	18.35	18.85
n78L	40	30	3470.01	DFT	64QAM	Inner_Full	17.91	18.41
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	17.83	18.33
n78L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	17.42	17.92
n78L	40	30	3470.01	DFT	64QAM	Outer_Full	17.84	18.34
n78L	40	30	3470.01	DFT	256QAM	Inner_Full	16.01	16.51
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	15.77	16.27
n78L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	15.05	15.55
n78L	40	30	3470.01	DFT	256QAM	Outer_Full	15.89	16.39
n78L	40	30	3470.01	CP	QPSK	Inner_Full	18.87	19.37
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	17.32	17.82
n78L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	17.04	17.54
n78L	40	30	3470.01	CP	QPSK	Outer_Full	17.42	17.92
n78L	40	30	3470.01	CP	16QAM	Inner_Full	18.43	18.93
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	17.32	17.82
n78L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	16.91	17.41
n78L	40	30	3470.01	CP	16QAM	Outer_Full	17.41	17.91
n78L	40	30	3470.01	CP	64QAM	Inner_Full	16.98	17.48
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	16.71	17.21
n78L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	16.61	17.11
n78L	40	30	3470.01	CP	64QAM	Outer_Full	16.88	17.38
n78L	40	30	3470.01	CP	256QAM	Inner_Full	13.98	14.48
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	13.62	14.12



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	13.52	14.02
n78L	40	30	3470.01	CP	256QAM	Outer_Full	13.88	14.38
n78L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.72	21.22
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.40	19.90
n78L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.08	20.58
n78L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.19	20.69
n78L	40	30	3500.01	DFT	QPSK	Inner_Full	20.78	21.28
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	18.92	19.42
n78L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.49	19.99
n78L	40	30	3500.01	DFT	QPSK	Outer_Full	19.71	20.21
n78L	40	30	3500.01	DFT	16QAM	Inner_Full	19.72	20.22
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.16	18.66
n78L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	18.86	19.36
n78L	40	30	3500.01	DFT	16QAM	Outer_Full	18.64	19.14
n78L	40	30	3500.01	DFT	64QAM	Inner_Full	18.22	18.72
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.34	17.84
n78L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	17.80	18.30
n78L	40	30	3500.01	DFT	64QAM	Outer_Full	18.13	18.63
n78L	40	30	3500.01	DFT	256QAM	Inner_Full	16.34	16.84
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.69	16.19
n78L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.11	16.61
n78L	40	30	3500.01	DFT	256QAM	Outer_Full	16.22	16.72
n78L	40	30	3500.01	CP	QPSK	Inner_Full	19.18	19.68
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	17.13	17.63
n78L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	17.81	18.31
n78L	40	30	3500.01	CP	QPSK	Outer_Full	17.78	18.28
n78L	40	30	3500.01	CP	16QAM	Inner_Full	18.80	19.30
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	17.25	17.75
n78L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	17.95	18.45
n78L	40	30	3500.01	CP	16QAM	Outer_Full	17.81	18.31
n78L	40	30	3500.01	CP	64QAM	Inner_Full	17.34	17.84
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	16.86	17.36
n78L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	17.61	18.11
n78L	40	30	3500.01	CP	64QAM	Outer_Full	17.26	17.76
n78L	40	30	3500.01	CP	256QAM	Inner_Full	14.30	14.80
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	13.29	13.79



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	13.97	14.47
n78L	40	30	3500.01	CP	256QAM	Outer_Full	14.25	14.75
n78L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	21.01	21.51
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	20.16	20.66
n78L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	19.63	20.13
n78L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	20.37	20.87
n78L	40	30	3529.98	DFT	QPSK	Inner_Full	21.06	21.56
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	19.70	20.20
n78L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	19.08	19.58
n78L	40	30	3529.98	DFT	QPSK	Outer_Full	19.93	20.43
n78L	40	30	3529.98	DFT	16QAM	Inner_Full	20.07	20.57
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	18.82	19.32
n78L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	18.30	18.80
n78L	40	30	3529.98	DFT	16QAM	Outer_Full	18.86	19.36
n78L	40	30	3529.98	DFT	64QAM	Inner_Full	18.50	19.00
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	18.30	18.80
n78L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	17.83	18.33
n78L	40	30	3529.98	DFT	64QAM	Outer_Full	18.35	18.85
n78L	40	30	3529.98	DFT	256QAM	Inner_Full	16.60	17.10
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	15.92	16.42
n78L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	15.37	15.87
n78L	40	30	3529.98	DFT	256QAM	Outer_Full	16.49	16.99
n78L	40	30	3529.98	CP	QPSK	Inner_Full	19.49	19.99
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	17.92	18.42
n78L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	17.34	17.84
n78L	40	30	3529.98	CP	QPSK	Outer_Full	17.94	18.44
n78L	40	30	3529.98	CP	16QAM	Inner_Full	19.05	19.55
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	17.89	18.39
n78L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	17.50	18.00
n78L	40	30	3529.98	CP	16QAM	Outer_Full	17.98	18.48
n78L	40	30	3529.98	CP	64QAM	Inner_Full	17.58	18.08
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	17.65	18.15
n78L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	16.88	17.38
n78L	40	30	3529.98	CP	64QAM	Outer_Full	17.42	17.92
n78L	40	30	3529.98	CP	256QAM	Inner_Full	14.57	15.07
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	14.07	14.57



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	13.53	14.03
n78L	40	30	3529.98	CP	256QAM	Outer_Full	14.45	14.95
n78L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	20.41	20.91
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	19.84	20.34
n78L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	19.83	20.33
n78L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	19.98	20.48
n78L	50	30	3475.02	DFT	QPSK	Inner_Full	20.43	20.93
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	19.44	19.94
n78L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	19.34	19.84
n78L	50	30	3475.02	DFT	QPSK	Outer_Full	19.46	19.96
n78L	50	30	3475.02	DFT	16QAM	Inner_Full	19.43	19.93
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	18.50	19.00
n78L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	18.41	18.91
n78L	50	30	3475.02	DFT	16QAM	Outer_Full	18.46	18.96
n78L	50	30	3475.02	DFT	64QAM	Inner_Full	17.90	18.40
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	18.15	18.65
n78L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	17.94	18.44
n78L	50	30	3475.02	DFT	64QAM	Outer_Full	17.93	18.43
n78L	50	30	3475.02	DFT	256QAM	Inner_Full	16.01	16.51
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	15.81	16.31
n78L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	15.79	16.29
n78L	50	30	3475.02	DFT	256QAM	Outer_Full	16.07	16.57
n78L	50	30	3475.02	CP	QPSK	Inner_Full	18.85	19.35
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	17.68	18.18
n78L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	17.67	18.17
n78L	50	30	3475.02	CP	QPSK	Outer_Full	17.54	18.04
n78L	50	30	3475.02	CP	16QAM	Inner_Full	18.41	18.91
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	17.59	18.09
n78L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	17.55	18.05
n78L	50	30	3475.02	CP	16QAM	Outer_Full	17.56	18.06
n78L	50	30	3475.02	CP	64QAM	Inner_Full	17.02	17.52
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	17.51	18.01
n78L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	17.50	18.00
n78L	50	30	3475.02	CP	64QAM	Outer_Full	17.07	17.57
n78L	50	30	3475.02	CP	256QAM	Inner_Full	13.98	14.48
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	13.84	14.34



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	14.09	14.59
n78L	50	30	3475.02	CP	256QAM	Outer_Full	14.01	14.51
n78L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.79	21.29
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.69	20.19
n78L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.22	20.72
n78L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.27	20.77
n78L	50	30	3500.01	DFT	QPSK	Inner_Full	20.82	21.32
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.18	19.68
n78L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.75	20.25
n78L	50	30	3500.01	DFT	QPSK	Outer_Full	19.78	20.28
n78L	50	30	3500.01	DFT	16QAM	Inner_Full	19.85	20.35
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.30	18.80
n78L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	18.82	19.32
n78L	50	30	3500.01	DFT	16QAM	Outer_Full	18.75	19.25
n78L	50	30	3500.01	DFT	64QAM	Inner_Full	18.26	18.76
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.97	18.47
n78L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	18.39	18.89
n78L	50	30	3500.01	DFT	64QAM	Outer_Full	18.26	18.76
n78L	50	30	3500.01	DFT	256QAM	Inner_Full	16.38	16.88
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.69	16.19
n78L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.21	16.71
n78L	50	30	3500.01	DFT	256QAM	Outer_Full	16.38	16.88
n78L	50	30	3500.01	CP	QPSK	Inner_Full	19.28	19.78
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	17.50	18.00
n78L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	18.04	18.54
n78L	50	30	3500.01	CP	QPSK	Outer_Full	17.91	18.41
n78L	50	30	3500.01	CP	16QAM	Inner_Full	18.84	19.34
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	17.49	17.99
n78L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	18.05	18.55
n78L	50	30	3500.01	CP	16QAM	Outer_Full	17.90	18.40
n78L	50	30	3500.01	CP	64QAM	Inner_Full	17.45	17.95
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	17.32	17.82
n78L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	17.55	18.05
n78L	50	30	3500.01	CP	64QAM	Outer_Full	17.43	17.93
n78L	50	30	3500.01	CP	256QAM	Inner_Full	14.42	14.92
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	13.72	14.22



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	14.46	14.96
n78L	50	30	3500.01	CP	256QAM	Outer_Full	14.37	14.87
n78L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	21.14	21.64
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	20.15	20.65
n78L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	19.82	20.32
n78L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	20.45	20.95
n78L	50	30	3525	DFT	QPSK	Inner_Full	21.15	21.65
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Left	19.59	20.09
n78L	50	30	3525	DFT	QPSK	Edge_1RB_Right	19.38	19.88
n78L	50	30	3525	DFT	QPSK	Outer_Full	20.00	20.50
n78L	50	30	3525	DFT	16QAM	Inner_Full	20.19	20.69
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Left	18.78	19.28
n78L	50	30	3525	DFT	16QAM	Edge_1RB_Right	18.45	18.95
n78L	50	30	3525	DFT	16QAM	Outer_Full	18.95	19.45
n78L	50	30	3525	DFT	64QAM	Inner_Full	18.63	19.13
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Left	18.40	18.90
n78L	50	30	3525	DFT	64QAM	Edge_1RB_Right	18.13	18.63
n78L	50	30	3525	DFT	64QAM	Outer_Full	18.46	18.96
n78L	50	30	3525	DFT	256QAM	Inner_Full	16.72	17.22
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Left	16.30	16.80
n78L	50	30	3525	DFT	256QAM	Edge_1RB_Right	15.83	16.33
n78L	50	30	3525	DFT	256QAM	Outer_Full	16.60	17.10
n78L	50	30	3525	CP	QPSK	Inner_Full	19.55	20.05
n78L	50	30	3525	CP	QPSK	Edge_1RB_Left	17.91	18.41
n78L	50	30	3525	CP	QPSK	Edge_1RB_Right	17.65	18.15
n78L	50	30	3525	CP	QPSK	Outer_Full	18.05	18.55
n78L	50	30	3525	CP	16QAM	Inner_Full	19.09	19.59
n78L	50	30	3525	CP	16QAM	Edge_1RB_Left	18.10	18.60
n78L	50	30	3525	CP	16QAM	Edge_1RB_Right	17.86	18.36
n78L	50	30	3525	CP	16QAM	Outer_Full	18.08	18.58
n78L	50	30	3525	CP	64QAM	Inner_Full	17.69	18.19
n78L	50	30	3525	CP	64QAM	Edge_1RB_Left	17.46	17.96
n78L	50	30	3525	CP	64QAM	Edge_1RB_Right	17.22	17.72
n78L	50	30	3525	CP	64QAM	Outer_Full	17.56	18.06
n78L	50	30	3525	CP	256QAM	Inner_Full	14.76	15.26
n78L	50	30	3525	CP	256QAM	Edge_1RB_Left	14.18	14.68



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	50	30	3525	CP	256QAM	Edge_1RB_Right	14.20	14.70
n78L	50	30	3525	CP	256QAM	Outer_Full	14.50	15.00
n78L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	20.46	20.96
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	19.81	20.31
n78L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	20.08	20.58
n78L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	20.04	20.54
n78L	60	30	3480	DFT	QPSK	Inner_Full	20.46	20.96
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Left	19.31	19.81
n78L	60	30	3480	DFT	QPSK	Edge_1RB_Right	19.59	20.09
n78L	60	30	3480	DFT	QPSK	Outer_Full	19.53	20.03
n78L	60	30	3480	DFT	16QAM	Inner_Full	19.48	19.98
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Left	18.43	18.93
n78L	60	30	3480	DFT	16QAM	Edge_1RB_Right	18.76	19.26
n78L	60	30	3480	DFT	16QAM	Outer_Full	18.51	19.01
n78L	60	30	3480	DFT	64QAM	Inner_Full	17.93	18.43
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Left	17.58	18.08
n78L	60	30	3480	DFT	64QAM	Edge_1RB_Right	17.89	18.39
n78L	60	30	3480	DFT	64QAM	Outer_Full	17.99	18.49
n78L	60	30	3480	DFT	256QAM	Inner_Full	16.02	16.52
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Left	15.80	16.30
n78L	60	30	3480	DFT	256QAM	Edge_1RB_Right	16.27	16.77
n78L	60	30	3480	DFT	256QAM	Outer_Full	16.09	16.59
n78L	60	30	3480	CP	QPSK	Inner_Full	18.89	19.39
n78L	60	30	3480	CP	QPSK	Edge_1RB_Left	17.69	18.19
n78L	60	30	3480	CP	QPSK	Edge_1RB_Right	17.96	18.46
n78L	60	30	3480	CP	QPSK	Outer_Full	17.61	18.11
n78L	60	30	3480	CP	16QAM	Inner_Full	18.39	18.89
n78L	60	30	3480	CP	16QAM	Edge_1RB_Left	17.77	18.27
n78L	60	30	3480	CP	16QAM	Edge_1RB_Right	18.05	18.55
n78L	60	30	3480	CP	16QAM	Outer_Full	17.61	18.11
n78L	60	30	3480	CP	64QAM	Inner_Full	17.04	17.54
n78L	60	30	3480	CP	64QAM	Edge_1RB_Left	17.15	17.65
n78L	60	30	3480	CP	64QAM	Edge_1RB_Right	17.43	17.93
n78L	60	30	3480	CP	64QAM	Outer_Full	17.09	17.59
n78L	60	30	3480	CP	256QAM	Inner_Full	14.07	14.57
n78L	60	30	3480	CP	256QAM	Edge_1RB_Left	14.08	14.58



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	60	30	3480	CP	256QAM	Edge_1RB_Right	14.35	14.85
n78L	60	30	3480	CP	256QAM	Outer_Full	14.02	14.52
n78L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.82	21.32
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.67	20.17
n78L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	20.05	20.55
n78L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.26	20.76
n78L	60	30	3500.01	DFT	QPSK	Inner_Full	20.82	21.32
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.19	19.69
n78L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.54	20.04
n78L	60	30	3500.01	DFT	QPSK	Outer_Full	19.76	20.26
n78L	60	30	3500.01	DFT	16QAM	Inner_Full	19.85	20.35
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.31	18.81
n78L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	18.60	19.10
n78L	60	30	3500.01	DFT	16QAM	Outer_Full	18.75	19.25
n78L	60	30	3500.01	DFT	64QAM	Inner_Full	18.26	18.76
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.97	18.47
n78L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	18.20	18.70
n78L	60	30	3500.01	DFT	64QAM	Outer_Full	18.20	18.70
n78L	60	30	3500.01	DFT	256QAM	Inner_Full	16.42	16.92
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.96	16.46
n78L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	16.01	16.51
n78L	60	30	3500.01	DFT	256QAM	Outer_Full	16.36	16.86
n78L	60	30	3500.01	CP	QPSK	Inner_Full	19.26	19.76
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	17.52	18.02
n78L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	17.87	18.37
n78L	60	30	3500.01	CP	QPSK	Outer_Full	17.83	18.33
n78L	60	30	3500.01	CP	16QAM	Inner_Full	18.79	19.29
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	17.39	17.89
n78L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	17.74	18.24
n78L	60	30	3500.01	CP	16QAM	Outer_Full	17.83	18.33
n78L	60	30	3500.01	CP	64QAM	Inner_Full	17.41	17.91
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	17.29	17.79
n78L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	17.62	18.12
n78L	60	30	3500.01	CP	64QAM	Outer_Full	17.34	17.84
n78L	60	30	3500.01	CP	256QAM	Inner_Full	14.43	14.93
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	13.69	14.19



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	14.00	14.50
n78L	60	30	3500.01	CP	256QAM	Outer_Full	14.31	14.81
n78L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	21.14	21.64
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	19.76	20.26
n78L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	19.73	20.23
n78L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	20.38	20.88
n78L	60	30	3519.99	DFT	QPSK	Inner_Full	21.16	21.66
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	19.25	19.75
n78L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	19.28	19.78
n78L	60	30	3519.99	DFT	QPSK	Outer_Full	19.88	20.38
n78L	60	30	3519.99	DFT	16QAM	Inner_Full	20.15	20.65
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	18.32	18.82
n78L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	18.32	18.82
n78L	60	30	3519.99	DFT	16QAM	Outer_Full	18.84	19.34
n78L	60	30	3519.99	DFT	64QAM	Inner_Full	18.60	19.10
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	17.95	18.45
n78L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	17.83	18.33
n78L	60	30	3519.99	DFT	64QAM	Outer_Full	18.31	18.81
n78L	60	30	3519.99	DFT	256QAM	Inner_Full	16.71	17.21
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	16.02	16.52
n78L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	15.98	16.48
n78L	60	30	3519.99	DFT	256QAM	Outer_Full	16.46	16.96
n78L	60	30	3519.99	CP	QPSK	Inner_Full	19.59	20.09
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	17.60	18.10
n78L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	17.62	18.12
n78L	60	30	3519.99	CP	QPSK	Outer_Full	17.94	18.44
n78L	60	30	3519.99	CP	16QAM	Inner_Full	19.11	19.61
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	17.48	17.98
n78L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	17.58	18.08
n78L	60	30	3519.99	CP	16QAM	Outer_Full	17.96	18.46
n78L	60	30	3519.99	CP	64QAM	Inner_Full	17.74	18.24
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	17.09	17.59
n78L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	17.29	17.79
n78L	60	30	3519.99	CP	64QAM	Outer_Full	17.47	17.97
n78L	60	30	3519.99	CP	256QAM	Inner_Full	14.73	15.23
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	13.73	14.23



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	13.72	14.22
n78L	60	30	3519.99	CP	256QAM	Outer_Full	14.42	14.92
n78L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	20.61	21.11
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	19.62	20.12
n78L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	19.68	20.18
n78L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	20.13	20.63
n78L	80	30	3490.02	DFT	QPSK	Inner_Full	20.62	21.12
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	19.12	19.62
n78L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	19.22	19.72
n78L	80	30	3490.02	DFT	QPSK	Outer_Full	19.62	20.12
n78L	80	30	3490.02	DFT	16QAM	Inner_Full	19.65	20.15
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	18.27	18.77
n78L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	18.21	18.71
n78L	80	30	3490.02	DFT	16QAM	Outer_Full	18.61	19.11
n78L	80	30	3490.02	DFT	64QAM	Inner_Full	18.12	18.62
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	17.67	18.17
n78L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	17.77	18.27
n78L	80	30	3490.02	DFT	64QAM	Outer_Full	18.14	18.64
n78L	80	30	3490.02	DFT	256QAM	Inner_Full	16.25	16.75
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	15.48	15.98
n78L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	15.60	16.10
n78L	80	30	3490.02	DFT	256QAM	Outer_Full	16.30	16.80
n78L	80	30	3490.02	CP	QPSK	Inner_Full	19.05	19.55
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	17.72	18.22
n78L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	17.81	18.31
n78L	80	30	3490.02	CP	QPSK	Outer_Full	17.70	18.20
n78L	80	30	3490.02	CP	16QAM	Inner_Full	18.57	19.07
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	17.34	17.84
n78L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	17.90	18.40
n78L	80	30	3490.02	CP	16QAM	Outer_Full	17.77	18.27
n78L	80	30	3490.02	CP	64QAM	Inner_Full	17.26	17.76
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	17.38	17.88
n78L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	17.52	18.02
n78L	80	30	3490.02	CP	64QAM	Outer_Full	17.30	17.80
n78L	80	30	3490.02	CP	256QAM	Inner_Full	14.22	14.72
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	13.94	14.44



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	14.07	14.57
n78L	80	30	3490.02	CP	256QAM	Outer_Full	14.25	14.75
n78L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.85	21.35
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.54	20.04
n78L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.49	19.99
n78L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.19	20.69
n78L	80	30	3500.01	DFT	QPSK	Inner_Full	20.84	21.34
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	19.01	19.51
n78L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	19.01	19.51
n78L	80	30	3500.01	DFT	QPSK	Outer_Full	19.66	20.16
n78L	80	30	3500.01	DFT	16QAM	Inner_Full	19.88	20.38
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	18.13	18.63
n78L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	18.10	18.60
n78L	80	30	3500.01	DFT	16QAM	Outer_Full	18.69	19.19
n78L	80	30	3500.01	DFT	64QAM	Inner_Full	18.36	18.86
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.83	18.33
n78L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	17.69	18.19
n78L	80	30	3500.01	DFT	64QAM	Outer_Full	18.17	18.67
n78L	80	30	3500.01	DFT	256QAM	Inner_Full	16.41	16.91
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.65	16.15
n78L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	15.43	15.93
n78L	80	30	3500.01	DFT	256QAM	Outer_Full	16.32	16.82
n78L	80	30	3500.01	CP	QPSK	Inner_Full	19.34	19.84
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	17.48	17.98
n78L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	17.65	18.15
n78L	80	30	3500.01	CP	QPSK	Outer_Full	17.80	18.30
n78L	80	30	3500.01	CP	16QAM	Inner_Full	18.74	19.24
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	17.93	18.43
n78L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	17.84	18.34
n78L	80	30	3500.01	CP	16QAM	Outer_Full	17.85	18.35
n78L	80	30	3500.01	CP	64QAM	Inner_Full	17.46	17.96
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	16.92	17.42
n78L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	17.15	17.65
n78L	80	30	3500.01	CP	64QAM	Outer_Full	17.33	17.83
n78L	80	30	3500.01	CP	256QAM	Inner_Full	14.42	14.92
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	14.01	14.51



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	13.73	14.23
n78L	80	30	3500.01	CP	256QAM	Outer_Full	14.31	14.81
n78L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	20.95	21.45
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	19.49	19.99
n78L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	19.41	19.91
n78L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	20.19	20.69
n78L	80	30	3510	DFT	QPSK	Inner_Full	20.96	21.46
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Left	18.98	19.48
n78L	80	30	3510	DFT	QPSK	Edge_1RB_Right	18.92	19.42
n78L	80	30	3510	DFT	QPSK	Outer_Full	19.68	20.18
n78L	80	30	3510	DFT	16QAM	Inner_Full	19.98	20.48
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Left	18.16	18.66
n78L	80	30	3510	DFT	16QAM	Edge_1RB_Right	18.21	18.71
n78L	80	30	3510	DFT	16QAM	Outer_Full	18.69	19.19
n78L	80	30	3510	DFT	64QAM	Inner_Full	18.39	18.89
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Left	17.21	17.71
n78L	80	30	3510	DFT	64QAM	Edge_1RB_Right	17.09	17.59
n78L	80	30	3510	DFT	64QAM	Outer_Full	18.16	18.66
n78L	80	30	3510	DFT	256QAM	Inner_Full	16.52	17.02
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Left	15.87	16.37
n78L	80	30	3510	DFT	256QAM	Edge_1RB_Right	15.41	15.91
n78L	80	30	3510	DFT	256QAM	Outer_Full	16.31	16.81
n78L	80	30	3510	CP	QPSK	Inner_Full	19.39	19.89
n78L	80	30	3510	CP	QPSK	Edge_1RB_Left	17.49	17.99
n78L	80	30	3510	CP	QPSK	Edge_1RB_Right	17.26	17.76
n78L	80	30	3510	CP	QPSK	Outer_Full	17.82	18.32
n78L	80	30	3510	CP	16QAM	Inner_Full	18.89	19.39
n78L	80	30	3510	CP	16QAM	Edge_1RB_Left	17.60	18.10
n78L	80	30	3510	CP	16QAM	Edge_1RB_Right	17.59	18.09
n78L	80	30	3510	CP	16QAM	Outer_Full	17.81	18.31
n78L	80	30	3510	CP	64QAM	Inner_Full	17.58	18.08
n78L	80	30	3510	CP	64QAM	Edge_1RB_Left	17.23	17.73
n78L	80	30	3510	CP	64QAM	Edge_1RB_Right	17.26	17.76
n78L	80	30	3510	CP	64QAM	Outer_Full	17.32	17.82
n78L	80	30	3510	CP	256QAM	Inner_Full	14.55	15.05
n78L	80	30	3510	CP	256QAM	Edge_1RB_Left	13.57	14.07



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	80	30	3510	CP	256QAM	Edge_1RB_Right	13.56	14.06
n78L	80	30	3510	CP	256QAM	Outer_Full	14.31	14.81
n78L	90	30	3495	DFT	pi/2 BPSK	Inner_Full	20.66	21.16
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Left	19.44	19.94
n78L	90	30	3495	DFT	pi/2 BPSK	Edge_1RB_Right	19.28	19.78
n78L	90	30	3495	DFT	pi/2 BPSK	Outer_Full	20.10	20.60
n78L	90	30	3495	DFT	QPSK	Inner_Full	20.67	21.17
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Left	18.95	19.45
n78L	90	30	3495	DFT	QPSK	Edge_1RB_Right	18.74	19.24
n78L	90	30	3495	DFT	QPSK	Outer_Full	19.58	20.08
n78L	90	30	3495	DFT	16QAM	Inner_Full	19.64	20.14
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Left	17.95	18.45
n78L	90	30	3495	DFT	16QAM	Edge_1RB_Right	17.87	18.37
n78L	90	30	3495	DFT	16QAM	Outer_Full	18.56	19.06
n78L	90	30	3495	DFT	64QAM	Inner_Full	18.18	18.68
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Left	17.51	18.01
n78L	90	30	3495	DFT	64QAM	Edge_1RB_Right	17.45	17.95
n78L	90	30	3495	DFT	64QAM	Outer_Full	18.04	18.54
n78L	90	30	3495	DFT	256QAM	Inner_Full	16.28	16.78
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Left	15.46	15.96
n78L	90	30	3495	DFT	256QAM	Edge_1RB_Right	15.27	15.77
n78L	90	30	3495	DFT	256QAM	Outer_Full	16.21	16.71
n78L	90	30	3495	CP	QPSK	Inner_Full	19.10	19.60
n78L	90	30	3495	CP	QPSK	Edge_1RB_Left	17.36	17.86
n78L	90	30	3495	CP	QPSK	Edge_1RB_Right	17.27	17.77
n78L	90	30	3495	CP	QPSK	Outer_Full	17.68	18.18
n78L	90	30	3495	CP	16QAM	Inner_Full	18.64	19.14
n78L	90	30	3495	CP	16QAM	Edge_1RB_Left	17.31	17.81
n78L	90	30	3495	CP	16QAM	Edge_1RB_Right	17.45	17.95
n78L	90	30	3495	CP	16QAM	Outer_Full	17.75	18.25
n78L	90	30	3495	CP	64QAM	Inner_Full	17.23	17.73
n78L	90	30	3495	CP	64QAM	Edge_1RB_Left	16.88	17.38
n78L	90	30	3495	CP	64QAM	Edge_1RB_Right	17.17	17.67
n78L	90	30	3495	CP	64QAM	Outer_Full	17.19	17.69
n78L	90	30	3495	CP	256QAM	Inner_Full	14.20	14.70
n78L	90	30	3495	CP	256QAM	Edge_1RB_Left	13.81	14.31



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	90	30	3495	CP	256QAM	Edge_1RB_Right	13.71	14.21
n78L	90	30	3495	CP	256QAM	Outer_Full	14.17	14.67
n78L	90	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.79	21.29
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.42	19.92
n78L	90	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.22	19.72
n78L	90	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.15	20.65
n78L	90	30	3500.01	DFT	QPSK	Inner_Full	20.80	21.30
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Left	18.86	19.36
n78L	90	30	3500.01	DFT	QPSK	Edge_1RB_Right	18.74	19.24
n78L	90	30	3500.01	DFT	QPSK	Outer_Full	19.64	20.14
n78L	90	30	3500.01	DFT	16QAM	Inner_Full	19.81	20.31
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Left	17.96	18.46
n78L	90	30	3500.01	DFT	16QAM	Edge_1RB_Right	17.92	18.42
n78L	90	30	3500.01	DFT	16QAM	Outer_Full	18.61	19.11
n78L	90	30	3500.01	DFT	64QAM	Inner_Full	18.27	18.77
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.53	18.03
n78L	90	30	3500.01	DFT	64QAM	Edge_1RB_Right	17.55	18.05
n78L	90	30	3500.01	DFT	64QAM	Outer_Full	18.08	18.58
n78L	90	30	3500.01	DFT	256QAM	Inner_Full	16.39	16.89
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.74	16.24
n78L	90	30	3500.01	DFT	256QAM	Edge_1RB_Right	15.60	16.10
n78L	90	30	3500.01	DFT	256QAM	Outer_Full	16.29	16.79
n78L	90	30	3500.01	CP	QPSK	Inner_Full	19.21	19.71
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Left	17.36	17.86
n78L	90	30	3500.01	CP	QPSK	Edge_1RB_Right	17.23	17.73
n78L	90	30	3500.01	CP	QPSK	Outer_Full	17.79	18.29
n78L	90	30	3500.01	CP	16QAM	Inner_Full	18.73	19.23
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Left	17.35	17.85
n78L	90	30	3500.01	CP	16QAM	Edge_1RB_Right	17.16	17.66
n78L	90	30	3500.01	CP	16QAM	Outer_Full	17.81	18.31
n78L	90	30	3500.01	CP	64QAM	Inner_Full	17.39	17.89
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Left	17.14	17.64
n78L	90	30	3500.01	CP	64QAM	Edge_1RB_Right	17.04	17.54
n78L	90	30	3500.01	CP	64QAM	Outer_Full	17.26	17.76
n78L	90	30	3500.01	CP	256QAM	Inner_Full	14.37	14.87
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Left	13.63	14.13



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	90	30	3500.01	CP	256QAM	Edge_1RB_Right	13.37	13.87
n78L	90	30	3500.01	CP	256QAM	Outer_Full	14.22	14.72
n78L	90	30	3504.99	DFT	pi/2 BPSK	Inner_Full	20.89	21.39
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Left	19.41	19.91
n78L	90	30	3504.99	DFT	pi/2 BPSK	Edge_1RB_Right	19.26	19.76
n78L	90	30	3504.99	DFT	pi/2 BPSK	Outer_Full	20.17	20.67
n78L	90	30	3504.99	DFT	QPSK	Inner_Full	20.91	21.41
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Left	18.88	19.38
n78L	90	30	3504.99	DFT	QPSK	Edge_1RB_Right	18.65	19.15
n78L	90	30	3504.99	DFT	QPSK	Outer_Full	19.68	20.18
n78L	90	30	3504.99	DFT	16QAM	Inner_Full	19.89	20.39
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Left	17.95	18.45
n78L	90	30	3504.99	DFT	16QAM	Edge_1RB_Right	17.83	18.33
n78L	90	30	3504.99	DFT	16QAM	Outer_Full	18.62	19.12
n78L	90	30	3504.99	DFT	64QAM	Inner_Full	18.37	18.87
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Left	17.60	18.10
n78L	90	30	3504.99	DFT	64QAM	Edge_1RB_Right	17.38	17.88
n78L	90	30	3504.99	DFT	64QAM	Outer_Full	18.11	18.61
n78L	90	30	3504.99	DFT	256QAM	Inner_Full	16.48	16.98
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Left	15.79	16.29
n78L	90	30	3504.99	DFT	256QAM	Edge_1RB_Right	15.22	15.72
n78L	90	30	3504.99	DFT	256QAM	Outer_Full	16.28	16.78
n78L	90	30	3504.99	CP	QPSK	Inner_Full	19.27	19.77
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Left	17.42	17.92
n78L	90	30	3504.99	CP	QPSK	Edge_1RB_Right	17.25	17.75
n78L	90	30	3504.99	CP	QPSK	Outer_Full	17.80	18.30
n78L	90	30	3504.99	CP	16QAM	Inner_Full	18.87	19.37
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Left	17.39	17.89
n78L	90	30	3504.99	CP	16QAM	Edge_1RB_Right	17.23	17.73
n78L	90	30	3504.99	CP	16QAM	Outer_Full	17.80	18.30
n78L	90	30	3504.99	CP	64QAM	Inner_Full	17.52	18.02
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Left	16.89	17.39
n78L	90	30	3504.99	CP	64QAM	Edge_1RB_Right	16.73	17.23
n78L	90	30	3504.99	CP	64QAM	Outer_Full	17.29	17.79
n78L	90	30	3504.99	CP	256QAM	Inner_Full	14.47	14.97
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Left	13.51	14.01



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	90	30	3504.99	CP	256QAM	Edge_1RB_Right	13.36	13.86
n78L	90	30	3504.99	CP	256QAM	Outer_Full	14.23	14.73
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.77	21.27
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.28	19.78
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.08	19.58
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.06	20.56
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	20.81	21.31
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	18.77	19.27
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	18.55	19.05
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	19.57	20.07
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	19.81	20.31
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	17.87	18.37
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	17.66	18.16
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	18.53	19.03
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	18.27	18.77
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.51	18.01
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	17.25	17.75
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	18.04	18.54
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	16.43	16.93
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.51	16.01
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	15.29	15.79
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	16.22	16.72
n78L	100	30	3500.01	CP	QPSK	Inner_Full	19.24	19.74
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	17.33	17.83
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	17.08	17.58
n78L	100	30	3500.01	CP	QPSK	Outer_Full	17.71	18.21
n78L	100	30	3500.01	CP	16QAM	Inner_Full	18.71	19.21
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	17.34	17.84
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	17.08	17.58
n78L	100	30	3500.01	CP	16QAM	Outer_Full	17.73	18.23
n78L	100	30	3500.01	CP	64QAM	Inner_Full	17.45	17.95
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	17.03	17.53
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	16.79	17.29
n78L	100	30	3500.01	CP	64QAM	Outer_Full	17.23	17.73
n78L	100	30	3500.01	CP	256QAM	Inner_Full	14.37	14.87
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	13.55	14.05



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	13.28	13.78
n78L	100	30	3500.01	CP	256QAM	Outer_Full	14.16	14.66
n78L	100	30	3500.01	DFT	pi/2 BPSK	Inner_Full	20.78	21.28
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.31	19.81
n78L	100	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.07	19.57
n78L	100	30	3500.01	DFT	pi/2 BPSK	Outer_Full	20.05	20.55
n78L	100	30	3500.01	DFT	QPSK	Inner_Full	20.79	21.29
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Left	18.81	19.31
n78L	100	30	3500.01	DFT	QPSK	Edge_1RB_Right	18.55	19.05
n78L	100	30	3500.01	DFT	QPSK	Outer_Full	19.56	20.06
n78L	100	30	3500.01	DFT	16QAM	Inner_Full	19.76	20.26
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Left	17.97	18.47
n78L	100	30	3500.01	DFT	16QAM	Edge_1RB_Right	17.75	18.25
n78L	100	30	3500.01	DFT	16QAM	Outer_Full	18.53	19.03
n78L	100	30	3500.01	DFT	64QAM	Inner_Full	18.27	18.77
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Left	17.10	17.60
n78L	100	30	3500.01	DFT	64QAM	Edge_1RB_Right	16.87	17.37
n78L	100	30	3500.01	DFT	64QAM	Outer_Full	18.03	18.53
n78L	100	30	3500.01	DFT	256QAM	Inner_Full	16.37	16.87
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Left	15.64	16.14
n78L	100	30	3500.01	DFT	256QAM	Edge_1RB_Right	15.45	15.95
n78L	100	30	3500.01	DFT	256QAM	Outer_Full	16.23	16.73
n78L	100	30	3500.01	CP	QPSK	Inner_Full	19.21	19.71
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Left	17.26	17.76
n78L	100	30	3500.01	CP	QPSK	Edge_1RB_Right	17.01	17.51
n78L	100	30	3500.01	CP	QPSK	Outer_Full	17.72	18.22
n78L	100	30	3500.01	CP	16QAM	Inner_Full	18.74	19.24
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Left	17.50	18.00
n78L	100	30	3500.01	CP	16QAM	Edge_1RB_Right	17.29	17.79
n78L	100	30	3500.01	CP	16QAM	Outer_Full	17.68	18.18
n78L	100	30	3500.01	CP	64QAM	Inner_Full	17.47	17.97
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Left	16.79	17.29
n78L	100	30	3500.01	CP	64QAM	Edge_1RB_Right	16.54	17.04
n78L	100	30	3500.01	CP	64QAM	Outer_Full	17.20	17.70
n78L	100	30	3500.01	CP	256QAM	Inner_Full	14.36	14.86
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Left	13.66	14.16



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	100	30	3500.01	CP	256QAM	Edge_1RB_Right	13.39	13.89
n78L	100	30	3500.01	CP	256QAM	Outer_Full	14.16	14.66
n78L	100	30	3499.98	DFT	pi/2 BPSK	Inner_Full	20.74	21.24
n78L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Left	19.30	19.80
n78L	100	30	3499.98	DFT	pi/2 BPSK	Edge_1RB_Right	19.06	19.56
n78L	100	30	3499.98	DFT	pi/2 BPSK	Outer_Full	20.07	20.57
n78L	100	30	3499.98	DFT	QPSK	Inner_Full	20.80	21.30
n78L	100	30	3499.98	DFT	QPSK	Edge_1RB_Left	18.74	19.24
n78L	100	30	3499.98	DFT	QPSK	Edge_1RB_Right	18.51	19.01
n78L	100	30	3499.98	DFT	QPSK	Outer_Full	19.56	20.06
n78L	100	30	3499.98	DFT	16QAM	Inner_Full	19.74	20.24
n78L	100	30	3499.98	DFT	16QAM	Edge_1RB_Left	17.88	18.38
n78L	100	30	3499.98	DFT	16QAM	Edge_1RB_Right	17.64	18.14
n78L	100	30	3499.98	DFT	16QAM	Outer_Full	18.52	19.02
n78L	100	30	3499.98	DFT	64QAM	Inner_Full	18.22	18.72
n78L	100	30	3499.98	DFT	64QAM	Edge_1RB_Left	17.47	17.97
n78L	100	30	3499.98	DFT	64QAM	Edge_1RB_Right	17.23	17.73
n78L	100	30	3499.98	DFT	64QAM	Outer_Full	18.04	18.54
n78L	100	30	3499.98	DFT	256QAM	Inner_Full	16.40	16.90
n78L	100	30	3499.98	DFT	256QAM	Edge_1RB_Left	15.45	15.95
n78L	100	30	3499.98	DFT	256QAM	Edge_1RB_Right	15.25	15.75
n78L	100	30	3499.98	DFT	256QAM	Outer_Full	16.20	16.70
n78L	100	30	3499.98	CP	QPSK	Inner_Full	19.23	19.73
n78L	100	30	3499.98	CP	QPSK	Edge_1RB_Left	17.28	17.78
n78L	100	30	3499.98	CP	QPSK	Edge_1RB_Right	17.08	17.58
n78L	100	30	3499.98	CP	QPSK	Outer_Full	17.67	18.17
n78L	100	30	3499.98	CP	16QAM	Inner_Full	18.71	19.21
n78L	100	30	3499.98	CP	16QAM	Edge_1RB_Left	17.33	17.83
n78L	100	30	3499.98	CP	16QAM	Edge_1RB_Right	17.09	17.59
n78L	100	30	3499.98	CP	16QAM	Outer_Full	17.70	18.20
n78L	100	30	3499.98	CP	64QAM	Inner_Full	17.45	17.95
n78L	100	30	3499.98	CP	64QAM	Edge_1RB_Left	17.02	17.52
n78L	100	30	3499.98	CP	64QAM	Edge_1RB_Right	16.72	17.22
n78L	100	30	3499.98	CP	64QAM	Outer_Full	17.22	17.72
n78L	100	30	3499.98	CP	256QAM	Inner_Full	14.37	14.87
n78L	100	30	3499.98	CP	256QAM	Edge_1RB_Left	13.56	14.06



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78L	100	30	3499.98	CP	256QAM	Edge_1RB_Right	13.30	13.80
n78L	100	30	3499.98	CP	256QAM	Outer_Full	14.09	14.59



DC_2A_n78A (37000MHz-3800MHz)- EIRP 27.50(j)(3)

Limits: ≤30dBm (1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	10	30	3705	DFT	pi/2 BPSK	Inner_Full	20.34	20.84
n78H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Left	19.69	20.19
n78H	10	30	3705	DFT	pi/2 BPSK	Edge_1RB_Right	19.69	20.19
n78H	10	30	3705	DFT	pi/2 BPSK	Outer_Full	19.80	20.30
n78H	10	30	3705	DFT	QPSK	Inner_Full	20.27	20.77
n78H	10	30	3705	DFT	QPSK	Edge_1RB_Left	19.18	19.68
n78H	10	30	3705	DFT	QPSK	Edge_1RB_Right	19.16	19.66
n78H	10	30	3705	DFT	QPSK	Outer_Full	19.25	19.75
n78H	10	30	3705	DFT	16QAM	Inner_Full	19.37	19.87
n78H	10	30	3705	DFT	16QAM	Edge_1RB_Left	18.40	18.90
n78H	10	30	3705	DFT	16QAM	Edge_1RB_Right	18.27	18.77
n78H	10	30	3705	DFT	16QAM	Outer_Full	18.24	18.74
n78H	10	30	3705	DFT	64QAM	Inner_Full	17.90	18.40
n78H	10	30	3705	DFT	64QAM	Edge_1RB_Left	17.98	18.48
n78H	10	30	3705	DFT	64QAM	Edge_1RB_Right	17.90	18.40
n78H	10	30	3705	DFT	64QAM	Outer_Full	17.90	18.40
n78H	10	30	3705	DFT	256QAM	Inner_Full	15.87	16.37
n78H	10	30	3705	DFT	256QAM	Edge_1RB_Left	15.88	16.38
n78H	10	30	3705	DFT	256QAM	Edge_1RB_Right	15.60	16.10
n78H	10	30	3705	DFT	256QAM	Outer_Full	15.90	16.40
n78H	10	30	3705	CP	QPSK	Inner_Full	18.70	19.20
n78H	10	30	3705	CP	QPSK	Edge_1RB_Left	17.49	17.99
n78H	10	30	3705	CP	QPSK	Edge_1RB_Right	17.44	17.94
n78H	10	30	3705	CP	QPSK	Outer_Full	17.30	17.80
n78H	10	30	3705	CP	16QAM	Inner_Full	18.20	18.70
n78H	10	30	3705	CP	16QAM	Edge_1RB_Left	17.49	17.99
n78H	10	30	3705	CP	16QAM	Edge_1RB_Right	17.49	17.99
n78H	10	30	3705	CP	16QAM	Outer_Full	17.32	17.82
n78H	10	30	3705	CP	64QAM	Inner_Full	16.91	17.41
n78H	10	30	3705	CP	64QAM	Edge_1RB_Left	17.22	17.72
n78H	10	30	3705	CP	64QAM	Edge_1RB_Right	17.13	17.63
n78H	10	30	3705	CP	64QAM	Outer_Full	16.86	17.36
n78H	10	30	3705	CP	256QAM	Inner_Full	13.89	14.39
n78H	10	30	3705	CP	256QAM	Edge_1RB_Left	13.86	14.36



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	10	30	3705	CP	256QAM	Edge_1RB_Right	13.82	14.32
n78H	10	30	3705	CP	256QAM	Outer_Full	13.83	14.33
n78H	10	30	3750	DFT	pi/2 BPSK	Inner_Full	20.39	20.89
n78H	10	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.80	20.30
n78H	10	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.71	20.21
n78H	10	30	3750	DFT	pi/2 BPSK	Outer_Full	19.86	20.36
n78H	10	30	3750	DFT	QPSK	Inner_Full	20.39	20.89
n78H	10	30	3750	DFT	QPSK	Edge_1RB_Left	19.31	19.81
n78H	10	30	3750	DFT	QPSK	Edge_1RB_Right	19.21	19.71
n78H	10	30	3750	DFT	QPSK	Outer_Full	19.33	19.83
n78H	10	30	3750	DFT	16QAM	Inner_Full	19.34	19.84
n78H	10	30	3750	DFT	16QAM	Edge_1RB_Left	18.46	18.96
n78H	10	30	3750	DFT	16QAM	Edge_1RB_Right	18.33	18.83
n78H	10	30	3750	DFT	16QAM	Outer_Full	18.31	18.81
n78H	10	30	3750	DFT	64QAM	Inner_Full	18.03	18.53
n78H	10	30	3750	DFT	64QAM	Edge_1RB_Left	18.15	18.65
n78H	10	30	3750	DFT	64QAM	Edge_1RB_Right	18.13	18.63
n78H	10	30	3750	DFT	64QAM	Outer_Full	17.97	18.47
n78H	10	30	3750	DFT	256QAM	Inner_Full	15.99	16.49
n78H	10	30	3750	DFT	256QAM	Edge_1RB_Left	15.66	16.16
n78H	10	30	3750	DFT	256QAM	Edge_1RB_Right	15.93	16.43
n78H	10	30	3750	DFT	256QAM	Outer_Full	15.97	16.47
n78H	10	30	3750	CP	QPSK	Inner_Full	18.81	19.31
n78H	10	30	3750	CP	QPSK	Edge_1RB_Left	17.62	18.12
n78H	10	30	3750	CP	QPSK	Edge_1RB_Right	17.55	18.05
n78H	10	30	3750	CP	QPSK	Outer_Full	17.33	17.83
n78H	10	30	3750	CP	16QAM	Inner_Full	18.25	18.75
n78H	10	30	3750	CP	16QAM	Edge_1RB_Left	17.63	18.13
n78H	10	30	3750	CP	16QAM	Edge_1RB_Right	17.39	17.89
n78H	10	30	3750	CP	16QAM	Outer_Full	17.39	17.89
n78H	10	30	3750	CP	64QAM	Inner_Full	17.04	17.54
n78H	10	30	3750	CP	64QAM	Edge_1RB_Left	17.30	17.80
n78H	10	30	3750	CP	64QAM	Edge_1RB_Right	17.25	17.75
n78H	10	30	3750	CP	64QAM	Outer_Full	16.87	17.37
n78H	10	30	3750	CP	256QAM	Inner_Full	13.91	14.41
n78H	10	30	3750	CP	256QAM	Edge_1RB_Left	13.71	14.21



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	10	30	3750	CP	256QAM	Edge_1RB_Right	13.56	14.06
n78H	10	30	3750	CP	256QAM	Outer_Full	13.94	14.44
n78H	10	30	3795	DFT	pi/2 BPSK	Inner_Full	20.49	20.99
n78H	10	30	3795	DFT	pi/2 BPSK	Edge_1RB_Left	19.85	20.35
n78H	10	30	3795	DFT	pi/2 BPSK	Edge_1RB_Right	19.92	20.42
n78H	10	30	3795	DFT	pi/2 BPSK	Outer_Full	20.00	20.50
n78H	10	30	3795	DFT	QPSK	Inner_Full	20.49	20.99
n78H	10	30	3795	DFT	QPSK	Edge_1RB_Left	19.34	19.84
n78H	10	30	3795	DFT	QPSK	Edge_1RB_Right	19.43	19.93
n78H	10	30	3795	DFT	QPSK	Outer_Full	19.50	20.00
n78H	10	30	3795	DFT	16QAM	Inner_Full	19.54	20.04
n78H	10	30	3795	DFT	16QAM	Edge_1RB_Left	18.42	18.92
n78H	10	30	3795	DFT	16QAM	Edge_1RB_Right	18.49	18.99
n78H	10	30	3795	DFT	16QAM	Outer_Full	18.39	18.89
n78H	10	30	3795	DFT	64QAM	Inner_Full	17.96	18.46
n78H	10	30	3795	DFT	64QAM	Edge_1RB_Left	17.98	18.48
n78H	10	30	3795	DFT	64QAM	Edge_1RB_Right	18.14	18.64
n78H	10	30	3795	DFT	64QAM	Outer_Full	17.95	18.45
n78H	10	30	3795	DFT	256QAM	Inner_Full	16.07	16.57
n78H	10	30	3795	DFT	256QAM	Edge_1RB_Left	16.13	16.63
n78H	10	30	3795	DFT	256QAM	Edge_1RB_Right	15.92	16.42
n78H	10	30	3795	DFT	256QAM	Outer_Full	16.12	16.62
n78H	10	30	3795	CP	QPSK	Inner_Full	18.96	19.46
n78H	10	30	3795	CP	QPSK	Edge_1RB_Left	17.61	18.11
n78H	10	30	3795	CP	QPSK	Edge_1RB_Right	17.68	18.18
n78H	10	30	3795	CP	QPSK	Outer_Full	17.52	18.02
n78H	10	30	3795	CP	16QAM	Inner_Full	18.41	18.91
n78H	10	30	3795	CP	16QAM	Edge_1RB_Left	17.72	18.22
n78H	10	30	3795	CP	16QAM	Edge_1RB_Right	17.94	18.44
n78H	10	30	3795	CP	16QAM	Outer_Full	17.58	18.08
n78H	10	30	3795	CP	64QAM	Inner_Full	17.06	17.56
n78H	10	30	3795	CP	64QAM	Edge_1RB_Left	17.20	17.70
n78H	10	30	3795	CP	64QAM	Edge_1RB_Right	17.23	17.73
n78H	10	30	3795	CP	64QAM	Outer_Full	16.95	17.45
n78H	10	30	3795	CP	256QAM	Inner_Full	14.08	14.58
n78H	10	30	3795	CP	256QAM	Edge_1RB_Left	13.85	14.35



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	10	30	3795	CP	256QAM	Edge_1RB_Right	13.98	14.48
n78H	10	30	3795	CP	256QAM	Outer_Full	14.08	14.58
n78H	15	30	3707.52	DFT	pi/2 BPSK	Inner_Full	20.18	20.68
n78H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Left	19.60	20.10
n78H	15	30	3707.52	DFT	pi/2 BPSK	Edge_1RB_Right	19.58	20.08
n78H	15	30	3707.52	DFT	pi/2 BPSK	Outer_Full	19.73	20.23
n78H	15	30	3707.52	DFT	QPSK	Inner_Full	20.19	20.69
n78H	15	30	3707.52	DFT	QPSK	Edge_1RB_Left	19.09	19.59
n78H	15	30	3707.52	DFT	QPSK	Edge_1RB_Right	19.11	19.61
n78H	15	30	3707.52	DFT	QPSK	Outer_Full	19.19	19.69
n78H	15	30	3707.52	DFT	16QAM	Inner_Full	19.18	19.68
n78H	15	30	3707.52	DFT	16QAM	Edge_1RB_Left	18.18	18.68
n78H	15	30	3707.52	DFT	16QAM	Edge_1RB_Right	18.15	18.65
n78H	15	30	3707.52	DFT	16QAM	Outer_Full	18.10	18.60
n78H	15	30	3707.52	DFT	64QAM	Inner_Full	17.88	18.38
n78H	15	30	3707.52	DFT	64QAM	Edge_1RB_Left	18.00	18.50
n78H	15	30	3707.52	DFT	64QAM	Edge_1RB_Right	18.03	18.53
n78H	15	30	3707.52	DFT	64QAM	Outer_Full	17.83	18.33
n78H	15	30	3707.52	DFT	256QAM	Inner_Full	15.76	16.26
n78H	15	30	3707.52	DFT	256QAM	Edge_1RB_Left	15.79	16.29
n78H	15	30	3707.52	DFT	256QAM	Edge_1RB_Right	15.83	16.33
n78H	15	30	3707.52	DFT	256QAM	Outer_Full	15.76	16.26
n78H	15	30	3707.52	CP	QPSK	Inner_Full	18.58	19.08
n78H	15	30	3707.52	CP	QPSK	Edge_1RB_Left	17.42	17.92
n78H	15	30	3707.52	CP	QPSK	Edge_1RB_Right	17.29	17.79
n78H	15	30	3707.52	CP	QPSK	Outer_Full	17.28	17.78
n78H	15	30	3707.52	CP	16QAM	Inner_Full	18.13	18.63
n78H	15	30	3707.52	CP	16QAM	Edge_1RB_Left	17.31	17.81
n78H	15	30	3707.52	CP	16QAM	Edge_1RB_Right	17.29	17.79
n78H	15	30	3707.52	CP	16QAM	Outer_Full	17.27	17.77
n78H	15	30	3707.52	CP	64QAM	Inner_Full	16.74	17.24
n78H	15	30	3707.52	CP	64QAM	Edge_1RB_Left	16.82	17.32
n78H	15	30	3707.52	CP	64QAM	Edge_1RB_Right	17.14	17.64
n78H	15	30	3707.52	CP	64QAM	Outer_Full	16.76	17.26
n78H	15	30	3707.52	CP	256QAM	Inner_Full	13.77	14.27
n78H	15	30	3707.52	CP	256QAM	Edge_1RB_Left	13.44	13.94



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	15	30	3707.52	CP	256QAM	Edge_1RB_Right	13.73	14.23
n78H	15	30	3707.52	CP	256QAM	Outer_Full	13.68	14.18
n78H	15	30	3750	DFT	pi/2 BPSK	Inner_Full	20.29	20.79
n78H	15	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.75	20.25
n78H	15	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.61	20.11
n78H	15	30	3750	DFT	pi/2 BPSK	Outer_Full	19.81	20.31
n78H	15	30	3750	DFT	QPSK	Inner_Full	20.33	20.83
n78H	15	30	3750	DFT	QPSK	Edge_1RB_Left	19.21	19.71
n78H	15	30	3750	DFT	QPSK	Edge_1RB_Right	19.08	19.58
n78H	15	30	3750	DFT	QPSK	Outer_Full	19.30	19.80
n78H	15	30	3750	DFT	16QAM	Inner_Full	19.29	19.79
n78H	15	30	3750	DFT	16QAM	Edge_1RB_Left	18.36	18.86
n78H	15	30	3750	DFT	16QAM	Edge_1RB_Right	18.26	18.76
n78H	15	30	3750	DFT	16QAM	Outer_Full	18.25	18.75
n78H	15	30	3750	DFT	64QAM	Inner_Full	18.01	18.51
n78H	15	30	3750	DFT	64QAM	Edge_1RB_Left	18.17	18.67
n78H	15	30	3750	DFT	64QAM	Edge_1RB_Right	17.91	18.41
n78H	15	30	3750	DFT	64QAM	Outer_Full	17.97	18.47
n78H	15	30	3750	DFT	256QAM	Inner_Full	15.90	16.40
n78H	15	30	3750	DFT	256QAM	Edge_1RB_Left	15.99	16.49
n78H	15	30	3750	DFT	256QAM	Edge_1RB_Right	15.90	16.40
n78H	15	30	3750	DFT	256QAM	Outer_Full	15.90	16.40
n78H	15	30	3750	CP	QPSK	Inner_Full	18.76	19.26
n78H	15	30	3750	CP	QPSK	Edge_1RB_Left	17.52	18.02
n78H	15	30	3750	CP	QPSK	Edge_1RB_Right	17.39	17.89
n78H	15	30	3750	CP	QPSK	Outer_Full	17.40	17.90
n78H	15	30	3750	CP	16QAM	Inner_Full	18.23	18.73
n78H	15	30	3750	CP	16QAM	Edge_1RB_Left	17.37	17.87
n78H	15	30	3750	CP	16QAM	Edge_1RB_Right	17.27	17.77
n78H	15	30	3750	CP	16QAM	Outer_Full	17.43	17.93
n78H	15	30	3750	CP	64QAM	Inner_Full	16.90	17.40
n78H	15	30	3750	CP	64QAM	Edge_1RB_Left	17.00	17.50
n78H	15	30	3750	CP	64QAM	Edge_1RB_Right	17.05	17.55
n78H	15	30	3750	CP	64QAM	Outer_Full	16.86	17.36
n78H	15	30	3750	CP	256QAM	Inner_Full	13.90	14.40
n78H	15	30	3750	CP	256QAM	Edge_1RB_Left	13.66	14.16



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	15	30	3750	CP	256QAM	Edge_1RB_Right	13.51	14.01
n78H	15	30	3750	CP	256QAM	Outer_Full	13.76	14.26
n78H	15	30	3792.48	DFT	pi/2 BPSK	Inner_Full	20.38	20.88
n78H	15	30	3792.48	DFT	pi/2 BPSK	Edge_1RB_Left	19.68	20.18
n78H	15	30	3792.48	DFT	pi/2 BPSK	Edge_1RB_Right	19.84	20.34
n78H	15	30	3792.48	DFT	pi/2 BPSK	Outer_Full	19.89	20.39
n78H	15	30	3792.48	DFT	QPSK	Inner_Full	20.39	20.89
n78H	15	30	3792.48	DFT	QPSK	Edge_1RB_Left	19.23	19.73
n78H	15	30	3792.48	DFT	QPSK	Edge_1RB_Right	19.15	19.65
n78H	15	30	3792.48	DFT	QPSK	Outer_Full	19.35	19.85
n78H	15	30	3792.48	DFT	16QAM	Inner_Full	19.34	19.84
n78H	15	30	3792.48	DFT	16QAM	Edge_1RB_Left	18.26	18.76
n78H	15	30	3792.48	DFT	16QAM	Edge_1RB_Right	18.35	18.85
n78H	15	30	3792.48	DFT	16QAM	Outer_Full	18.37	18.87
n78H	15	30	3792.48	DFT	64QAM	Inner_Full	17.96	18.46
n78H	15	30	3792.48	DFT	64QAM	Edge_1RB_Left	17.90	18.40
n78H	15	30	3792.48	DFT	64QAM	Edge_1RB_Right	18.11	18.61
n78H	15	30	3792.48	DFT	64QAM	Outer_Full	17.85	18.35
n78H	15	30	3792.48	DFT	256QAM	Inner_Full	15.94	16.44
n78H	15	30	3792.48	DFT	256QAM	Edge_1RB_Left	15.95	16.45
n78H	15	30	3792.48	DFT	256QAM	Edge_1RB_Right	15.75	16.25
n78H	15	30	3792.48	DFT	256QAM	Outer_Full	15.96	16.46
n78H	15	30	3792.48	CP	QPSK	Inner_Full	18.87	19.37
n78H	15	30	3792.48	CP	QPSK	Edge_1RB_Left	17.47	17.97
n78H	15	30	3792.48	CP	QPSK	Edge_1RB_Right	17.61	18.11
n78H	15	30	3792.48	CP	QPSK	Outer_Full	17.48	17.98
n78H	15	30	3792.48	CP	16QAM	Inner_Full	18.31	18.81
n78H	15	30	3792.48	CP	16QAM	Edge_1RB_Left	17.48	17.98
n78H	15	30	3792.48	CP	16QAM	Edge_1RB_Right	17.50	18.00
n78H	15	30	3792.48	CP	16QAM	Outer_Full	17.49	17.99
n78H	15	30	3792.48	CP	64QAM	Inner_Full	16.92	17.42
n78H	15	30	3792.48	CP	64QAM	Edge_1RB_Left	17.13	17.63
n78H	15	30	3792.48	CP	64QAM	Edge_1RB_Right	17.21	17.71
n78H	15	30	3792.48	CP	64QAM	Outer_Full	16.94	17.44
n78H	15	30	3792.48	CP	256QAM	Inner_Full	14.02	14.52
n78H	15	30	3792.48	CP	256QAM	Edge_1RB_Left	13.77	14.27



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	15	30	3792.48	CP	256QAM	Edge_1RB_Right	13.76	14.26
n78H	15	30	3792.48	CP	256QAM	Outer_Full	13.90	14.40
n78H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	20.12	20.62
n78H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.54	20.04
n78H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.58	20.08
n78H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	19.69	20.19
n78H	20	30	3710.01	DFT	QPSK	Inner_Full	20.16	20.66
n78H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	19.02	19.52
n78H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	18.99	19.49
n78H	20	30	3710.01	DFT	QPSK	Outer_Full	19.18	19.68
n78H	20	30	3710.01	DFT	16QAM	Inner_Full	19.14	19.64
n78H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	18.25	18.75
n78H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	18.22	18.72
n78H	20	30	3710.01	DFT	16QAM	Outer_Full	18.09	18.59
n78H	20	30	3710.01	DFT	64QAM	Inner_Full	17.80	18.30
n78H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	17.39	17.89
n78H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	17.44	17.94
n78H	20	30	3710.01	DFT	64QAM	Outer_Full	17.80	18.30
n78H	20	30	3710.01	DFT	256QAM	Inner_Full	15.76	16.26
n78H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	15.81	16.31
n78H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	15.35	15.85
n78H	20	30	3710.01	DFT	256QAM	Outer_Full	15.75	16.25
n78H	20	30	3710.01	CP	QPSK	Inner_Full	18.55	19.05
n78H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	17.26	17.76
n78H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	17.40	17.90
n78H	20	30	3710.01	CP	QPSK	Outer_Full	17.25	17.75
n78H	20	30	3710.01	CP	16QAM	Inner_Full	18.07	18.57
n78H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	17.39	17.89
n78H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	17.49	17.99
n78H	20	30	3710.01	CP	16QAM	Outer_Full	17.19	17.69
n78H	20	30	3710.01	CP	64QAM	Inner_Full	16.78	17.28
n78H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	17.07	17.57
n78H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	17.14	17.64
n78H	20	30	3710.01	CP	64QAM	Outer_Full	16.78	17.28
n78H	20	30	3710.01	CP	256QAM	Inner_Full	13.75	14.25
n78H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	13.70	14.20



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	13.46	13.96
n78H	20	30	3710.01	CP	256QAM	Outer_Full	13.66	14.16
n78H	20	30	3750	DFT	pi/2 BPSK	Inner_Full	20.31	20.81
n78H	20	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.72	20.22
n78H	20	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.60	20.10
n78H	20	30	3750	DFT	pi/2 BPSK	Outer_Full	19.84	20.34
n78H	20	30	3750	DFT	QPSK	Inner_Full	20.29	20.79
n78H	20	30	3750	DFT	QPSK	Edge_1RB_Left	19.25	19.75
n78H	20	30	3750	DFT	QPSK	Edge_1RB_Right	19.13	19.63
n78H	20	30	3750	DFT	QPSK	Outer_Full	19.29	19.79
n78H	20	30	3750	DFT	16QAM	Inner_Full	19.28	19.78
n78H	20	30	3750	DFT	16QAM	Edge_1RB_Left	18.43	18.93
n78H	20	30	3750	DFT	16QAM	Edge_1RB_Right	18.24	18.74
n78H	20	30	3750	DFT	16QAM	Outer_Full	18.30	18.80
n78H	20	30	3750	DFT	64QAM	Inner_Full	17.94	18.44
n78H	20	30	3750	DFT	64QAM	Edge_1RB_Left	18.03	18.53
n78H	20	30	3750	DFT	64QAM	Edge_1RB_Right	17.84	18.34
n78H	20	30	3750	DFT	64QAM	Outer_Full	17.89	18.39
n78H	20	30	3750	DFT	256QAM	Inner_Full	15.82	16.32
n78H	20	30	3750	DFT	256QAM	Edge_1RB_Left	15.71	16.21
n78H	20	30	3750	DFT	256QAM	Edge_1RB_Right	15.61	16.11
n78H	20	30	3750	DFT	256QAM	Outer_Full	15.92	16.42
n78H	20	30	3750	CP	QPSK	Inner_Full	18.77	19.27
n78H	20	30	3750	CP	QPSK	Edge_1RB_Left	17.55	18.05
n78H	20	30	3750	CP	QPSK	Edge_1RB_Right	17.43	17.93
n78H	20	30	3750	CP	QPSK	Outer_Full	17.38	17.88
n78H	20	30	3750	CP	16QAM	Inner_Full	18.28	18.78
n78H	20	30	3750	CP	16QAM	Edge_1RB_Left	17.62	18.12
n78H	20	30	3750	CP	16QAM	Edge_1RB_Right	17.49	17.99
n78H	20	30	3750	CP	16QAM	Outer_Full	17.42	17.92
n78H	20	30	3750	CP	64QAM	Inner_Full	16.92	17.42
n78H	20	30	3750	CP	64QAM	Edge_1RB_Left	16.98	17.48
n78H	20	30	3750	CP	64QAM	Edge_1RB_Right	16.86	17.36
n78H	20	30	3750	CP	64QAM	Outer_Full	16.96	17.46
n78H	20	30	3750	CP	256QAM	Inner_Full	13.86	14.36
n78H	20	30	3750	CP	256QAM	Edge_1RB_Left	13.81	14.31



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	20	30	3750	CP	256QAM	Edge_1RB_Right	13.71	14.21
n78H	20	30	3750	CP	256QAM	Outer_Full	13.84	14.34
n78H	20	30	3789.99	DFT	pi/2 BPSK	Inner_Full	20.37	20.87
n78H	20	30	3789.99	DFT	pi/2 BPSK	Edge_1RB_Left	19.62	20.12
n78H	20	30	3789.99	DFT	pi/2 BPSK	Edge_1RB_Right	19.81	20.31
n78H	20	30	3789.99	DFT	pi/2 BPSK	Outer_Full	19.85	20.35
n78H	20	30	3789.99	DFT	QPSK	Inner_Full	20.39	20.89
n78H	20	30	3789.99	DFT	QPSK	Edge_1RB_Left	19.10	19.60
n78H	20	30	3789.99	DFT	QPSK	Edge_1RB_Right	19.34	19.84
n78H	20	30	3789.99	DFT	QPSK	Outer_Full	19.30	19.80
n78H	20	30	3789.99	DFT	16QAM	Inner_Full	19.36	19.86
n78H	20	30	3789.99	DFT	16QAM	Edge_1RB_Left	18.29	18.79
n78H	20	30	3789.99	DFT	16QAM	Edge_1RB_Right	18.42	18.92
n78H	20	30	3789.99	DFT	16QAM	Outer_Full	18.33	18.83
n78H	20	30	3789.99	DFT	64QAM	Inner_Full	17.82	18.32
n78H	20	30	3789.99	DFT	64QAM	Edge_1RB_Left	17.81	18.31
n78H	20	30	3789.99	DFT	64QAM	Edge_1RB_Right	17.99	18.49
n78H	20	30	3789.99	DFT	64QAM	Outer_Full	17.79	18.29
n78H	20	30	3789.99	DFT	256QAM	Inner_Full	16.04	16.54
n78H	20	30	3789.99	DFT	256QAM	Edge_1RB_Left	15.33	15.83
n78H	20	30	3789.99	DFT	256QAM	Edge_1RB_Right	15.99	16.49
n78H	20	30	3789.99	DFT	256QAM	Outer_Full	15.95	16.45
n78H	20	30	3789.99	CP	QPSK	Inner_Full	18.81	19.31
n78H	20	30	3789.99	CP	QPSK	Edge_1RB_Left	17.40	17.90
n78H	20	30	3789.99	CP	QPSK	Edge_1RB_Right	17.63	18.13
n78H	20	30	3789.99	CP	QPSK	Outer_Full	17.43	17.93
n78H	20	30	3789.99	CP	16QAM	Inner_Full	18.27	18.77
n78H	20	30	3789.99	CP	16QAM	Edge_1RB_Left	17.22	17.72
n78H	20	30	3789.99	CP	16QAM	Edge_1RB_Right	17.72	18.22
n78H	20	30	3789.99	CP	16QAM	Outer_Full	17.46	17.96
n78H	20	30	3789.99	CP	64QAM	Inner_Full	17.04	17.54
n78H	20	30	3789.99	CP	64QAM	Edge_1RB_Left	17.06	17.56
n78H	20	30	3789.99	CP	64QAM	Edge_1RB_Right	17.43	17.93
n78H	20	30	3789.99	CP	64QAM	Outer_Full	16.94	17.44
n78H	20	30	3789.99	CP	256QAM	Inner_Full	13.97	14.47
n78H	20	30	3789.99	CP	256QAM	Edge_1RB_Left	13.46	13.96



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	20	30	3789.99	CP	256QAM	Edge_1RB_Right	13.74	14.24
n78H	20	30	3789.99	CP	256QAM	Outer_Full	13.83	14.33
n78H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	20.14	20.64
n78H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	19.11	19.61
n78H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	19.40	19.90
n78H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	19.61	20.11
n78H	40	30	3720	DFT	QPSK	Inner_Full	20.14	20.64
n78H	40	30	3720	DFT	QPSK	Edge_1RB_Left	18.62	19.12
n78H	40	30	3720	DFT	QPSK	Edge_1RB_Right	18.85	19.35
n78H	40	30	3720	DFT	QPSK	Outer_Full	19.11	19.61
n78H	40	30	3720	DFT	16QAM	Inner_Full	19.12	19.62
n78H	40	30	3720	DFT	16QAM	Edge_1RB_Left	17.77	18.27
n78H	40	30	3720	DFT	16QAM	Edge_1RB_Right	18.09	18.59
n78H	40	30	3720	DFT	16QAM	Outer_Full	18.07	18.57
n78H	40	30	3720	DFT	64QAM	Inner_Full	17.76	18.26
n78H	40	30	3720	DFT	64QAM	Edge_1RB_Left	17.17	17.67
n78H	40	30	3720	DFT	64QAM	Edge_1RB_Right	17.22	17.72
n78H	40	30	3720	DFT	64QAM	Outer_Full	17.70	18.20
n78H	40	30	3720	DFT	256QAM	Inner_Full	15.73	16.23
n78H	40	30	3720	DFT	256QAM	Edge_1RB_Left	15.06	15.56
n78H	40	30	3720	DFT	256QAM	Edge_1RB_Right	15.27	15.77
n78H	40	30	3720	DFT	256QAM	Outer_Full	15.65	16.15
n78H	40	30	3720	CP	QPSK	Inner_Full	18.60	19.10
n78H	40	30	3720	CP	QPSK	Edge_1RB_Left	16.76	17.26
n78H	40	30	3720	CP	QPSK	Edge_1RB_Right	17.13	17.63
n78H	40	30	3720	CP	QPSK	Outer_Full	17.16	17.66
n78H	40	30	3720	CP	16QAM	Inner_Full	18.13	18.63
n78H	40	30	3720	CP	16QAM	Edge_1RB_Left	17.03	17.53
n78H	40	30	3720	CP	16QAM	Edge_1RB_Right	17.51	18.01
n78H	40	30	3720	CP	16QAM	Outer_Full	17.18	17.68
n78H	40	30	3720	CP	64QAM	Inner_Full	16.75	17.25
n78H	40	30	3720	CP	64QAM	Edge_1RB_Left	16.45	16.95
n78H	40	30	3720	CP	64QAM	Edge_1RB_Right	16.76	17.26
n78H	40	30	3720	CP	64QAM	Outer_Full	16.65	17.15
n78H	40	30	3720	CP	256QAM	Inner_Full	13.74	14.24
n78H	40	30	3720	CP	256QAM	Edge_1RB_Left	12.97	13.47



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	40	30	3720	CP	256QAM	Edge_1RB_Right	13.22	13.72
n78H	40	30	3720	CP	256QAM	Outer_Full	13.66	14.16
n78H	40	30	3750	DFT	pi/2 BPSK	Inner_Full	20.29	20.79
n78H	40	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.28	19.78
n78H	40	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.29	19.79
n78H	40	30	3750	DFT	pi/2 BPSK	Outer_Full	19.68	20.18
n78H	40	30	3750	DFT	QPSK	Inner_Full	20.29	20.79
n78H	40	30	3750	DFT	QPSK	Edge_1RB_Left	18.66	19.16
n78H	40	30	3750	DFT	QPSK	Edge_1RB_Right	18.85	19.35
n78H	40	30	3750	DFT	QPSK	Outer_Full	19.17	19.67
n78H	40	30	3750	DFT	16QAM	Inner_Full	19.29	19.79
n78H	40	30	3750	DFT	16QAM	Edge_1RB_Left	17.87	18.37
n78H	40	30	3750	DFT	16QAM	Edge_1RB_Right	17.95	18.45
n78H	40	30	3750	DFT	16QAM	Outer_Full	18.13	18.63
n78H	40	30	3750	DFT	64QAM	Inner_Full	17.91	18.41
n78H	40	30	3750	DFT	64QAM	Edge_1RB_Left	17.51	18.01
n78H	40	30	3750	DFT	64QAM	Edge_1RB_Right	17.53	18.03
n78H	40	30	3750	DFT	64QAM	Outer_Full	17.79	18.29
n78H	40	30	3750	DFT	256QAM	Inner_Full	15.89	16.39
n78H	40	30	3750	DFT	256QAM	Edge_1RB_Left	15.42	15.92
n78H	40	30	3750	DFT	256QAM	Edge_1RB_Right	15.45	15.95
n78H	40	30	3750	DFT	256QAM	Outer_Full	15.75	16.25
n78H	40	30	3750	CP	QPSK	Inner_Full	18.73	19.23
n78H	40	30	3750	CP	QPSK	Edge_1RB_Left	16.97	17.47
n78H	40	30	3750	CP	QPSK	Edge_1RB_Right	17.03	17.53
n78H	40	30	3750	CP	QPSK	Outer_Full	17.28	17.78
n78H	40	30	3750	CP	16QAM	Inner_Full	18.30	18.80
n78H	40	30	3750	CP	16QAM	Edge_1RB_Left	16.88	17.38
n78H	40	30	3750	CP	16QAM	Edge_1RB_Right	17.18	17.68
n78H	40	30	3750	CP	16QAM	Outer_Full	17.30	17.80
n78H	40	30	3750	CP	64QAM	Inner_Full	16.81	17.31
n78H	40	30	3750	CP	64QAM	Edge_1RB_Left	16.81	17.31
n78H	40	30	3750	CP	64QAM	Edge_1RB_Right	16.80	17.30
n78H	40	30	3750	CP	64QAM	Outer_Full	16.72	17.22
n78H	40	30	3750	CP	256QAM	Inner_Full	13.83	14.33
n78H	40	30	3750	CP	256QAM	Edge_1RB_Left	13.46	13.96



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	40	30	3750	CP	256QAM	Edge_1RB_Right	13.18	13.68
n78H	40	30	3750	CP	256QAM	Outer_Full	13.75	14.25
n78H	40	30	3780	DFT	pi/2 BPSK	Inner_Full	20.26	20.76
n78H	40	30	3780	DFT	pi/2 BPSK	Edge_1RB_Left	19.02	19.52
n78H	40	30	3780	DFT	pi/2 BPSK	Edge_1RB_Right	19.53	20.03
n78H	40	30	3780	DFT	pi/2 BPSK	Outer_Full	19.72	20.22
n78H	40	30	3780	DFT	QPSK	Inner_Full	20.24	20.74
n78H	40	30	3780	DFT	QPSK	Edge_1RB_Left	18.51	19.01
n78H	40	30	3780	DFT	QPSK	Edge_1RB_Right	18.97	19.47
n78H	40	30	3780	DFT	QPSK	Outer_Full	19.12	19.62
n78H	40	30	3780	DFT	16QAM	Inner_Full	19.21	19.71
n78H	40	30	3780	DFT	16QAM	Edge_1RB_Left	17.65	18.15
n78H	40	30	3780	DFT	16QAM	Edge_1RB_Right	18.08	18.58
n78H	40	30	3780	DFT	16QAM	Outer_Full	18.08	18.58
n78H	40	30	3780	DFT	64QAM	Inner_Full	17.86	18.36
n78H	40	30	3780	DFT	64QAM	Edge_1RB_Left	17.32	17.82
n78H	40	30	3780	DFT	64QAM	Edge_1RB_Right	17.73	18.23
n78H	40	30	3780	DFT	64QAM	Outer_Full	17.75	18.25
n78H	40	30	3780	DFT	256QAM	Inner_Full	15.87	16.37
n78H	40	30	3780	DFT	256QAM	Edge_1RB_Left	15.26	15.76
n78H	40	30	3780	DFT	256QAM	Edge_1RB_Right	15.72	16.22
n78H	40	30	3780	DFT	256QAM	Outer_Full	15.77	16.27
n78H	40	30	3780	CP	QPSK	Inner_Full	18.68	19.18
n78H	40	30	3780	CP	QPSK	Edge_1RB_Left	16.74	17.24
n78H	40	30	3780	CP	QPSK	Edge_1RB_Right	17.24	17.74
n78H	40	30	3780	CP	QPSK	Outer_Full	17.24	17.74
n78H	40	30	3780	CP	16QAM	Inner_Full	18.20	18.70
n78H	40	30	3780	CP	16QAM	Edge_1RB_Left	16.93	17.43
n78H	40	30	3780	CP	16QAM	Edge_1RB_Right	17.37	17.87
n78H	40	30	3780	CP	16QAM	Outer_Full	17.26	17.76
n78H	40	30	3780	CP	64QAM	Inner_Full	16.79	17.29
n78H	40	30	3780	CP	64QAM	Edge_1RB_Left	16.29	16.79
n78H	40	30	3780	CP	64QAM	Edge_1RB_Right	16.78	17.28
n78H	40	30	3780	CP	64QAM	Outer_Full	16.73	17.23
n78H	40	30	3780	CP	256QAM	Inner_Full	13.76	14.26
n78H	40	30	3780	CP	256QAM	Edge_1RB_Left	12.93	13.43



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	40	30	3780	CP	256QAM	Edge_1RB_Right	13.36	13.86
n78H	40	30	3780	CP	256QAM	Outer_Full	13.72	14.22
n78H	50	30	3725.01	DFT	pi/2 BPSK	Inner_Full	20.26	20.76
n78H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Left	19.34	19.84
n78H	50	30	3725.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.69	20.19
n78H	50	30	3725.01	DFT	pi/2 BPSK	Outer_Full	19.77	20.27
n78H	50	30	3725.01	DFT	QPSK	Inner_Full	20.28	20.78
n78H	50	30	3725.01	DFT	QPSK	Edge_1RB_Left	18.79	19.29
n78H	50	30	3725.01	DFT	QPSK	Edge_1RB_Right	19.15	19.65
n78H	50	30	3725.01	DFT	QPSK	Outer_Full	19.20	19.70
n78H	50	30	3725.01	DFT	16QAM	Inner_Full	19.31	19.81
n78H	50	30	3725.01	DFT	16QAM	Edge_1RB_Left	17.95	18.45
n78H	50	30	3725.01	DFT	16QAM	Edge_1RB_Right	18.21	18.71
n78H	50	30	3725.01	DFT	16QAM	Outer_Full	18.20	18.70
n78H	50	30	3725.01	DFT	64QAM	Inner_Full	17.86	18.36
n78H	50	30	3725.01	DFT	64QAM	Edge_1RB_Left	17.83	18.33
n78H	50	30	3725.01	DFT	64QAM	Edge_1RB_Right	17.91	18.41
n78H	50	30	3725.01	DFT	64QAM	Outer_Full	17.86	18.36
n78H	50	30	3725.01	DFT	256QAM	Inner_Full	15.85	16.35
n78H	50	30	3725.01	DFT	256QAM	Edge_1RB_Left	15.15	15.65
n78H	50	30	3725.01	DFT	256QAM	Edge_1RB_Right	15.79	16.29
n78H	50	30	3725.01	DFT	256QAM	Outer_Full	15.87	16.37
n78H	50	30	3725.01	CP	QPSK	Inner_Full	18.74	19.24
n78H	50	30	3725.01	CP	QPSK	Edge_1RB_Left	17.20	17.70
n78H	50	30	3725.01	CP	QPSK	Edge_1RB_Right	17.54	18.04
n78H	50	30	3725.01	CP	QPSK	Outer_Full	17.35	17.85
n78H	50	30	3725.01	CP	16QAM	Inner_Full	18.25	18.75
n78H	50	30	3725.01	CP	16QAM	Edge_1RB_Left	17.28	17.78
n78H	50	30	3725.01	CP	16QAM	Edge_1RB_Right	17.61	18.11
n78H	50	30	3725.01	CP	16QAM	Outer_Full	17.34	17.84
n78H	50	30	3725.01	CP	64QAM	Inner_Full	16.86	17.36
n78H	50	30	3725.01	CP	64QAM	Edge_1RB_Left	16.40	16.90
n78H	50	30	3725.01	CP	64QAM	Edge_1RB_Right	16.73	17.23
n78H	50	30	3725.01	CP	64QAM	Outer_Full	16.77	17.27
n78H	50	30	3725.01	CP	256QAM	Inner_Full	13.93	14.43
n78H	50	30	3725.01	CP	256QAM	Edge_1RB_Left	13.66	14.16



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	50	30	3725.01	CP	256QAM	Edge_1RB_Right	13.93	14.43
n78H	50	30	3725.01	CP	256QAM	Outer_Full	13.84	14.34
n78H	50	30	3750	DFT	pi/2 BPSK	Inner_Full	20.30	20.80
n78H	50	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.38	19.88
n78H	50	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.53	20.03
n78H	50	30	3750	DFT	pi/2 BPSK	Outer_Full	19.75	20.25
n78H	50	30	3750	DFT	QPSK	Inner_Full	20.30	20.80
n78H	50	30	3750	DFT	QPSK	Edge_1RB_Left	18.90	19.40
n78H	50	30	3750	DFT	QPSK	Edge_1RB_Right	18.98	19.48
n78H	50	30	3750	DFT	QPSK	Outer_Full	19.24	19.74
n78H	50	30	3750	DFT	16QAM	Inner_Full	19.30	19.80
n78H	50	30	3750	DFT	16QAM	Edge_1RB_Left	18.06	18.56
n78H	50	30	3750	DFT	16QAM	Edge_1RB_Right	18.17	18.67
n78H	50	30	3750	DFT	16QAM	Outer_Full	18.22	18.72
n78H	50	30	3750	DFT	64QAM	Inner_Full	17.92	18.42
n78H	50	30	3750	DFT	64QAM	Edge_1RB_Left	17.28	17.78
n78H	50	30	3750	DFT	64QAM	Edge_1RB_Right	17.46	17.96
n78H	50	30	3750	DFT	64QAM	Outer_Full	17.87	18.37
n78H	50	30	3750	DFT	256QAM	Inner_Full	15.91	16.41
n78H	50	30	3750	DFT	256QAM	Edge_1RB_Left	15.64	16.14
n78H	50	30	3750	DFT	256QAM	Edge_1RB_Right	15.32	15.82
n78H	50	30	3750	DFT	256QAM	Outer_Full	15.90	16.40
n78H	50	30	3750	CP	QPSK	Inner_Full	18.74	19.24
n78H	50	30	3750	CP	QPSK	Edge_1RB_Left	17.27	17.77
n78H	50	30	3750	CP	QPSK	Edge_1RB_Right	17.37	17.87
n78H	50	30	3750	CP	QPSK	Outer_Full	17.32	17.82
n78H	50	30	3750	CP	16QAM	Inner_Full	18.25	18.75
n78H	50	30	3750	CP	16QAM	Edge_1RB_Left	17.30	17.80
n78H	50	30	3750	CP	16QAM	Edge_1RB_Right	17.23	17.73
n78H	50	30	3750	CP	16QAM	Outer_Full	17.35	17.85
n78H	50	30	3750	CP	64QAM	Inner_Full	16.83	17.33
n78H	50	30	3750	CP	64QAM	Edge_1RB_Left	17.05	17.55
n78H	50	30	3750	CP	64QAM	Edge_1RB_Right	17.20	17.70
n78H	50	30	3750	CP	64QAM	Outer_Full	16.82	17.32
n78H	50	30	3750	CP	256QAM	Inner_Full	13.88	14.38
n78H	50	30	3750	CP	256QAM	Edge_1RB_Left	13.38	13.88



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	50	30	3750	CP	256QAM	Edge_1RB_Right	13.52	14.02
n78H	50	30	3750	CP	256QAM	Outer_Full	13.84	14.34
n78H	50	30	3774.99	DFT	pi/2 BPSK	Inner_Full	20.15	20.65
n78H	50	30	3774.99	DFT	pi/2 BPSK	Edge_1RB_Left	19.34	19.84
n78H	50	30	3774.99	DFT	pi/2 BPSK	Edge_1RB_Right	19.70	20.20
n78H	50	30	3774.99	DFT	pi/2 BPSK	Outer_Full	19.69	20.19
n78H	50	30	3774.99	DFT	QPSK	Inner_Full	20.18	20.68
n78H	50	30	3774.99	DFT	QPSK	Edge_1RB_Left	18.81	19.31
n78H	50	30	3774.99	DFT	QPSK	Edge_1RB_Right	19.20	19.70
n78H	50	30	3774.99	DFT	QPSK	Outer_Full	19.16	19.66
n78H	50	30	3774.99	DFT	16QAM	Inner_Full	19.26	19.76
n78H	50	30	3774.99	DFT	16QAM	Edge_1RB_Left	17.91	18.41
n78H	50	30	3774.99	DFT	16QAM	Edge_1RB_Right	18.29	18.79
n78H	50	30	3774.99	DFT	16QAM	Outer_Full	18.12	18.62
n78H	50	30	3774.99	DFT	64QAM	Inner_Full	17.81	18.31
n78H	50	30	3774.99	DFT	64QAM	Edge_1RB_Left	17.73	18.23
n78H	50	30	3774.99	DFT	64QAM	Edge_1RB_Right	17.80	18.30
n78H	50	30	3774.99	DFT	64QAM	Outer_Full	17.77	18.27
n78H	50	30	3774.99	DFT	256QAM	Inner_Full	15.80	16.30
n78H	50	30	3774.99	DFT	256QAM	Edge_1RB_Left	15.63	16.13
n78H	50	30	3774.99	DFT	256QAM	Edge_1RB_Right	15.65	16.15
n78H	50	30	3774.99	DFT	256QAM	Outer_Full	15.78	16.28
n78H	50	30	3774.99	CP	QPSK	Inner_Full	18.64	19.14
n78H	50	30	3774.99	CP	QPSK	Edge_1RB_Left	17.17	17.67
n78H	50	30	3774.99	CP	QPSK	Edge_1RB_Right	17.52	18.02
n78H	50	30	3774.99	CP	QPSK	Outer_Full	17.27	17.77
n78H	50	30	3774.99	CP	16QAM	Inner_Full	18.13	18.63
n78H	50	30	3774.99	CP	16QAM	Edge_1RB_Left	17.32	17.82
n78H	50	30	3774.99	CP	16QAM	Edge_1RB_Right	17.50	18.00
n78H	50	30	3774.99	CP	16QAM	Outer_Full	17.26	17.76
n78H	50	30	3774.99	CP	64QAM	Inner_Full	16.74	17.24
n78H	50	30	3774.99	CP	64QAM	Edge_1RB_Left	16.85	17.35
n78H	50	30	3774.99	CP	64QAM	Edge_1RB_Right	17.05	17.55
n78H	50	30	3774.99	CP	64QAM	Outer_Full	16.74	17.24
n78H	50	30	3774.99	CP	256QAM	Inner_Full	13.78	14.28
n78H	50	30	3774.99	CP	256QAM	Edge_1RB_Left	13.28	13.78



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	50	30	3774.99	CP	256QAM	Edge_1RB_Right	13.69	14.19
n78H	50	30	3774.99	CP	256QAM	Outer_Full	13.76	14.26
n78H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	20.34	20.84
n78H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	19.20	19.70
n78H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	19.39	19.89
n78H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	19.71	20.21
n78H	60	30	3730.02	DFT	QPSK	Inner_Full	20.29	20.79
n78H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	18.69	19.19
n78H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	18.79	19.29
n78H	60	30	3730.02	DFT	QPSK	Outer_Full	19.18	19.68
n78H	60	30	3730.02	DFT	16QAM	Inner_Full	19.29	19.79
n78H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	17.80	18.30
n78H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	17.95	18.45
n78H	60	30	3730.02	DFT	16QAM	Outer_Full	18.11	18.61
n78H	60	30	3730.02	DFT	64QAM	Inner_Full	17.90	18.40
n78H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	17.53	18.03
n78H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	17.77	18.27
n78H	60	30	3730.02	DFT	64QAM	Outer_Full	17.83	18.33
n78H	60	30	3730.02	DFT	256QAM	Inner_Full	15.90	16.40
n78H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	15.43	15.93
n78H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	15.18	15.68
n78H	60	30	3730.02	DFT	256QAM	Outer_Full	15.78	16.28
n78H	60	30	3730.02	CP	QPSK	Inner_Full	18.72	19.22
n78H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	17.04	17.54
n78H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	17.27	17.77
n78H	60	30	3730.02	CP	QPSK	Outer_Full	17.24	17.74
n78H	60	30	3730.02	CP	16QAM	Inner_Full	18.26	18.76
n78H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	16.90	17.40
n78H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	17.23	17.73
n78H	60	30	3730.02	CP	16QAM	Outer_Full	17.23	17.73
n78H	60	30	3730.02	CP	64QAM	Inner_Full	16.88	17.38
n78H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	16.85	17.35
n78H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	17.07	17.57
n78H	60	30	3730.02	CP	64QAM	Outer_Full	16.78	17.28
n78H	60	30	3730.02	CP	256QAM	Inner_Full	13.88	14.38
n78H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	13.20	13.70



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	13.42	13.92
n78H	60	30	3730.02	CP	256QAM	Outer_Full	13.76	14.26
n78H	60	30	3750	DFT	pi/2 BPSK	Inner_Full	20.31	20.81
n78H	60	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	19.17	19.67
n78H	60	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.46	19.96
n78H	60	30	3750	DFT	pi/2 BPSK	Outer_Full	19.72	20.22
n78H	60	30	3750	DFT	QPSK	Inner_Full	20.24	20.74
n78H	60	30	3750	DFT	QPSK	Edge_1RB_Left	18.71	19.21
n78H	60	30	3750	DFT	QPSK	Edge_1RB_Right	18.85	19.35
n78H	60	30	3750	DFT	QPSK	Outer_Full	19.17	19.67
n78H	60	30	3750	DFT	16QAM	Inner_Full	19.24	19.74
n78H	60	30	3750	DFT	16QAM	Edge_1RB_Left	17.74	18.24
n78H	60	30	3750	DFT	16QAM	Edge_1RB_Right	18.12	18.62
n78H	60	30	3750	DFT	16QAM	Outer_Full	18.11	18.61
n78H	60	30	3750	DFT	64QAM	Inner_Full	17.86	18.36
n78H	60	30	3750	DFT	64QAM	Edge_1RB_Left	17.68	18.18
n78H	60	30	3750	DFT	64QAM	Edge_1RB_Right	17.75	18.25
n78H	60	30	3750	DFT	64QAM	Outer_Full	17.77	18.27
n78H	60	30	3750	DFT	256QAM	Inner_Full	15.85	16.35
n78H	60	30	3750	DFT	256QAM	Edge_1RB_Left	15.06	15.56
n78H	60	30	3750	DFT	256QAM	Edge_1RB_Right	15.89	16.39
n78H	60	30	3750	DFT	256QAM	Outer_Full	15.81	16.31
n78H	60	30	3750	CP	QPSK	Inner_Full	18.70	19.20
n78H	60	30	3750	CP	QPSK	Edge_1RB_Left	16.99	17.49
n78H	60	30	3750	CP	QPSK	Edge_1RB_Right	17.32	17.82
n78H	60	30	3750	CP	QPSK	Outer_Full	17.22	17.72
n78H	60	30	3750	CP	16QAM	Inner_Full	18.19	18.69
n78H	60	30	3750	CP	16QAM	Edge_1RB_Left	17.19	17.69
n78H	60	30	3750	CP	16QAM	Edge_1RB_Right	17.42	17.92
n78H	60	30	3750	CP	16QAM	Outer_Full	17.26	17.76
n78H	60	30	3750	CP	64QAM	Inner_Full	16.88	17.38
n78H	60	30	3750	CP	64QAM	Edge_1RB_Left	16.65	17.15
n78H	60	30	3750	CP	64QAM	Edge_1RB_Right	16.96	17.46
n78H	60	30	3750	CP	64QAM	Outer_Full	16.76	17.26
n78H	60	30	3750	CP	256QAM	Inner_Full	13.88	14.38
n78H	60	30	3750	CP	256QAM	Edge_1RB_Left	13.55	14.05



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	60	30	3750	CP	256QAM	Edge_1RB_Right	13.60	14.10
n78H	60	30	3750	CP	256QAM	Outer_Full	13.76	14.26
n78H	60	30	3769.98	DFT	pi/2 BPSK	Inner_Full	20.18	20.68
n78H	60	30	3769.98	DFT	pi/2 BPSK	Edge_1RB_Left	19.34	19.84
n78H	60	30	3769.98	DFT	pi/2 BPSK	Edge_1RB_Right	19.66	20.16
n78H	60	30	3769.98	DFT	pi/2 BPSK	Outer_Full	19.71	20.21
n78H	60	30	3769.98	DFT	QPSK	Inner_Full	20.13	20.63
n78H	60	30	3769.98	DFT	QPSK	Edge_1RB_Left	18.71	19.21
n78H	60	30	3769.98	DFT	QPSK	Edge_1RB_Right	19.05	19.55
n78H	60	30	3769.98	DFT	QPSK	Outer_Full	19.13	19.63
n78H	60	30	3769.98	DFT	16QAM	Inner_Full	19.15	19.65
n78H	60	30	3769.98	DFT	16QAM	Edge_1RB_Left	18.00	18.50
n78H	60	30	3769.98	DFT	16QAM	Edge_1RB_Right	18.31	18.81
n78H	60	30	3769.98	DFT	16QAM	Outer_Full	18.11	18.61
n78H	60	30	3769.98	DFT	64QAM	Inner_Full	17.73	18.23
n78H	60	30	3769.98	DFT	64QAM	Edge_1RB_Left	17.60	18.10
n78H	60	30	3769.98	DFT	64QAM	Edge_1RB_Right	17.93	18.43
n78H	60	30	3769.98	DFT	64QAM	Outer_Full	17.78	18.28
n78H	60	30	3769.98	DFT	256QAM	Inner_Full	15.70	16.20
n78H	60	30	3769.98	DFT	256QAM	Edge_1RB_Left	15.44	15.94
n78H	60	30	3769.98	DFT	256QAM	Edge_1RB_Right	15.51	16.01
n78H	60	30	3769.98	DFT	256QAM	Outer_Full	15.76	16.26
n78H	60	30	3769.98	CP	QPSK	Inner_Full	18.55	19.05
n78H	60	30	3769.98	CP	QPSK	Edge_1RB_Left	17.25	17.75
n78H	60	30	3769.98	CP	QPSK	Edge_1RB_Right	17.49	17.99
n78H	60	30	3769.98	CP	QPSK	Outer_Full	17.24	17.74
n78H	60	30	3769.98	CP	16QAM	Inner_Full	18.06	18.56
n78H	60	30	3769.98	CP	16QAM	Edge_1RB_Left	17.36	17.86
n78H	60	30	3769.98	CP	16QAM	Edge_1RB_Right	17.34	17.84
n78H	60	30	3769.98	CP	16QAM	Outer_Full	17.22	17.72
n78H	60	30	3769.98	CP	64QAM	Inner_Full	16.71	17.21
n78H	60	30	3769.98	CP	64QAM	Edge_1RB_Left	17.01	17.51
n78H	60	30	3769.98	CP	64QAM	Edge_1RB_Right	17.29	17.79
n78H	60	30	3769.98	CP	64QAM	Outer_Full	16.77	17.27
n78H	60	30	3769.98	CP	256QAM	Inner_Full	13.79	14.29
n78H	60	30	3769.98	CP	256QAM	Edge_1RB_Left	13.36	13.86



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	60	30	3769.98	CP	256QAM	Edge_1RB_Right	13.65	14.15
n78H	60	30	3769.98	CP	256QAM	Outer_Full	13.74	14.24
n78H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	20.32	20.82
n78H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	18.90	19.40
n78H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	19.28	19.78
n78H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	19.64	20.14
n78H	80	30	3740.01	DFT	QPSK	Inner_Full	20.30	20.80
n78H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	18.33	18.83
n78H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	18.70	19.20
n78H	80	30	3740.01	DFT	QPSK	Outer_Full	19.11	19.61
n78H	80	30	3740.01	DFT	16QAM	Inner_Full	19.31	19.81
n78H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	17.47	17.97
n78H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	17.84	18.34
n78H	80	30	3740.01	DFT	16QAM	Outer_Full	18.12	18.62
n78H	80	30	3740.01	DFT	64QAM	Inner_Full	18.01	18.51
n78H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	17.20	17.70
n78H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	17.58	18.08
n78H	80	30	3740.01	DFT	64QAM	Outer_Full	17.80	18.30
n78H	80	30	3740.01	DFT	256QAM	Inner_Full	15.93	16.43
n78H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	15.12	15.62
n78H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	15.48	15.98
n78H	80	30	3740.01	DFT	256QAM	Outer_Full	15.80	16.30
n78H	80	30	3740.01	CP	QPSK	Inner_Full	18.77	19.27
n78H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	16.95	17.45
n78H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	17.32	17.82
n78H	80	30	3740.01	CP	QPSK	Outer_Full	17.17	17.67
n78H	80	30	3740.01	CP	16QAM	Inner_Full	18.21	18.71
n78H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	17.03	17.53
n78H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	17.39	17.89
n78H	80	30	3740.01	CP	16QAM	Outer_Full	17.24	17.74
n78H	80	30	3740.01	CP	64QAM	Inner_Full	16.93	17.43
n78H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	16.38	16.88
n78H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	16.76	17.26
n78H	80	30	3740.01	CP	64QAM	Outer_Full	16.74	17.24
n78H	80	30	3740.01	CP	256QAM	Inner_Full	13.95	14.45
n78H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	13.23	13.73



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	13.60	14.10
n78H	80	30	3740.01	CP	256QAM	Outer_Full	13.81	14.31
n78H	80	30	3750	DFT	pi/2 BPSK	Inner_Full	20.34	20.84
n78H	80	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	18.84	19.34
n78H	80	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.36	19.86
n78H	80	30	3750	DFT	pi/2 BPSK	Outer_Full	19.68	20.18
n78H	80	30	3750	DFT	QPSK	Inner_Full	20.30	20.80
n78H	80	30	3750	DFT	QPSK	Edge_1RB_Left	18.31	18.81
n78H	80	30	3750	DFT	QPSK	Edge_1RB_Right	18.82	19.32
n78H	80	30	3750	DFT	QPSK	Outer_Full	19.19	19.69
n78H	80	30	3750	DFT	16QAM	Inner_Full	19.32	19.82
n78H	80	30	3750	DFT	16QAM	Edge_1RB_Left	17.55	18.05
n78H	80	30	3750	DFT	16QAM	Edge_1RB_Right	17.94	18.44
n78H	80	30	3750	DFT	16QAM	Outer_Full	18.15	18.65
n78H	80	30	3750	DFT	64QAM	Inner_Full	17.99	18.49
n78H	80	30	3750	DFT	64QAM	Edge_1RB_Left	17.50	18.00
n78H	80	30	3750	DFT	64QAM	Edge_1RB_Right	17.43	17.93
n78H	80	30	3750	DFT	64QAM	Outer_Full	17.89	18.39
n78H	80	30	3750	DFT	256QAM	Inner_Full	15.92	16.42
n78H	80	30	3750	DFT	256QAM	Edge_1RB_Left	14.91	15.41
n78H	80	30	3750	DFT	256QAM	Edge_1RB_Right	15.81	16.31
n78H	80	30	3750	DFT	256QAM	Outer_Full	15.86	16.36
n78H	80	30	3750	CP	QPSK	Inner_Full	18.75	19.25
n78H	80	30	3750	CP	QPSK	Edge_1RB_Left	16.75	17.25
n78H	80	30	3750	CP	QPSK	Edge_1RB_Right	17.16	17.66
n78H	80	30	3750	CP	QPSK	Outer_Full	17.23	17.73
n78H	80	30	3750	CP	16QAM	Inner_Full	18.23	18.73
n78H	80	30	3750	CP	16QAM	Edge_1RB_Left	16.63	17.13
n78H	80	30	3750	CP	16QAM	Edge_1RB_Right	17.59	18.09
n78H	80	30	3750	CP	16QAM	Outer_Full	17.31	17.81
n78H	80	30	3750	CP	64QAM	Inner_Full	16.91	17.41
n78H	80	30	3750	CP	64QAM	Edge_1RB_Left	16.68	17.18
n78H	80	30	3750	CP	64QAM	Edge_1RB_Right	17.15	17.65
n78H	80	30	3750	CP	64QAM	Outer_Full	16.78	17.28
n78H	80	30	3750	CP	256QAM	Inner_Full	13.89	14.39
n78H	80	30	3750	CP	256QAM	Edge_1RB_Left	13.04	13.54



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	80	30	3750	CP	256QAM	Edge_1RB_Right	13.44	13.94
n78H	80	30	3750	CP	256QAM	Outer_Full	13.80	14.30
n78H	80	30	3759.99	DFT	pi/2 BPSK	Inner_Full	20.29	20.79
n78H	80	30	3759.99	DFT	pi/2 BPSK	Edge_1RB_Left	18.89	19.39
n78H	80	30	3759.99	DFT	pi/2 BPSK	Edge_1RB_Right	19.40	19.90
n78H	80	30	3759.99	DFT	pi/2 BPSK	Outer_Full	19.71	20.21
n78H	80	30	3759.99	DFT	QPSK	Inner_Full	20.25	20.75
n78H	80	30	3759.99	DFT	QPSK	Edge_1RB_Left	18.48	18.98
n78H	80	30	3759.99	DFT	QPSK	Edge_1RB_Right	18.93	19.43
n78H	80	30	3759.99	DFT	QPSK	Outer_Full	19.21	19.71
n78H	80	30	3759.99	DFT	16QAM	Inner_Full	19.27	19.77
n78H	80	30	3759.99	DFT	16QAM	Edge_1RB_Left	17.55	18.05
n78H	80	30	3759.99	DFT	16QAM	Edge_1RB_Right	17.99	18.49
n78H	80	30	3759.99	DFT	16QAM	Outer_Full	18.16	18.66
n78H	80	30	3759.99	DFT	64QAM	Inner_Full	17.96	18.46
n78H	80	30	3759.99	DFT	64QAM	Edge_1RB_Left	17.43	17.93
n78H	80	30	3759.99	DFT	64QAM	Edge_1RB_Right	17.61	18.11
n78H	80	30	3759.99	DFT	64QAM	Outer_Full	17.85	18.35
n78H	80	30	3759.99	DFT	256QAM	Inner_Full	15.89	16.39
n78H	80	30	3759.99	DFT	256QAM	Edge_1RB_Left	14.95	15.45
n78H	80	30	3759.99	DFT	256QAM	Edge_1RB_Right	15.55	16.05
n78H	80	30	3759.99	DFT	256QAM	Outer_Full	15.78	16.28
n78H	80	30	3759.99	CP	QPSK	Inner_Full	18.71	19.21
n78H	80	30	3759.99	CP	QPSK	Edge_1RB_Left	16.79	17.29
n78H	80	30	3759.99	CP	QPSK	Edge_1RB_Right	17.32	17.82
n78H	80	30	3759.99	CP	QPSK	Outer_Full	17.28	17.78
n78H	80	30	3759.99	CP	16QAM	Inner_Full	18.21	18.71
n78H	80	30	3759.99	CP	16QAM	Edge_1RB_Left	16.95	17.45
n78H	80	30	3759.99	CP	16QAM	Edge_1RB_Right	17.77	18.27
n78H	80	30	3759.99	CP	16QAM	Outer_Full	17.37	17.87
n78H	80	30	3759.99	CP	64QAM	Inner_Full	16.90	17.40
n78H	80	30	3759.99	CP	64QAM	Edge_1RB_Left	16.53	17.03
n78H	80	30	3759.99	CP	64QAM	Edge_1RB_Right	17.01	17.51
n78H	80	30	3759.99	CP	64QAM	Outer_Full	16.83	17.33
n78H	80	30	3759.99	CP	256QAM	Inner_Full	13.89	14.39
n78H	80	30	3759.99	CP	256QAM	Edge_1RB_Left	13.38	13.88



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	80	30	3759.99	CP	256QAM	Edge_1RB_Right	13.91	14.41
n78H	80	30	3759.99	CP	256QAM	Outer_Full	13.83	14.33
n78H	90	30	3745.02	DFT	pi/2 BPSK	Inner_Full	20.30	20.80
n78H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Left	18.74	19.24
n78H	90	30	3745.02	DFT	pi/2 BPSK	Edge_1RB_Right	19.28	19.78
n78H	90	30	3745.02	DFT	pi/2 BPSK	Outer_Full	19.69	20.19
n78H	90	30	3745.02	DFT	QPSK	Inner_Full	20.32	20.82
n78H	90	30	3745.02	DFT	QPSK	Edge_1RB_Left	18.28	18.78
n78H	90	30	3745.02	DFT	QPSK	Edge_1RB_Right	18.69	19.19
n78H	90	30	3745.02	DFT	QPSK	Outer_Full	19.18	19.68
n78H	90	30	3745.02	DFT	16QAM	Inner_Full	19.31	19.81
n78H	90	30	3745.02	DFT	16QAM	Edge_1RB_Left	17.39	17.89
n78H	90	30	3745.02	DFT	16QAM	Edge_1RB_Right	17.85	18.35
n78H	90	30	3745.02	DFT	16QAM	Outer_Full	18.14	18.64
n78H	90	30	3745.02	DFT	64QAM	Inner_Full	18.00	18.50
n78H	90	30	3745.02	DFT	64QAM	Edge_1RB_Left	17.23	17.73
n78H	90	30	3745.02	DFT	64QAM	Edge_1RB_Right	17.58	18.08
n78H	90	30	3745.02	DFT	64QAM	Outer_Full	17.88	18.38
n78H	90	30	3745.02	DFT	256QAM	Inner_Full	15.91	16.41
n78H	90	30	3745.02	DFT	256QAM	Edge_1RB_Left	14.70	15.20
n78H	90	30	3745.02	DFT	256QAM	Edge_1RB_Right	15.22	15.72
n78H	90	30	3745.02	DFT	256QAM	Outer_Full	15.82	16.32
n78H	90	30	3745.02	CP	QPSK	Inner_Full	18.70	19.20
n78H	90	30	3745.02	CP	QPSK	Edge_1RB_Left	16.78	17.28
n78H	90	30	3745.02	CP	QPSK	Edge_1RB_Right	17.26	17.76
n78H	90	30	3745.02	CP	QPSK	Outer_Full	17.31	17.81
n78H	90	30	3745.02	CP	16QAM	Inner_Full	18.25	18.75
n78H	90	30	3745.02	CP	16QAM	Edge_1RB_Left	16.64	17.14
n78H	90	30	3745.02	CP	16QAM	Edge_1RB_Right	17.12	17.62
n78H	90	30	3745.02	CP	16QAM	Outer_Full	17.30	17.80
n78H	90	30	3745.02	CP	64QAM	Inner_Full	16.90	17.40
n78H	90	30	3745.02	CP	64QAM	Edge_1RB_Left	16.23	16.73
n78H	90	30	3745.02	CP	64QAM	Edge_1RB_Right	16.73	17.23
n78H	90	30	3745.02	CP	64QAM	Outer_Full	16.78	17.28
n78H	90	30	3745.02	CP	256QAM	Inner_Full	13.85	14.35
n78H	90	30	3745.02	CP	256QAM	Edge_1RB_Left	12.87	13.37



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	90	30	3745.02	CP	256QAM	Edge_1RB_Right	13.37	13.87
n78H	90	30	3745.02	CP	256QAM	Outer_Full	13.77	14.27
n78H	90	30	3750	DFT	pi/2 BPSK	Inner_Full	20.29	20.79
n78H	90	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	18.61	19.11
n78H	90	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.18	19.68
n78H	90	30	3750	DFT	pi/2 BPSK	Outer_Full	19.67	20.17
n78H	90	30	3750	DFT	QPSK	Inner_Full	20.27	20.77
n78H	90	30	3750	DFT	QPSK	Edge_1RB_Left	18.19	18.69
n78H	90	30	3750	DFT	QPSK	Edge_1RB_Right	18.75	19.25
n78H	90	30	3750	DFT	QPSK	Outer_Full	19.15	19.65
n78H	90	30	3750	DFT	16QAM	Inner_Full	19.23	19.73
n78H	90	30	3750	DFT	16QAM	Edge_1RB_Left	17.23	17.73
n78H	90	30	3750	DFT	16QAM	Edge_1RB_Right	17.79	18.29
n78H	90	30	3750	DFT	16QAM	Outer_Full	18.09	18.59
n78H	90	30	3750	DFT	64QAM	Inner_Full	17.95	18.45
n78H	90	30	3750	DFT	64QAM	Edge_1RB_Left	17.27	17.77
n78H	90	30	3750	DFT	64QAM	Edge_1RB_Right	17.45	17.95
n78H	90	30	3750	DFT	64QAM	Outer_Full	17.83	18.33
n78H	90	30	3750	DFT	256QAM	Inner_Full	15.87	16.37
n78H	90	30	3750	DFT	256QAM	Edge_1RB_Left	14.63	15.13
n78H	90	30	3750	DFT	256QAM	Edge_1RB_Right	15.61	16.11
n78H	90	30	3750	DFT	256QAM	Outer_Full	15.73	16.23
n78H	90	30	3750	CP	QPSK	Inner_Full	18.68	19.18
n78H	90	30	3750	CP	QPSK	Edge_1RB_Left	16.65	17.15
n78H	90	30	3750	CP	QPSK	Edge_1RB_Right	17.19	17.69
n78H	90	30	3750	CP	QPSK	Outer_Full	17.26	17.76
n78H	90	30	3750	CP	16QAM	Inner_Full	18.19	18.69
n78H	90	30	3750	CP	16QAM	Edge_1RB_Left	16.53	17.03
n78H	90	30	3750	CP	16QAM	Edge_1RB_Right	17.09	17.59
n78H	90	30	3750	CP	16QAM	Outer_Full	17.23	17.73
n78H	90	30	3750	CP	64QAM	Inner_Full	16.85	17.35
n78H	90	30	3750	CP	64QAM	Edge_1RB_Left	16.50	17.00
n78H	90	30	3750	CP	64QAM	Edge_1RB_Right	16.89	17.39
n78H	90	30	3750	CP	64QAM	Outer_Full	16.73	17.23
n78H	90	30	3750	CP	256QAM	Inner_Full	13.87	14.37
n78H	90	30	3750	CP	256QAM	Edge_1RB_Left	12.80	13.30



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	90	30	3750	CP	256QAM	Edge_1RB_Right	13.32	13.82
n78H	90	30	3750	CP	256QAM	Outer_Full	13.74	14.24
n78H	90	30	3754.98	DFT	pi/2 BPSK	Inner_Full	20.26	20.76
n78H	90	30	3754.98	DFT	pi/2 BPSK	Edge_1RB_Left	18.67	19.17
n78H	90	30	3754.98	DFT	pi/2 BPSK	Edge_1RB_Right	19.23	19.73
n78H	90	30	3754.98	DFT	pi/2 BPSK	Outer_Full	19.65	20.15
n78H	90	30	3754.98	DFT	QPSK	Inner_Full	20.23	20.73
n78H	90	30	3754.98	DFT	QPSK	Edge_1RB_Left	18.09	18.59
n78H	90	30	3754.98	DFT	QPSK	Edge_1RB_Right	18.71	19.21
n78H	90	30	3754.98	DFT	QPSK	Outer_Full	19.13	19.63
n78H	90	30	3754.98	DFT	16QAM	Inner_Full	19.19	19.69
n78H	90	30	3754.98	DFT	16QAM	Edge_1RB_Left	17.20	17.70
n78H	90	30	3754.98	DFT	16QAM	Edge_1RB_Right	17.82	18.32
n78H	90	30	3754.98	DFT	16QAM	Outer_Full	18.07	18.57
n78H	90	30	3754.98	DFT	64QAM	Inner_Full	17.93	18.43
n78H	90	30	3754.98	DFT	64QAM	Edge_1RB_Left	17.18	17.68
n78H	90	30	3754.98	DFT	64QAM	Edge_1RB_Right	17.55	18.05
n78H	90	30	3754.98	DFT	64QAM	Outer_Full	17.81	18.31
n78H	90	30	3754.98	DFT	256QAM	Inner_Full	15.87	16.37
n78H	90	30	3754.98	DFT	256QAM	Edge_1RB_Left	14.81	15.31
n78H	90	30	3754.98	DFT	256QAM	Edge_1RB_Right	15.17	15.67
n78H	90	30	3754.98	DFT	256QAM	Outer_Full	15.74	16.24
n78H	90	30	3754.98	CP	QPSK	Inner_Full	18.66	19.16
n78H	90	30	3754.98	CP	QPSK	Edge_1RB_Left	16.72	17.22
n78H	90	30	3754.98	CP	QPSK	Edge_1RB_Right	17.21	17.71
n78H	90	30	3754.98	CP	QPSK	Outer_Full	17.24	17.74
n78H	90	30	3754.98	CP	16QAM	Inner_Full	18.19	18.69
n78H	90	30	3754.98	CP	16QAM	Edge_1RB_Left	16.65	17.15
n78H	90	30	3754.98	CP	16QAM	Edge_1RB_Right	17.39	17.89
n78H	90	30	3754.98	CP	16QAM	Outer_Full	17.24	17.74
n78H	90	30	3754.98	CP	64QAM	Inner_Full	16.81	17.31
n78H	90	30	3754.98	CP	64QAM	Edge_1RB_Left	16.41	16.91
n78H	90	30	3754.98	CP	64QAM	Edge_1RB_Right	16.73	17.23
n78H	90	30	3754.98	CP	64QAM	Outer_Full	16.72	17.22
n78H	90	30	3754.98	CP	256QAM	Inner_Full	13.80	14.30
n78H	90	30	3754.98	CP	256QAM	Edge_1RB_Left	13.03	13.53



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	90	30	3754.98	CP	256QAM	Edge_1RB_Right	13.33	13.83
n78H	90	30	3754.98	CP	256QAM	Outer_Full	13.70	14.20
n78H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	20.27	20.77
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	18.50	19.00
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.07	19.57
n78H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	19.58	20.08
n78H	100	30	3750	DFT	QPSK	Inner_Full	20.28	20.78
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Left	17.97	18.47
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Right	18.52	19.02
n78H	100	30	3750	DFT	QPSK	Outer_Full	19.09	19.59
n78H	100	30	3750	DFT	16QAM	Inner_Full	19.25	19.75
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Left	17.10	17.60
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Right	17.63	18.13
n78H	100	30	3750	DFT	16QAM	Outer_Full	18.02	18.52
n78H	100	30	3750	DFT	64QAM	Inner_Full	17.95	18.45
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Left	17.14	17.64
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Right	17.28	17.78
n78H	100	30	3750	DFT	64QAM	Outer_Full	17.77	18.27
n78H	100	30	3750	DFT	256QAM	Inner_Full	15.87	16.37
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Left	14.80	15.30
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Right	15.41	15.91
n78H	100	30	3750	DFT	256QAM	Outer_Full	15.74	16.24
n78H	100	30	3750	CP	QPSK	Inner_Full	18.70	19.20
n78H	100	30	3750	CP	QPSK	Edge_1RB_Left	16.62	17.12
n78H	100	30	3750	CP	QPSK	Edge_1RB_Right	17.11	17.61
n78H	100	30	3750	CP	QPSK	Outer_Full	17.18	17.68
n78H	100	30	3750	CP	16QAM	Inner_Full	18.22	18.72
n78H	100	30	3750	CP	16QAM	Edge_1RB_Left	16.56	17.06
n78H	100	30	3750	CP	16QAM	Edge_1RB_Right	17.16	17.66
n78H	100	30	3750	CP	16QAM	Outer_Full	17.19	17.69
n78H	100	30	3750	CP	64QAM	Inner_Full	16.90	17.40
n78H	100	30	3750	CP	64QAM	Edge_1RB_Left	16.24	16.74
n78H	100	30	3750	CP	64QAM	Edge_1RB_Right	16.81	17.31
n78H	100	30	3750	CP	64QAM	Outer_Full	16.70	17.20
n78H	100	30	3750	CP	256QAM	Inner_Full	13.87	14.37
n78H	100	30	3750	CP	256QAM	Edge_1RB_Left	12.78	13.28



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	100	30	3750	CP	256QAM	Edge_1RB_Right	13.34	13.84
n78H	100	30	3750	CP	256QAM	Outer_Full	13.66	14.16
n78H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	20.28	20.78
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	18.51	19.01
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.06	19.56
n78H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	19.57	20.07
n78H	100	30	3750	DFT	QPSK	Inner_Full	20.23	20.73
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Left	18.00	18.50
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Right	18.55	19.05
n78H	100	30	3750	DFT	QPSK	Outer_Full	19.07	19.57
n78H	100	30	3750	DFT	16QAM	Inner_Full	19.22	19.72
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Left	17.17	17.67
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Right	17.76	18.26
n78H	100	30	3750	DFT	16QAM	Outer_Full	18.02	18.52
n78H	100	30	3750	DFT	64QAM	Inner_Full	17.92	18.42
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Left	16.76	17.26
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Right	16.88	17.38
n78H	100	30	3750	DFT	64QAM	Outer_Full	17.75	18.25
n78H	100	30	3750	DFT	256QAM	Inner_Full	15.85	16.35
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Left	14.80	15.30
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Right	15.40	15.90
n78H	100	30	3750	DFT	256QAM	Outer_Full	15.71	16.21
n78H	100	30	3750	CP	QPSK	Inner_Full	18.67	19.17
n78H	100	30	3750	CP	QPSK	Edge_1RB_Left	16.54	17.04
n78H	100	30	3750	CP	QPSK	Edge_1RB_Right	17.07	17.57
n78H	100	30	3750	CP	QPSK	Outer_Full	17.19	17.69
n78H	100	30	3750	CP	16QAM	Inner_Full	18.18	18.68
n78H	100	30	3750	CP	16QAM	Edge_1RB_Left	16.76	17.26
n78H	100	30	3750	CP	16QAM	Edge_1RB_Right	17.36	17.86
n78H	100	30	3750	CP	16QAM	Outer_Full	17.21	17.71
n78H	100	30	3750	CP	64QAM	Inner_Full	16.89	17.39
n78H	100	30	3750	CP	64QAM	Edge_1RB_Left	16.05	16.55
n78H	100	30	3750	CP	64QAM	Edge_1RB_Right	16.54	17.04
n78H	100	30	3750	CP	64QAM	Outer_Full	16.68	17.18
n78H	100	30	3750	CP	256QAM	Inner_Full	13.87	14.37
n78H	100	30	3750	CP	256QAM	Edge_1RB_Left	12.88	13.38



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	100	30	3750	CP	256QAM	Edge_1RB_Right	13.44	13.94
n78H	100	30	3750	CP	256QAM	Outer_Full	13.65	14.15
n78H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	20.29	20.79
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	18.50	19.00
n78H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	19.04	19.54
n78H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	19.55	20.05
n78H	100	30	3750	DFT	QPSK	Inner_Full	20.26	20.76
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Left	17.98	18.48
n78H	100	30	3750	DFT	QPSK	Edge_1RB_Right	18.54	19.04
n78H	100	30	3750	DFT	QPSK	Outer_Full	19.08	19.58
n78H	100	30	3750	DFT	16QAM	Inner_Full	19.27	19.77
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Left	17.08	17.58
n78H	100	30	3750	DFT	16QAM	Edge_1RB_Right	17.70	18.20
n78H	100	30	3750	DFT	16QAM	Outer_Full	18.04	18.54
n78H	100	30	3750	DFT	64QAM	Inner_Full	17.95	18.45
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Left	17.06	17.56
n78H	100	30	3750	DFT	64QAM	Edge_1RB_Right	17.24	17.74
n78H	100	30	3750	DFT	64QAM	Outer_Full	17.78	18.28
n78H	100	30	3750	DFT	256QAM	Inner_Full	15.92	16.42
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Left	14.80	15.30
n78H	100	30	3750	DFT	256QAM	Edge_1RB_Right	15.30	15.80
n78H	100	30	3750	DFT	256QAM	Outer_Full	15.70	16.20
n78H	100	30	3750	CP	QPSK	Inner_Full	18.70	19.20
n78H	100	30	3750	CP	QPSK	Edge_1RB_Left	16.65	17.15
n78H	100	30	3750	CP	QPSK	Edge_1RB_Right	17.11	17.61
n78H	100	30	3750	CP	QPSK	Outer_Full	17.20	17.70
n78H	100	30	3750	CP	16QAM	Inner_Full	18.21	18.71
n78H	100	30	3750	CP	16QAM	Edge_1RB_Left	16.56	17.06
n78H	100	30	3750	CP	16QAM	Edge_1RB_Right	17.15	17.65
n78H	100	30	3750	CP	16QAM	Outer_Full	17.19	17.69
n78H	100	30	3750	CP	64QAM	Inner_Full	16.92	17.42
n78H	100	30	3750	CP	64QAM	Edge_1RB_Left	16.30	16.80
n78H	100	30	3750	CP	64QAM	Edge_1RB_Right	16.81	17.31
n78H	100	30	3750	CP	64QAM	Outer_Full	16.71	17.21
n78H	100	30	3750	CP	256QAM	Inner_Full	13.87	14.37
n78H	100	30	3750	CP	256QAM	Edge_1RB_Left	12.79	13.29



BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	eirp(dBm)
n78H	100	30	3750	CP	256QAM	Edge_1RB_Right	13.34	13.84
n78H	100	30	3750	CP	256QAM	Outer_Full	13.63	14.13

A.2 FIELD STRENGTH OF SPURIOUS RADIATION

Reference

FCC: CFR 2.1053, 27.53.


A.2.1 Measurement Method

This measurement is carried out in fully-anechoic chamber FAC-3.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz as outlined in Part 22.917,27.53. The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of the all LTE Bands

The procedure of radiated spurious emissions is as follows:

1. For radiated emissions measurements performed at frequencies less than or equal to 1 GHz, EUT was placed on a 80 cm high non-conductive stand at a 3 meter test distance from the receive antenna. For radiated measurements performed at frequencies above 1 GHz, EUT was placed on a 1.5 meter high non-conductive stand at a 3 meter test distance from the receive antenna. Receiving antenna was placed on the antenna mast 3 meters from the EUT. For emission measurements. The receiving antenna shall be varied from 1 m to 4 m in height above the reference ground in a search for the relative positioning that produces the maximum radiated signal level. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and adjusting the receiving antenna polarization. The radiated emission measurements of all transmit frequencies in three channels (High, Middle, Low) were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (Pr).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, an substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the substitution antenna and adjusts the level of the signal generator output until the value of the receiver reaches the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss (P_{pl}) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain(dBi) (G_a) should be recorded after test.

An amplifier should be connected in for the test.

The Path loss (P_{pl}) is the summation of the cable loss and the gain of the amplifier.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} - P_{pl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit: dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole, $ERP = EIRP - 2.15dB$.

A.2.2 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of the test Bands. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of the test Bands. into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this.

Only worst case result is given below.



DC_2A_n7A, 5MHz, DFT-OFDM, Pi/2 BPSK

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
500500	5001.20	-46.47	1.30	12.50	-35.27	-25.00	V
	6930.80	-53.68	1.80	12.40	-43.08	-25.00	H
	8134.10	-65.39	1.80	11.30	-55.89	-25.00	V
	11667.30	-58.81	2.60	11.00	-50.41	-25.00	V
	14782.50	-56.67	2.50	11.20	-47.97	-25.00	H
	17950.50	-56.11	3.20	12.80	-46.51	-25.00	H
507000	5066.00	-41.12	1.20	12.50	-29.82	-25.00	V
	6963.20	-53.36	1.80	12.40	-42.76	-25.00	H
	7598.40	-57.11	1.80	11.30	-47.61	-25.00	H
	11297.70	-57.74	2.60	10.50	-49.84	-25.00	V
	14887.00	-55.76	2.70	11.20	-47.26	-25.00	H
	17950.50	-55.19	3.20	12.80	-45.59	-25.00	H
513500	5130.80	-45.39	1.30	12.50	-34.19	-25.00	H
	6926.00	-53.62	1.80	12.40	-43.02	-25.00	H
	7544.50	-65.62	1.80	11.30	-56.12	-25.00	H
	11673.90	-58.66	2.60	11.00	-50.26	-25.00	V
	14760.50	-55.52	2.50	11.20	-46.82	-25.00	V
	17877.90	-54.80	3.60	12.80	-45.60	-25.00	H

DC_2A_n7A, 5MHz, DFT-OFDM, QPSK

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
500500	5000.80	-46.55	1.30	12.50	-35.35	-25.00	V
	6938.40	-53.64	1.80	12.40	-43.04	-25.00	H
	8147.30	-65.36	1.80	11.30	-55.86	-25.00	V
	11644.20	-58.54	2.60	11.00	-50.14	-25.00	V
	14759.40	-55.72	2.50	11.20	-47.02	-25.00	H
	17953.80	-55.61	3.20	12.80	-46.01	-25.00	H
507000	5066.00	-41.57	1.20	12.50	-30.27	-25.00	V
	6938.40	-53.17	1.80	12.40	-42.57	-25.00	H
	7599.50	-61.46	1.80	11.30	-51.96	-25.00	H
	11664.00	-57.98	2.60	11.00	-49.58	-25.00	V
	14826.50	-56.13	2.50	11.20	-47.43	-25.00	H
	17951.60	-54.54	3.20	12.80	-44.94	-25.00	H
513500	5131.20	-53.53	1.30	12.50	-42.33	-25.00	H
	6952.00	-53.39	1.80	12.40	-42.79	-25.00	H
	8126.40	-65.56	1.80	11.30	-56.06	-25.00	H
	10265.90	-60.96	2.10	11.30	-51.76	-25.00	V
	14845.20	-55.92	2.70	11.20	-47.42	-25.00	V
	17877.90	-54.80	3.60	12.80	-45.60	-25.00	H

DC_2A_n66A, 5MHz, DFT-OFDM, Pi/2 BPSK

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
342500	5500.80	-57.73	1.40	13.10	-46.03	-13.00	V
	3416.40	-59.98	1.20	11.50	-49.68	-13.00	V
	6931.20	-52.90	1.80	12.40	-42.30	-13.00	H
	8279.30	-65.08	1.90	11.30	-55.68	-13.00	H
	11650.80	-58.44	2.60	11.00	-50.04	-13.00	V
	14748.40	-56.49	2.50	11.20	-47.79	-13.00	V
349000	3480.80	-55.76	1.10	11.50	-45.36	-13.00	H
	6374.00	-55.39	1.60	13.10	-43.89	-13.00	H
	8081.30	-65.43	2.00	11.30	-56.13	-13.00	V
	10235.10	-61.74	2.20	11.30	-52.64	-13.00	V
	11644.20	-58.19	2.60	11.00	-49.79	-13.00	V
	14814.40	-56.14	2.50	11.20	-47.44	-13.00	H
355500	2911.60	-60.96	1.00	10.70	-51.26	-13.00	H
	5500.00	-57.25	1.40	13.10	-45.55	-13.00	H
	6618.80	-55.30	1.70	12.40	-44.60	-13.00	V
	7554.40	-65.35	1.80	11.30	-55.85	-13.00	H
	10239.50	-61.69	2.20	11.30	-52.59	-13.00	V
	14830.90	-56.09	2.70	11.20	-47.59	-13.00	H

DC_2A_n66A, 5MHz, DFT-OFDM, Pi/2 QPSK

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
342500	3415.60	-54.55	1.20	11.50	-44.25	-13.00	H
	5504.40	-57.16	1.40	13.10	-45.46	-13.00	H
	6950.40	-53.01	1.80	12.40	-42.41	-13.00	H
	7618.20	-65.37	1.80	11.30	-55.87	-13.00	H
	11646.40	-58.56	2.60	11.00	-50.16	-13.00	V
	14770.40	-56.14	2.50	11.20	-47.44	-13.00	H
349000	3480.80	-54.02	1.10	11.50	-43.62	-13.00	V
	4968.00	-58.52	1.30	12.50	-47.32	-13.00	H
	6926.00	-53.63	1.80	12.40	-43.03	-13.00	H
	8063.70	-65.29	2.00	11.30	-55.99	-13.00	V
	11693.70	-58.40	2.60	11.00	-50.00	-13.00	V
	14818.80	-56.00	2.50	11.20	-47.30	-13.00	V
355500	5326.80	-55.93	1.30	12.50	-44.73	-13.00	H
	6802.80	-53.86	1.60	12.40	-43.06	-13.00	V
	8091.20	-65.34	1.80	11.30	-55.84	-13.00	H
	10023.90	-62.74	2.20	11.30	-53.64	-13.00	H
	11596.90	-58.37	2.60	11.00	-49.97	-13.00	V
	14767.10	-55.96	2.50	11.20	-47.26	-13.00	V



DC_2A_n78A(3450 MHz-3550 MHz), 10MHz, DFT-OFDM, Pi/2 BPSK

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
630334	4983.60	-58.36	1.30	12.50	-47.16	-25.00	H
	6602.40	-48.51	1.70	12.40	-37.81	-25.00	H
	8027.40	-65.48	2.00	11.30	-56.18	-25.00	V
	9902.90	-60.03	2.20	11.20	-51.03	-25.00	H
	12805.80	-60.95	2.70	13.80	-49.85	-25.00	V
	14767.10	-56.11	2.50	11.20	-47.41	-25.00	V
623334	5486.00	-57.31	1.40	12.50	-46.21	-25.00	H
	6368.40	-55.29	1.60	13.10	-43.79	-25.00	H
	8059.30	-65.13	2.00	11.30	-55.83	-25.00	H
	10227.40	-62.26	2.20	11.30	-53.16	-25.00	V
	12841.00	-60.75	2.70	13.80	-49.65	-25.00	V
	14828.70	-56.11	2.70	11.20	-47.61	-25.00	H
636332	5050.40	-58.64	1.30	12.50	-47.44	-25.00	H
	6445.60	-55.93	1.60	13.10	-44.43	-25.00	H
	8142.90	-65.23	1.80	11.30	-55.73	-25.00	V
	10259.30	-62.01	2.20	11.30	-52.91	-25.00	V
	12249.20	-59.59	2.60	12.60	-49.59	-25.00	V
	14867.20	-55.95	2.70	11.20	-47.45	-25.00	H

DC_2A_n78A(3450 MHz-3550 MHz), 10MHz, DFT-OFDM, Pi/2 QPSK

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
630334	4912.00	-57.81	1.40	12.50	-46.71	-25.00	H
	6602.80	-39.76	1.70	12.40	-29.06	-25.00	V
	8074.70	-65.22	2.00	11.30	-55.92	-25.00	H
	11612.30	-58.66	2.60	11.00	-50.26	-25.00	V
	14749.50	-56.34	2.50	11.20	-47.64	-25.00	H
	16887.90	-61.98	2.90	16.50	-48.38	-25.00	H
623334	4989.20	-58.44	1.30	12.50	-47.24	-25.00	H
	6019.20	-56.01	1.50	13.10	-44.41	-25.00	H
	8089.00	-65.26	1.80	11.30	-55.76	-25.00	H
	11656.30	-58.21	2.60	11.00	-49.81	-25.00	V
	14751.70	-56.11	2.50	11.20	-47.41	-25.00	V
	17880.10	-55.19	3.60	12.80	-45.99	-25.00	H
636332	4521.60	-59.66	1.20	12.50	-48.36	-25.00	V
	5503.60	-57.80	1.40	13.10	-46.10	-25.00	H
	6938.40	-53.72	1.80	12.40	-43.12	-25.00	H
	8097.80	-65.59	1.80	11.30	-56.09	-25.00	H
	11698.10	-58.54	2.60	11.00	-50.14	-25.00	V
	14773.70	-56.53	2.50	11.20	-47.83	-25.00	V



DC_2A_n78A(3700 MHz-3800 MHz), 10MHz, DFT-OFDM, Pi/2 BPSK

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
647000	1668.80	-62.53	0.80	8.10	-55.23	-25.00	H
	2795.20	-61.10	1.00	10.70	-51.40	-25.00	V
	3978.80	-59.98	1.20	12.20	-48.98	-25.00	V
	6602.80	-40.01	1.70	12.40	-29.31	-25.00	V
	9904.00	-59.53	2.20	11.20	-50.53	-25.00	H
	15094.90	-58.40	2.40	12.40	-48.40	-25.00	H
650000	2503.60	-54.36	0.90	10.70	-44.56	-25.00	V
	4376.00	-59.90	1.30	12.40	-48.80	-25.00	H
	5504.00	-57.72	1.40	13.10	-46.02	-25.00	V
	6966.80	-53.32	1.80	12.40	-42.72	-25.00	H
	7588.50	-65.63	1.80	11.30	-56.13	-25.00	H
	14815.50	-57.05	2.50	11.20	-48.35	-25.00	V
653000	2461.60	-61.00	0.90	9.80	-52.10	-25.00	H
	3099.20	-62.10	1.00	11.50	-51.60	-25.00	V
	4977.60	-57.71	1.30	12.50	-46.51	-25.00	H
	6944.80	-54.00	1.80	12.40	-43.40	-25.00	H
	8024.10	-66.15	2.00	11.30	-56.85	-25.00	V
	15098.20	-57.86	2.40	12.40	-47.86	-25.00	H

DC_2A_n78A(3700 MHz-3800 MHz), 10MHz, DFT-OFDM, Pi/2 QPSK

Channel:	Frequency (MHz)	Ppm(dBm)	Path loss	Ga Antenna Gain(dBi)	EIRP(dBm)	limit	Polarization
647000	1668.80	-43.82	0.80	8.10	-36.52	-25.00	H
	2504.00	-54.55	0.90	10.70	-44.75	-25.00	V
	4189.20	-60.34	1.20	12.40	-49.14	-25.00	H
	4979.60	-57.95	1.30	12.50	-46.75	-25.00	H
	6602.80	-40.73	1.70	12.40	-30.03	-25.00	V
	7261.80	-66.35	1.90	12.00	-56.25	-25.00	H
650000	1668.80	-44.17	0.80	8.10	-36.87	-25.00	V
	2503.60	-56.55	0.90	10.70	-46.75	-25.00	H
	5507.60	-57.67	1.40	13.10	-45.97	-25.00	H
	6954.80	-53.34	1.80	12.40	-42.74	-25.00	H
	8065.90	-65.57	2.00	11.30	-56.27	-25.00	H
	14640.60	-57.05	2.60	11.20	-48.45	-25.00	V
653000	1668.80	-44.40	0.80	8.10	-37.10	-25.00	V
	2503.60	-50.65	0.90	10.70	-40.85	-25.00	V
	5500.40	-57.65	1.40	13.10	-45.95	-25.00	H
	6943.20	-53.51	1.80	12.40	-42.91	-25.00	H
	7581.90	-64.40	1.80	11.30	-54.90	-25.00	H
	14642.80	-56.65	2.60	11.20	-48.05	-25.00	V

U = 2.72dB(30MHz-3GHz)/3.60dB(3GHz-18GHz)/3.58dB(18GHz-40GHz), k = 2

A.3 FREQUENCY STABILITY

Reference

FCC: CFR Part 2.1055, 22.355, 24.235, 27.54

A.3.1 Method of Measurement

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of Universal Radio Communication Tester.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the Universal Radio Communication Tester and in a simulated call on middle channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the E7515B and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.



A.3.2 Measurement results

DC_2A_n7A

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	2500.860	2569.470		
50				4.70	0.0019
40				3.60	0.0014
30				4.10	0.0016
10				-1.60	0.0006
0				-2.60	0.0010
-10				-1.90	0.0007
-20				-0.90	0.0004
-30				-1.30	0.0005

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	2500.860	2569.470	-5.50	0.0022
4.40				-4.40	0.0017

DC_2A_n66A

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	1710.650	1779.680		
50				1.50	0.0009
40				-3.50	0.0020
30				-6.10	0.0035
10				-6.50	0.0037
0				-10.80	0.0062
-10				-10.00	0.0057
-20				-6.90	0.0040
-30				-8.00	0.0046

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	1710.650	1779.680	-12.40	0.0071
4.40				-5.30	0.0030



DC_2A_n78A(3450 MHz-3550 MHz)

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	3450.400	3549.480		
50				0.10	0.0000
40				7.70	0.0022
30				3.30	0.0009
10				5.00	0.0014
0				9.60	0.0027
-10				6.80	0.0019
-20				-1.50	0.0004
-30				8.10	0.0023

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	3450.400	3549.480	5.70	0.0016
4.40				7.50	0.0021

DC_2A_n78A(3700 MHz-3800 MHz)

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	3700.400	3799.480		
50				0.70	0.0002
40				4.50	0.0012
30				1.40	0.0004
10				-1.30	0.0003
0				7.70	0.0021
-10				-0.50	0.0001
-20				0.30	0.0001
-30				1.70	0.0005

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.60	20	3700.400	3799.480	-1.60	0.0004
4.40				-7.60	0.0020

A.4 OCCUPIED BANDWIDTH

Reference

FCC: CFR Part 2.1049, 27.53.

A.4.1 Occupied Bandwidth Results

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the extreme and mid frequencies. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts (i.e., two to five times the OBW).
- b) The nominal IF filter bandwidth 3 dB (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
- c) Set the reference level of the instrument as required to keep the signal from exceeding the maximum input mixer level for linear operation. In general, the peak of the spectral envelope must be at least $10\log(\text{OBW} / \text{RBW})$ below the reference level.
- d) Set the detection mode to peak, and the trace mode to max hold.
- e) Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.




DC_2A_n7A


DC_2A_n7A,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	4.524	4.514

DC_2A_n7A,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



DC_2A_n7A,5MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n7A,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	8.964	8.998

DC_2A_n7A,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




DC_2A_n7A,10MHz Bandwidth,DFT-s-QPSK (99% BW)




DC_2A_n7A,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	13.512	13.541

DC_2A_n7A,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




DC_2A_n7A,15MHz Bandwidth,DFT-s-QPSK (99% BW)




DC_2A_n7A,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	18.022	17.991

DC_2A_n7A,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



DC_2A_n7A,20MHz Bandwidth,DFT-s-QPSK (99% BW)






DC_2A_n66A


DC_2A_n66A,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.522	4.501

DC_2A_n66A,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




DC_2A_n66A,5MHz Bandwidth,DFT-s-QPSK (99% BW)




DC_2A_n66A,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	8.969	9.008

DC_2A_n66A,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




DC_2A_n66A,10MHz Bandwidth,DFT-s-QPSK (99% BW)




DC_2A_n66A,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	13.513	13.530

DC_2A_n66A,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




DC_2A_n66A,15MHz Bandwidth,DFT-s-QPSK (99% BW)




DC_2A_n66A,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	18.106	18.006

DC_2A_n66A,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



DC_2A_n66A,20MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n78A(3450 MHz-3550 MHz)
 DC_2A_n78A(3450 MHz-3550 MHz),10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	8.602	8.608

DC_2A_n78A(3450 MHz-3550 MHz),10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




DC_2A_n78A(3450 MHz-3550 MHz),10MHz Bandwidth,DFT-s-QPSK (99% BW)




DC_2A_n78A(3450 MHz-3550 MHz),15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	12.952	12.948

DC_2A_n78A(3450 MHz-3550 MHz),15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




DC_2A_n78A(3450 MHz-3550 MHz),15MHz Bandwidth,DFT-s-QPSK (99% BW)




DC_2A_n78A(3450 MHz-3550 MHz),20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.011	18.031

DC_2A_n78A(3450 MHz-3550 MHz),20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




DC_2A_n78A(3450 MHz-3550 MHz),20MHz Bandwidth,DFT-s-QPSK (99% BW)




DC_2A_n78A(3450 MHz-3550 MHz),40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	36.041	35.942

DC_2A_n78A(3450 MHz-3550 MHz),40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



DC_2A_n78A(3450 MHz-3550 MHz),40MHz Bandwidth,DFT-s-QPSK (99% BW)







DC_2A_n78A(3450 MHz-3550 MHz),50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	45.845	45.815

DC_2A_n78A(3450 MHz-3550 MHz),50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




DC_2A_n78A(3450 MHz-3550 MHz),50MHz Bandwidth,DFT-s-QPSK (99% BW)



DC_2A_n78A(3450 MHz-3550 MHz),60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	57.932	57.940

DC_2A_n78A(3450 MHz-3550 MHz),60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



DC_2A_n78A(3450 MHz-3550 MHz),60MHz Bandwidth,DFT-s-QPSK (99% BW)

