



Date: Feb. 29, 24

To: Federal Communications Commission
 Authorization and Evaluation Division
 7435 Oakland Mills Road
 Columbia, MD 21046

Attn: OET Dept.

Ref: FCC Class II Permissive change for FCC ID: 2ACCJH179
 Original Grant Date: 25/01/2024
 Applicant: TCL Communication Ltd.

Dear Examiner,

This is to request a Class II permissive change for FCC ID: 2ACCJH179
 , originally granted on 25/01/2024
 The major change filed under this application is:

● **SOFTWARE MODIFICATIONS:**

- OS update (e.g. from Android 12 to 13) / change (e.g. from Android to other OS) : No
- Protocol Stack changes: **No**
- MMS/STK/USAT/USIM changes: **Yes(T614J Not support esim)**
- DM/SUPL/VT/FUMO/SWP/HCI: **Yes(T614J Not support DM/FUMO)**
- Other changes detail: **No**

● **HARDWARE MODIFICATIONS:**

- Baseband changes: **NO**
- Band changes: **YES** Main bands for conformance testing changes (Yes/No): **NO**

Product	GSM	UMTS	LTE	LTE CA	5G NR SA	5G NR NSA
T614D	GSM850/900/1800/1900	WCDMA B1/2/4/5/8	B1/B2/B3/B4/B5/B7/B12/B13/B20/B25/B26/B28/B38/B40/B41/B48/B66/B71	ULCA/ DL CA	n2/n5/n25(40MHz)/n41(HPUE)/n48/n66(40MHz)/n71/n77(only support 3450-3980MHz for FCC)/n78 roaming	1LTE+1NR/ 2LTE+1NR
T614J	GSM850/900/1800/1900	WCDMA B1/2/4/5	B1/B2/B3/B4/B5/B7/B12/B13/ B17 /B20/B25/B26/B28/B29/B38/B41/ B42 /B66/B71	ULCA/ DL CA	n2/n5// n7 /n25(40MHz)/n41(HPUE)/ n38 /n66(40MHz)/n71/n77(only support 3450-3980MHz for FCC)/n78 roaming	1LTE+1NR/ 2LTE+1NR



Band change details for LTE CA/5G NR SA/NSA: (if applicable)

Technology	T614D	T614J
LTE CA	<p>"LTE 2CA for LTE ULCA"</p> <p>CA_2A-4A CA_2A-5A CA_2A-13A CA_2A-66A CA_4A-13A CA_13A-66A CA_41C CA_5A-66A CA_4A-5A CA_66B CA_66C</p> <p>"LTE 2CA for LTE DL CA"</p> <p>CA_2A-2A CA_2A-4A CA_2A-5A CA_2A-12A CA_2A-13A</p> <p>CA_2A-48A CA_2C CA_2A-66A CA_2A-71A CA_4A-4A CA_4A-5A CA_4A-12A CA_4A-13A</p>	<p>"LTE 2CA for LTE ULCA"</p> <p>2A-4A 2A-5A 2A-7A 2A-12A 2A-66A 2A-71A 4A-5A 4A-7A 4A-12A 4A-13A 4A-17A 4A-71A 5A-7A 5A-66A 7A-66A 7A-12A 12A-66A 66B 66C</p> <p>"LTE 2CA for LTE DL CA"</p> <p>CA_2A-2A CA_2A-4A CA_2A-5A CA_2A-7A</p>



	<p>CA_4A-48A CA_4A-71A CA_5A-41A CA_5A-48A CA_5A-66A CA_12A-66A CA_13A-48A CA_13A-66A CA_25A-25A CA_41A-41A CA_41C</p> <p>CA_48C CA_66A-48A CA_66A-66A CA_66B CA_66C CA_66A-71A CA_7C CA_7A-7A CA_2A-7A CA_7A-13A CA_7A-66A</p>	<p>CA_2A-12A CA_2A-13A CA_2A-26A CA_2A-29A(scell) CA_2A-66A CA_2A-71A CA_4A-4A CA_4A-5A CA_4A-7A CA_4A-12A CA_4A-13A CA_4A-29A(scell) CA_4A-71A CA_5A-7A CA_5A-25A CA_5A-66A CA_7A-7A CA_7A-12A CA_7A-13A CA_7A-25A CA_7A-26A CA_7A-29A(scell) CA_7A-66A CA_7C CA_12A-25A CA_12A-66A CA_12B CA_13A-66A CA_25A-25A CA_25A-26A CA_25A-66A CA_29A-66A CA_66A-66A CA_66A-71A CA_66B CA_66C</p>
SG EN-DC	<p>DC_2A[4]_n2A[4] DC_5A_n2A[4]</p> <p>DC_13A_n2A[4] DC_66A[4]_n2A[4] DC_2A[4]_n5A DC_66A[4]_n5A DC_2A_n41A[4] DC_66A[4]_n41A DC_66A_n41A[4] DC_2A[4]_n66A[4] DC_5A_n66A[4] DC_7A_n66A</p> <p>DC_13A_n66A[4] DC_66A[4]_n66A[4] DC_2A[4]_n71A DC_66A[4]_n71A DC_2A[4]_n77A[4] DC_5A_n77A[4] DC_7A_n77A</p> <p>DC_13A_n77A[4] DC_66A[4]_n77A[4] DC_5A_n78A DC_7A_n78A 2LTE+1NR DC_2A-5A_n2A[4]</p>	<p>DC_4A[4]_n2A[4] DC_5A_n2A[4] DC_7A_n2A[4] DC_12A_n2A[4] DC_66A[4]_n2A[4] DC_2A[4]_n5A DC_4A[4]_n5A DC_7A[4]_n5A DC_66A[4]_n5A DC_7A_n25A[4] DC_12A_n25A[4] DC_26A_n25A[4] DC_66A[4]_n25A[4] DC_2A_n41A[4] DC_4A_n41A[4] DC_12A_n41A[4] DC_25A_n41A[4] DC_26A_n41A[4] DC_66A_n41A[4] DC_2A[4]_n66A[4] DC_5A_n66A[4] DC_7A_n66A DC_12A_n66A[4] DC_13A_n66A[4] DC_25A[4]_n66A[4] DC_66A[4]_n66A[4] DC_2A[4]_n71A DC_7A[4]_n71A</p>



<p>DC_2A-13A_n2A[4]</p> <p>DC_2A-66A_n2A[4] DC_5A-66A_n2A[4]</p> <p>DC_13A-48A_n2A[4] (B48 only for SCC) DC_13A-66A_n2A[4]</p> <p>DC_48A-66A_n2A[4] (B48 only for SCC) DC_66A-66A_n2A[4] DC_2A-2A_n5A</p> <p>DC_2A-48A_n5A (B48 only for SCC) DC_2A-66A_n5A</p> <p>DC_48A-66A_n5A (B48 only for SCC) DC_66A-66A_n5A DC_2A-66A_n41A[2] DC_2A-2A_n66A[4] DC_2A-5A_n66A[4] DC_2A-7A_n66A</p> <p>DC_2A-13A_n66A[4]</p> <p>DC_2A-48A_n66A[4] (B48 only for SCC) "DC_2A-66A_n66A[4] DC_2A-(n)66AA" DC_5A-66A_n66A[4] DC_7A-7A_n66A DC_7C_n66A DC_7A-13A_n66A DC_7A-66A_n66A</p> <p>DC_13A-48A_n66A[4] (B48 only for SCC) DC_13A-66A_n66A[4]</p> <p>DC_2A-2A_n71A DC_2C_n71A DC_2A-66A_n71A DC_2A-2A_n77A[4] "DC_2A-5A_n77A[4] for UL 5A_n77A[4] DC_2A-5A_n77A[4] for UL 2A_n77A[4]"</p> <p>DC_2A-13A_n77A[4]</p> <p>DC_2A-48A_n77A[4] (B48 only for SCC) DC_2A-66A_n77A[4] DC_5A-48A_n77A[4] (B48 only for SCC) "DC_5A-66A_n77A[4] for UL DC_5A_n77A[4] DC_5A-66A_n77A[4] for UL DC_66A_n77A[4]"</p> <p>DC_13A-48A_n77A[4] (B48 only for SCC) DC_13A-66A_n77A[4]</p> <p>DC_48A-66A_n77A[4] (B48 only for SCC) DC_66A-66A_n77A[4]</p>	<p>DC_66A[4]_n71A DC_2A[4]_n77A[4] DC_5A_n77A[4] DC_7A[4]_n77A[4] DC_12A_n77A [4] DC_25A[4]_n77A[4] DC_26A_n77A[4] DC_66A[4]_n77A[4] DC_2A[4]_n78A[4] DC_4A[4]_n78A[4] DC_5A_n78A[4] DC_7A[4]_n78A[4] DC_12A_n78A[4] DC_13A_n78A[4] DC_66A[4]_n78A[4] DC_25A[4]_n78A[4]</p> <p>DC_2A-5A_n2A[4] DC_2A-12A_n2A[4] DC_2A-66A_n2A[4] DC_2A-71A_n2A[4](B71 only SCC) DC_5A-66A_n2A[4] DC_12A-66A_n2A[4] DC_2A-7A_n5A DC_2A-66A_n5A DC_7A-7A_n5A DC_7A-66A_n5A DC_2A-66A_n25A[4] DC_7A-7A_n25A[4] DC_12A-66A_n25A[4] DC_7A-66A_n25A[4] DC_2A-4A_n41A[4] DC_2A-12A_n41A[4] DC_2A-66A_n41A[4] DC_2A-71A_n41A[4](B71 only SCC) DC_12A-66A_n41A[4] DC_66A-71A_n41A[4](B71 only SCC) DC_2A-2A_n66A[4] DC_2A-5A_n66A[4] DC_2A-7A_n66A[4] DC_2A-12A_n66A[4] DC_2A-13A_n66A[4] DC_2A-66A_n66A[4] DC_2A-71A_n66A[4](B71 only SCC) DC_5A-7A_n66A[4] DC_7A-7A_n66A[4] DC_7C_n66A[4] DC_7A-12A_n66A[4] DC_7A-13A_n66A[4] DC_5A-66A_n66A[4] DC_7A-25A_n66A[4] DC_7A-66A_n66A[4] DC_7A-71A_n66A[4](B71 only SCC) DC_12A-66A_n66A[4] DC_13A-66A_n66A[4] DC_25A-25A_n66A[4] DC_25A-66A_n66A[4] DC_66A-71A_n66A[4](B71 only SCC) DC_2A-2A_n71A DC_2A-7A_n71A DC_2A-66A_n71A DC_7A-66A_n71A DC_66A-66A_n71A DC_2A-5A_n77A[4] DC_2A-7A_n77A[4] DC_2A-12A_n77A[4] DC_2A-29A_n77A[4] DC_2A-66A_n77A[4]</p>
--	---



		DC_5A-7A_n77A[4] DC_5A-66A_n77A[4] DC_7A-7A_n77A[4] DC_7C_n77A[4] DC_7A-25A_n77A[4] DC_7A-66A_n77A[4] DC_12A-66A_n77A[4] DC_25A-25A_n77A[4] DC_25A-66A_n77A[4] DC_2A-5A_n78A[4] DC_2A-7A_n78A[4] DC_2A-12A_n78A[4] DC_2A-29A_n78A[4] DC_2A-66A_n78A[4] DC_2A-71A_n78A[4](B71 only SCC) DC_5A-7A_n78A[4] DC_5A-66A_n78A[4] DC_7A-7A_n78A[4] DC_7C_n78A[4] DC_7A-12A_n78A[4] DC_7A-25A_n78A[4] DC_7A-29A_n78A[4] DC_7A-66A_n78A[4] DC_7A-71A_n78A[4](B71 only SCC) DC_12A-66A_n78A[4] DC_25A-25A_n78A[4] DC_25A-66A_n78A[4] DC_66A-66A_n78A[4] DC_66A-71A_n78A[4](B71 only SCC)
SG NR-CA	CA_n2[2A][4] CA_n2A[4]-n5A CA_n2A-n48A CA_n2A[4]-n66A[4] CA_n2A[4]-n77A[4] CA_n5[2A] CA_n5B CA_n5A-n48A CA_n5A-n66A[4] CA_n5A-n77A[4] CA_n25[2A][4] CA_n25A[4]-n41A[4] CA_n25A[4]-n66A[4] CA_n25A[4]-n71A CA_n25A[4]-n77A[4] CA_n41[2A][4] CA_n41A[4]-n66A[2] CA_n41A[4]-n71A CA_n41A[4]-n77A[4] CA_n41C[4] CA_n48A-n66A CA_n48A-n77A CA_n48B CA_n48C CA_n48[2A] CA_n66[2A][4] CA_n66A[4]-n71A CA_n66A[4]-n77A[4] CA_n66B[4] CA_n71B CA_n71[2A] CA_n71A-n77A[4] CA_n77[2A][4] CA_n77C	CA_n2A[4]-n5A CA_n2A-n7A[4] CA_n2A[4]-n66A[4] CA_n2A[4]-n77A[4] CA_n2A[4]-n78A[4] CA_n5A-n7A[4] CA_n5A-n25A[4] CA_n5A-n66A[4] CA_n5A-n77A[4] CA_n5A-n78A[4] CA_n7A[4]-n25A CA_n7A[4]-n66A CA_n7A[4]-n77A[4] CA_n7A[4]-n78A[4] CA_n25A[2A][4] CA_n25A-n38A[4] CA_n25A-n41A[4] CA_n25A[4]-n66A[4] CA_n25A[4]-n71A CA_n25A[4]-n77A[4] CA_n25A[4]-n78A[4] CA_n38A[4]-n66A CA_n38A[4]-n78A[4] CA_n41A[4]-n66A CA_n41A[4]-n71A CA_n41A[4]-n77A[4] CA_n41A[4]-n78A[4] CA_n66A[4]-n71A CA_n66A[4]-n77A[4] CA_n71A[4]-n77A[4] CA_n66A[4]-n78A[4] CA_n71A-n78A[4] CA_n78[2A][4] CA_n77[2A][4] CA_n77C[4] CA_n77A[4]-n78A[4]



- PCB Layout changes: No
- RF components changes:

GSM	Base Band	Antenna	Transceiver	ASM	Power Amplifier	Tx SAW Filter	Rx SAW Filter (SAW Duplexer)
GSM 850	NO	NO	NO	NO	NO	NO	NO
GSM 900	NO	NO	NO	NO	NO	NO	NO
GSM 1800	NO	NO	NO	NO	NO	NO	NO
GSM 1900	NO	NO	NO	NO	NO	NO	NO

UMTS	Base Band	Antenna	Transceiver	ASM	Power Amplifier	Tx SAW Filter	Rx SAW Filter (SAW Duplexer)
UMTS FDD I	NO	NO	NO	NO	NO	NO	NO
UMTS FDD II	NO	NO	NO	NO	NO	NO	NO
UMTS FDD IV	NO	NO	NO	NO	NO	NO	NO
UMTS FDD V	NO	NO	NO	NO	NO	NO	NO

LTE	Base Band	Antenna	Transceiver	ASM	Power Amplifier	Tx SAW Filter	Rx SAW Filter (SAW Duplexer)
LTE B1	NO	NO	NO	NO	NO	NO	NO
LTE B2	NO	NO	NO	NO	NO	NO	NO
LTE B3	NO	NO	NO	NO	NO	NO	NO
LTE B4	NO	NO	NO	NO	NO	NO	NO
LTE B5	NO	NO	NO	NO	NO	NO	NO
LTE B7	NO	NO	NO	NO	NO	NO	NO
LTE B12	NO	NO	NO	NO	NO	NO	NO
LTE B13	NO	NO	NO	NO	NO	NO	NO
LTE B17	NO	NO	NO	NO	NO	NO	NO
LTE B20	NO	NO	NO	NO	NO	NO	NO
LTE B25	NO	NO	NO	NO	NO	NO	NO
LTE B26	NO	NO	NO	NO	NO	NO	NO
LTE B28	NO	NO	NO	NO	NO	NO	NO
LTE B29	NO	NO	NO	NO	NO	NO	NO
LTE B38	NO	NO	NO	NO	NO	NO	NO
LTE B41	NO	NO	NO	NO	NO	NO	NO
LTE B42	NO	NO	NO	NO	NO	NO	NO
LTE B66	NO	NO	NO	NO	NO	NO	NO
LTE B71	NO	NO	NO	NO	NO	NO	NO

NR	Base Band	Antenna	Transceiver	ASM	Power Amplifier	Tx SAW Filter	Rx SAW Filter (SAW Duplexer)
NR n2	NO	NO	NO	NO	NO	NO	NO
NR n5	NO	NO	NO	NO	NO	NO	NO
NR n7	NO	NO	NO	NO	NO	NO	NO
NR n25	NO	NO	NO	NO	NO	NO	NO
NR n38	NO	NO	NO	NO	NO	NO	NO
NR n41	NO	NO	NO	NO	NO	NO	NO
NR n66	NO	NO	NO	NO	NO	NO	NO
NR n71	NO	NO	NO	NO	NO	NO	NO
NR n77	NO	NO	NO	NO	NO	NO	NO
NR n78	NO	NO	NO	NO	NO	NO	NO

Other Radio	Antenna	AP	MODEM	Transceiver	Balun	Band pass filter	Triplexer
Bluetooth	NO	NO	NO	NO	NO	NO	NO
Wi-Fi	NO	NO	NO	NO	NO	NO	NO

- FM changes:NO
- GPS changes: NO
- Memory/TP/LCD/ Camera/SIM changes: T614J not support E-sim and the LCD adds a layer of eye mask
- Other changes detailed: No



● **MECHANICAL MODIFICATIONS:**

- Use new metal front/back cover or keypad: No
- Mechanical shell changes: NO
 - Whole size of EUT: NO
 - Distance of Ear reference point to bottom of handset: NO
 - Other trinkets to change the surface of handset: NO
- Other changes detailed: **NO**

● **Accessory changes:**

- Use new charger/battery/headset/USB cable: Yes
- T614D

BATTERY PACK	CAC4900012CA
BATTERY PACK	CAC4900013C7
CHARGER	CBA0064BG1C5

CHARGER	CBA0064BGZCC
USB cable	CDA0000256C1
USB cable	CDA0000256C2

➤

- T614J:

BATTERY PACK	CAC4900012CA
CHARGER	CBA0064BG1C5
USB cable	CDA0000256C1

● **Update of standards: NO**

Based on the change, we performed test for SAR/HAC/Part22&24&27/15B as below table. Details refer to the relevant test reports.

	Items	Band
1.1	LTE part	
1.1.1	LTE mobile phone FCC certification SAR testing	Band2/7/25/26/41/66: All TCs
1.1.2	LTE mobile phone UL CA FCC certification part22/24/27 testing	12 frequency bands of UL CA: Band Edge and Emission Limit
1.2	NR part	
1.2.1	NR NSA mobile phone FCC testing per EN-DC per band	Emission Limit of B7-n5, B25-n41, B26-n41 n7/n38: All TCs
1.2.2	NR SA mobile phone FCC certification part22/24/27/90 testing per band	n7/n38: All TCs
1.2.3	NR SA mobile phone FCC certification SAR testing acc to Oet65 per band	n7/n25/n38: All TCs
1.3	HAC part	
1.3.1	HAC 2019 VoNR T-Coil testing ANSI	n7/n38: All TCs



	C63.19-2019	
1.3.2	HAC 2019 NR OTT T-Coil testing ANSI C63.19-2019	n7/n38: spot check
1.4	USB part	
1.4.1	FCC certification part15B testing	RE TCs

Sincerely yours,

A handwritten signature in black ink, appearing to be the Chinese characters '薛震' (Xue Zhen).

Xue Zhen