


n66


n66,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	38.856	38.739

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n66,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n71
n71,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.517	4.490

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,5MHz Bandwidth,DFT-s-QPSK (99% BW)




n71


n71,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	9.002	8.974

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n71


n71,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	13.518	13.451

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n71


n71,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	18.042	18.001

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n71,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	8.647	8.608

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	12.926	12.976

n77L,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.020	18.069

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	23.002	23.033

n77L,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,25MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	26.969	26.963

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	36.132	36.071

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	46.079	46.133

n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	58.154	58.004

n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L


n77L,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	64.547	64.540

n77L,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	78.035	77.955

n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77L,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L

n77L,90MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	87.621	87.502

n77L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



10:55:33 18.12.2023

n77L,90MHz Bandwidth,DFT-s-QPSK (99% BW)




10:55:50 18.12.2023


n77H
n77H,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	8.627	8.625

n77H,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	12.946	12.927

n77H,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	18.021	18.046

n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	22.994	22.992

n77H,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,25MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	26.939	26.890

n77H,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	35.998	35.893

n77H,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	45.871	45.889

n77H,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	57.942	57.812

n77H,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	64.346	64.274

n77H,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	77.668	77.459

n77H,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	87.151	86.881

n77H,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	96.760	96.456

n77H,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,100MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	8.625	8.620

n78L,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	12.969	12.936

n78L,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.017	18.003

n78L,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	22.979	22.988

n78L,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,25MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	26.948	26.902

n78L,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	36.065	35.982

n78L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	46.035	46.040

n78L,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	58.084	57.908

n78L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	64.486	64.382

n78L,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.926	77.852

n78L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L


n78L,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	87.516	87.353

n78L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,90MHz Bandwidth,DFT-s-QPSK (99% BW)



Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.626$ kHz, $k = 2$.

A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:


- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

n2


n2,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	4.945	4.930

n2,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n2

n2,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	9.590	9.560

n2,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n2


n2,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	14.251	14.341

n2,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n2,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n2
n2,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880	19.181	19.121

n2,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n2,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)

