






11AC80SISO_5210




11AC80SISO_5290








11AC80SISO_5690



11AC80SISO_5775







Min emission bandwidth for UNII-3


Test Result


TestMode	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	5745	15.12	5737.44	5752.56	0.5	PASS
	5785	15.04	5777.48	5792.52	0.5	PASS
	5825	15.12	5817.44	5832.56	0.5	PASS
11N20SISO	5745	15.12	5737.44	5752.56	0.5	PASS
	5785	15.12	5777.44	5792.56	0.5	PASS
	5825	15.44	5817.12	5832.56	0.5	PASS
11N40SISO	5755	35.04	5737.48	5772.52	0.5	PASS
	5795	35.12	5777.48	5812.60	0.5	PASS
11AC80SISO	5775	75.20	5737.40	5812.60	0.5	PASS





Test Graphs













Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	5180	7.8	≤11.00	PASS
	5220	6.96	≤11.00	PASS
	5240	6.69	≤11.00	PASS
	5260	7.29	≤11.00	PASS
	5300	7.44	≤11.00	PASS
	5320	7.69	≤11.00	PASS
	5500	7.56	≤11.00	PASS
	5580	7.99	≤11.00	PASS
	5700	8.25	≤11.00	PASS
	5720_UNII-2C	7.92	≤11.00	PASS
	5720_UNII-3	2.99	≤30.00	PASS
	5745	5.55	≤30.00	PASS
	5785	4.75	≤30.00	PASS
	5825	4.56	≤30.00	PASS
11N20SISO	5180	6.91	≤11.00	PASS
	5220	7.18	≤11.00	PASS
	5240	6.92	≤11.00	PASS
	5260	7.45	≤11.00	PASS
	5300	7.55	≤11.00	PASS
	5320	7.92	≤11.00	PASS
	5500	7.76	≤11.00	PASS
	5580	8.18	≤11.00	PASS
	5700	8.42	≤11.00	PASS
	5720_UNII-2C	8.1	≤11.00	PASS
	5720_UNII-3	3.23	≤30.00	PASS
	5745	5.3	≤30.00	PASS
	5785	4.52	≤30.00	PASS
	5825	4.36	≤30.00	PASS
11N40SISO	5190	3.67	≤11.00	PASS
	5230	3.04	≤11.00	PASS
	5270	3.32	≤11.00	PASS
	5310	3.72	≤11.00	PASS
	5510	4.24	≤11.00	PASS
	5550	3.86	≤11.00	PASS





	5670	4.96	≤11.00	PASS
	5710_UNII-2C	4.64	≤11.00	PASS
	5710_UNII-3	-2.06	≤30.00	PASS
	5755	2.97	≤30.00	PASS
	5795	2.29	≤30.00	PASS
11AC80SISO	5210	0.06	≤11.00	PASS
	5290	0.24	≤11.00	PASS
	5530	0.74	≤11.00	PASS
	5610	1	≤11.00	PASS
	5690_UNII-2C	1.27	≤11.00	PASS
	5690_UNII-3	-6.14	≤30.00	PASS
	5775	-0.67	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs























11N20SISO_5240




11N20SISO_5260








11N20SISO_5300



11N20SISO_5320











11N20SISO_5720_UNII-3





Date: 24.OCT.2023 21:19:34


11N20SISO_5745



Date: 31.OCT.2023 15:15:18











11N40SISO_5510




11N40SISO_5550






11N40SISO_5670




11N40SISO_5710_UNII-2C






11N40SISO_5710_UNII-3




11N40SISO_5755







11N40SISO_5795




11AC80SISO_5210









11AC80SISO_5610



11AC80SISO_5690_UNII-2C








Appendix B. AC Conducted Emission Test Results

Test Engineer :	Lily Qiu	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-SZ
 Condition: FCC 15E_QP LISN_20230420_L LINE

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.15	45.10	-10.90	56.00	24.50	10.47	10.13	Average
2 *	0.15	55.30	-10.70	66.00	34.70	10.47	10.13	QP
3	0.19	35.57	-18.32	53.89	15.00	10.42	10.15	Average
4	0.19	51.77	-12.12	63.89	31.20	10.42	10.15	QP
5	0.29	26.53	-24.10	50.63	6.01	10.37	10.15	Average
6	0.29	43.93	-16.70	60.63	23.41	10.37	10.15	QP
7	0.43	22.33	-24.96	47.29	1.90	10.27	10.16	Average
8	0.43	38.73	-18.56	57.29	18.30	10.27	10.16	QP
9	0.56	26.73	-19.27	46.00	6.30	10.27	10.16	Average
10	0.56	36.53	-19.47	56.00	16.10	10.27	10.16	QP
11	1.04	24.70	-21.30	46.00	4.30	10.24	10.16	Average
12	1.04	36.70	-19.30	56.00	16.30	10.24	10.16	QP



Test Engineer :	Lily Qiu	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-SZ
 Condition: FCC 15E_QP LISN_20230420_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	39.39	-16.39	55.78	18.81	10.45	10.13	Average
2	0.15	48.29	-17.49	65.78	27.71	10.45	10.13	QP
3	0.19	35.22	-18.80	54.02	14.70	10.37	10.15	Average
4	0.19	45.62	-18.40	64.02	25.10	10.37	10.15	QP
5	0.49	32.87	-13.23	46.10	12.50	10.21	10.16	Average
6	0.49	42.77	-13.33	56.10	22.40	10.21	10.16	QP
7 *	0.59	33.29	-12.71	46.00	12.90	10.23	10.16	Average
8	0.59	42.89	-13.11	56.00	22.50	10.23	10.16	QP
9	0.67	28.72	-17.28	46.00	8.30	10.26	10.16	Average
10	0.67	38.42	-17.58	56.00	18.00	10.26	10.16	QP
11	1.04	28.91	-17.09	46.00	8.50	10.25	10.16	Average
12	1.04	37.61	-18.39	56.00	17.20	10.25	10.16	QP

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Kuang Jia	Relative Humidity :	50%
		Temperature :	20~22 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	2	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	2	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	2	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	2	802.11a	52	5280	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	2	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	2	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	2	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	2	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	2	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	2	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	2	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	2	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	2	802.11n HT20	52	5280	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	2	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	2	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	2	802.11n HT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	2	802.11n HT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	2	802.11n HT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	2	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	2	802.11n HT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	2	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	2	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	2	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	2	802.11n HT40	134	5670	MCS0	-	-
Mode 25	U-NII-1	5.15-5.25	2	802.11ac VHT80	42	5210	MCS0	-	-
Mode 26	U-NII-2A	5.25-5.35	2	802.11ac VHT80	58	5290	MCS0	-	-
Mode 27	U-NII-2C	5.47-5.725	2	802.11ac VHT80	106	5530	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	2	802.11ac VHT80	122	5610	MCS0	-	-
Mode 29	U-NII-3	5.725-5.85	2	802.11a	149	5745	6Mbps	-	-
Mode 30	U-NII-3	5.725-5.85	2	802.11a	157	5785	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	2	802.11a	165	5825	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	2	802.11n HT20	149	5745	MCS0	-	-
Mode 33	U-NII-3	5.725-5.85	2	802.11n HT20	157	5785	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-3	5.725-5.85	2	802.11n HT20	165	5825	MCS0	-	-
Mode 35	U-NII-3	5.725-5.85	2	802.11n HT40	151	5755	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	2	802.11n HT40	159	5795	MCS0	-	-
Mode 37	U-NII-3	5.725-5.85	2	802.11ac VHT80	155	5775	MCS0	-	-
Mode 38	Straddle channels	5.47-5.725	2	802.11a	144	5720	6Mbps	-	-
Mode 39	Straddle channels	5.47-5.725	2	802.11n HT20	144	5720	MCS0	-	-
Mode 40	Straddle channels	5.47-5.725	2	802.11n HT40	142	5710	MCS0	-	-
Mode 41	Straddle channels	5.47-5.725	2	802.11ac VHT80	138	5690	MCS0	-	-
Mode 42	U-NII-1	5.15-5.25	2	802.11ac VHT80_LF	58	-	MCS0	-	-
Mode 43	UNII 2C-3	5.47-5.85	2	802.11ac VHT80_LF	155	-	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5148.68	44.96	54.00	-9.04	H	AVERAGE	Pass	Band Edge
	802.11a	36	10360.00	50.04	68.30	-18.26	V	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
	802.11a	44	10440.00	49.97	68.30	-18.33	V	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
	802.11a	48	10480.00	49.52	68.30	-18.78	H	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
	802.11a	52	11520.00	56.13	68.30	-12.17	H	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
	802.11a	60	10600.00	45.38	54.00	-8.62	H	Average	Pass	Harmonic
6	802.11a	64	5351.78	46.74	54.00	-7.26	H	AVERAGE	Pass	Band Edge
	802.11a	64	10640.00	42.63	54.00	-11.37	H	Average	Pass	Harmonic
7	802.11a	100	5468.80	63.92	68.30	-4.38	H	PEAK	Pass	Band Edge
	802.11a	100	11000.00	46.66	54.00	-7.34	H	Average	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
	802.11a	116	11160.00	47.02	54.00	-6.98	H	Average	Pass	Harmonic
9	802.11a	140	5725.35	64.01	68.30	-4.29	V	PEAK	Pass	Band Edge
	802.11a	140	11400.00	50.25	54.00	-3.75	V	Average	Pass	Harmonic
10	802.11n HT20	36	5149.76	45.09	54.00	-8.91	H	AVERAGE	Pass	Band Edge
	802.11n HT20	36	10360.00	49.58	68.30	-18.72	V	Peak	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
	802.11n HT20	44	10440.00	49.59	68.30	-18.71	H	Peak	Pass	Harmonic



Summary of each worse mode

Table with 11 columns: Mode, Modulation, Ch., Freq. (MHz), Level (dBuV/m), Limit (dBuV/m), Margin (dB), Pol., Peak Avg., Result, Remark. It contains 22 rows of test data for various modes (12-22) and channels (48, 52, 60, 64, 100, 116, 140, 38, 46, 54, 62).



Summary of each worse mode

Table with 11 columns: Mode, Modulation, Ch., Freq. (MHz), Level (dBUV/m), Limit (dBUV/m), Margin (dB), Pol., Peak Avg., Result, Remark. It contains 33 rows of test data for various modes (23-33) and modulation types (HT40, HT20, VHT80, 802.11a).



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
34	802.11n HT20	165	5940.50	54.18	68.30	-14.12	H	PEAK	Pass	Band Edge
	802.11n HT20	165	11650.00	45.99	54.00	-8.01	V	Average	Pass	Harmonic
35	802.11n HT40	151	5648.67	57.67	68.30	-10.63	V	PEAK	Pass	Band Edge
	802.11n HT40	151	-	-	-	-	-	-	-	Harmonic
36	802.11n HT40	159	5631.59	54.08	68.30	-14.22	H	PEAK	Pass	Band Edge
	802.11n HT40	159	-	-	-	-	-	-	-	Harmonic
37	802.11ac VHT80	155	5640.08	64.32	68.30	-3.98	H	PEAK	Pass	Band Edge
	802.11ac VHT80	155	17325.00	48.63	68.30	-19.67	V	Peak	Pass	Harmonic
38	802.11a	144	5458.35	43.40	54.00	-10.60	H	Peak	Pass	Band Edge
	802.11a	144	11440.00	49.64	54.00	-4.36	V	Average	Pass	Harmonic
39	802.11n HT20	144	5456.70	42.83	54.00	-11.17	H	Peak	Pass	Band Edge
	802.11n HT20	144	11440.00	49.58	54.00	-4.42	V	Average	Pass	Harmonic
40	802.11n HT40	142	5434.70	44.27	54.00	-9.73	H	Peak	Pass	Band Edge
	802.11n HT40	142	-	-	-	-	-	-	-	Harmonic
41	802.11ac VHT80	138	5459.45	49.32	54.00	-4.68	H	Peak	Pass	Band Edge
	802.11ac VHT80	138	-	-	-	-	-	-	-	Harmonic
42	802.11ac VHT80_LF	58	32.91	35.17	40.00	-4.83	V	Peak	Pass	LF
43	802.11ac VHT80_LF	155	32.91	35.00	40.00	-5.00	V	Peak	Pass	LF



Mode	1																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5143.10</td> <td>55.58</td> <td>74.00</td> <td>-18.42</td> <td>43.88</td> <td>36.14</td> <td>8.52</td> <td>32.96</td> <td>156</td> <td>52</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5143.10	55.58	74.00	-18.42	43.88	36.14	8.52	32.96	156	52	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>105.04</td> <td>-----</td> <td>-----</td> <td>93.35</td> <td>36.13</td> <td>8.58</td> <td>33.02</td> <td>156</td> <td>52</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5180.00	105.04	-----	-----	93.35	36.13	8.58	33.02	156	52	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5143.10	55.58	74.00	-18.42	43.88	36.14	8.52	32.96	156	52	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5180.00	105.04	-----	-----	93.35	36.13	8.58	33.02	156	52	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.68</td> <td>44.96</td> <td>54.00</td> <td>-9.04</td> <td>33.26</td> <td>36.14</td> <td>8.53</td> <td>32.97</td> <td>156</td> <td>52</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5148.68	44.96	54.00	-9.04	33.26	36.14	8.53	32.97	156	52	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>98.02</td> <td>-----</td> <td>-----</td> <td>86.33</td> <td>36.13</td> <td>8.59</td> <td>33.03</td> <td>156</td> <td>52</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5180.00	98.02	-----	-----	86.33	36.13	8.59	33.03	156	52	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5148.68	44.96	54.00	-9.04	33.26	36.14	8.53	32.97	156	52	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5180.00	98.02	-----	-----	86.33	36.13	8.59	33.03	156	52	AVERAGE																																																															



	1																																																																											
Mode	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																											
ANT	2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5127.26</td> <td>52.54</td> <td>74.00</td> <td>-21.46</td> <td>40.83</td> <td>36.15</td> <td>8.49</td> <td>32.93</td> <td>332</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5127.26	52.54	74.00	-21.46	40.83	36.15	8.49	32.93	332	94	PEAK	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.54</td> <td>-----</td> <td>-----</td> <td>87.85</td> <td>36.13</td> <td>8.58</td> <td>33.02</td> <td>332</td> <td>94</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	99.54	-----	-----	87.85	36.13	8.58	33.02	332	94	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5127.26	52.54	74.00	-21.46	40.83	36.15	8.49	32.93	332	94	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	99.54	-----	-----	87.85	36.13	8.58	33.02	332	94	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.96</td> <td>42.91</td> <td>54.00</td> <td>-11.09</td> <td>31.21</td> <td>36.14</td> <td>8.53</td> <td>32.97</td> <td>332</td> <td>94</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5147.96	42.91	54.00	-11.09	31.21	36.14	8.53	32.97	332	94	AVERAGE	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>92.81</td> <td>-----</td> <td>-----</td> <td>81.12</td> <td>36.13</td> <td>8.59</td> <td>33.03</td> <td>332</td> <td>94</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	92.81	-----	-----	81.12	36.13	8.59	33.03	332	94	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5147.96	42.91	54.00	-11.09	31.21	36.14	8.53	32.97	332	94	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5180.00	92.81	-----	-----	81.12	36.13	8.59	33.03	332	94	AVERAGE																																																																	



Mode	1																																																																																														
	Harmonic																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																														
ANT	2																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p style="text-align: right;">Date: 2023-11-01</p>	<p style="text-align: right;">Date: 2023-11-01</p>																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>49.84</td> <td>68.30</td> <td>-18.46</td> <td>62.08</td> <td>39.36</td> <td>12.06</td> <td>63.66</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.80</td> <td>74.00</td> <td>-24.20</td> <td>57.16</td> <td>42.05</td> <td>14.58</td> <td>63.99</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10360.00	49.84	68.30	-18.46	62.08	39.36	12.06	63.66	--- Peak	2	15540.00	49.80	74.00	-24.20	57.16	42.05	14.58	63.99	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>50.04</td> <td>68.30</td> <td>-18.26</td> <td>62.28</td> <td>39.36</td> <td>12.06</td> <td>63.66</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>49.21</td> <td>74.00</td> <td>-24.79</td> <td>56.57</td> <td>42.05</td> <td>14.58</td> <td>63.99</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10360.00	50.04	68.30	-18.26	62.28	39.36	12.06	63.66	--- Peak	2	15540.00	49.21	74.00	-24.79	56.57	42.05	14.58	63.99
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	10360.00	49.84	68.30	-18.46	62.08	39.36	12.06	63.66	--- Peak																																																																																						
2	15540.00	49.80	74.00	-24.20	57.16	42.05	14.58	63.99	--- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	10360.00	50.04	68.30	-18.26	62.28	39.36	12.06	63.66	--- Peak																																																																																						
2	15540.00	49.21	74.00	-24.79	56.57	42.05	14.58	63.99	--- Peak																																																																																						



Mode	2																																																																																																								
	Harmonic																																																																																																								
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg																																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>49.89</td> <td>68.30</td> <td>-18.41</td> <td>61.96</td> <td>39.44</td> <td>12.12</td> <td>63.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>50.59</td> <td>74.00</td> <td>-23.41</td> <td>57.79</td> <td>42.19</td> <td>14.64</td> <td>64.03</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	49.89	68.30	-18.41	61.96	39.44	12.12	63.63	---	---	Peak	2	15660.00	50.59	74.00	-23.41	57.79	42.19	14.64	64.03	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>49.97</td> <td>68.30</td> <td>-18.33</td> <td>62.04</td> <td>39.44</td> <td>12.12</td> <td>63.63</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>51.04</td> <td>74.00</td> <td>-22.96</td> <td>58.24</td> <td>42.19</td> <td>14.64</td> <td>64.03</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	49.97	68.30	-18.33	62.04	39.44	12.12	63.63	---	---	Peak	2	15660.00	51.04	74.00	-22.96	58.24	42.19	14.64	64.03	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10440.00	49.89	68.30	-18.41	61.96	39.44	12.12	63.63	---	---	Peak																																																																																														
2	15660.00	50.59	74.00	-23.41	57.79	42.19	14.64	64.03	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10440.00	49.97	68.30	-18.33	62.04	39.44	12.12	63.63	---	---	Peak																																																																																														
2	15660.00	51.04	74.00	-22.96	58.24	42.19	14.64	64.03	---	---	Peak																																																																																														



Mode	3																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p style="text-align: right;">Date: 2023-11-01</p>	<p style="text-align: right;">Date: 2023-11-01</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.52</td> <td>68.30</td> <td>-18.78</td> <td>61.50</td> <td>39.48</td> <td>12.15</td> <td>63.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>51.45</td> <td>74.00</td> <td>-22.55</td> <td>58.58</td> <td>42.26</td> <td>14.66</td> <td>64.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10480.00	49.52	68.30	-18.78	61.50	39.48	12.15	63.61	---	---	Peak	2	15720.00	51.45	74.00	-22.55	58.58	42.26	14.66	64.05	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.43</td> <td>68.30</td> <td>-18.87</td> <td>61.41</td> <td>39.48</td> <td>12.15</td> <td>63.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>49.81</td> <td>74.00</td> <td>-24.19</td> <td>56.94</td> <td>42.26</td> <td>14.66</td> <td>64.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10480.00	49.43	68.30	-18.87	61.41	39.48	12.15	63.61	---	---	Peak	2	15720.00	49.81	74.00	-24.19	56.94	42.26	14.66	64.05	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10480.00	49.52	68.30	-18.78	61.50	39.48	12.15	63.61	---	---	Peak																																																																																						
2	15720.00	51.45	74.00	-22.55	58.58	42.26	14.66	64.05	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10480.00	49.43	68.30	-18.87	61.41	39.48	12.15	63.61	---	---	Peak																																																																																						
2	15720.00	49.81	74.00	-24.19	56.94	42.26	14.66	64.05	---	---	Peak																																																																																						







Mode	4																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz																																																																																														
ANT	2																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>56.13</td> <td>68.30</td> <td>-12.17</td> <td>68.05</td> <td>39.50</td> <td>12.18</td> <td>63.60</td> <td>100</td> <td>45 Peak</td> </tr> <tr> <td>2 15780.00</td> <td>50.29</td> <td>74.00</td> <td>-23.71</td> <td>57.33</td> <td>42.34</td> <td>14.69</td> <td>64.07</td> <td>---</td> <td>---</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10520.00	56.13	68.30	-12.17	68.05	39.50	12.18	63.60	100	45 Peak	2 15780.00	50.29	74.00	-23.71	57.33	42.34	14.69	64.07	---	---	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>54.93</td> <td>68.30</td> <td>-13.37</td> <td>66.85</td> <td>39.50</td> <td>12.18</td> <td>63.60</td> <td>245</td> <td>41 Peak</td> </tr> <tr> <td>2 15780.00</td> <td>50.67</td> <td>74.00</td> <td>-23.33</td> <td>57.71</td> <td>42.34</td> <td>14.69</td> <td>64.07</td> <td>---</td> <td>---</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10520.00	54.93	68.30	-13.37	66.85	39.50	12.18	63.60	245	41 Peak	2 15780.00	50.67	74.00	-23.33	57.71	42.34	14.69	64.07	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1 10520.00	56.13	68.30	-12.17	68.05	39.50	12.18	63.60	100	45 Peak																																																																																						
2 15780.00	50.29	74.00	-23.71	57.33	42.34	14.69	64.07	---	---																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1 10520.00	54.93	68.30	-13.37	66.85	39.50	12.18	63.60	245	41 Peak																																																																																						
2 15780.00	50.67	74.00	-23.33	57.71	42.34	14.69	64.07	---	---																																																																																						



Mode	5																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																											
ANT	2																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>55.42</td> <td>74.00</td> <td>-18.58</td> <td>67.24</td> <td>39.52</td> <td>12.23</td> <td>63.57</td> <td>100</td> <td>44</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>45.38</td> <td>54.00</td> <td>-8.62</td> <td>57.20</td> <td>39.52</td> <td>12.23</td> <td>63.57</td> <td>100</td> <td>44</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>49.54</td> <td>74.00</td> <td>-24.46</td> <td>56.42</td> <td>42.48</td> <td>14.75</td> <td>64.11</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	55.42	74.00	-18.58	67.24	39.52	12.23	63.57	100	44	Peak	2	10600.00	45.38	54.00	-8.62	57.20	39.52	12.23	63.57	100	44	Average	3	15900.00	49.54	74.00	-24.46	56.42	42.48	14.75	64.11	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>56.15</td> <td>74.00</td> <td>-17.85</td> <td>67.97</td> <td>39.52</td> <td>12.23</td> <td>63.57</td> <td>242</td> <td>56</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10600.00</td> <td>44.63</td> <td>54.00</td> <td>-9.37</td> <td>56.45</td> <td>39.52</td> <td>12.23</td> <td>63.57</td> <td>242</td> <td>56</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15900.00</td> <td>49.69</td> <td>74.00</td> <td>-24.31</td> <td>56.57</td> <td>42.48</td> <td>14.75</td> <td>64.11</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10600.00	56.15	74.00	-17.85	67.97	39.52	12.23	63.57	242	56	Peak	2	10600.00	44.63	54.00	-9.37	56.45	39.52	12.23	63.57	242	56	Average	3	15900.00	49.69	74.00	-24.31	56.57	42.48	14.75	64.11	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	10600.00	55.42	74.00	-18.58	67.24	39.52	12.23	63.57	100	44	Peak																																																																																																																	
2	10600.00	45.38	54.00	-8.62	57.20	39.52	12.23	63.57	100	44	Average																																																																																																																	
3	15900.00	49.54	74.00	-24.46	56.42	42.48	14.75	64.11	---	---	Peak																																																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																				
1	10600.00	56.15	74.00	-17.85	67.97	39.52	12.23	63.57	242	56	Peak																																																																																																																	
2	10600.00	44.63	54.00	-9.37	56.45	39.52	12.23	63.57	242	56	Average																																																																																																																	
3	15900.00	49.69	74.00	-24.31	56.57	42.48	14.75	64.11	---	---	Peak																																																																																																																	



Mode	6																																																																									
	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5355.14</td> <td>55.64</td> <td>74.00</td> <td>-18.36</td> <td>44.81</td> <td>34.78</td> <td>9.39</td> <td>33.34</td> <td>175</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5355.14	55.64	74.00	-18.36	44.81	34.78	9.39	33.34	175	53 PEAK	 <p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.68</td> <td>-----</td> <td>-----</td> <td>92.99</td> <td>34.76</td> <td>9.21</td> <td>33.28</td> <td>175</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	103.68	-----	-----	92.99	34.76	9.21	33.28	175	53 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	5355.14	55.64	74.00	-18.36	44.81	34.78	9.39	33.34	175	53 PEAK																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	5320.00	103.68	-----	-----	92.99	34.76	9.21	33.28	175	53 PEAK																																																																
Avg	 <p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.78</td> <td>46.74</td> <td>54.00</td> <td>-7.26</td> <td>35.92</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> <td>175</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.78	46.74	54.00	-7.26	35.92	34.78	9.37	33.33	175	53 AVERAGE	 <p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>98.47</td> <td>-----</td> <td>-----</td> <td>87.78</td> <td>34.76</td> <td>9.21</td> <td>33.28</td> <td>175</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	98.47	-----	-----	87.78	34.76	9.21	33.28	175	53 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	5351.78	46.74	54.00	-7.26	35.92	34.78	9.37	33.33	175	53 AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	5320.00	98.47	-----	-----	87.78	34.76	9.21	33.28	175	53 AVERAGE																																																																







Mode	6																																																																											
	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																											
ANT	2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5365.78</td> <td>50.22</td> <td>74.00</td> <td>-23.78</td> <td>39.34</td> <td>34.79</td> <td>9.45</td> <td>33.36</td> <td>400</td> <td>91</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5365.78	50.22	74.00	-23.78	39.34	34.79	9.45	33.36	400	91	PEAK	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>97.26</td> <td>-26.76</td> <td>-</td> <td>86.57</td> <td>34.76</td> <td>9.21</td> <td>33.28</td> <td>400</td> <td>91</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	97.26	-26.76	-	86.57	34.76	9.21	33.28	400	91	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5365.78	50.22	74.00	-23.78	39.34	34.79	9.45	33.36	400	91	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5320.00	97.26	-26.76	-	86.57	34.76	9.21	33.28	400	91	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>44.85</td> <td>54.00</td> <td>-9.15</td> <td>34.03</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> <td>400</td> <td>91</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.24	44.85	54.00	-9.15	34.03	34.78	9.37	33.33	400	91	AVERAGE	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>91.99</td> <td>-39.49</td> <td>-</td> <td>81.30</td> <td>34.76</td> <td>9.21</td> <td>33.28</td> <td>400</td> <td>91</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	91.99	-39.49	-	81.30	34.76	9.21	33.28	400	91	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5350.24	44.85	54.00	-9.15	34.03	34.78	9.37	33.33	400	91	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5320.00	91.99	-39.49	-	81.30	34.76	9.21	33.28	400	91	AVERAGE																																																																	







Mode	6																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>53.56</td> <td>74.00</td> <td>-20.44</td> <td>65.32</td> <td>39.53</td> <td>12.26</td> <td>63.55</td> <td>100</td> <td>51</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>42.63</td> <td>54.00</td> <td>-11.37</td> <td>54.39</td> <td>39.53</td> <td>12.26</td> <td>63.55</td> <td>100</td> <td>51</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>49.80</td> <td>74.00</td> <td>-24.20</td> <td>56.61</td> <td>42.55</td> <td>14.77</td> <td>64.13</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10640.00	53.56	74.00	-20.44	65.32	39.53	12.26	63.55	100	51	Peak	2	10640.00	42.63	54.00	-11.37	54.39	39.53	12.26	63.55	100	51	Average	3	15960.00	49.80	74.00	-24.20	56.61	42.55	14.77	64.13	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>50.51</td> <td>74.00</td> <td>-23.49</td> <td>62.27</td> <td>39.53</td> <td>12.26</td> <td>63.55</td> <td>241</td> <td>47</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>10640.00</td> <td>41.62</td> <td>54.00</td> <td>-12.38</td> <td>53.38</td> <td>39.53</td> <td>12.26</td> <td>63.55</td> <td>241</td> <td>47</td> <td>Average</td> </tr> <tr> <td>3</td> <td>15960.00</td> <td>48.58</td> <td>74.00</td> <td>-25.42</td> <td>55.39</td> <td>42.55</td> <td>14.77</td> <td>64.13</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10640.00	50.51	74.00	-23.49	62.27	39.53	12.26	63.55	241	47	Peak	2	10640.00	41.62	54.00	-12.38	53.38	39.53	12.26	63.55	241	47	Average	3	15960.00	48.58	74.00	-25.42	55.39	42.55	14.77	64.13	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	10640.00	53.56	74.00	-20.44	65.32	39.53	12.26	63.55	100	51	Peak																																																																																																															
2	10640.00	42.63	54.00	-11.37	54.39	39.53	12.26	63.55	100	51	Average																																																																																																															
3	15960.00	49.80	74.00	-24.20	56.61	42.55	14.77	64.13	---	---	Peak																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	10640.00	50.51	74.00	-23.49	62.27	39.53	12.26	63.55	241	47	Peak																																																																																																															
2	10640.00	41.62	54.00	-12.38	53.38	39.53	12.26	63.55	241	47	Average																																																																																																															
3	15960.00	48.58	74.00	-25.42	55.39	42.55	14.77	64.13	---	---	Peak																																																																																																															



Mode	7																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																					
ANT	2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	 <p>Date: 2023-10-30</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBI:3000.000kHz Mode : 7 Setting : 6M Power Setting 19 Plane : Y with Accessories : 016500000013442</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.35</td> <td>58.04</td> <td>74.00</td> <td>-15.96</td> <td>45.86</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.80</td> <td>63.92</td> <td>68.30</td> <td>-4.38</td> <td>51.76</td> <td>36.01</td> <td>9.69</td> <td>33.54</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.35	58.04	74.00	-15.96	45.86	36.02	9.69	33.53	300	50	PEAK	2	5468.80	63.92	68.30	-4.38	51.76	36.01	9.69	33.54	300	50	PEAK	 <p>Date: 2023-10-30</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBI:3000.000kHz Mode : 7 Setting : 6M Power Setting 19 Plane : Y with Accessories : 016500000013442</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>106.61</td> <td>-----</td> <td>-----</td> <td>94.50</td> <td>36.00</td> <td>9.71</td> <td>33.60</td> <td>300</td> <td>50</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	106.61	-----	-----	94.50	36.00	9.71	33.60	300	50	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.35	58.04	74.00	-15.96	45.86	36.02	9.69	33.53	300	50	PEAK																																																																											
2	5468.80	63.92	68.30	-4.38	51.76	36.01	9.69	33.54	300	50	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	106.61	-----	-----	94.50	36.00	9.71	33.60	300	50	PEAK																																																																											
Avg	 <p>Date: 2023-10-30</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBI:1.000kHz Mode : 7 Setting : 6M Power Setting 19 Plane : Y with Accessories : 016500000013442</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>48.84</td> <td>54.00</td> <td>-5.16</td> <td>36.66</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>300</td> <td>50</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.80	48.84	54.00	-5.16	36.66	36.02	9.69	33.53	300	50	AVERAGE	 <p>Date: 2023-10-30</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) HORIZONTAL : RBW:1000.000kHz VBI:1.000kHz Mode : 7 Setting : 6M Power Setting 19 Plane : Y with Accessories : 016500000013442</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.56</td> <td>-----</td> <td>-----</td> <td>89.45</td> <td>36.00</td> <td>9.71</td> <td>33.60</td> <td>300</td> <td>50</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	101.56	-----	-----	89.45	36.00	9.71	33.60	300	50	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.80	48.84	54.00	-5.16	36.66	36.02	9.69	33.53	300	50	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	101.56	-----	-----	89.45	36.00	9.71	33.60	300	50	AVERAGE																																																																											



Mode	7																																																																												
	Band Edge																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																												
ANT	2																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization. The plot shows a rising signal starting around 5400 MHz, reaching approximately 105 dBuV/m at 5500 MHz. A red horizontal line indicates a limit at 70.0 dBuV/m. A peak is marked at 5469.40 MHz with a level of 62.55 dBuV/m.</p> <p>Date: 2023-10-30</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBN:3000.000kHz Mode : 7 Setting : 6M Power Setting 19 Plane : Y with Accessories : 016500000013442</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.20</td> <td>53.28</td> <td>74.00</td> <td>-20.72</td> <td>41.10</td> <td>36.02</td> <td>9.69 33.53</td> <td>300 93 PEAK</td> </tr> <tr> <td>2</td> <td>5469.40</td> <td>62.55</td> <td>68.30</td> <td>-5.75</td> <td>50.39</td> <td>36.01</td> <td>9.69 33.54</td> <td>300 93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.20	53.28	74.00	-20.72	41.10	36.02	9.69 33.53	300 93 PEAK	2	5469.40	62.55	68.30	-5.75	50.39	36.01	9.69 33.54	300 93 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. The plot shows a sharp peak at 5469.40 MHz with a level of 106.40 dBuV/m. A red horizontal line indicates a limit at 70.0 dBuV/m.</p> <p>Date: 2023-10-30</p> <p>Site : 03CH04-SZ Condition: PART 15.407 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBN:3000.000kHz Mode : 7 Setting : 6M Power Setting 19 Plane : Y with Accessories : 016500000013442</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>106.40</td> <td>-----</td> <td>-----</td> <td>94.29</td> <td>36.00</td> <td>9.71 33.60</td> <td>300 93 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	106.40	-----	-----	94.29	36.00	9.71 33.60	300 93 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																						
1	5459.20	53.28	74.00	-20.72	41.10	36.02	9.69 33.53	300 93 PEAK																																																																					
2	5469.40	62.55	68.30	-5.75	50.39	36.01	9.69 33.54	300 93 PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																						
1	5500.00	106.40	-----	-----	94.29	36.00	9.71 33.60	300 93 PEAK																																																																					
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Vertical polarization showing the average signal. A red horizontal line indicates a limit at 54.00 dBuV/m. An average value is marked at 5459.95 MHz with a level of 45.10 dBuV/m.</p> <p>Date: 2023-10-30</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBN:1.000kHz Mode : 7 Setting : 6M Power Setting 19 Plane : Y with Accessories : 016500000013442</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.95</td> <td>45.10</td> <td>54.00</td> <td>-8.90</td> <td>32.92</td> <td>36.02</td> <td>9.69 33.53</td> <td>300 93 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.95	45.10	54.00	-8.90	32.92	36.02	9.69 33.53	300 93 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization showing the average signal. A red horizontal line indicates a limit at 54.00 dBuV/m. An average value is marked at 5500.00 MHz with a level of 100.30 dBuV/m.</p> <p>Date: 2023-10-30</p> <p>Site : 03CH04-SZ Condition: PART 15.407 AVG 3m HF_ANT_3117(119436) VERTICAL : RBW:1000.000kHz VBN:1.000kHz Mode : 7 Setting : 6M Power Setting 19 Plane : Y with Accessories : 016500000013442</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.30</td> <td>-----</td> <td>-----</td> <td>88.19</td> <td>36.00</td> <td>9.71 33.60</td> <td>300 93 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	100.30	-----	-----	88.19	36.00	9.71 33.60	300 93 AVERAGE									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																						
1	5459.95	45.10	54.00	-8.90	32.92	36.02	9.69 33.53	300 93 AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																						
1	5500.00	100.30	-----	-----	88.19	36.00	9.71 33.60	300 93 AVERAGE																																																																					



Mode	7																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																											
ANT	2																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>57.13</td> <td>74.00</td> <td>-16.87</td> <td>68.43</td> <td>39.60</td> <td>12.52</td> <td>63.42</td> <td>149 281 Peak</td> </tr> <tr> <td>2 11000.00</td> <td>46.66</td> <td>54.00</td> <td>-7.34</td> <td>57.96</td> <td>39.60</td> <td>12.52</td> <td>63.42</td> <td>149 281 Average</td> </tr> <tr> <td>3 16500.00</td> <td>48.59</td> <td>68.30</td> <td>-19.71</td> <td>54.83</td> <td>43.25</td> <td>15.17</td> <td>64.66</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11000.00	57.13	74.00	-16.87	68.43	39.60	12.52	63.42	149 281 Peak	2 11000.00	46.66	54.00	-7.34	57.96	39.60	12.52	63.42	149 281 Average	3 16500.00	48.59	68.30	-19.71	54.83	43.25	15.17	64.66	--- --- Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>56.24</td> <td>74.00</td> <td>-17.76</td> <td>67.54</td> <td>39.60</td> <td>12.52</td> <td>63.42</td> <td>241 360 Peak</td> </tr> <tr> <td>2 11000.00</td> <td>45.46</td> <td>54.00</td> <td>-8.54</td> <td>56.76</td> <td>39.60</td> <td>12.52</td> <td>63.42</td> <td>241 360 Average</td> </tr> <tr> <td>3 16500.00</td> <td>48.53</td> <td>68.30</td> <td>-19.77</td> <td>54.77</td> <td>43.25</td> <td>15.17</td> <td>64.66</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11000.00	56.24	74.00	-17.76	67.54	39.60	12.52	63.42	241 360 Peak	2 11000.00	45.46	54.00	-8.54	56.76	39.60	12.52	63.42	241 360 Average	3 16500.00	48.53	68.30	-19.77	54.77	43.25	15.17	64.66	--- --- Peak
	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1 11000.00	57.13	74.00	-16.87	68.43	39.60	12.52	63.42	149 281 Peak																																																																																				
2 11000.00	46.66	54.00	-7.34	57.96	39.60	12.52	63.42	149 281 Average																																																																																				
3 16500.00	48.59	68.30	-19.71	54.83	43.25	15.17	64.66	--- --- Peak																																																																																				
Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1 11000.00	56.24	74.00	-17.76	67.54	39.60	12.52	63.42	241 360 Peak																																																																																				
2 11000.00	45.46	54.00	-8.54	56.76	39.60	12.52	63.42	241 360 Average																																																																																				
3 16500.00	48.53	68.30	-19.77	54.77	43.25	15.17	64.66	--- --- Peak																																																																																				
Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>57.13</td> <td>74.00</td> <td>-16.87</td> <td>68.43</td> <td>39.60</td> <td>12.52</td> <td>63.42</td> <td>149 281 Peak</td> </tr> <tr> <td>2 11000.00</td> <td>46.66</td> <td>54.00</td> <td>-7.34</td> <td>57.96</td> <td>39.60</td> <td>12.52</td> <td>63.42</td> <td>149 281 Average</td> </tr> <tr> <td>3 16500.00</td> <td>48.59</td> <td>68.30</td> <td>-19.71</td> <td>54.83</td> <td>43.25</td> <td>15.17</td> <td>64.66</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11000.00	57.13	74.00	-16.87	68.43	39.60	12.52	63.42	149 281 Peak	2 11000.00	46.66	54.00	-7.34	57.96	39.60	12.52	63.42	149 281 Average	3 16500.00	48.59	68.30	-19.71	54.83	43.25	15.17	64.66	--- --- Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11000.00</td> <td>56.24</td> <td>74.00</td> <td>-17.76</td> <td>67.54</td> <td>39.60</td> <td>12.52</td> <td>63.42</td> <td>241 360 Peak</td> </tr> <tr> <td>2 11000.00</td> <td>45.46</td> <td>54.00</td> <td>-8.54</td> <td>56.76</td> <td>39.60</td> <td>12.52</td> <td>63.42</td> <td>241 360 Average</td> </tr> <tr> <td>3 16500.00</td> <td>48.53</td> <td>68.30</td> <td>-19.77</td> <td>54.77</td> <td>43.25</td> <td>15.17</td> <td>64.66</td> <td>--- --- Peak</td> </tr> </tbody> </table>	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 11000.00	56.24	74.00	-17.76	67.54	39.60	12.52	63.42	241 360 Peak	2 11000.00	45.46	54.00	-8.54	56.76	39.60	12.52	63.42	241 360 Average	3 16500.00	48.53	68.30	-19.77	54.77	43.25	15.17	64.66	--- --- Peak
Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1 11000.00	57.13	74.00	-16.87	68.43	39.60	12.52	63.42	149 281 Peak																																																																																				
2 11000.00	46.66	54.00	-7.34	57.96	39.60	12.52	63.42	149 281 Average																																																																																				
3 16500.00	48.59	68.30	-19.71	54.83	43.25	15.17	64.66	--- --- Peak																																																																																				
Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1 11000.00	56.24	74.00	-17.76	67.54	39.60	12.52	63.42	241 360 Peak																																																																																				
2 11000.00	45.46	54.00	-8.54	56.76	39.60	12.52	63.42	241 360 Average																																																																																				
3 16500.00	48.53	68.30	-19.77	54.77	43.25	15.17	64.66	--- --- Peak																																																																																				



Mode	8																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																											
ANT	2																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th colspan="11">Horizontal Peak Data</th> </tr> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="4">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>59.33</td> <td>74.00</td> <td>-14.67</td> <td>70.52</td> <td>39.60</td> <td>12.64</td> <td>63.43</td> <td>100</td> <td>293</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>47.02</td> <td>54.00</td> <td>-6.98</td> <td>58.21</td> <td>39.60</td> <td>12.64</td> <td>63.43</td> <td>100</td> <td>293</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>49.39</td> <td>68.30</td> <td>-18.91</td> <td>55.39</td> <td>43.56</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Horizontal Peak Data											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg	1	11160.00	59.33	74.00	-14.67	70.52	39.60	12.64	63.43	100	293	Peak	2	11160.00	47.02	54.00	-6.98	58.21	39.60	12.64	63.43	100	293	Average	3	16740.00	49.39	68.30	-18.91	55.39	43.56	15.35	64.91	---	---	Peak	<table border="1"> <thead> <tr> <th colspan="11">Vertical Peak Data</th> </tr> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="4">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>58.66</td> <td>74.00</td> <td>-15.34</td> <td>69.85</td> <td>39.60</td> <td>12.64</td> <td>63.43</td> <td>219</td> <td>354</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>46.59</td> <td>54.00</td> <td>-7.41</td> <td>57.78</td> <td>39.60</td> <td>12.64</td> <td>63.43</td> <td>219</td> <td>354</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>49.60</td> <td>68.30</td> <td>-18.70</td> <td>55.60</td> <td>43.56</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Vertical Peak Data											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg	1	11160.00	58.66	74.00	-15.34	69.85	39.60	12.64	63.43	219	354	Peak	2	11160.00	46.59	54.00	-7.41	57.78	39.60	12.64	63.43	219	354	Average	3	16740.00	49.60	68.30	-18.70	55.60	43.56	15.35	64.91	---	---	Peak
	Horizontal Peak Data																																																																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																																																		
1	11160.00	59.33	74.00	-14.67	70.52	39.60	12.64	63.43	100	293	Peak																																																																																																																																	
2	11160.00	47.02	54.00	-6.98	58.21	39.60	12.64	63.43	100	293	Average																																																																																																																																	
3	16740.00	49.39	68.30	-18.91	55.39	43.56	15.35	64.91	---	---	Peak																																																																																																																																	
Vertical Peak Data																																																																																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																																																		
1	11160.00	58.66	74.00	-15.34	69.85	39.60	12.64	63.43	219	354	Peak																																																																																																																																	
2	11160.00	46.59	54.00	-7.41	57.78	39.60	12.64	63.43	219	354	Average																																																																																																																																	
3	16740.00	49.60	68.30	-18.70	55.60	43.56	15.35	64.91	---	---	Peak																																																																																																																																	



	9																																																																																	
Mode	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																	
ANT	2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5725.22</td> <td>62.25</td> <td>68.30</td> <td>-6.05</td> <td>49.37</td> <td>36.32</td> <td>10.02</td> <td>33.46</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>165 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5725.22	62.25	68.30	-6.05	49.37	36.32	10.02	33.46								165 360 PEAK	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>106.01</td> <td>-----</td> <td>-----</td> <td>93.25</td> <td>36.28</td> <td>9.96</td> <td>33.48</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>165 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	106.01	-----	-----	93.25	36.28	9.96	33.48								165 360 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5725.22	62.25	68.30	-6.05	49.37	36.32	10.02	33.46																																																																											
							165 360 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5700.00	106.01	-----	-----	93.25	36.28	9.96	33.48																																																																											
							165 360 PEAK																																																																											
Avg	Blank	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>98.82</td> <td>-----</td> <td>-----</td> <td>86.06</td> <td>36.28</td> <td>9.96</td> <td>33.48</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>165 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5700.00	98.82	-----	-----	86.06	36.28	9.96	33.48								165 360 AVERAGE																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5700.00	98.82	-----	-----	86.06	36.28	9.96	33.48																																																																											
							165 360 AVERAGE																																																																											



Mode	9																																																																							
	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																							
ANT	2																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.35</td> <td>64.01</td> <td>68.30</td> <td>-4.29</td> <td>51.13</td> <td>36.32</td> <td>10.02</td> <td>33.46</td> <td>289</td> <td>73 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5725.35	64.01	68.30	-4.29	51.13	36.32	10.02	33.46	289	73 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>105.11</td> <td>-----</td> <td>-----</td> <td>92.35</td> <td>36.28</td> <td>9.96</td> <td>33.48</td> <td>289</td> <td>73 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5700.00	105.11	-----	-----	92.35	36.28	9.96	33.48	289	73 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5725.35	64.01	68.30	-4.29	51.13	36.32	10.02	33.46	289	73 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5700.00	105.11	-----	-----	92.35	36.28	9.96	33.48	289	73 PEAK																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>97.98</td> <td>-----</td> <td>-----</td> <td>85.22</td> <td>36.28</td> <td>9.96</td> <td>33.48</td> <td>289</td> <td>73 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5700.00	97.98	-----	-----	85.22	36.28	9.96	33.48	289	73 AVERAGE																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5700.00	97.98	-----	-----	85.22	36.28	9.96	33.48	289	73 AVERAGE																																																															



Mode	9																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																			
ANT	2																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>54.11</td> <td>74.00</td> <td>-19.89</td> <td>65.14</td> <td>39.60</td> <td>12.81</td> <td>63.44</td> <td>374</td> <td>357</td> <td>Peak</td> </tr> <tr> <td>2 11400.00</td> <td>47.49</td> <td>54.00</td> <td>-6.51</td> <td>58.52</td> <td>39.60</td> <td>12.81</td> <td>63.44</td> <td>374</td> <td>357</td> <td>Average</td> </tr> <tr> <td>3 17100.00</td> <td>49.92</td> <td>68.30</td> <td>-18.38</td> <td>55.51</td> <td>44.02</td> <td>15.62</td> <td>65.23</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11400.00	54.11	74.00	-19.89	65.14	39.60	12.81	63.44	374	357	Peak	2 11400.00	47.49	54.00	-6.51	58.52	39.60	12.81	63.44	374	357	Average	3 17100.00	49.92	68.30	-18.38	55.51	44.02	15.62	65.23	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>57.01</td> <td>74.00</td> <td>-16.99</td> <td>68.04</td> <td>39.60</td> <td>12.81</td> <td>63.44</td> <td>207</td> <td>345</td> <td>Peak</td> </tr> <tr> <td>2 11400.00</td> <td>50.25</td> <td>54.00</td> <td>-3.75</td> <td>61.28</td> <td>39.60</td> <td>12.81</td> <td>63.44</td> <td>207</td> <td>346</td> <td>Average</td> </tr> <tr> <td>3 17100.00</td> <td>50.13</td> <td>68.30</td> <td>-18.17</td> <td>55.72</td> <td>44.02</td> <td>15.62</td> <td>65.23</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11400.00	57.01	74.00	-16.99	68.04	39.60	12.81	63.44	207	345	Peak	2 11400.00	50.25	54.00	-3.75	61.28	39.60	12.81	63.44	207	346	Average	3 17100.00	50.13	68.30	-18.17	55.72	44.02	15.62	65.23	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1 11400.00	54.11	74.00	-19.89	65.14	39.60	12.81	63.44	374	357	Peak																																																																																																										
2 11400.00	47.49	54.00	-6.51	58.52	39.60	12.81	63.44	374	357	Average																																																																																																										
3 17100.00	49.92	68.30	-18.38	55.51	44.02	15.62	65.23	---	---	Peak																																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																													
Freq Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																													
1 11400.00	57.01	74.00	-16.99	68.04	39.60	12.81	63.44	207	345	Peak																																																																																																										
2 11400.00	50.25	54.00	-3.75	61.28	39.60	12.81	63.44	207	346	Average																																																																																																										
3 17100.00	50.13	68.30	-18.17	55.72	44.02	15.62	65.23	---	---	Peak																																																																																																										





Mode	10																																																																									
	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.22</td> <td>60.76</td> <td>74.00</td> <td>-13.24</td> <td>49.06</td> <td>36.14</td> <td>8.53</td> <td>32.97</td> <td>156</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.22	60.76	74.00	-13.24	49.06	36.14	8.53	32.97	156	51 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>103.55</td> <td>-----</td> <td>-----</td> <td>91.86</td> <td>36.13</td> <td>8.59</td> <td>33.03</td> <td>156</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	103.55	-----	-----	91.86	36.13	8.59	33.03	156	51 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	5149.22	60.76	74.00	-13.24	49.06	36.14	8.53	32.97	156	51 PEAK																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	5180.00	103.55	-----	-----	91.86	36.13	8.59	33.03	156	51 PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.76</td> <td>45.09</td> <td>54.00</td> <td>-8.91</td> <td>33.38</td> <td>36.14</td> <td>8.54</td> <td>32.97</td> <td>156</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.76	45.09	54.00	-8.91	33.38	36.14	8.54	32.97	156	51 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>97.29</td> <td>-----</td> <td>-----</td> <td>85.60</td> <td>36.13</td> <td>8.59</td> <td>33.03</td> <td>156</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	97.29	-----	-----	85.60	36.13	8.59	33.03	156	51 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	5149.76	45.09	54.00	-8.91	33.38	36.14	8.54	32.97	156	51 AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1	5180.00	97.29	-----	-----	85.60	36.13	8.59	33.03	156	51 AVERAGE																																																																



	10																																																																													
Mode	Band Edge																																																																													
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																													
ANT	2																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.32</td> <td>56.44</td> <td>74.00</td> <td>-17.56</td> <td>44.74</td> <td>36.14</td> <td>8.53</td> <td>32.97</td> <td>241</td> <td>68 PEAK</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.32	56.44	74.00	-17.56	44.74	36.14	8.53	32.97	241	68 PEAK	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>99.49</td> <td>-----</td> <td>-----</td> <td>87.80</td> <td>36.13</td> <td>8.58</td> <td>33.02</td> <td>241</td> <td>68 PEAK</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.49	-----	-----	87.80	36.13	8.58	33.02	241	68 PEAK
	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5148.32	56.44	74.00	-17.56	44.74	36.14	8.53	32.97	241	68 PEAK																																																																				
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5180.00	99.49	-----	-----	87.80	36.13	8.58	33.02	241	68 PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.86</td> <td>43.00</td> <td>54.00</td> <td>-11.00</td> <td>31.30</td> <td>36.14</td> <td>8.53</td> <td>32.97</td> <td>241</td> <td>68 AVERAGE</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.86	43.00	54.00	-11.00	31.30	36.14	8.53	32.97	241	68 AVERAGE	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>93.26</td> <td>-----</td> <td>-----</td> <td>81.57</td> <td>36.13</td> <td>8.59</td> <td>33.03</td> <td>241</td> <td>68 AVERAGE</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	93.26	-----	-----	81.57	36.13	8.59	33.03	241	68 AVERAGE
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5148.86	43.00	54.00	-11.00	31.30	36.14	8.53	32.97	241	68 AVERAGE																																																																				
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5180.00	93.26	-----	-----	81.57	36.13	8.59	33.03	241	68 AVERAGE																																																																				



Mode	10																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	 <p>Date: 2023-11-01</p>	 <p>Date: 2023-11-01</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>48.47</td> <td>68.30</td> <td>-19.83</td> <td>60.71</td> <td>39.36</td> <td>12.06</td> <td>63.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>50.63</td> <td>74.00</td> <td>-23.37</td> <td>57.99</td> <td>42.05</td> <td>14.58</td> <td>63.99</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	48.47	68.30	-19.83	60.71	39.36	12.06	63.66	---	---	Peak	2	15540.00	50.63	74.00	-23.37	57.99	42.05	14.58	63.99	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10360.00</td> <td>49.58</td> <td>68.30</td> <td>-18.72</td> <td>61.82</td> <td>39.36</td> <td>12.06</td> <td>63.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15540.00</td> <td>52.18</td> <td>74.00</td> <td>-21.82</td> <td>59.54</td> <td>42.05</td> <td>14.58</td> <td>63.99</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10360.00	49.58	68.30	-18.72	61.82	39.36	12.06	63.66	---	---	Peak	2	15540.00	52.18	74.00	-21.82	59.54	42.05	14.58	63.99	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10360.00	48.47	68.30	-19.83	60.71	39.36	12.06	63.66	---	---	Peak																																																																																						
2	15540.00	50.63	74.00	-23.37	57.99	42.05	14.58	63.99	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	10360.00	49.58	68.30	-18.72	61.82	39.36	12.06	63.66	---	---	Peak																																																																																						
2	15540.00	52.18	74.00	-21.82	59.54	42.05	14.58	63.99	---	---	Peak																																																																																						



Mode	11																																																																																																						
	Harmonic																																																																																																						
	U-NII-1_5.15-5.25_802.11n_HT20_CH44_5220MHz																																																																																																						
ANT	2																																																																																																						
Pol.	Horizontal	Vertical																																																																																																					
Peak Avg																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>49.59</td> <td>68.30</td> <td>-18.71</td> <td>61.66</td> <td>39.44</td> <td>12.12</td> <td>63.63</td> <td>149</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>51.10</td> <td>74.00</td> <td>-22.90</td> <td>58.30</td> <td>42.19</td> <td>14.64</td> <td>64.03</td> <td>149</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	49.59	68.30	-18.71	61.66	39.44	12.12	63.63	149	360	Peak	2	15660.00	51.10	74.00	-22.90	58.30	42.19	14.64	64.03	149	360	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10440.00</td> <td>49.30</td> <td>68.30</td> <td>-19.00</td> <td>61.37</td> <td>39.44</td> <td>12.12</td> <td>63.63</td> <td>152</td> <td>0</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15660.00</td> <td>51.03</td> <td>74.00</td> <td>-22.97</td> <td>58.23</td> <td>42.19</td> <td>14.64</td> <td>64.03</td> <td>152</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10440.00	49.30	68.30	-19.00	61.37	39.44	12.12	63.63	152	0	Peak	2	15660.00	51.03	74.00	-22.97	58.23	42.19	14.64	64.03	152	0
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	10440.00	49.59	68.30	-18.71	61.66	39.44	12.12	63.63	149	360	Peak																																																																																												
2	15660.00	51.10	74.00	-22.90	58.30	42.19	14.64	64.03	149	360	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																															
1	10440.00	49.30	68.30	-19.00	61.37	39.44	12.12	63.63	152	0	Peak																																																																																												
2	15660.00	51.03	74.00	-22.97	58.23	42.19	14.64	64.03	152	0	Peak																																																																																												



Mode	12																																																																																																	
	Harmonic																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.04</td> <td>68.30</td> <td>-19.26</td> <td>61.02</td> <td>39.48</td> <td>12.15</td> <td>63.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>51.08</td> <td>74.00</td> <td>-22.92</td> <td>58.21</td> <td>42.26</td> <td>14.66</td> <td>64.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10480.00	49.04	68.30	-19.26	61.02	39.48	12.15	63.61	---	---	Peak	2	15720.00	51.08	74.00	-22.92	58.21	42.26	14.66	64.05	---	---	Peak	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10480.00</td> <td>49.82</td> <td>68.30</td> <td>-18.48</td> <td>61.80</td> <td>39.48</td> <td>12.15</td> <td>63.61</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15720.00</td> <td>51.11</td> <td>74.00</td> <td>-22.89</td> <td>58.24</td> <td>42.26</td> <td>14.66</td> <td>64.05</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	10480.00	49.82	68.30	-18.48	61.80	39.48	12.15	63.61	---	---	Peak	2	15720.00	51.11	74.00	-22.89	58.24	42.26	14.66	64.05	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																											
1	10480.00	49.04	68.30	-19.26	61.02	39.48	12.15	63.61	---	---	Peak																																																																																							
2	15720.00	51.08	74.00	-22.92	58.21	42.26	14.66	64.05	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																																											
1	10480.00	49.82	68.30	-18.48	61.80	39.48	12.15	63.61	---	---	Peak																																																																																							
2	15720.00	51.11	74.00	-22.89	58.24	42.26	14.66	64.05	---	---	Peak																																																																																							



Mode	13																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_5280MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg	<p>Date: 2023-11-01</p>	<p>Date: 2023-11-01</p>																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>51.45</td> <td>68.30</td> <td>-16.85</td> <td>63.37</td> <td>39.50</td> <td>12.18</td> <td>63.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>50.88</td> <td>74.00</td> <td>-23.12</td> <td>57.92</td> <td>42.34</td> <td>14.69</td> <td>64.07</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	51.45	68.30	-16.85	63.37	39.50	12.18	63.60	---	---	Peak	2	15780.00	50.88	74.00	-23.12	57.92	42.34	14.69	64.07	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10520.00</td> <td>53.25</td> <td>68.30</td> <td>-15.05</td> <td>65.17</td> <td>39.50</td> <td>12.18</td> <td>63.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15780.00</td> <td>51.17</td> <td>74.00</td> <td>-22.83</td> <td>58.21</td> <td>42.34</td> <td>14.69</td> <td>64.07</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10520.00	53.25	68.30	-15.05	65.17	39.50	12.18	63.60	---	---	Peak	2	15780.00	51.17	74.00	-22.83	58.21	42.34	14.69	64.07	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10520.00	51.45	68.30	-16.85	63.37	39.50	12.18	63.60	---	---	Peak																																																																																														
2	15780.00	50.88	74.00	-23.12	57.92	42.34	14.69	64.07	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10520.00	53.25	68.30	-15.05	65.17	39.50	12.18	63.60	---	---	Peak																																																																																														
2	15780.00	51.17	74.00	-22.83	58.21	42.34	14.69	64.07	---	---	Peak																																																																																														



Mode	14																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																														
ANT	2																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>51.06</td> <td>74.00</td> <td>-22.94</td> <td>62.88</td> <td>39.52</td> <td>12.23</td> <td>63.57</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>50.25</td> <td>74.00</td> <td>-23.75</td> <td>57.13</td> <td>42.48</td> <td>14.75</td> <td>64.11</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10600.00	51.06	74.00	-22.94	62.88	39.52	12.23	63.57	--- Peak	2	15900.00	50.25	74.00	-23.75	57.13	42.48	14.75	64.11	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10600.00</td> <td>51.39</td> <td>74.00</td> <td>-22.61</td> <td>63.21</td> <td>39.52</td> <td>12.23</td> <td>63.57</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15900.00</td> <td>50.96</td> <td>74.00</td> <td>-23.04</td> <td>57.84</td> <td>42.48</td> <td>14.75</td> <td>64.11</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10600.00	51.39	74.00	-22.61	63.21	39.52	12.23	63.57	--- Peak	2	15900.00	50.96	74.00	-23.04	57.84	42.48	14.75	64.11
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	10600.00	51.06	74.00	-22.94	62.88	39.52	12.23	63.57	--- Peak																																																																																						
2	15900.00	50.25	74.00	-23.75	57.13	42.48	14.75	64.11	--- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	10600.00	51.39	74.00	-22.61	63.21	39.52	12.23	63.57	--- Peak																																																																																						
2	15900.00	50.96	74.00	-23.04	57.84	42.48	14.75	64.11	--- Peak																																																																																						



	15																																																																																	
Mode	Band Edge																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																	
ANT	2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.52</td> <td>54.75</td> <td>74.00</td> <td>-19.25</td> <td>43.93</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>199</td> <td>50 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.52	54.75	74.00	-19.25	43.93	34.78	9.37	33.33							199	50 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>103.23</td> <td>-----</td> <td>-----</td> <td>92.54</td> <td>34.76</td> <td>9.21</td> <td>33.28</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>199</td> <td>50 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5320.00	103.23	-----	-----	92.54	34.76	9.21	33.28							199	50 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5350.52	54.75	74.00	-19.25	43.93	34.78	9.37	33.33																																																																											
						199	50 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5320.00	103.23	-----	-----	92.54	34.76	9.21	33.28																																																																											
						199	50 PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5350.10</td> <td>44.93</td> <td>54.00</td> <td>-9.07</td> <td>34.11</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>199</td> <td>50 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5350.10	44.93	54.00	-9.07	34.11	34.78	9.37	33.33							199	50 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>97.12</td> <td>-----</td> <td>-----</td> <td>86.43</td> <td>34.76</td> <td>9.21</td> <td>33.28</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>199</td> <td>50 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5320.00	97.12	-----	-----	86.43	34.76	9.21	33.28							199	50 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5350.10	44.93	54.00	-9.07	34.11	34.78	9.37	33.33																																																																											
						199	50 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5320.00	97.12	-----	-----	86.43	34.76	9.21	33.28																																																																											
						199	50 AVERAGE																																																																											



	15																																																																											
Mode	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																											
ANT	2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.34</td> <td>52.76</td> <td>74.00</td> <td>-21.24</td> <td>41.93</td> <td>34.78</td> <td>9.38</td> <td>33.33</td> <td>399</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5352.34	52.76	74.00	-21.24	41.93	34.78	9.38	33.33	399	82	PEAK	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>96.97</td> <td>74.00</td> <td>22.97</td> <td>86.28</td> <td>34.76</td> <td>9.21</td> <td>33.28</td> <td>399</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	96.97	74.00	22.97	86.28	34.76	9.21	33.28	399	82	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5352.34	52.76	74.00	-21.24	41.93	34.78	9.38	33.33	399	82	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5320.00	96.97	74.00	22.97	86.28	34.76	9.21	33.28	399	82	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.24</td> <td>42.89</td> <td>54.00</td> <td>-11.11</td> <td>32.07</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> <td>399</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.24	42.89	54.00	-11.11	32.07	34.78	9.37	33.33	399	82	AVERAGE	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>90.94</td> <td>54.00</td> <td>36.94</td> <td>80.25</td> <td>34.76</td> <td>9.21</td> <td>33.28</td> <td>399</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5320.00	90.94	54.00	36.94	80.25	34.76	9.21	33.28	399	82	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5350.24	42.89	54.00	-11.11	32.07	34.78	9.37	33.33	399	82	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5320.00	90.94	54.00	36.94	80.25	34.76	9.21	33.28	399	82	AVERAGE																																																																	



Mode	15																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg																																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.71</td> <td>74.00</td> <td>-25.29</td> <td>60.47</td> <td>39.53</td> <td>12.26</td> <td>63.55</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>50.05</td> <td>74.00</td> <td>-23.95</td> <td>56.86</td> <td>42.55</td> <td>14.77</td> <td>64.13</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	48.71	74.00	-25.29	60.47	39.53	12.26	63.55	---	---	Peak	2	15960.00	50.05	74.00	-23.95	56.86	42.55	14.77	64.13	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10640.00</td> <td>48.42</td> <td>74.00</td> <td>-25.58</td> <td>60.18</td> <td>39.53</td> <td>12.26</td> <td>63.55</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>15960.00</td> <td>49.63</td> <td>74.00</td> <td>-24.37</td> <td>56.44</td> <td>42.55</td> <td>14.77</td> <td>64.13</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	48.42	74.00	-25.58	60.18	39.53	12.26	63.55	---	---	Peak	2	15960.00	49.63	74.00	-24.37	56.44	42.55	14.77	64.13	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10640.00	48.71	74.00	-25.29	60.47	39.53	12.26	63.55	---	---	Peak																																																																																														
2	15960.00	50.05	74.00	-23.95	56.86	42.55	14.77	64.13	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	10640.00	48.42	74.00	-25.58	60.18	39.53	12.26	63.55	---	---	Peak																																																																																														
2	15960.00	49.63	74.00	-24.37	56.44	42.55	14.77	64.13	---	---	Peak																																																																																														



Mode	16																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																					
ANT	2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.95</td> <td>64.25</td> <td>74.00</td> <td>-9.75</td> <td>52.07</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.55</td> <td>64.66</td> <td>68.30</td> <td>-3.64</td> <td>52.51</td> <td>36.01</td> <td>9.69</td> <td>33.55</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.95	64.25	74.00	-9.75	52.07	36.02	9.69	33.53	158	360	PEAK	2	5469.55	64.66	68.30	-3.64	52.51	36.01	9.69	33.55	158	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>108.92</td> <td>-----</td> <td>-----</td> <td>96.81</td> <td>36.00</td> <td>9.71</td> <td>33.60</td> <td>158</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	108.92	-----	-----	96.81	36.00	9.71	33.60	158	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.95	64.25	74.00	-9.75	52.07	36.02	9.69	33.53	158	360	PEAK																																																																											
2	5469.55	64.66	68.30	-3.64	52.51	36.01	9.69	33.55	158	360	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	108.92	-----	-----	96.81	36.00	9.71	33.60	158	360	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.20</td> <td>49.46</td> <td>54.00</td> <td>-4.54</td> <td>37.28</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>158</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.20	49.46	54.00	-4.54	37.28	36.02	9.69	33.53	158	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>103.49</td> <td>-----</td> <td>-----</td> <td>91.38</td> <td>36.00</td> <td>9.71</td> <td>33.60</td> <td>158</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	103.49	-----	-----	91.38	36.00	9.71	33.60	158	360	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.20	49.46	54.00	-4.54	37.28	36.02	9.69	33.53	158	360	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	103.49	-----	-----	91.38	36.00	9.71	33.60	158	360	AVERAGE																																																																											



	16																																																																																					
Mode	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																					
ANT	2																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-10-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.35</td> <td>47.62</td> <td>74.00</td> <td>-26.38</td> <td>35.44</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>306</td> <td>88</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.85</td> <td>52.64</td> <td>68.30</td> <td>-15.66</td> <td>40.49</td> <td>36.01</td> <td>9.69</td> <td>33.55</td> <td>301</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.35	47.62	74.00	-26.38	35.44	36.02	9.69	33.53	306	88	PEAK	2	5469.85	52.64	68.30	-15.66	40.49	36.01	9.69	33.55	301	88	PEAK	<p style="text-align: right;">Date: 2023-10-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>107.69</td> <td>-----</td> <td>-----</td> <td>95.58</td> <td>36.00</td> <td>9.71</td> <td>33.60</td> <td>301</td> <td>88</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	107.69	-----	-----	95.58	36.00	9.71	33.60	301	88	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.35	47.62	74.00	-26.38	35.44	36.02	9.69	33.53	306	88	PEAK																																																																											
2	5469.85	52.64	68.30	-15.66	40.49	36.01	9.69	33.55	301	88	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	107.69	-----	-----	95.58	36.00	9.71	33.60	301	88	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2023-10-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.80</td> <td>47.69</td> <td>54.00</td> <td>-6.31</td> <td>35.51</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>301</td> <td>88</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.80	47.69	54.00	-6.31	35.51	36.02	9.69	33.53	301	88	AVERAGE	<p style="text-align: right;">Date: 2023-10-30</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>101.95</td> <td>-----</td> <td>-----</td> <td>89.84</td> <td>36.00</td> <td>9.71</td> <td>33.60</td> <td>301</td> <td>88</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5500.00	101.95	-----	-----	89.84	36.00	9.71	33.60	301	88	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.80	47.69	54.00	-6.31	35.51	36.02	9.69	33.53	301	88	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5500.00	101.95	-----	-----	89.84	36.00	9.71	33.60	301	88	AVERAGE																																																																											



Mode	16																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																			
ANT	2																																																																																																			
Pol.	Horizontal	Vertical																																																																																																		
Peak Avg	<p>Date: 2023-11-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>52.43</td> <td>74.00</td> <td>-21.57</td> <td>63.73</td> <td>39.60</td> <td>12.52</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>50.40</td> <td>68.30</td> <td>-17.90</td> <td>56.64</td> <td>43.25</td> <td>15.17</td> <td>64.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	52.43	74.00	-21.57	63.73	39.60	12.52	63.42	---	---	Peak	2	16500.00	50.40	68.30	-17.90	56.64	43.25	15.17	64.66	---	---	Peak	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11000.00</td> <td>52.54</td> <td>74.00</td> <td>-21.46</td> <td>63.84</td> <td>39.60</td> <td>12.52</td> <td>63.42</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>16500.00</td> <td>49.21</td> <td>68.30</td> <td>-19.09</td> <td>55.45</td> <td>43.25</td> <td>15.17</td> <td>64.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11000.00	52.54	74.00	-21.46	63.84	39.60	12.52	63.42	---	---	Peak	2	16500.00	49.21	68.30	-19.09	55.45	43.25	15.17	64.66	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11000.00	52.43	74.00	-21.57	63.73	39.60	12.52	63.42	---	---	Peak																																																																																									
2	16500.00	50.40	68.30	-17.90	56.64	43.25	15.17	64.66	---	---	Peak																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																												
1	11000.00	52.54	74.00	-21.46	63.84	39.60	12.52	63.42	---	---	Peak																																																																																									
2	16500.00	49.21	68.30	-19.09	55.45	43.25	15.17	64.66	---	---	Peak																																																																																									



Mode	17																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>52.37</td> <td>74.00</td> <td>-21.63</td> <td>63.56</td> <td>39.60</td> <td>12.64</td> <td>63.43</td> <td>144</td> <td>256</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>45.14</td> <td>54.00</td> <td>-8.86</td> <td>56.33</td> <td>39.60</td> <td>12.64</td> <td>63.43</td> <td>144</td> <td>256</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>50.59</td> <td>68.30</td> <td>-17.71</td> <td>56.59</td> <td>43.56</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	52.37	74.00	-21.63	63.56	39.60	12.64	63.43	144	256	Peak	2	11160.00	45.14	54.00	-8.86	56.33	39.60	12.64	63.43	144	256	Average	3	16740.00	50.59	68.30	-17.71	56.59	43.56	15.35	64.91	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>51.95</td> <td>74.00</td> <td>-22.05</td> <td>63.14</td> <td>39.60</td> <td>12.64</td> <td>63.43</td> <td>312</td> <td>245</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>45.46</td> <td>54.00</td> <td>-8.54</td> <td>56.65</td> <td>39.60</td> <td>12.64</td> <td>63.43</td> <td>312</td> <td>245</td> <td>Average</td> </tr> <tr> <td>3</td> <td>16740.00</td> <td>50.55</td> <td>68.30</td> <td>-17.75</td> <td>56.55</td> <td>43.56</td> <td>15.35</td> <td>64.91</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11160.00	51.95	74.00	-22.05	63.14	39.60	12.64	63.43	312	245	Peak	2	11160.00	45.46	54.00	-8.54	56.65	39.60	12.64	63.43	312	245	Average	3	16740.00	50.55	68.30	-17.75	56.55	43.56	15.35	64.91	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	11160.00	52.37	74.00	-21.63	63.56	39.60	12.64	63.43	144	256	Peak																																																																																																															
2	11160.00	45.14	54.00	-8.86	56.33	39.60	12.64	63.43	144	256	Average																																																																																																															
3	16740.00	50.59	68.30	-17.71	56.59	43.56	15.35	64.91	---	---	Peak																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	11160.00	51.95	74.00	-22.05	63.14	39.60	12.64	63.43	312	245	Peak																																																																																																															
2	11160.00	45.46	54.00	-8.54	56.65	39.60	12.64	63.43	312	245	Average																																																																																																															
3	16740.00	50.55	68.30	-17.75	56.55	43.56	15.35	64.91	---	---	Peak																																																																																																															



	18																																																																							
Mode	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																							
ANT	2																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5730.42</td> <td>62.35</td> <td>68.30</td> <td>-5.95</td> <td>49.46</td> <td>36.32</td> <td>10.03</td> <td>33.46</td> <td>129</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5730.42	62.35	68.30	-5.95	49.46	36.32	10.03	33.46	129	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>107.44</td> <td>-----</td> <td>-----</td> <td>94.68</td> <td>36.28</td> <td>9.96</td> <td>33.48</td> <td>129</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5700.00	107.44	-----	-----	94.68	36.28	9.96	33.48	129	0 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5730.42	62.35	68.30	-5.95	49.46	36.32	10.03	33.46	129	0 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5700.00	107.44	-----	-----	94.68	36.28	9.96	33.48	129	0 PEAK																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>99.27</td> <td>-----</td> <td>-----</td> <td>86.49</td> <td>36.29</td> <td>9.97</td> <td>33.48</td> <td>129</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5700.00	99.27	-----	-----	86.49	36.29	9.97	33.48	129	0 AVERAGE																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5700.00	99.27	-----	-----	86.49	36.29	9.97	33.48	129	0 AVERAGE																																																															



	18																																																																							
Mode	Band Edge																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																							
ANT	2																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.80</td> <td>63.36</td> <td>68.30</td> <td>-4.94</td> <td>50.47</td> <td>36.32</td> <td>10.03</td> <td>33.46</td> <td>279</td> <td>68 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5728.80	63.36	68.30	-4.94	50.47	36.32	10.03	33.46	279	68 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>104.68</td> <td>-----</td> <td>-----</td> <td>91.90</td> <td>36.29</td> <td>9.97</td> <td>33.48</td> <td>279</td> <td>68 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5700.00	104.68	-----	-----	91.90	36.29	9.97	33.48	279	68 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5728.80	63.36	68.30	-4.94	50.47	36.32	10.03	33.46	279	68 PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5700.00	104.68	-----	-----	91.90	36.29	9.97	33.48	279	68 PEAK																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>97.72</td> <td>-----</td> <td>-----</td> <td>84.94</td> <td>36.29</td> <td>9.97</td> <td>33.48</td> <td>279</td> <td>68 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5700.00	97.72	-----	-----	84.94	36.29	9.97	33.48	279	68 AVERAGE																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																
1 5700.00	97.72	-----	-----	84.94	36.29	9.97	33.48	279	68 AVERAGE																																																															



Mode	18																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>55.60</td> <td>74.00</td> <td>-18.40</td> <td>66.63</td> <td>39.60</td> <td>12.81</td> <td>63.44</td> <td>151</td> <td>358</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>44.69</td> <td>54.00</td> <td>-9.31</td> <td>55.72</td> <td>39.60</td> <td>12.81</td> <td>63.44</td> <td>151</td> <td>358</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>49.88</td> <td>68.30</td> <td>-18.42</td> <td>55.47</td> <td>44.02</td> <td>15.62</td> <td>65.23</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	55.60	74.00	-18.40	66.63	39.60	12.81	63.44	151	358	Peak	2	11400.00	44.69	54.00	-9.31	55.72	39.60	12.81	63.44	151	358	Average	3	17100.00	49.88	68.30	-18.42	55.47	44.02	15.62	65.23	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11400.00</td> <td>58.62</td> <td>74.00</td> <td>-15.38</td> <td>69.65</td> <td>39.60</td> <td>12.81</td> <td>63.44</td> <td>151</td> <td>358</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>44.69</td> <td>54.00</td> <td>-9.31</td> <td>55.72</td> <td>39.60</td> <td>12.81</td> <td>63.44</td> <td>151</td> <td>358</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17100.00</td> <td>50.87</td> <td>68.30</td> <td>-17.43</td> <td>56.46</td> <td>44.02</td> <td>15.62</td> <td>65.23</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11400.00	58.62	74.00	-15.38	69.65	39.60	12.81	63.44	151	358	Peak	2	11400.00	44.69	54.00	-9.31	55.72	39.60	12.81	63.44	151	358	Average	3	17100.00	50.87	68.30	-17.43	56.46	44.02	15.62	65.23	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	11400.00	55.60	74.00	-18.40	66.63	39.60	12.81	63.44	151	358	Peak																																																																																																															
2	11400.00	44.69	54.00	-9.31	55.72	39.60	12.81	63.44	151	358	Average																																																																																																															
3	17100.00	49.88	68.30	-18.42	55.47	44.02	15.62	65.23	---	---	Peak																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	11400.00	58.62	74.00	-15.38	69.65	39.60	12.81	63.44	151	358	Peak																																																																																																															
2	11400.00	44.69	54.00	-9.31	55.72	39.60	12.81	63.44	151	358	Average																																																																																																															
3	17100.00	50.87	68.30	-17.43	56.46	44.02	15.62	65.23	---	---	Peak																																																																																																															



	19																																																																					
Mode	Band Edge - L																																																																					
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																					
ANT	2																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5149.53</td> <td>61.29</td> <td>74.00</td> <td>-12.71</td> <td>49.59</td> <td>36.14</td> <td>8.53</td> <td>32.97</td> <td>200</td> <td>49 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5149.53	61.29	74.00	-12.71	49.59	36.14	8.53	32.97	200	49 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>98.84</td> <td>-----</td> <td>-----</td> <td>87.15</td> <td>36.12</td> <td>8.62</td> <td>33.05</td> <td>200</td> <td>49 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5190.00	98.84	-----	-----	87.15	36.12	8.62	33.05	200	49 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5149.53	61.29	74.00	-12.71	49.59	36.14	8.53	32.97	200	49 PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5190.00	98.84	-----	-----	87.15	36.12	8.62	33.05	200	49 PEAK																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5149.91</td> <td>48.00</td> <td>54.00</td> <td>-6.00</td> <td>36.29</td> <td>36.14</td> <td>8.54</td> <td>32.97</td> <td>200</td> <td>49 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5149.91	48.00	54.00	-6.00	36.29	36.14	8.54	32.97	200	49 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5190.00</td> <td>92.71</td> <td>-----</td> <td>-----</td> <td>81.02</td> <td>36.12</td> <td>8.62</td> <td>33.05</td> <td>200</td> <td>49 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5190.00	92.71	-----	-----	81.02	36.12	8.62	33.05	200	49 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5149.91	48.00	54.00	-6.00	36.29	36.14	8.54	32.97	200	49 AVERAGE																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5190.00	92.71	-----	-----	81.02	36.12	8.62	33.05	200	49 AVERAGE																																																													



	19																																						
Mode	Band Edge - R																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																						
ANT	2																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5415.72</td> <td>50.37</td> <td>74.00</td> <td>-23.63</td> <td>38.13</td> <td>36.03</td> <td>9.66</td> <td>33.45</td> <td>200</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5415.72	50.37	74.00	-23.63	38.13	36.03	9.66	33.45	200	49	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5415.72	50.37	74.00	-23.63	38.13	36.03	9.66	33.45	200	49	PEAK																												
Blank																																							
Avg	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.15</td> <td>42.25</td> <td>54.00</td> <td>-11.75</td> <td>30.05</td> <td>36.02</td> <td>9.68</td> <td>33.50</td> <td>200</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5445.15	42.25	54.00	-11.75	30.05	36.02	9.68	33.50	200	49	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5445.15	42.25	54.00	-11.75	30.05	36.02	9.68	33.50	200	49	AVERAGE																												
Blank																																							



Mode	19																																																																									
	Band Edge - L																																																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.91</td> <td>59.49</td> <td>74.00</td> <td>-14.51</td> <td>47.78</td> <td>36.14</td> <td>8.54</td> <td>32.97</td> <td>386</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5149.91	59.49	74.00	-14.51	47.78	36.14	8.54	32.97	386	83	PEAK	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>95.00</td> <td>-----</td> <td>-----</td> <td>83.31</td> <td>36.12</td> <td>8.61</td> <td>33.04</td> <td>386</td> <td>83</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5190.00	95.00	-----	-----	83.31	36.12	8.61	33.04	386	83	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5149.91	59.49	74.00	-14.51	47.78	36.14	8.54	32.97	386	83	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5190.00	95.00	-----	-----	83.31	36.12	8.61	33.04	386	83	PEAK																																																															
Avg	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.91</td> <td>46.08</td> <td>54.00</td> <td>-7.92</td> <td>34.37</td> <td>36.14</td> <td>8.54</td> <td>32.97</td> <td>386</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5149.91	46.08	54.00	-7.92	34.37	36.14	8.54	32.97	386	83	AVERAGE	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>88.93</td> <td>-----</td> <td>-----</td> <td>77.24</td> <td>36.12</td> <td>8.62</td> <td>33.05</td> <td>386</td> <td>83</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5190.00	88.93	-----	-----	77.24	36.12	8.62	33.05	386	83	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5149.91	46.08	54.00	-7.92	34.37	36.14	8.54	32.97	386	83	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5190.00	88.93	-----	-----	77.24	36.12	8.62	33.05	386	83	AVERAGE																																																															



	19	
Mode	Band Edge - R	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz	
ANT	2	
Pol.	Vertical	Fundamental
Peak		
	Blank	
Avg		
	Blank	



Mode	20																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5149.73</td> <td>57.45</td> <td>74.00</td> <td>-16.55</td> <td>45.74</td> <td>36.14</td> <td>8.54</td> <td>32.97</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5149.73	57.45	74.00	-16.55	45.74	36.14	8.54	32.97								300								53 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>102.90</td> <td>-----</td> <td>-----</td> <td>91.16</td> <td>36.11</td> <td>8.74</td> <td>33.11</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5230.00	102.90	-----	-----	91.16	36.11	8.74	33.11								300								53 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																											
1 5149.73	57.45	74.00	-16.55	45.74	36.14	8.54	32.97																																																																																											
							300																																																																																											
							53 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																											
1 5230.00	102.90	-----	-----	91.16	36.11	8.74	33.11																																																																																											
							300																																																																																											
							53 PEAK																																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5149.73</td> <td>46.47</td> <td>54.00</td> <td>-7.53</td> <td>34.76</td> <td>36.14</td> <td>8.54</td> <td>32.97</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5149.73	46.47	54.00	-7.53	34.76	36.14	8.54	32.97								300								53 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5230.00</td> <td>96.34</td> <td>-----</td> <td>-----</td> <td>84.60</td> <td>36.11</td> <td>8.74</td> <td>33.11</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5230.00	96.34	-----	-----	84.60	36.11	8.74	33.11								300								53 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																											
1 5149.73	46.47	54.00	-7.53	34.76	36.14	8.54	32.97																																																																																											
							300																																																																																											
							53 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																											
1 5230.00	96.34	-----	-----	84.60	36.11	8.74	33.11																																																																																											
							300																																																																																											
							53 AVERAGE																																																																																											



Mode	20																																	
	Band Edge - R																																	
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																	
ANT	2																																	
Pol.	Horizontal	Fundamental																																
Peak	<p>Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5368.87</td> <td>51.30</td> <td>74.00</td> <td>-22.70</td> <td>39.17</td> <td>36.06</td> <td>9.42</td> <td>33.35 300 53 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 5368.87	51.30	74.00	-22.70	39.17	36.06	9.42	33.35 300 53 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																											
1 5368.87	51.30	74.00	-22.70	39.17	36.06	9.42	33.35 300 53 PEAK																											
Avg	<p>Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 5413.54</td> <td>43.76</td> <td>54.00</td> <td>-10.24</td> <td>31.51</td> <td>36.03</td> <td>9.66</td> <td>33.44 300 53 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 5413.54	43.76	54.00	-10.24	31.51	36.03	9.66	33.44 300 53 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																											
1 5413.54	43.76	54.00	-10.24	31.51	36.03	9.66	33.44 300 53 AVERAGE																											