







Mode	20																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.44</td> <td>53.48</td> <td>74.00</td> <td>-20.52</td> <td>41.77</td> <td>36.14</td> <td>8.53</td> <td>32.96</td> <td>227</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5144.44	53.48	74.00	-20.52	41.77	36.14	8.53	32.96	227	78	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>102.46</td> <td>-----</td> <td>-----</td> <td>90.74</td> <td>36.11</td> <td>8.71</td> <td>33.10</td> <td>227</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5230.00	102.46	-----	-----	90.74	36.11	8.71	33.10	227	78	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5144.44	53.48	74.00	-20.52	41.77	36.14	8.53	32.96	227	78	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5230.00	102.46	-----	-----	90.74	36.11	8.71	33.10	227	78	PEAK																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.27</td> <td>45.14</td> <td>54.00</td> <td>-8.86</td> <td>33.44</td> <td>36.14</td> <td>8.53</td> <td>32.97</td> <td>227</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5149.27	45.14	54.00	-8.86	33.44	36.14	8.53	32.97	227	78	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5230.00</td> <td>95.74</td> <td>-----</td> <td>-----</td> <td>84.00</td> <td>36.11</td> <td>8.74</td> <td>33.11</td> <td>227</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5230.00	95.74	-----	-----	84.00	36.11	8.74	33.11	227	78	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5149.27	45.14	54.00	-8.86	33.44	36.14	8.53	32.97	227	78	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5230.00	95.74	-----	-----	84.00	36.11	8.74	33.11	227	78	AVERAGE																																																																															



Mode	20																																						
	Band Edge - R																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																						
ANT	2																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.91</td> <td>50.29</td> <td>74.00</td> <td>-23.71</td> <td>38.06</td> <td>36.04</td> <td>9.60</td> <td>33.41</td> <td>227</td> <td>78</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5394.91	50.29	74.00	-23.71	38.06	36.04	9.60	33.41	227	78	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5394.91	50.29	74.00	-23.71	38.06	36.04	9.60	33.41	227	78	PEAK																												
Blank																																							
Avg	<p>Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5358.57</td> <td>42.57</td> <td>54.00</td> <td>-11.43</td> <td>30.45</td> <td>36.06</td> <td>9.41</td> <td>33.35</td> <td>227</td> <td>78</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5358.57	42.57	54.00	-11.43	30.45	36.06	9.41	33.35	227	78	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5358.57	42.57	54.00	-11.43	30.45	36.06	9.41	33.35	227	78	AVERAGE																												
Blank																																							



	21																																																																					
Mode	Band Edge - L																																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																					
ANT	2																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	 <p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5149.85</td> <td>56.21</td> <td>74.00</td> <td>-17.79</td> <td>44.50</td> <td>36.14</td> <td>8.54</td> <td>32.97</td> <td>169</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5149.85	56.21	74.00	-17.79	44.50	36.14	8.54	32.97	169	55 PEAK	 <p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>106.40</td> <td>-----</td> <td>-----</td> <td>94.54</td> <td>36.09</td> <td>8.96</td> <td>33.19</td> <td>169</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5270.00	106.40	-----	-----	94.54	36.09	8.96	33.19	169	55 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5149.85	56.21	74.00	-17.79	44.50	36.14	8.54	32.97	169	55 PEAK																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5270.00	106.40	-----	-----	94.54	36.09	8.96	33.19	169	55 PEAK																																																													
Avg	 <p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5149.04</td> <td>44.63</td> <td>54.00</td> <td>-9.37</td> <td>32.93</td> <td>36.14</td> <td>8.53</td> <td>32.97</td> <td>169</td> <td>55 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5149.04	44.63	54.00	-9.37	32.93	36.14	8.53	32.97	169	55 AVERAGE	 <p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>99.89</td> <td>-----</td> <td>-----</td> <td>88.03</td> <td>36.09</td> <td>8.96</td> <td>33.19</td> <td>169</td> <td>55 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5270.00	99.89	-----	-----	88.03	36.09	8.96	33.19	169	55 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5149.04	44.63	54.00	-9.37	32.93	36.14	8.53	32.97	169	55 AVERAGE																																																													
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																															
1 5270.00	99.89	-----	-----	88.03	36.09	8.96	33.19	169	55 AVERAGE																																																													



	21																																						
Mode	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																						
ANT	2																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.27</td> <td>57.33</td> <td>74.00</td> <td>-16.67</td> <td>45.22</td> <td>36.06</td> <td>9.38</td> <td>33.33</td> <td>169</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5352.27	57.33	74.00	-16.67	45.22	36.06	9.38	33.33	169	55	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5352.27	57.33	74.00	-16.67	45.22	36.06	9.38	33.33	169	55	PEAK																												
Blank																																							
Avg	<p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.18</td> <td>49.67</td> <td>54.00</td> <td>-4.33</td> <td>37.57</td> <td>36.06</td> <td>9.37</td> <td>33.33</td> <td>169</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.18	49.67	54.00	-4.33	37.57	36.06	9.37	33.33	169	55	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5350.18	49.67	54.00	-4.33	37.57	36.06	9.37	33.33	169	55	AVERAGE																												
Blank																																							



	21																																																																							
<b>Mode</b>	<b>Band Edge - L</b>																																																																							
	<b>U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz</b>																																																																							
<b>ANT</b>	2																																																																							
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																																																						
<b>Peak</b>	<p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5110.43</td> <td>52.97</td> <td>74.00</td> <td>-21.03</td> <td>41.25</td> <td>36.16</td> <td>8.46</td> <td>32.90</td> <td>300</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5110.43	52.97	74.00	-21.03	41.25	36.16	8.46	32.90	300	87	PEAK	<p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>103.69</td> <td>-----</td> <td>-----</td> <td>91.83</td> <td>36.09</td> <td>8.96</td> <td>33.19</td> <td>300</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5270.00	103.69	-----	-----	91.83	36.09	8.96	33.19	300	87	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5110.43	52.97	74.00	-21.03	41.25	36.16	8.46	32.90	300	87	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5270.00	103.69	-----	-----	91.83	36.09	8.96	33.19	300	87	PEAK																																																														
<b>Avg</b>	<p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5147.96</td> <td>43.38</td> <td>54.00</td> <td>-10.62</td> <td>31.68</td> <td>36.14</td> <td>8.53</td> <td>32.97</td> <td>300</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5147.96	43.38	54.00	-10.62	31.68	36.14	8.53	32.97	300	87	AVERAGE	<p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5270.00</td> <td>97.34</td> <td>-----</td> <td>-----</td> <td>85.50</td> <td>36.09</td> <td>8.93</td> <td>33.18</td> <td>300</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5270.00	97.34	-----	-----	85.50	36.09	8.93	33.18	300	87	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5147.96	43.38	54.00	-10.62	31.68	36.14	8.53	32.97	300	87	AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																	
1 5270.00	97.34	-----	-----	85.50	36.09	8.93	33.18	300	87	AVERAGE																																																														



Mode	21																																						
	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																						
ANT	2																																						
Pol.	Vertical	Fundamental																																					
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5357.78</td> <td>56.45</td> <td>74.00</td> <td>-17.55</td> <td>44.32</td> <td>36.06</td> <td>9.41</td> <td>33.34</td> <td>300</td> <td>87</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5357.78	56.45	74.00	-17.55	44.32	36.06	9.41	33.34	300	87	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5357.78	56.45	74.00	-17.55	44.32	36.06	9.41	33.34	300	87	PEAK																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.37</td> <td>46.20</td> <td>54.00</td> <td>-7.80</td> <td>34.10</td> <td>36.06</td> <td>9.37</td> <td>33.33</td> <td>300</td> <td>87</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.37	46.20	54.00	-7.80	34.10	36.06	9.37	33.33	300	87	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5350.37	46.20	54.00	-7.80	34.10	36.06	9.37	33.33	300	87	AVERAGE																												



	22																																																																											
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																											
ANT	2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5094.24</td> <td>50.16</td> <td>74.00</td> <td>-23.84</td> <td>40.02</td> <td>34.58</td> <td>8.43</td> <td>32.87</td> <td>182</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5094.24	50.16	74.00	-23.84	40.02	34.58	8.43	32.87	182	56	PEAK	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>100.46</td> <td>-----</td> <td>-----</td> <td>89.81</td> <td>34.75</td> <td>9.15</td> <td>33.25</td> <td>182</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	100.46	-----	-----	89.81	34.75	9.15	33.25	182	56	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5094.24	50.16	74.00	-23.84	40.02	34.58	8.43	32.87	182	56	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5310.00	100.46	-----	-----	89.81	34.75	9.15	33.25	182	56	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5140.43</td> <td>41.33</td> <td>54.00</td> <td>-12.67</td> <td>31.15</td> <td>34.61</td> <td>8.52</td> <td>32.95</td> <td>182</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5140.43	41.33	54.00	-12.67	31.15	34.61	8.52	32.95	182	56	AVERAGE	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>93.95</td> <td>-----</td> <td>-----</td> <td>83.29</td> <td>34.75</td> <td>9.18</td> <td>33.27</td> <td>182</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	93.95	-----	-----	83.29	34.75	9.18	33.27	182	56	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5140.43	41.33	54.00	-12.67	31.15	34.61	8.52	32.95	182	56	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5310.00	93.95	-----	-----	83.29	34.75	9.18	33.27	182	56	AVERAGE																																																																	



	22																																						
Mode	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																						
ANT	2																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.50</td> <td>60.43</td> <td>74.00</td> <td>-13.57</td> <td>49.61</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> <td>182</td> <td>56</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.50	60.43	74.00	-13.57	49.61	34.78	9.37	33.33	182	56	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5350.50	60.43	74.00	-13.57	49.61	34.78	9.37	33.33	182	56	PEAK																												
Avg	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.95</td> <td>49.32</td> <td>54.00</td> <td>-4.68</td> <td>38.50</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> <td>182</td> <td>56</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.95	49.32	54.00	-4.68	38.50	34.78	9.37	33.33	182	56	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5350.95	49.32	54.00	-4.68	38.50	34.78	9.37	33.33	182	56	AVERAGE																												





	22																																																																									
<b>Mode</b>	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																									
<b>ANT</b>	2																																																																									
<b>Pol.</b>	Vertical	Fundamental																																																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.77</td> <td>51.03</td> <td>74.00</td> <td>-22.97</td> <td>40.84</td> <td>34.62</td> <td>8.53</td> <td>32.96</td> <td>200</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5144.77	51.03	74.00	-22.97	40.84	34.62	8.53	32.96	200	85	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>95.26</td> <td>-----</td> <td>-----</td> <td>84.61</td> <td>34.75</td> <td>9.15</td> <td>33.25</td> <td>200</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5310.00	95.26	-----	-----	84.61	34.75	9.15	33.25	200	85	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5144.77	51.03	74.00	-22.97	40.84	34.62	8.53	32.96	200	85	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5310.00	95.26	-----	-----	84.61	34.75	9.15	33.25	200	85	PEAK																																																															
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5123.69</td> <td>41.17</td> <td>54.00</td> <td>-12.83</td> <td>31.00</td> <td>34.60</td> <td>8.49</td> <td>32.92</td> <td>200</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5123.69	41.17	54.00	-12.83	31.00	34.60	8.49	32.92	200	85	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>89.81</td> <td>-----</td> <td>-----</td> <td>79.15</td> <td>34.75</td> <td>9.18</td> <td>33.27</td> <td>200</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5310.00	89.81	-----	-----	79.15	34.75	9.18	33.27	200	85	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5123.69	41.17	54.00	-12.83	31.00	34.60	8.49	32.92	200	85	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5310.00	89.81	-----	-----	79.15	34.75	9.18	33.27	200	85	AVERAGE																																																															



Mode	22																																				
	Band Edge - R																																				
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																				
ANT	2																																				
Pol.	Vertical	Fundamental																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.65</td> <td>56.23</td> <td>74.00</td> <td>-17.77</td> <td>45.41</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> <td>200</td> <td>85 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5350.65	56.23	74.00	-17.77	45.41	34.78	9.37	33.33	200	85 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																													
1 5350.65	56.23	74.00	-17.77	45.41	34.78	9.37	33.33	200	85 PEAK																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.35</td> <td>44.74</td> <td>54.00</td> <td>-9.26</td> <td>33.92</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> <td>200</td> <td>85 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5350.35	44.74	54.00	-9.26	33.92	34.78	9.37	33.33	200	85 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																													
1 5350.35	44.74	54.00	-9.26	33.92	34.78	9.37	33.33	200	85 AVERAGE																												



	23																																																																																					
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																					
ANT	2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.08</td> <td>53.33</td> <td>74.00</td> <td>-20.67</td> <td>42.30</td> <td>34.86</td> <td>9.69</td> <td>33.52</td> <td>154</td> <td>55</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>60.12</td> <td>68.30</td> <td>-8.18</td> <td>49.10</td> <td>34.88</td> <td>9.69</td> <td>33.55</td> <td>154</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5456.08	53.33	74.00	-20.67	42.30	34.86	9.69	33.52	154	55	PEAK	2	5470.00	60.12	68.30	-8.18	49.10	34.88	9.69	33.55	154	55	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>100.81</td> <td>-----</td> <td>-----</td> <td>89.78</td> <td>34.91</td> <td>9.71</td> <td>33.59</td> <td>154</td> <td>55</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5510.00	100.81	-----	-----	89.78	34.91	9.71	33.59	154	55	PEAK
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5456.08	53.33	74.00	-20.67	42.30	34.86	9.69	33.52	154	55	PEAK																																																																											
2	5470.00	60.12	68.30	-8.18	49.10	34.88	9.69	33.55	154	55	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5510.00	100.81	-----	-----	89.78	34.91	9.71	33.59	154	55	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.76</td> <td>44.44</td> <td>54.00</td> <td>-9.56</td> <td>33.41</td> <td>34.87</td> <td>9.69</td> <td>33.53</td> <td>154</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.76	44.44	54.00	-9.56	33.41	34.87	9.69	33.53	154	55	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>94.50</td> <td>-----</td> <td>-----</td> <td>83.49</td> <td>34.90</td> <td>9.71</td> <td>33.60</td> <td>154</td> <td>55</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5510.00	94.50	-----	-----	83.49	34.90	9.71	33.60	154	55	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.76	44.44	54.00	-9.56	33.41	34.87	9.69	33.53	154	55	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5510.00	94.50	-----	-----	83.49	34.90	9.71	33.60	154	55	AVERAGE																																																																											



Mode	23																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																									
ANT	2																																									
Pol.	Horizontal	Fundamental																																								
Peak	<p>Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5742.56</td> <td>50.36</td> <td>68.30</td> <td>-17.94</td> <td>38.70</td> <td>35.05</td> <td>10.06</td> <td>33.45</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>154</td> <td>55 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5742.56	50.36	68.30	-17.94	38.70	35.05	10.06	33.45							154	55 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5742.56	50.36	68.30	-17.94	38.70	35.05	10.06	33.45																																			
						154	55 PEAK																																			



		23																																																																																	
Mode	Band Edge - L																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																		
ANT	2																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.80</td> <td>51.65</td> <td>74.00</td> <td>-22.35</td> <td>40.63</td> <td>34.86</td> <td>9.68</td> <td>33.52</td> </tr> <tr> <td>2</td> <td>5469.68</td> <td>57.26</td> <td>68.30</td> <td>-11.04</td> <td>46.24</td> <td>34.88</td> <td>9.69</td> <td>33.55</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5454.80	51.65	74.00	-22.35	40.63	34.86	9.68	33.52	2	5469.68	57.26	68.30	-11.04	46.24	34.88	9.69	33.55	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>96.32</td> <td>-----</td> <td>-----</td> <td>85.29</td> <td>34.91</td> <td>9.71</td> <td>33.59</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5510.00	96.32	-----	-----	85.29	34.91	9.71	33.59
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1	5454.80	51.65	74.00	-22.35	40.63	34.86	9.68	33.52																																																																											
2	5469.68	57.26	68.30	-11.04	46.24	34.88	9.69	33.55																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1	5510.00	96.32	-----	-----	85.29	34.91	9.71	33.59																																																																											
Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.80</td> <td>42.45</td> <td>54.00</td> <td>-11.55</td> <td>31.42</td> <td>34.87</td> <td>9.69</td> <td>33.53</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5458.80	42.45	54.00	-11.55	31.42	34.87	9.69	33.53	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>90.93</td> <td>-----</td> <td>-----</td> <td>79.90</td> <td>34.91</td> <td>9.71</td> <td>33.59</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5510.00	90.93	-----	-----	79.90	34.91	9.71	33.59									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1	5458.80	42.45	54.00	-11.55	31.42	34.87	9.69	33.53																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1	5510.00	90.93	-----	-----	79.90	34.91	9.71	33.59																																																																											



Mode	23																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																		
ANT	2																																		
Pol.	Vertical	Fundamental																																	
Peak	<p>Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5748.43</td> <td>50.04</td> <td>68.30</td> <td>-18.26</td> <td>38.37</td> <td>35.05</td> <td>10.07</td> <td>33.45</td> <td>308 90 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5748.43	50.04	68.30	-18.26	38.37	35.05	10.07	33.45	308 90 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5748.43	50.04	68.30	-18.26	38.37	35.05	10.07	33.45	308 90 PEAK																											



	24																																																																																					
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																					
ANT	2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5389.68</td> <td>51.49</td> <td>74.00</td> <td>-22.51</td> <td>39.28</td> <td>36.04</td> <td>9.57</td> <td>33.40</td> <td>100</td> <td>53</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5460.08</td> <td>50.68</td> <td>68.30</td> <td>-17.62</td> <td>38.50</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>100</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5389.68	51.49	74.00	-22.51	39.28	36.04	9.57	33.40	100	53	PEAK	2	5460.08	50.68	68.30	-17.62	38.50	36.02	9.69	33.53	100	53	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>100.59</td> <td>-----</td> <td>-----</td> <td>87.94</td> <td>36.24</td> <td>9.91</td> <td>33.50</td> <td>100</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5670.00	100.59	-----	-----	87.94	36.24	9.91	33.50	100	53	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5389.68	51.49	74.00	-22.51	39.28	36.04	9.57	33.40	100	53	PEAK																																																																											
2	5460.08	50.68	68.30	-17.62	38.50	36.02	9.69	33.53	100	53	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5670.00	100.59	-----	-----	87.94	36.24	9.91	33.50	100	53	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.84</td> <td>42.62</td> <td>54.00</td> <td>-11.38</td> <td>30.43</td> <td>36.02</td> <td>9.68</td> <td>33.51</td> <td>100</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5449.84	42.62	54.00	-11.38	30.43	36.02	9.68	33.51	100	53	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>93.82</td> <td>-----</td> <td>-----</td> <td>81.17</td> <td>36.24</td> <td>9.91</td> <td>33.50</td> <td>100</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5670.00	93.82	-----	-----	81.17	36.24	9.91	33.50	100	53	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5449.84	42.62	54.00	-11.38	30.43	36.02	9.68	33.51	100	53	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5670.00	93.82	-----	-----	81.17	36.24	9.91	33.50	100	53	AVERAGE																																																																											



Mode	24																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																		
ANT	2																																		
Pol.	Horizontal	Fundamental																																	
Peak	<p>Date: 2023-11-06</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5743.53</td> <td>54.91</td> <td>68.30</td> <td>-13.39</td> <td>41.96</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>100 53 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5743.53	54.91	68.30	-13.39	41.96	36.34	10.06	33.45	100 53 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5743.53	54.91	68.30	-13.39	41.96	36.34	10.06	33.45	100 53 PEAK																											





	24																																																																																					
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																					
ANT	2																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.76</td> <td>50.76</td> <td>74.00</td> <td>-23.24</td> <td>38.57</td> <td>36.02</td> <td>9.68</td> <td>33.51</td> <td>342</td> <td>73</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.16</td> <td>50.26</td> <td>68.30</td> <td>-18.04</td> <td>38.10</td> <td>36.01</td> <td>9.69</td> <td>33.54</td> <td>342</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5451.76	50.76	74.00	-23.24	38.57	36.02	9.68	33.51	342	73	PEAK	2	5466.16	50.26	68.30	-18.04	38.10	36.01	9.69	33.54	342	73	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>98.58</td> <td>-----</td> <td>-----</td> <td>85.93</td> <td>36.24</td> <td>9.91</td> <td>33.50</td> <td>342</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5670.00	98.58	-----	-----	85.93	36.24	9.91	33.50	342	73	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5451.76	50.76	74.00	-23.24	38.57	36.02	9.68	33.51	342	73	PEAK																																																																											
2	5466.16	50.26	68.30	-18.04	38.10	36.01	9.69	33.54	342	73	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5670.00	98.58	-----	-----	85.93	36.24	9.91	33.50	342	73	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>42.10</td> <td>54.00</td> <td>-11.90</td> <td>29.92</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>342</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.12	42.10	54.00	-11.90	29.92	36.02	9.69	33.53	342	73	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>91.09</td> <td>-----</td> <td>-----</td> <td>78.44</td> <td>36.24</td> <td>9.91</td> <td>33.50</td> <td>342</td> <td>73</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5670.00	91.09	-----	-----	78.44	36.24	9.91	33.50	342	73	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.12	42.10	54.00	-11.90	29.92	36.02	9.69	33.53	342	73	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5670.00	91.09	-----	-----	78.44	36.24	9.91	33.50	342	73	AVERAGE																																																																											



<b>Mode</b>	24																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																					
<b>ANT</b>	2																																					
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																				
<b>Peak</b>	<div style="text-align: right; font-size: small;">Date: 2023-11-06</div> <table border="1" style="width: 100%; font-size: x-small; margin-top: 10px;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.38</td> <td>53.18</td> <td>68.30</td> <td>-15.12</td> <td>40.30</td> <td>36.32</td> <td>10.02</td> <td>33.46</td> <td>342</td> <td>73</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5727.38	53.18	68.30	-15.12	40.30	36.32	10.02	33.46	342	73	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	APos	TPos																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5727.38	53.18	68.30	-15.12	40.30	36.32	10.02	33.46	342	73	PEAK																											



Mode	25																																																																									
	Band Edge - L																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.54</td> <td>53.96</td> <td>74.00</td> <td>-20.04</td> <td>43.78</td> <td>34.61</td> <td>8.52</td> <td>32.95</td> <td>200</td> <td>37</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5141.54	53.96	74.00	-20.04	43.78	34.61	8.52	32.95	200	37	PEAK	<p>Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>92.80</td> <td>-----</td> <td>-----</td> <td>82.56</td> <td>34.67</td> <td>8.65</td> <td>33.08</td> <td>200</td> <td>37</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5210.00	92.80	-----	-----	82.56	34.67	8.65	33.08	200	37	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5141.54	53.96	74.00	-20.04	43.78	34.61	8.52	32.95	200	37	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5210.00	92.80	-----	-----	82.56	34.67	8.65	33.08	200	37	PEAK																																																															
Avg	<p>Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.31</td> <td>46.32</td> <td>54.00</td> <td>-7.68</td> <td>36.14</td> <td>34.62</td> <td>8.53</td> <td>32.97</td> <td>200</td> <td>37</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5149.31	46.32	54.00	-7.68	36.14	34.62	8.53	32.97	200	37	AVERAGE	<p>Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>87.06</td> <td>-----</td> <td>-----</td> <td>76.82</td> <td>34.67</td> <td>8.65</td> <td>33.08</td> <td>200</td> <td>37</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5210.00	87.06	-----	-----	76.82	34.67	8.65	33.08	200	37	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5149.31	46.32	54.00	-7.68	36.14	34.62	8.53	32.97	200	37	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5210.00	87.06	-----	-----	76.82	34.67	8.65	33.08	200	37	AVERAGE																																																															



	25																																						
Mode	Band Edge - R																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																						
ANT	2																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5413.50</td> <td>49.41</td> <td>74.00</td> <td>-24.59</td> <td>38.36</td> <td>34.83</td> <td>9.66</td> <td>33.44</td> <td>200</td> <td>37</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5413.50	49.41	74.00	-24.59	38.36	34.83	9.66	33.44	200	37	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5413.50	49.41	74.00	-24.59	38.36	34.83	9.66	33.44	200	37	PEAK																												
Blank																																							
Avg	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5410.25</td> <td>42.59</td> <td>54.00</td> <td>-11.41</td> <td>31.54</td> <td>34.83</td> <td>9.66</td> <td>33.44</td> <td>200</td> <td>37</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5410.25	42.59	54.00	-11.41	31.54	34.83	9.66	33.44	200	37	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5410.25	42.59	54.00	-11.41	31.54	34.83	9.66	33.44	200	37	AVERAGE																												
Blank																																							



	25																																																																																	
Mode	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																	
ANT	2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5149.31</td> <td>52.42</td> <td>74.00</td> <td>-21.58</td> <td>42.24</td> <td>34.62</td> <td>8.53</td> <td>32.97</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>349 97 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5149.31	52.42	74.00	-21.58	42.24	34.62	8.53	32.97								349 97 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>89.91</td> <td>-----</td> <td>-----</td> <td>79.68</td> <td>34.66</td> <td>8.64</td> <td>33.07</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>349 97 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5210.00	89.91	-----	-----	79.68	34.66	8.64	33.07								349 97 PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5149.31	52.42	74.00	-21.58	42.24	34.62	8.53	32.97																																																																											
							349 97 PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5210.00	89.91	-----	-----	79.68	34.66	8.64	33.07																																																																											
							349 97 PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5149.31</td> <td>44.37</td> <td>54.00</td> <td>-9.63</td> <td>34.19</td> <td>34.62</td> <td>8.53</td> <td>32.97</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>349 97 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5149.31	44.37	54.00	-9.63	34.19	34.62	8.53	32.97								349 97 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5210.00</td> <td>83.71</td> <td>-----</td> <td>-----</td> <td>73.47</td> <td>34.67</td> <td>8.65</td> <td>33.08</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>349 97 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5210.00	83.71	-----	-----	73.47	34.67	8.65	33.08								349 97 AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5149.31	44.37	54.00	-9.63	34.19	34.62	8.53	32.97																																																																											
							349 97 AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																											
1 5210.00	83.71	-----	-----	73.47	34.67	8.65	33.08																																																																											
							349 97 AVERAGE																																																																											



	25																																						
Mode	Band Edge - R																																						
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																						
ANT	2																																						
Pol.	Vertical	Fundamental																																					
Peak	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.25</td> <td>48.91</td> <td>74.00</td> <td>-25.09</td> <td>37.88</td> <td>34.85</td> <td>9.68</td> <td>33.50</td> <td>349</td> <td>97</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5443.25	48.91	74.00	-25.09	37.88	34.85	9.68	33.50	349	97	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5443.25	48.91	74.00	-25.09	37.88	34.85	9.68	33.50	349	97	PEAK																												
Blank																																							
Avg	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5414.50</td> <td>42.38</td> <td>54.00</td> <td>-11.62</td> <td>31.34</td> <td>34.83</td> <td>9.66</td> <td>33.45</td> <td>349</td> <td>97</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5414.50	42.38	54.00	-11.62	31.34	34.83	9.66	33.45	349	97	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5414.50	42.38	54.00	-11.62	31.34	34.83	9.66	33.45	349	97	AVERAGE																												
Blank																																							



	26																																																																									
Mode	Band Edge - L																																																																									
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_5290MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.74</td> <td>50.63</td> <td>74.00</td> <td>-23.37</td> <td>40.44</td> <td>34.62</td> <td>8.53</td> <td>32.96</td> <td>300</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5146.74	50.63	74.00	-23.37	40.44	34.62	8.53	32.96	300	48	PEAK	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>94.02</td> <td>-----</td> <td>-----</td> <td>83.48</td> <td>34.73</td> <td>9.02</td> <td>33.21</td> <td>300</td> <td>48</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	94.02	-----	-----	83.48	34.73	9.02	33.21	300	48	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5146.74	50.63	74.00	-23.37	40.44	34.62	8.53	32.96	300	48	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5290.00	94.02	-----	-----	83.48	34.73	9.02	33.21	300	48	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5134.27</td> <td>42.83</td> <td>54.00</td> <td>-11.17</td> <td>32.65</td> <td>34.61</td> <td>8.51</td> <td>32.94</td> <td>300</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5134.27	42.83	54.00	-11.17	32.65	34.61	8.51	32.94	300	48	AVERAGE	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>88.90</td> <td>-----</td> <td>-----</td> <td>78.34</td> <td>34.73</td> <td>9.05</td> <td>33.22</td> <td>300</td> <td>48</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5290.00	88.90	-----	-----	78.34	34.73	9.05	33.22	300	48	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5134.27	42.83	54.00	-11.17	32.65	34.61	8.51	32.94	300	48	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5290.00	88.90	-----	-----	78.34	34.73	9.05	33.22	300	48	AVERAGE																																																															



	26																																		
Mode	Band Edge - R																																		
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_5290MHz																																		
ANT	2																																		
Pol.	Horizontal	Fundamental																																	
Peak	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5361.74</td> <td>57.90</td> <td>74.00</td> <td>-16.10</td> <td>47.03</td> <td>34.79</td> <td>9.43 33.35 300 48</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	5361.74	57.90	74.00	-16.10	47.03	34.79	9.43 33.35 300 48	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																												
1	5361.74	57.90	74.00	-16.10	47.03	34.79	9.43 33.35 300 48	PEAK																											
Avg	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5363.10</td> <td>50.52</td> <td>54.00</td> <td>-3.48</td> <td>39.65</td> <td>34.79</td> <td>9.43 33.35 300 48</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	5363.10	50.52	54.00	-3.48	39.65	34.79	9.43 33.35 300 48	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																												
1	5363.10	50.52	54.00	-3.48	39.65	34.79	9.43 33.35 300 48	AVERAGE																											





	26																																																																											
Mode	Band Edge - L																																																																											
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_5290MHz																																																																											
ANT	2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5059.74</td> <td>51.37</td> <td>74.00</td> <td>-22.63</td> <td>41.26</td> <td>34.55</td> <td>8.37</td> <td>32.81</td> <td>200</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5059.74	51.37	74.00	-22.63	41.26	34.55	8.37	32.81	200	85	PEAK	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>92.77</td> <td>-----</td> <td>-----</td> <td>82.26</td> <td>34.72</td> <td>8.99</td> <td>33.20</td> <td>200</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	92.77	-----	-----	82.26	34.72	8.99	33.20	200	85	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5059.74	51.37	74.00	-22.63	41.26	34.55	8.37	32.81	200	85	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	92.77	-----	-----	82.26	34.72	8.99	33.20	200	85	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5054.81</td> <td>42.95</td> <td>54.00</td> <td>-11.05</td> <td>32.85</td> <td>34.54</td> <td>8.36</td> <td>32.80</td> <td>200</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5054.81	42.95	54.00	-11.05	32.85	34.54	8.36	32.80	200	85	AVERAGE	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>87.35</td> <td>-----</td> <td>-----</td> <td>76.81</td> <td>34.73</td> <td>9.02</td> <td>33.21</td> <td>200</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	87.35	-----	-----	76.81	34.73	9.02	33.21	200	85	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5054.81	42.95	54.00	-11.05	32.85	34.54	8.36	32.80	200	85	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	5290.00	87.35	-----	-----	76.81	34.73	9.02	33.21	200	85	AVERAGE																																																																	



	26																																						
Mode	Band Edge - R																																						
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																						
ANT	2																																						
Pol.	Vertical	Fundamental																																					
Peak	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.71</td> <td>55.37</td> <td>74.00</td> <td>-18.63</td> <td>44.55</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> <td>200</td> <td>85</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.71	55.37	74.00	-18.63	44.55	34.78	9.37	33.33	200	85	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5351.71	55.37	74.00	-18.63	44.55	34.78	9.37	33.33	200	85	PEAK																												
Blank																																							
Avg	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.54</td> <td>48.42</td> <td>54.00</td> <td>-5.58</td> <td>37.60</td> <td>34.78</td> <td>9.37</td> <td>33.33</td> <td>200</td> <td>85</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.54	48.42	54.00	-5.58	37.60	34.78	9.37	33.33	200	85	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5351.54	48.42	54.00	-5.58	37.60	34.78	9.37	33.33	200	85	AVERAGE																												
Blank																																							



Mode	26																																																																																														
	Harmonic																																																																																														
	U-NII-2A_5.25-5.35_802.11ac_VHT80_CH58_5290MHz																																																																																														
ANT	2																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>49.42</td> <td>68.30</td> <td>-18.88</td> <td>61.26</td> <td>39.52</td> <td>12.22</td> <td>63.58</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>49.58</td> <td>74.00</td> <td>-24.42</td> <td>56.51</td> <td>42.44</td> <td>14.73</td> <td>64.10</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10580.00	49.42	68.30	-18.88	61.26	39.52	12.22	63.58	--- Peak	2	15870.00	49.58	74.00	-24.42	56.51	42.44	14.73	64.10	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10580.00</td> <td>49.38</td> <td>68.30</td> <td>-18.92</td> <td>61.22</td> <td>39.52</td> <td>12.22</td> <td>63.58</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>15870.00</td> <td>48.75</td> <td>74.00</td> <td>-25.25</td> <td>55.68</td> <td>42.44</td> <td>14.73</td> <td>64.10</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	10580.00	49.38	68.30	-18.92	61.22	39.52	12.22	63.58	--- Peak	2	15870.00	48.75	74.00	-25.25	55.68	42.44	14.73	64.10
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	10580.00	49.42	68.30	-18.88	61.26	39.52	12.22	63.58	--- Peak																																																																																						
2	15870.00	49.58	74.00	-24.42	56.51	42.44	14.73	64.10	--- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	10580.00	49.38	68.30	-18.92	61.22	39.52	12.22	63.58	--- Peak																																																																																						
2	15870.00	48.75	74.00	-25.25	55.68	42.44	14.73	64.10	--- Peak																																																																																						



	27																																																																																					
<b>Mode</b>	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac_VHT80_CH106_5530MHz																																																																																					
<b>ANT</b>	2																																																																																					
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																				
<b>Peak</b>	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.26</td> <td>54.56</td> <td>74.00</td> <td>-19.44</td> <td>43.53</td> <td>34.87</td> <td>9.69</td> <td>33.53</td> <td>223</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.34</td> <td>56.12</td> <td>68.30</td> <td>-12.18</td> <td>45.09</td> <td>34.88</td> <td>9.69</td> <td>33.54</td> <td>223</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.26	54.56	74.00	-19.44	43.53	34.87	9.69	33.53	223	0	PEAK	2	5469.34	56.12	68.30	-12.18	45.09	34.88	9.69	33.54	223	0	PEAK	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>95.51</td> <td>-----</td> <td>-----</td> <td>84.50</td> <td>34.90</td> <td>9.71</td> <td>33.60</td> <td>223</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	95.51	-----	-----	84.50	34.90	9.71	33.60	223	0	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.26	54.56	74.00	-19.44	43.53	34.87	9.69	33.53	223	0	PEAK																																																																											
2	5469.34	56.12	68.30	-12.18	45.09	34.88	9.69	33.54	223	0	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5530.00	95.51	-----	-----	84.50	34.90	9.71	33.60	223	0	PEAK																																																																											
<b>Avg</b>	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.62</td> <td>48.02</td> <td>54.00</td> <td>-5.98</td> <td>36.99</td> <td>34.87</td> <td>9.69</td> <td>33.53</td> <td>223</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.62	48.02	54.00	-5.98	36.99	34.87	9.69	33.53	223	0	AVERAGE	<p style="text-align: right;">Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>89.97</td> <td>-----</td> <td>-----</td> <td>78.90</td> <td>34.92</td> <td>9.73</td> <td>33.58</td> <td>223</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	89.97	-----	-----	78.90	34.92	9.73	33.58	223	0	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.62	48.02	54.00	-5.98	36.99	34.87	9.69	33.53	223	0	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5530.00	89.97	-----	-----	78.90	34.92	9.73	33.58	223	0	AVERAGE																																																																											



Mode	27																																	
	Band Edge - R																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																	
ANT	2																																	
Pol.	Horizontal	Fundamental																																
Peak	<p>Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5740.56</td> <td>50.81</td> <td>68.30</td> <td>-17.49</td> <td>39.18</td> <td>35.04</td> <td>10.05</td> <td>33.46</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5740.56	50.81	68.30	-17.49	39.18	35.04	10.05	33.46	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1 5740.56	50.81	68.30	-17.49	39.18	35.04	10.05	33.46																											



		27																																																																																				
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac_VHT80_CH106_5530MHz																																																																																					
ANT	2																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.98</td> <td>51.24</td> <td>74.00</td> <td>-22.76</td> <td>40.21</td> <td>34.87</td> <td>9.69</td> <td>33.53</td> <td>301</td> <td>98</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.26</td> <td>55.56</td> <td>68.30</td> <td>-12.74</td> <td>44.54</td> <td>34.87</td> <td>9.69</td> <td>33.54</td> <td>301</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.98	51.24	74.00	-22.76	40.21	34.87	9.69	33.53	301	98	PEAK	2	5468.26	55.56	68.30	-12.74	44.54	34.87	9.69	33.54	301	98	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>92.61</td> <td>-----</td> <td>-----</td> <td>81.54</td> <td>34.92</td> <td>9.73</td> <td>33.58</td> <td>301</td> <td>98</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	92.61	-----	-----	81.54	34.92	9.73	33.58	301	98	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.98	51.24	74.00	-22.76	40.21	34.87	9.69	33.53	301	98	PEAK																																																																											
2	5468.26	55.56	68.30	-12.74	44.54	34.87	9.69	33.54	301	98	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5530.00	92.61	-----	-----	81.54	34.92	9.73	33.58	301	98	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.26</td> <td>45.80</td> <td>54.00</td> <td>-8.20</td> <td>34.77</td> <td>34.87</td> <td>9.69</td> <td>33.53</td> <td>301</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.26	45.80	54.00	-8.20	34.77	34.87	9.69	33.53	301	98	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>87.04</td> <td>-----</td> <td>-----</td> <td>75.98</td> <td>34.92</td> <td>9.72</td> <td>33.58</td> <td>301</td> <td>98</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5530.00	87.04	-----	-----	75.98	34.92	9.72	33.58	301	98	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5459.26	45.80	54.00	-8.20	34.77	34.87	9.69	33.53	301	98	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5530.00	87.04	-----	-----	75.98	34.92	9.72	33.58	301	98	AVERAGE																																																																											



Mode	27																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																									
ANT	2																																									
Pol.	Vertical	Fundamental																																								
Peak	<p>Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5737.51</td> <td>50.15</td> <td>68.30</td> <td>-18.15</td> <td>38.53</td> <td>35.04</td> <td>10.04</td> <td>33.46</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>301</td> <td>98 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5737.51	50.15	68.30	-18.15	38.53	35.04	10.04	33.46							301	98 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																			
1 5737.51	50.15	68.30	-18.15	38.53	35.04	10.04	33.46																																			
						301	98 PEAK																																			



	28																																																																																					
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																					
ANT	2																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.30</td> <td>56.28</td> <td>74.00</td> <td>-17.72</td> <td>44.10</td> <td>36.02</td> <td>9.68</td> <td>33.52</td> <td>109</td> <td>62</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.56</td> <td>55.86</td> <td>68.30</td> <td>-12.44</td> <td>43.70</td> <td>36.01</td> <td>9.69</td> <td>33.54</td> <td>109</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5455.30	56.28	74.00	-17.72	44.10	36.02	9.68	33.52	109	62	PEAK	2	5468.56	55.86	68.30	-12.44	43.70	36.01	9.69	33.54	109	62	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>103.05</td> <td>-----</td> <td>-----</td> <td>90.58</td> <td>36.18</td> <td>9.81</td> <td>33.52</td> <td>109</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	103.05	-----	-----	90.58	36.18	9.81	33.52	109	62	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5455.30	56.28	74.00	-17.72	44.10	36.02	9.68	33.52	109	62	PEAK																																																																											
2	5468.56	55.86	68.30	-12.44	43.70	36.01	9.69	33.54	109	62	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5610.00	103.05	-----	-----	90.58	36.18	9.81	33.52	109	62	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.90</td> <td>49.31</td> <td>54.00</td> <td>-4.69</td> <td>37.12</td> <td>36.02</td> <td>9.69</td> <td>33.52</td> <td>109</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5457.90	49.31	54.00	-4.69	37.12	36.02	9.69	33.52	109	62	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>96.96</td> <td>-----</td> <td>-----</td> <td>84.54</td> <td>36.16</td> <td>9.79</td> <td>33.53</td> <td>109</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	96.96	-----	-----	84.54	36.16	9.79	33.53	109	62	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5457.90	49.31	54.00	-4.69	37.12	36.02	9.69	33.52	109	62	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5610.00	96.96	-----	-----	84.54	36.16	9.79	33.53	109	62	AVERAGE																																																																											





Mode	28																																		
	Band Edge - R																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																		
ANT	2																																		
Pol.	Horizontal	Fundamental																																	
Peak	<p>Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5728.27</td> <td>56.90</td> <td>68.30</td> <td>-11.40</td> <td>44.01</td> <td>36.32</td> <td>10.03</td> <td>33.46</td> <td>109 62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5728.27	56.90	68.30	-11.40	44.01	36.32	10.03	33.46	109 62 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																												
1 5728.27	56.90	68.30	-11.40	44.01	36.32	10.03	33.46	109 62 PEAK																											



	28																																																																																					
Mode	Band Edge - L																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																					
ANT	2																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	<p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5446.20</td> <td>52.28</td> <td>74.00</td> <td>-21.72</td> <td>40.08</td> <td>36.02</td> <td>9.68</td> <td>33.50</td> <td>262</td> <td>80</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5461.54</td> <td>52.52</td> <td>68.30</td> <td>-15.78</td> <td>40.34</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>262</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5446.20	52.28	74.00	-21.72	40.08	36.02	9.68	33.50	262	80	PEAK	2	5461.54	52.52	68.30	-15.78	40.34	36.02	9.69	33.53	262	80	PEAK	<p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>101.20</td> <td>-----</td> <td>-----</td> <td>88.73</td> <td>36.18</td> <td>9.81</td> <td>33.52</td> <td>262</td> <td>80</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	101.20	-----	-----	88.73	36.18	9.81	33.52	262	80	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5446.20	52.28	74.00	-21.72	40.08	36.02	9.68	33.50	262	80	PEAK																																																																											
2	5461.54	52.52	68.30	-15.78	40.34	36.02	9.69	33.53	262	80	PEAK																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5610.00	101.20	-----	-----	88.73	36.18	9.81	33.52	262	80	PEAK																																																																											
Avg	<p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.30</td> <td>46.06</td> <td>54.00</td> <td>-7.94</td> <td>33.88</td> <td>36.02</td> <td>9.68</td> <td>33.52</td> <td>262</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5455.30	46.06	54.00	-7.94	33.88	36.02	9.68	33.52	262	80	AVERAGE	<p style="text-align: right;">Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>94.24</td> <td>-----</td> <td>-----</td> <td>81.82</td> <td>36.16</td> <td>9.79</td> <td>33.53</td> <td>262</td> <td>80</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5610.00	94.24	-----	-----	81.82	36.16	9.79	33.53	262	80	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5455.30	46.06	54.00	-7.94	33.88	36.02	9.68	33.52	262	80	AVERAGE																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5610.00	94.24	-----	-----	81.82	36.16	9.79	33.53	262	80	AVERAGE																																																																											



Mode	28																																				
	Band Edge - R																																				
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																				
ANT	2																																				
Pol.	Vertical	Fundamental																																			
Peak	<p>Date: 2023-10-31</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5730.44</td> <td>56.48</td> <td>68.30</td> <td>-11.82</td> <td>43.59</td> <td>36.32</td> <td>10.03</td> <td>33.46</td> <td>262</td> <td>80 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5730.44	56.48	68.30	-11.82	43.59	36.32	10.03	33.46	262	80 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																													
1 5730.44	56.48	68.30	-11.82	43.59	36.32	10.03	33.46	262	80 PEAK																												



	29																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5643.94</td> <td>55.31</td> <td>68.30</td> <td>-12.99</td> <td>42.77</td> <td>36.20</td> <td>9.85</td> <td>33.51</td> <td>295</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.17</td> <td>54.58</td> <td>68.43</td> <td>-13.85</td> <td>42.02</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>295</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5719.92</td> <td>75.91</td> <td>110.78</td> <td>-34.87</td> <td>63.06</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>295</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.06</td> <td>76.47</td> <td>110.94</td> <td>-34.47</td> <td>63.62</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>295</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5643.94	55.31	68.30	-12.99	42.77	36.20	9.85	33.51	295	360	PEAK	2	5650.17	54.58	68.43	-13.85	42.02	36.21	9.86	33.51	295	360	PEAK	3	5719.92	75.91	110.78	-34.87	63.06	36.31	10.01	33.47	295	360	PEAK	4	5720.06	76.47	110.94	-34.47	63.62	36.31	10.01	33.47	295	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.36</td> <td>-----</td> <td>-----</td> <td>97.41</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>295</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	110.36	-----	-----	97.41	36.34	10.06	33.45	295	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5643.94	55.31	68.30	-12.99	42.77	36.20	9.85	33.51	295	360	PEAK																																																																																																			
2	5650.17	54.58	68.43	-13.85	42.02	36.21	9.86	33.51	295	360	PEAK																																																																																																			
3	5719.92	75.91	110.78	-34.87	63.06	36.31	10.01	33.47	295	360	PEAK																																																																																																			
4	5720.06	76.47	110.94	-34.47	63.62	36.31	10.01	33.47	295	360	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5745.00	110.36	-----	-----	97.41	36.34	10.06	33.45	295	360	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.87</td> <td>-----</td> <td>-----</td> <td>90.92</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>295</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	103.87	-----	-----	90.92	36.34	10.06	33.45	295	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5745.00	103.87	-----	-----	90.92	36.34	10.06	33.45	295	360	AVERAGE																																																																																																			



	29																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5641.33</td> <td>53.91</td> <td>68.30</td> <td>-14.39</td> <td>41.39</td> <td>36.20</td> <td>9.84</td> <td>33.52</td> <td>285</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.62</td> <td>53.43</td> <td>69.50</td> <td>-16.07</td> <td>40.87</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>285</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.31</td> <td>75.98</td> <td>110.05</td> <td>-34.07</td> <td>63.15</td> <td>36.30</td> <td>10.00</td> <td>33.47</td> <td>285</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.50</td> <td>78.31</td> <td>111.93</td> <td>-33.62</td> <td>65.46</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>285</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5641.33	53.91	68.30	-14.39	41.39	36.20	9.84	33.52	285	77	PEAK	2	5651.62	53.43	69.50	-16.07	40.87	36.21	9.86	33.51	285	77	PEAK	3	5717.31	75.98	110.05	-34.07	63.15	36.30	10.00	33.47	285	77	PEAK	4	5720.50	78.31	111.93	-33.62	65.46	36.31	10.01	33.47	285	77	PEAK	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>110.26</td> <td>-----</td> <td>-----</td> <td>97.31</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>285</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	110.26	-----	-----	97.31	36.34	10.06	33.45	285	77	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5641.33	53.91	68.30	-14.39	41.39	36.20	9.84	33.52	285	77	PEAK																																																																																																			
2	5651.62	53.43	69.50	-16.07	40.87	36.21	9.86	33.51	285	77	PEAK																																																																																																			
3	5717.31	75.98	110.05	-34.07	63.15	36.30	10.00	33.47	285	77	PEAK																																																																																																			
4	5720.50	78.31	111.93	-33.62	65.46	36.31	10.01	33.47	285	77	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5745.00	110.26	-----	-----	97.31	36.34	10.06	33.45	285	77	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.62</td> <td>-----</td> <td>-----</td> <td>90.67</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>285</td> <td>77</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	103.62	-----	-----	90.67	36.34	10.06	33.45	285	77	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5745.00	103.62	-----	-----	90.67	36.34	10.06	33.45	285	77	AVERAGE																																																																																																			



Mode	29																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																												
Peak Avg	<p>Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>53.94</td> <td>74.00</td> <td>-20.06</td> <td>64.91</td> <td>39.60</td> <td>12.87</td> <td>63.44</td> <td>373</td> <td>354</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11490.00</td> <td>43.97</td> <td>54.00</td> <td>-10.03</td> <td>54.94</td> <td>39.60</td> <td>12.87</td> <td>63.44</td> <td>373</td> <td>354</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17235.00</td> <td>50.22</td> <td>68.30</td> <td>-18.08</td> <td>55.62</td> <td>44.18</td> <td>15.72</td> <td>65.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	53.94	74.00	-20.06	64.91	39.60	12.87	63.44	373	354	Peak	2	11490.00	43.97	54.00	-10.03	54.94	39.60	12.87	63.44	373	354	Average	3	17235.00	50.22	68.30	-18.08	55.62	44.18	15.72	65.30	---	---	Peak	<p>Date: 2023-11-04</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>55.54</td> <td>74.00</td> <td>-18.46</td> <td>66.51</td> <td>39.60</td> <td>12.87</td> <td>63.44</td> <td>196</td> <td>347</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11490.00</td> <td>45.78</td> <td>54.00</td> <td>-8.22</td> <td>56.75</td> <td>39.60</td> <td>12.87</td> <td>63.44</td> <td>196</td> <td>347</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17235.00</td> <td>50.65</td> <td>68.30</td> <td>-17.65</td> <td>56.05</td> <td>44.18</td> <td>15.72</td> <td>65.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	55.54	74.00	-18.46	66.51	39.60	12.87	63.44	196	347	Peak	2	11490.00	45.78	54.00	-8.22	56.75	39.60	12.87	63.44	196	347	Average	3	17235.00	50.65	68.30	-17.65	56.05	44.18	15.72	65.30	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	11490.00	53.94	74.00	-20.06	64.91	39.60	12.87	63.44	373	354	Peak																																																																																																																			
2	11490.00	43.97	54.00	-10.03	54.94	39.60	12.87	63.44	373	354	Average																																																																																																																			
3	17235.00	50.22	68.30	-18.08	55.62	44.18	15.72	65.30	---	---	Peak																																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	11490.00	55.54	74.00	-18.46	66.51	39.60	12.87	63.44	196	347	Peak																																																																																																																			
2	11490.00	45.78	54.00	-8.22	56.75	39.60	12.87	63.44	196	347	Average																																																																																																																			
3	17235.00	50.65	68.30	-17.65	56.05	44.18	15.72	65.30	---	---	Peak																																																																																																																			



Mode	30																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>53.94</td> <td>74.00</td> <td>-20.06</td> <td>64.89</td> <td>39.57</td> <td>12.93</td> <td>63.45</td> <td>365</td> <td>356</td> <td>Peak</td> </tr> <tr> <td>2 11570.00</td> <td>43.68</td> <td>54.00</td> <td>-10.32</td> <td>54.63</td> <td>39.57</td> <td>12.93</td> <td>63.45</td> <td>365</td> <td>356</td> <td>Average</td> </tr> <tr> <td>3 17355.00</td> <td>50.56</td> <td>68.30</td> <td>-17.74</td> <td>55.78</td> <td>44.33</td> <td>15.81</td> <td>65.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11570.00	53.94	74.00	-20.06	64.89	39.57	12.93	63.45	365	356	Peak	2 11570.00	43.68	54.00	-10.32	54.63	39.57	12.93	63.45	365	356	Average	3 17355.00	50.56	68.30	-17.74	55.78	44.33	15.81	65.36	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>55.46</td> <td>74.00</td> <td>-18.54</td> <td>66.41</td> <td>39.57</td> <td>12.93</td> <td>63.45</td> <td>202</td> <td>341</td> <td>Peak</td> </tr> <tr> <td>2 11570.00</td> <td>45.42</td> <td>54.00</td> <td>-8.58</td> <td>56.37</td> <td>39.57</td> <td>12.93</td> <td>63.45</td> <td>202</td> <td>341</td> <td>Average</td> </tr> <tr> <td>3 17355.00</td> <td>50.63</td> <td>68.30</td> <td>-17.67</td> <td>55.85</td> <td>44.33</td> <td>15.81</td> <td>65.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11570.00	55.46	74.00	-18.54	66.41	39.57	12.93	63.45	202	341	Peak	2 11570.00	45.42	54.00	-8.58	56.37	39.57	12.93	63.45	202	341	Average	3 17355.00	50.63	68.30	-17.67	55.85	44.33	15.81	65.36	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1 11570.00	53.94	74.00	-20.06	64.89	39.57	12.93	63.45	365	356	Peak																																																																																																									
2 11570.00	43.68	54.00	-10.32	54.63	39.57	12.93	63.45	365	356	Average																																																																																																									
3 17355.00	50.56	68.30	-17.74	55.78	44.33	15.81	65.36	---	---	Peak																																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1 11570.00	55.46	74.00	-18.54	66.41	39.57	12.93	63.45	202	341	Peak																																																																																																									
2 11570.00	45.42	54.00	-8.58	56.37	39.57	12.93	63.45	202	341	Average																																																																																																									
3 17355.00	50.63	68.30	-17.67	55.85	44.33	15.81	65.36	---	---	Peak																																																																																																									



	31																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.50</td> <td>67.05</td> <td>111.94</td> <td>-44.89</td> <td>53.65</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>269</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5863.38</td> <td>64.45</td> <td>108.45</td> <td>-44.00</td> <td>51.01</td> <td>36.51</td> <td>10.31</td> <td>33.38</td> <td>269</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>50.96</td> <td>68.58</td> <td>-17.62</td> <td>37.28</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>269</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.25</td> <td>52.94</td> <td>68.30</td> <td>-15.36</td> <td>39.23</td> <td>36.60</td> <td>10.45</td> <td>33.34</td> <td>269</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.50	67.05	111.94	-44.89	53.65	36.50	10.29	33.39	269	360	PEAK	2	5863.38	64.45	108.45	-44.00	51.01	36.51	10.31	33.38	269	360	PEAK	3	5924.63	50.96	68.58	-17.62	37.28	36.59	10.44	33.35	269	360	PEAK	4	5928.25	52.94	68.30	-15.36	39.23	36.60	10.45	33.34	269	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>109.17</td> <td>-----</td> <td>-----</td> <td>95.90</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>269</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	109.17	-----	-----	95.90	36.45	10.23	33.41	269	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5854.50	67.05	111.94	-44.89	53.65	36.50	10.29	33.39	269	360	PEAK																																																																																																					
2	5863.38	64.45	108.45	-44.00	51.01	36.51	10.31	33.38	269	360	PEAK																																																																																																					
3	5924.63	50.96	68.58	-17.62	37.28	36.59	10.44	33.35	269	360	PEAK																																																																																																					
4	5928.25	52.94	68.30	-15.36	39.23	36.60	10.45	33.34	269	360	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5825.00	109.17	-----	-----	95.90	36.45	10.23	33.41	269	360	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>102.20</td> <td>-----</td> <td>-----</td> <td>88.93</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>269</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	102.20	-----	-----	88.93	36.45	10.23	33.41	269	360	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5825.00	102.20	-----	-----	88.93	36.45	10.23	33.41	269	360	AVERAGE																																																																																																					





	31																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.38</td> <td>65.03</td> <td>112.22</td> <td>-47.19</td> <td>51.63</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>266</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5866.50</td> <td>63.69</td> <td>107.58</td> <td>-43.89</td> <td>50.24</td> <td>36.51</td> <td>10.32</td> <td>33.38</td> <td>266</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>51.00</td> <td>68.30</td> <td>-17.30</td> <td>37.31</td> <td>36.60</td> <td>10.44</td> <td>33.35</td> <td>266</td> <td>74</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.88</td> <td>53.08</td> <td>68.30</td> <td>-15.22</td> <td>39.37</td> <td>36.60</td> <td>10.45</td> <td>33.34</td> <td>266</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.38	65.03	112.22	-47.19	51.63	36.50	10.29	33.39	266	74	PEAK	2	5866.50	63.69	107.58	-43.89	50.24	36.51	10.32	33.38	266	74	PEAK	3	5925.00	51.00	68.30	-17.30	37.31	36.60	10.44	33.35	266	74	PEAK	4	5929.88	53.08	68.30	-15.22	39.37	36.60	10.45	33.34	266	74	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.54</td> <td>-----</td> <td>-----</td> <td>94.27</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>266</td> <td>74</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	107.54	-----	-----	94.27	36.45	10.23	33.41	266	74	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5854.38	65.03	112.22	-47.19	51.63	36.50	10.29	33.39	266	74	PEAK																																																																																																					
2	5866.50	63.69	107.58	-43.89	50.24	36.51	10.32	33.38	266	74	PEAK																																																																																																					
3	5925.00	51.00	68.30	-17.30	37.31	36.60	10.44	33.35	266	74	PEAK																																																																																																					
4	5929.88	53.08	68.30	-15.22	39.37	36.60	10.45	33.34	266	74	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5825.00	107.54	-----	-----	94.27	36.45	10.23	33.41	266	74	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.17</td> <td>-----</td> <td>-----</td> <td>87.90</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>266</td> <td>74</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	101.17	-----	-----	87.90	36.45	10.23	33.41	266	74	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5825.00	101.17	-----	-----	87.90	36.45	10.23	33.41	266	74	AVERAGE																																																																																																					



Mode	31																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>52.08</td> <td>74.00</td> <td>-21.92</td> <td>63.00</td> <td>39.54</td> <td>12.99</td> <td>63.45</td> <td>369</td> <td>355</td> <td></td> <td>Peak</td> </tr> <tr> <td>2 11650.00</td> <td>42.92</td> <td>54.00</td> <td>-11.08</td> <td>53.84</td> <td>39.54</td> <td>12.99</td> <td>63.45</td> <td>369</td> <td>355</td> <td></td> <td>Average</td> </tr> <tr> <td>3 17475.00</td> <td>50.67</td> <td>68.30</td> <td>-17.63</td> <td>55.73</td> <td>44.47</td> <td>15.90</td> <td>65.43</td> <td>---</td> <td>---</td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11650.00	52.08	74.00	-21.92	63.00	39.54	12.99	63.45	369	355		Peak	2 11650.00	42.92	54.00	-11.08	53.84	39.54	12.99	63.45	369	355		Average	3 17475.00	50.67	68.30	-17.63	55.73	44.47	15.90	65.43	---	---		Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>52.40</td> <td>74.00</td> <td>-21.60</td> <td>63.32</td> <td>39.54</td> <td>12.99</td> <td>63.45</td> <td>235</td> <td>347</td> <td></td> <td>Peak</td> </tr> <tr> <td>2 11650.00</td> <td>44.47</td> <td>54.00</td> <td>-9.53</td> <td>55.39</td> <td>39.54</td> <td>12.99</td> <td>63.45</td> <td>235</td> <td>347</td> <td></td> <td>Average</td> </tr> <tr> <td>3 17475.00</td> <td>50.84</td> <td>68.30</td> <td>-17.46</td> <td>55.90</td> <td>44.47</td> <td>15.90</td> <td>65.43</td> <td>---</td> <td>---</td> <td></td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11650.00	52.40	74.00	-21.60	63.32	39.54	12.99	63.45	235	347		Peak	2 11650.00	44.47	54.00	-9.53	55.39	39.54	12.99	63.45	235	347		Average	3 17475.00	50.84	68.30	-17.46	55.90	44.47	15.90	65.43	---	---		Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 11650.00	52.08	74.00	-21.92	63.00	39.54	12.99	63.45	369	355		Peak																																																																																																															
2 11650.00	42.92	54.00	-11.08	53.84	39.54	12.99	63.45	369	355		Average																																																																																																															
3 17475.00	50.67	68.30	-17.63	55.73	44.47	15.90	65.43	---	---		Peak																																																																																																															
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																	
1 11650.00	52.40	74.00	-21.60	63.32	39.54	12.99	63.45	235	347		Peak																																																																																																															
2 11650.00	44.47	54.00	-9.53	55.39	39.54	12.99	63.45	235	347		Average																																																																																																															
3 17475.00	50.84	68.30	-17.46	55.90	44.47	15.90	65.43	---	---		Peak																																																																																																															



	32																																																																																																													
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5645.97</td> <td>54.84</td> <td>68.30</td> <td>-13.46</td> <td>42.30</td> <td>36.20</td> <td>9.85</td> <td>33.51</td> <td>156</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>54.67</td> <td>68.53</td> <td>-13.86</td> <td>42.11</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>156</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5716.58</td> <td>76.88</td> <td>109.84</td> <td>-32.96</td> <td>64.05</td> <td>36.30</td> <td>10.00</td> <td>33.47</td> <td>156</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.51</td> <td>82.59</td> <td>114.24</td> <td>-31.65</td> <td>69.74</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>156</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5645.97	54.84	68.30	-13.46	42.30	36.20	9.85	33.51	156	360	PEAK	2	5650.32	54.67	68.53	-13.86	42.11	36.21	9.86	33.51	156	360	PEAK	3	5716.58	76.88	109.84	-32.96	64.05	36.30	10.00	33.47	156	360	PEAK	4	5721.51	82.59	114.24	-31.65	69.74	36.31	10.01	33.47	156	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>111.72</td> <td>-----</td> <td>-----</td> <td>98.77</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>156</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	111.72	-----	-----	98.77	36.34	10.06	33.45	156	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5645.97	54.84	68.30	-13.46	42.30	36.20	9.85	33.51	156	360	PEAK																																																																																																			
2	5650.32	54.67	68.53	-13.86	42.11	36.21	9.86	33.51	156	360	PEAK																																																																																																			
3	5716.58	76.88	109.84	-32.96	64.05	36.30	10.00	33.47	156	360	PEAK																																																																																																			
4	5721.51	82.59	114.24	-31.65	69.74	36.31	10.01	33.47	156	360	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5745.00	111.72	-----	-----	98.77	36.34	10.06	33.45	156	360	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.78</td> <td>-----</td> <td>-----</td> <td>90.83</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>156</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	103.78	-----	-----	90.83	36.34	10.06	33.45	156	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5745.00	103.78	-----	-----	90.83	36.34	10.06	33.45	156	360	AVERAGE																																																																																																			



Mode	32																																																																																																													
	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Vertical	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.40</td> <td>54.57</td> <td>68.30</td> <td>-13.73</td> <td>42.03</td> <td>36.20</td> <td>9.85</td> <td>33.51</td> <td>277</td> <td>82</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.32</td> <td>53.15</td> <td>68.53</td> <td>-15.38</td> <td>40.59</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>277</td> <td>82</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5713.97</td> <td>76.51</td> <td>109.11</td> <td>-32.60</td> <td>63.68</td> <td>36.30</td> <td>10.00</td> <td>33.47</td> <td>277</td> <td>82</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>79.88</td> <td>111.27</td> <td>-31.39</td> <td>67.03</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>277</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5646.40	54.57	68.30	-13.73	42.03	36.20	9.85	33.51	277	82	PEAK	2	5650.32	53.15	68.53	-15.38	40.59	36.21	9.86	33.51	277	82	PEAK	3	5713.97	76.51	109.11	-32.60	63.68	36.30	10.00	33.47	277	82	PEAK	4	5720.21	79.88	111.27	-31.39	67.03	36.31	10.01	33.47	277	82	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>109.99</td> <td>-----</td> <td>-----</td> <td>97.04</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>277</td> <td>82</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	109.99	-----	-----	97.04	36.34	10.06	33.45	277	82	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5646.40	54.57	68.30	-13.73	42.03	36.20	9.85	33.51	277	82	PEAK																																																																																																			
2	5650.32	53.15	68.53	-15.38	40.59	36.21	9.86	33.51	277	82	PEAK																																																																																																			
3	5713.97	76.51	109.11	-32.60	63.68	36.30	10.00	33.47	277	82	PEAK																																																																																																			
4	5720.21	79.88	111.27	-31.39	67.03	36.31	10.01	33.47	277	82	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5745.00	109.99	-----	-----	97.04	36.34	10.06	33.45	277	82	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.48</td> <td>-----</td> <td>-----</td> <td>90.53</td> <td>36.34</td> <td>10.06</td> <td>33.45</td> <td>277</td> <td>82</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	103.48	-----	-----	90.53	36.34	10.06	33.45	277	82	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5745.00	103.48	-----	-----	90.53	36.34	10.06	33.45	277	82	AVERAGE																																																																																																			



Mode	32																																																																																																									
	Harmonic																																																																																																									
	U-NII-3_5.725-5.85_802.11n_HT20_CH149_5745MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>52.63</td> <td>74.00</td> <td>-21.37</td> <td>63.60</td> <td>39.60</td> <td>12.87</td> <td>63.44</td> <td>361</td> <td>355</td> <td>Peak</td> </tr> <tr> <td>2 11490.00</td> <td>43.14</td> <td>54.00</td> <td>-10.86</td> <td>54.11</td> <td>39.60</td> <td>12.87</td> <td>63.44</td> <td>361</td> <td>355</td> <td>Average</td> </tr> <tr> <td>3 17235.00</td> <td>49.29</td> <td>68.30</td> <td>-19.01</td> <td>54.69</td> <td>44.18</td> <td>15.72</td> <td>65.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	52.63	74.00	-21.37	63.60	39.60	12.87	63.44	361	355	Peak	2 11490.00	43.14	54.00	-10.86	54.11	39.60	12.87	63.44	361	355	Average	3 17235.00	49.29	68.30	-19.01	54.69	44.18	15.72	65.30	---	---	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>52.95</td> <td>74.00</td> <td>-21.05</td> <td>63.92</td> <td>39.60</td> <td>12.87</td> <td>63.44</td> <td>235</td> <td>344</td> <td>Peak</td> </tr> <tr> <td>2 11490.00</td> <td>44.24</td> <td>54.00</td> <td>-9.76</td> <td>55.21</td> <td>39.60</td> <td>12.87</td> <td>63.44</td> <td>235</td> <td>344</td> <td>Average</td> </tr> <tr> <td>3 17235.00</td> <td>50.57</td> <td>68.30</td> <td>-17.73</td> <td>55.97</td> <td>44.18</td> <td>15.72</td> <td>65.30</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11490.00	52.95	74.00	-21.05	63.92	39.60	12.87	63.44	235	344	Peak	2 11490.00	44.24	54.00	-9.76	55.21	39.60	12.87	63.44	235	344	Average	3 17235.00	50.57	68.30	-17.73	55.97	44.18	15.72	65.30	---	---	Peak
	Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11490.00	52.63	74.00	-21.37	63.60	39.60	12.87	63.44	361	355	Peak																																																																																																
2 11490.00	43.14	54.00	-10.86	54.11	39.60	12.87	63.44	361	355	Average																																																																																																
3 17235.00	49.29	68.30	-19.01	54.69	44.18	15.72	65.30	---	---	Peak																																																																																																
Freq	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 11490.00	52.95	74.00	-21.05	63.92	39.60	12.87	63.44	235	344	Peak																																																																																																
2 11490.00	44.24	54.00	-9.76	55.21	39.60	12.87	63.44	235	344	Average																																																																																																
3 17235.00	50.57	68.30	-17.73	55.97	44.18	15.72	65.30	---	---	Peak																																																																																																



Mode	33																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																							
ANT	2																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>52.00</td> <td>74.00</td> <td>-22.00</td> <td>62.95</td> <td>39.57</td> <td>12.93</td> <td>63.45</td> <td>159</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>2 11570.00</td> <td>42.02</td> <td>54.00</td> <td>-11.98</td> <td>52.97</td> <td>39.57</td> <td>12.93</td> <td>63.45</td> <td>159</td> <td>353</td> <td>Average</td> </tr> <tr> <td>3 17355.00</td> <td>49.58</td> <td>68.30</td> <td>-18.72</td> <td>54.80</td> <td>44.33</td> <td>15.81</td> <td>65.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	52.00	74.00	-22.00	62.95	39.57	12.93	63.45	159	353	Peak	2 11570.00	42.02	54.00	-11.98	52.97	39.57	12.93	63.45	159	353	Average	3 17355.00	49.58	68.30	-18.72	54.80	44.33	15.81	65.36	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11570.00</td> <td>53.47</td> <td>74.00</td> <td>-20.53</td> <td>64.42</td> <td>39.57</td> <td>12.93</td> <td>63.45</td> <td>229</td> <td>346</td> <td>Peak</td> </tr> <tr> <td>2 11570.00</td> <td>43.95</td> <td>54.00</td> <td>-10.05</td> <td>54.90</td> <td>39.57</td> <td>12.93</td> <td>63.45</td> <td>229</td> <td>346</td> <td>Average</td> </tr> <tr> <td>3 17355.00</td> <td>51.75</td> <td>68.30</td> <td>-16.55</td> <td>56.97</td> <td>44.33</td> <td>15.81</td> <td>65.36</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11570.00	53.47	74.00	-20.53	64.42	39.57	12.93	63.45	229	346	Peak	2 11570.00	43.95	54.00	-10.05	54.90	39.57	12.93	63.45	229	346	Average	3 17355.00	51.75	68.30	-16.55	56.97	44.33	15.81	65.36	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 11570.00	52.00	74.00	-22.00	62.95	39.57	12.93	63.45	159	353	Peak																																																																																																														
2 11570.00	42.02	54.00	-11.98	52.97	39.57	12.93	63.45	159	353	Average																																																																																																														
3 17355.00	49.58	68.30	-18.72	54.80	44.33	15.81	65.36	---	---	Peak																																																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 11570.00	53.47	74.00	-20.53	64.42	39.57	12.93	63.45	229	346	Peak																																																																																																														
2 11570.00	43.95	54.00	-10.05	54.90	39.57	12.93	63.45	229	346	Average																																																																																																														
3 17355.00	51.75	68.30	-16.55	56.97	44.33	15.81	65.36	---	---	Peak																																																																																																														



	34																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.25</td> <td>71.21</td> <td>114.79</td> <td>-43.58</td> <td>57.82</td> <td>36.49</td> <td>10.29</td> <td>33.39</td> <td>286</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5856.00</td> <td>67.79</td> <td>110.52</td> <td>-42.73</td> <td>54.39</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>286</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.88</td> <td>51.96</td> <td>68.39</td> <td>-16.43</td> <td>38.28</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>286</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5940.50</td> <td>54.18</td> <td>68.30</td> <td>-14.12</td> <td>40.43</td> <td>36.62</td> <td>10.47</td> <td>33.34</td> <td>286</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5853.25	71.21	114.79	-43.58	57.82	36.49	10.29	33.39	286	360	PEAK	2	5856.00	67.79	110.52	-42.73	54.39	36.50	10.29	33.39	286	360	PEAK	3	5924.88	51.96	68.39	-16.43	38.28	36.59	10.44	33.35	286	360	PEAK	4	5940.50	54.18	68.30	-14.12	40.43	36.62	10.47	33.34	286	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>108.16</td> <td>-----</td> <td>-----</td> <td>94.89</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>286</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	108.16	-----	-----	94.89	36.45	10.23	33.41	286	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5853.25	71.21	114.79	-43.58	57.82	36.49	10.29	33.39	286	360	PEAK																																																																																																					
2	5856.00	67.79	110.52	-42.73	54.39	36.50	10.29	33.39	286	360	PEAK																																																																																																					
3	5924.88	51.96	68.39	-16.43	38.28	36.59	10.44	33.35	286	360	PEAK																																																																																																					
4	5940.50	54.18	68.30	-14.12	40.43	36.62	10.47	33.34	286	360	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5825.00	108.16	-----	-----	94.89	36.45	10.23	33.41	286	360	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.59</td> <td>-----</td> <td>-----</td> <td>88.32</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>286</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	101.59	-----	-----	88.32	36.45	10.23	33.41	286	360	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5825.00	101.59	-----	-----	88.32	36.45	10.23	33.41	286	360	AVERAGE																																																																																																					



	34																																																																																																															
Mode	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.63</td> <td>65.38</td> <td>111.65</td> <td>-46.27</td> <td>51.98</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>300</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.13</td> <td>64.46</td> <td>110.20</td> <td>-45.74</td> <td>51.05</td> <td>36.50</td> <td>10.30</td> <td>33.39</td> <td>300</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.25</td> <td>52.62</td> <td>68.85</td> <td>-16.23</td> <td>38.94</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>300</td> <td>72</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.75</td> <td>52.69</td> <td>68.30</td> <td>-15.61</td> <td>38.96</td> <td>36.61</td> <td>10.46</td> <td>33.34</td> <td>300</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.63	65.38	111.65	-46.27	51.98	36.50	10.29	33.39	300	72	PEAK	2	5857.13	64.46	110.20	-45.74	51.05	36.50	10.30	33.39	300	72	PEAK	3	5924.25	52.62	68.85	-16.23	38.94	36.59	10.44	33.35	300	72	PEAK	4	5934.75	52.69	68.30	-15.61	38.96	36.61	10.46	33.34	300	72	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>107.73</td> <td>-----</td> <td>-----</td> <td>94.46</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>300</td> <td>72</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	107.73	-----	-----	94.46	36.45	10.23	33.41	300	72	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5854.63	65.38	111.65	-46.27	51.98	36.50	10.29	33.39	300	72	PEAK																																																																																																					
2	5857.13	64.46	110.20	-45.74	51.05	36.50	10.30	33.39	300	72	PEAK																																																																																																					
3	5924.25	52.62	68.85	-16.23	38.94	36.59	10.44	33.35	300	72	PEAK																																																																																																					
4	5934.75	52.69	68.30	-15.61	38.96	36.61	10.46	33.34	300	72	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5825.00	107.73	-----	-----	94.46	36.45	10.23	33.41	300	72	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>100.86</td> <td>-----</td> <td>-----</td> <td>87.59</td> <td>36.45</td> <td>10.23</td> <td>33.41</td> <td>300</td> <td>72</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	100.86	-----	-----	87.59	36.45	10.23	33.41	300	72	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5825.00	100.86	-----	-----	87.59	36.45	10.23	33.41	300	72	AVERAGE																																																																																																					





Mode	34																																																																																																																		
	Harmonic																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal	Vertical																																																																																																																	
Peak Avg																																																																																																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>53.20</td> <td>74.00</td> <td>-20.80</td> <td>64.12</td> <td>39.54</td> <td>12.99</td> <td>63.45</td> <td>355</td> <td>352</td> <td>Peak</td> </tr> <tr> <td>2 11650.00</td> <td>43.40</td> <td>54.00</td> <td>-10.60</td> <td>54.32</td> <td>39.54</td> <td>12.99</td> <td>63.45</td> <td>355</td> <td>352</td> <td>Average</td> </tr> <tr> <td>3 17475.00</td> <td>50.73</td> <td>68.30</td> <td>-17.57</td> <td>55.79</td> <td>44.47</td> <td>15.90</td> <td>65.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	53.20	74.00	-20.80	64.12	39.54	12.99	63.45	355	352	Peak	2 11650.00	43.40	54.00	-10.60	54.32	39.54	12.99	63.45	355	352	Average	3 17475.00	50.73	68.30	-17.57	55.79	44.47	15.90	65.43	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 11650.00</td> <td>53.72</td> <td>74.00</td> <td>-20.28</td> <td>64.64</td> <td>39.54</td> <td>12.99</td> <td>63.45</td> <td>234</td> <td>341</td> <td>Peak</td> </tr> <tr> <td>2 11650.00</td> <td>45.99</td> <td>54.00</td> <td>-8.01</td> <td>56.91</td> <td>39.54</td> <td>12.99</td> <td>63.45</td> <td>234</td> <td>341</td> <td>Average</td> </tr> <tr> <td>3 17475.00</td> <td>50.56</td> <td>68.30</td> <td>-17.74</td> <td>55.62</td> <td>44.47</td> <td>15.90</td> <td>65.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 11650.00	53.72	74.00	-20.28	64.64	39.54	12.99	63.45	234	341	Peak	2 11650.00	45.99	54.00	-8.01	56.91	39.54	12.99	63.45	234	341	Average	3 17475.00	50.56	68.30	-17.74	55.62	44.47	15.90	65.43	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1 11650.00	53.20	74.00	-20.80	64.12	39.54	12.99	63.45	355	352	Peak																																																																																																									
2 11650.00	43.40	54.00	-10.60	54.32	39.54	12.99	63.45	355	352	Average																																																																																																									
3 17475.00	50.73	68.30	-17.57	55.79	44.47	15.90	65.43	---	---	Peak																																																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																												
1 11650.00	53.72	74.00	-20.28	64.64	39.54	12.99	63.45	234	341	Peak																																																																																																									
2 11650.00	45.99	54.00	-8.01	56.91	39.54	12.99	63.45	234	341	Average																																																																																																									
3 17475.00	50.56	68.30	-17.74	55.62	44.47	15.90	65.43	---	---	Peak																																																																																																									



	35																																																																																																													
Mode	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5644.64</td> <td>57.46</td> <td>68.30</td> <td>-10.84</td> <td>44.92</td> <td>36.20</td> <td>9.85</td> <td>33.51</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.31</td> <td>58.07</td> <td>69.27</td> <td>-11.20</td> <td>45.51</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.42</td> <td>85.62</td> <td>110.36</td> <td>-24.74</td> <td>72.78</td> <td>36.31</td> <td>10.00</td> <td>33.47</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.28</td> <td>82.98</td> <td>111.44</td> <td>-28.46</td> <td>70.13</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5644.64	57.46	68.30	-10.84	44.92	36.20	9.85	33.51	139	360	PEAK	2	5651.31	58.07	69.27	-11.20	45.51	36.21	9.86	33.51	139	360	PEAK	3	5718.42	85.62	110.36	-24.74	72.78	36.31	10.00	33.47	139	360	PEAK	4	5720.28	82.98	111.44	-28.46	70.13	36.31	10.01	33.47	139	360	PEAK	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>106.18</td> <td>-----</td> <td>-----</td> <td>93.20</td> <td>36.35</td> <td>10.08</td> <td>33.45</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5755.00	106.18	-----	-----	93.20	36.35	10.08	33.45	139	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5644.64	57.46	68.30	-10.84	44.92	36.20	9.85	33.51	139	360	PEAK																																																																																																			
2	5651.31	58.07	69.27	-11.20	45.51	36.21	9.86	33.51	139	360	PEAK																																																																																																			
3	5718.42	85.62	110.36	-24.74	72.78	36.31	10.00	33.47	139	360	PEAK																																																																																																			
4	5720.28	82.98	111.44	-28.46	70.13	36.31	10.01	33.47	139	360	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5755.00	106.18	-----	-----	93.20	36.35	10.08	33.45	139	360	PEAK																																																																																																			
Avg	Blank	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>99.71</td> <td>-----</td> <td>-----</td> <td>86.73</td> <td>36.35</td> <td>10.08</td> <td>33.45</td> <td>139</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5755.00	99.71	-----	-----	86.73	36.35	10.08	33.45	139	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5755.00	99.71	-----	-----	86.73	36.35	10.08	33.45	139	360	AVERAGE																																																																																																			



Mode	35																																																																			
	Band Edge - R																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	<p>Level (dBuV/m)</p> <p>Date: 2023-11-01</p> <p>PEAK_BE(B4)_16-24</p> <p>Frequency (MHz)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>53.10</td> <td>111.17</td> <td>-58.07</td> <td>39.70</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.22</td> <td>52.88</td> <td>106.26</td> <td>-53.38</td> <td>39.41</td> <td>36.52</td> <td>10.33</td> <td>33.38</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.29</td> <td>51.65</td> <td>69.56</td> <td>-17.91</td> <td>37.97</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.67</td> <td>52.61</td> <td>68.30</td> <td>-15.69</td> <td>38.90</td> <td>36.60</td> <td>10.45</td> <td>33.34</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark	1	5854.84	53.10	111.17	-58.07	39.70	36.50	10.29	33.39	139	360	PEAK	2	5871.22	52.88	106.26	-53.38	39.41	36.52	10.33	33.38	139	360	PEAK	3	5923.29	51.65	69.56	-17.91	37.97	36.59	10.44	33.35	139	360	PEAK	4	5931.67	52.61	68.30	-15.69	38.90	36.60	10.45	33.34	139	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	Remark																																																										
1	5854.84	53.10	111.17	-58.07	39.70	36.50	10.29	33.39	139	360	PEAK																																																									
2	5871.22	52.88	106.26	-53.38	39.41	36.52	10.33	33.38	139	360	PEAK																																																									
3	5923.29	51.65	69.56	-17.91	37.97	36.59	10.44	33.35	139	360	PEAK																																																									
4	5931.67	52.61	68.30	-15.69	38.90	36.60	10.45	33.34	139	360	PEAK																																																									



		35																																																																																																													
Mode	Band Edge - L																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																														
ANT	2																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	<p style="text-align: right;">Date: 2023-11-01</p>		<p style="text-align: right;">Date: 2023-11-01</p>																																																																																																												
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5648.67</td> <td>57.67</td> <td>68.30</td> <td>-10.63</td> <td>45.11</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>280</td> <td>77 PEAK</td> </tr> <tr> <td>2</td> <td>5650.07</td> <td>55.77</td> <td>68.35</td> <td>-12.58</td> <td>43.21</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>280</td> <td>77 PEAK</td> </tr> <tr> <td>3</td> <td>5718.27</td> <td>84.58</td> <td>110.32</td> <td>-25.74</td> <td>71.74</td> <td>36.31</td> <td>10.00</td> <td>33.47</td> <td>280</td> <td>77 PEAK</td> </tr> <tr> <td>4</td> <td>5720.44</td> <td>83.59</td> <td>111.79</td> <td>-28.20</td> <td>70.74</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>280</td> <td>77 PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5648.67	57.67	68.30	-10.63	45.11	36.21	9.86	33.51	280	77 PEAK	2	5650.07	55.77	68.35	-12.58	43.21	36.21	9.86	33.51	280	77 PEAK	3	5718.27	84.58	110.32	-25.74	71.74	36.31	10.00	33.47	280	77 PEAK	4	5720.44	83.59	111.79	-28.20	70.74	36.31	10.01	33.47	280	77 PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>106.18</td> <td>-----</td> <td>-----</td> <td>93.20</td> <td>36.35</td> <td>10.08</td> <td>33.45</td> <td>280</td> <td>77 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5755.00	106.18	-----	-----	93.20	36.35	10.08	33.45	280
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5648.67	57.67	68.30	-10.63	45.11	36.21	9.86	33.51	280	77 PEAK																																																																																																					
2	5650.07	55.77	68.35	-12.58	43.21	36.21	9.86	33.51	280	77 PEAK																																																																																																					
3	5718.27	84.58	110.32	-25.74	71.74	36.31	10.00	33.47	280	77 PEAK																																																																																																					
4	5720.44	83.59	111.79	-28.20	70.74	36.31	10.01	33.47	280	77 PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5755.00	106.18	-----	-----	93.20	36.35	10.08	33.45	280	77 PEAK																																																																																																					
Avg	Blank		<p style="text-align: right;">Date: 2023-11-01</p>																																																																																																												
			<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>100.06</td> <td>-----</td> <td>-----</td> <td>87.08</td> <td>36.35</td> <td>10.08</td> <td>33.45</td> <td>280</td> <td>77 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5755.00	100.06	-----	-----	87.08	36.35	10.08	33.45	280	77 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5755.00	100.06	-----	-----	87.08	36.35	10.08	33.45	280	77 AVERAGE																																																																																																					



Mode	35																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>51.93</td> <td>111.17</td> <td>-59.24</td> <td>38.53</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>280</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.93</td> <td>52.52</td> <td>105.22</td> <td>-52.70</td> <td>39.05</td> <td>36.52</td> <td>10.33</td> <td>33.38</td> <td>280</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.46</td> <td>51.01</td> <td>68.70</td> <td>-17.69</td> <td>37.33</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>280</td> <td>77</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5935.18</td> <td>52.08</td> <td>68.30</td> <td>-16.22</td> <td>38.35</td> <td>36.61</td> <td>10.46</td> <td>33.34</td> <td>280</td> <td>77</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.84	51.93	111.17	-59.24	38.53	36.50	10.29	33.39	280	77	PEAK	2	5874.93	52.52	105.22	-52.70	39.05	36.52	10.33	33.38	280	77	PEAK	3	5924.46	51.01	68.70	-17.69	37.33	36.59	10.44	33.35	280	77	PEAK	4	5935.18	52.08	68.30	-16.22	38.35	36.61	10.46	33.34	280	77	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.84	51.93	111.17	-59.24	38.53	36.50	10.29	33.39	280	77	PEAK																																																															
2	5874.93	52.52	105.22	-52.70	39.05	36.52	10.33	33.38	280	77	PEAK																																																															
3	5924.46	51.01	68.70	-17.69	37.33	36.59	10.44	33.35	280	77	PEAK																																																															
4	5935.18	52.08	68.30	-16.22	38.35	36.61	10.46	33.34	280	77	PEAK																																																															



	36																																																																																																													
Mode	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.59</td> <td>54.08</td> <td>68.30</td> <td>-14.22</td> <td>41.60</td> <td>36.18</td> <td>9.82</td> <td>33.52</td> <td>298</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.70</td> <td>54.35</td> <td>68.82</td> <td>-14.47</td> <td>41.79</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>298</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.00</td> <td>65.87</td> <td>109.96</td> <td>-44.09</td> <td>53.04</td> <td>36.30</td> <td>10.00</td> <td>33.47</td> <td>298</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>64.19</td> <td>111.07</td> <td>-46.88</td> <td>51.34</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>298</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5631.59	54.08	68.30	-14.22	41.60	36.18	9.82	33.52	298	360	PEAK	2	5650.70	54.35	68.82	-14.47	41.79	36.21	9.86	33.51	298	360	PEAK	3	5717.00	65.87	109.96	-44.09	53.04	36.30	10.00	33.47	298	360	PEAK	4	5720.12	64.19	111.07	-46.88	51.34	36.31	10.01	33.47	298	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>107.33</td> <td>-----</td> <td>-----</td> <td>94.18</td> <td>36.41</td> <td>10.16</td> <td>33.42</td> <td>298</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5795.00	107.33	-----	-----	94.18	36.41	10.16	33.42	298	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5631.59	54.08	68.30	-14.22	41.60	36.18	9.82	33.52	298	360	PEAK																																																																																																			
2	5650.70	54.35	68.82	-14.47	41.79	36.21	9.86	33.51	298	360	PEAK																																																																																																			
3	5717.00	65.87	109.96	-44.09	53.04	36.30	10.00	33.47	298	360	PEAK																																																																																																			
4	5720.12	64.19	111.07	-46.88	51.34	36.31	10.01	33.47	298	360	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5795.00	107.33	-----	-----	94.18	36.41	10.16	33.42	298	360	PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.65</td> <td>-----</td> <td>-----</td> <td>87.50</td> <td>36.41</td> <td>10.16</td> <td>33.42</td> <td>298</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5795.00	100.65	-----	-----	87.50	36.41	10.16	33.42	298	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5795.00	100.65	-----	-----	87.50	36.41	10.16	33.42	298	360	AVERAGE																																																																																																			



Mode	36																																																									
	Band Edge - R																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																									
ANT	2																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<p>The plot shows a red limit line and a blue signal line. Four peaks are marked with vertical lines and numbered 1 to 4. A red label 'PEAK_BE(B4)_16-24' points to the limit line.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5854.37</td> <td>64.15</td> <td>112.25</td> <td>-48.10</td> <td>50.75</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> </tr> <tr> <td>2 5870.49</td> <td>61.10</td> <td>106.46</td> <td>-45.36</td> <td>47.64</td> <td>36.52</td> <td>10.32</td> <td>33.38</td> </tr> <tr> <td>3 5924.12</td> <td>51.96</td> <td>68.95</td> <td>-16.99</td> <td>38.28</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> </tr> <tr> <td>4 5939.00</td> <td>52.72</td> <td>68.30</td> <td>-15.58</td> <td>38.98</td> <td>36.61</td> <td>10.47</td> <td>33.34</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5854.37	64.15	112.25	-48.10	50.75	36.50	10.29	33.39	2 5870.49	61.10	106.46	-45.36	47.64	36.52	10.32	33.38	3 5924.12	51.96	68.95	-16.99	38.28	36.59	10.44	33.35	4 5939.00	52.72	68.30	-15.58	38.98	36.61	10.47	33.34	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1 5854.37	64.15	112.25	-48.10	50.75	36.50	10.29	33.39																																																			
2 5870.49	61.10	106.46	-45.36	47.64	36.52	10.32	33.38																																																			
3 5924.12	51.96	68.95	-16.99	38.28	36.59	10.44	33.35																																																			
4 5939.00	52.72	68.30	-15.58	38.98	36.61	10.47	33.34																																																			



	36																																																																																																															
Mode	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																															
ANT	2																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5649.53</td> <td>53.78</td> <td>68.30</td> <td>-14.52</td> <td>41.22</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>288</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.31</td> <td>52.82</td> <td>68.53</td> <td>-15.71</td> <td>40.26</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>288</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5702.38</td> <td>61.34</td> <td>105.87</td> <td>-44.53</td> <td>48.57</td> <td>36.28</td> <td>9.97</td> <td>33.48</td> <td>288</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>65.10</td> <td>111.07</td> <td>-45.97</td> <td>52.25</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>288</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5649.53	53.78	68.30	-14.52	41.22	36.21	9.86	33.51	288	84	PEAK	2	5650.31	52.82	68.53	-15.71	40.26	36.21	9.86	33.51	288	84	PEAK	3	5702.38	61.34	105.87	-44.53	48.57	36.28	9.97	33.48	288	84	PEAK	4	5720.12	65.10	111.07	-45.97	52.25	36.31	10.01	33.47	288	84	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>107.20</td> <td>-----</td> <td>-----</td> <td>94.05</td> <td>36.41</td> <td>10.16</td> <td>33.42</td> <td>288</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	107.20	-----	-----	94.05	36.41	10.16	33.42	288	84	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5649.53	53.78	68.30	-14.52	41.22	36.21	9.86	33.51	288	84	PEAK																																																																																																					
2	5650.31	52.82	68.53	-15.71	40.26	36.21	9.86	33.51	288	84	PEAK																																																																																																					
3	5702.38	61.34	105.87	-44.53	48.57	36.28	9.97	33.48	288	84	PEAK																																																																																																					
4	5720.12	65.10	111.07	-45.97	52.25	36.31	10.01	33.47	288	84	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5795.00	107.20	-----	-----	94.05	36.41	10.16	33.42	288	84	PEAK																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.70</td> <td>-----</td> <td>-----</td> <td>87.55</td> <td>36.41</td> <td>10.16</td> <td>33.42</td> <td>288</td> <td>84</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	100.70	-----	-----	87.55	36.41	10.16	33.42	288	84	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5795.00	100.70	-----	-----	87.55	36.41	10.16	33.42	288	84	AVERAGE																																																																																																					





Mode	36																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.37</td> <td>62.09</td> <td>112.25</td> <td>-50.16</td> <td>48.69</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>288</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5860.88</td> <td>63.32</td> <td>109.15</td> <td>-45.83</td> <td>49.89</td> <td>36.51</td> <td>10.30</td> <td>33.38</td> <td>288</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.12</td> <td>52.11</td> <td>68.95</td> <td>-16.84</td> <td>38.43</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>288</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5935.74</td> <td>52.94</td> <td>68.30</td> <td>-15.36</td> <td>39.21</td> <td>36.61</td> <td>10.46</td> <td>33.34</td> <td>288</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.37	62.09	112.25	-50.16	48.69	36.50	10.29	33.39	288	84	PEAK	2	5860.88	63.32	109.15	-45.83	49.89	36.51	10.30	33.38	288	84	PEAK	3	5924.12	52.11	68.95	-16.84	38.43	36.59	10.44	33.35	288	84	PEAK	4	5935.74	52.94	68.30	-15.36	39.21	36.61	10.46	33.34	288	84	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.37	62.09	112.25	-50.16	48.69	36.50	10.29	33.39	288	84	PEAK																																																															
2	5860.88	63.32	109.15	-45.83	49.89	36.51	10.30	33.38	288	84	PEAK																																																															
3	5924.12	52.11	68.95	-16.84	38.43	36.59	10.44	33.35	288	84	PEAK																																																															
4	5935.74	52.94	68.30	-15.36	39.21	36.61	10.46	33.34	288	84	PEAK																																																															



	<b>37</b>																																																																																																													
<b>Mode</b>	<b>Band Edge - L</b>																																																																																																													
	<b>U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz</b>																																																																																																													
<b>ANT</b>	<b>2</b>																																																																																																													
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																																																												
<b>Peak</b>	<p style="text-align: right;">Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.08</td> <td>64.32</td> <td>68.30</td> <td>-3.98</td> <td>51.80</td> <td>36.20</td> <td>9.84</td> <td>33.52</td> <td>297</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.75</td> <td>62.79</td> <td>68.86</td> <td>-6.07</td> <td>50.23</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>297</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5707.98</td> <td>80.31</td> <td>107.44</td> <td>-27.13</td> <td>67.52</td> <td>36.29</td> <td>9.98</td> <td>33.48</td> <td>297</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>80.15</td> <td>111.31</td> <td>-31.16</td> <td>67.30</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>297</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5640.08	64.32	68.30	-3.98	51.80	36.20	9.84	33.52	297	360	PEAK	2	5650.75	62.79	68.86	-6.07	50.23	36.21	9.86	33.51	297	360	PEAK	3	5707.98	80.31	107.44	-27.13	67.52	36.29	9.98	33.48	297	360	PEAK	4	5720.23	80.15	111.31	-31.16	67.30	36.31	10.01	33.47	297	360	PEAK	<p style="text-align: right;">Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>102.81</td> <td>-----</td> <td>-----</td> <td>89.83</td> <td>36.35</td> <td>10.08</td> <td>33.45</td> <td>297</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	102.81	-----	-----	89.83	36.35	10.08	33.45	297	360	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5640.08	64.32	68.30	-3.98	51.80	36.20	9.84	33.52	297	360	PEAK																																																																																																			
2	5650.75	62.79	68.86	-6.07	50.23	36.21	9.86	33.51	297	360	PEAK																																																																																																			
3	5707.98	80.31	107.44	-27.13	67.52	36.29	9.98	33.48	297	360	PEAK																																																																																																			
4	5720.23	80.15	111.31	-31.16	67.30	36.31	10.01	33.47	297	360	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5775.00	102.81	-----	-----	89.83	36.35	10.08	33.45	297	360	PEAK																																																																																																			
<b>Avg</b>	<b>Blank</b>	<p style="text-align: right;">Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>98.22</td> <td>-----</td> <td>-----</td> <td>85.13</td> <td>36.39</td> <td>10.13</td> <td>33.43</td> <td>297</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5775.00	98.22	-----	-----	85.13	36.39	10.13	33.43	297	360	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5775.00	98.22	-----	-----	85.13	36.39	10.13	33.43	297	360	AVERAGE																																																																																																			



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.98</td> <td>69.64</td> <td>110.86</td> <td>-41.22</td> <td>56.24</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>297</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5857.95</td> <td>72.65</td> <td>109.97</td> <td>-37.32</td> <td>59.24</td> <td>36.50</td> <td>10.30</td> <td>33.39</td> <td>297</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.80</td> <td>53.74</td> <td>68.45</td> <td>-14.71</td> <td>40.06</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>297</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.35</td> <td>55.03</td> <td>68.30</td> <td>-13.27</td> <td>41.32</td> <td>36.60</td> <td>10.45</td> <td>33.34</td> <td>297</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.98	69.64	110.86	-41.22	56.24	36.50	10.29	33.39	297	360	PEAK	2	5857.95	72.65	109.97	-37.32	59.24	36.50	10.30	33.39	297	360	PEAK	3	5924.80	53.74	68.45	-14.71	40.06	36.59	10.44	33.35	297	360	PEAK	4	5929.35	55.03	68.30	-13.27	41.32	36.60	10.45	33.34	297	360	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.98	69.64	110.86	-41.22	56.24	36.50	10.29	33.39	297	360	PEAK																																																															
2	5857.95	72.65	109.97	-37.32	59.24	36.50	10.30	33.39	297	360	PEAK																																																															
3	5924.80	53.74	68.45	-14.71	40.06	36.59	10.44	33.35	297	360	PEAK																																																															
4	5929.35	55.03	68.30	-13.27	41.32	36.60	10.45	33.34	297	360	PEAK																																																															



	37																																																																																																												
Mode	Band Edge - L																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																												
ANT	2																																																																																																												
Pol.	Vertical	Fundamental																																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.38</td> <td>61.58</td> <td>68.30</td> <td>-6.72</td> <td>49.04</td> <td>36.20</td> <td>9.85</td> <td>33.51</td> <td>273</td> <td>84 PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>61.39</td> <td>68.60</td> <td>-7.21</td> <td>48.83</td> <td>36.21</td> <td>9.86</td> <td>33.51</td> <td>273</td> <td>84 PEAK</td> </tr> <tr> <td>3</td> <td>5702.90</td> <td>79.68</td> <td>106.01</td> <td>-26.33</td> <td>66.91</td> <td>36.28</td> <td>9.97</td> <td>33.48</td> <td>273</td> <td>84 PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>78.96</td> <td>111.31</td> <td>-32.35</td> <td>66.11</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>273</td> <td>84 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.38	61.58	68.30	-6.72	49.04	36.20	9.85	33.51	273	84 PEAK	2	5650.40	61.39	68.60	-7.21	48.83	36.21	9.86	33.51	273	84 PEAK	3	5702.90	79.68	106.01	-26.33	66.91	36.28	9.97	33.48	273	84 PEAK	4	5720.23	78.96	111.31	-32.35	66.11	36.31	10.01	33.47	273	84 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>102.07</td> <td>-----</td> <td>-----</td> <td>88.95</td> <td>36.40</td> <td>10.15</td> <td>33.43</td> <td>273</td> <td>84 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	102.07	-----	-----	88.95	36.40	10.15	33.43	273	84 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5646.38	61.58	68.30	-6.72	49.04	36.20	9.85	33.51	273	84 PEAK																																																																																																			
2	5650.40	61.39	68.60	-7.21	48.83	36.21	9.86	33.51	273	84 PEAK																																																																																																			
3	5702.90	79.68	106.01	-26.33	66.91	36.28	9.97	33.48	273	84 PEAK																																																																																																			
4	5720.23	78.96	111.31	-32.35	66.11	36.31	10.01	33.47	273	84 PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5775.00	102.07	-----	-----	88.95	36.40	10.15	33.43	273	84 PEAK																																																																																																			
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>97.61</td> <td>-----</td> <td>-----</td> <td>84.52</td> <td>36.39</td> <td>10.13</td> <td>33.43</td> <td>273</td> <td>84 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq Level	Line	Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	97.61	-----	-----	84.52	36.39	10.13	33.43	273	84 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																						
Freq Level	Line	Margin	Level	Factor	Loss Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5775.00	97.61	-----	-----	84.52	36.39	10.13	33.43	273	84 AVERAGE																																																																																																			



Mode	37																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.10</td> <td>71.16</td> <td>112.85</td> <td>-41.69</td> <td>57.76</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>273</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.33</td> <td>72.42</td> <td>110.71</td> <td>-38.29</td> <td>59.02</td> <td>36.50</td> <td>10.29</td> <td>33.39</td> <td>273</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.98</td> <td>53.16</td> <td>68.32</td> <td>-15.16</td> <td>39.48</td> <td>36.59</td> <td>10.44</td> <td>33.35</td> <td>273</td> <td>84</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5930.75</td> <td>54.10</td> <td>68.30</td> <td>-14.20</td> <td>40.39</td> <td>36.60</td> <td>10.45</td> <td>33.34</td> <td>273</td> <td>84</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.10	71.16	112.85	-41.69	57.76	36.50	10.29	33.39	273	84	PEAK	2	5855.33	72.42	110.71	-38.29	59.02	36.50	10.29	33.39	273	84	PEAK	3	5924.98	53.16	68.32	-15.16	39.48	36.59	10.44	33.35	273	84	PEAK	4	5930.75	54.10	68.30	-14.20	40.39	36.60	10.45	33.34	273	84	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.10	71.16	112.85	-41.69	57.76	36.50	10.29	33.39	273	84	PEAK																																																															
2	5855.33	72.42	110.71	-38.29	59.02	36.50	10.29	33.39	273	84	PEAK																																																															
3	5924.98	53.16	68.32	-15.16	39.48	36.59	10.44	33.35	273	84	PEAK																																																															
4	5930.75	54.10	68.30	-14.20	40.39	36.60	10.45	33.34	273	84	PEAK																																																															





Mode	37																																																																																										
	Harmonic																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																										
ANT	2																																																																																										
Pol.	Horizontal	Vertical																																																																																									
Peak Avg																																																																																											
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>50.22</td> <td>74.00</td> <td>-23.78</td> <td>61.17</td> <td>39.58</td> <td>12.92</td> <td>63.45</td> <td>---</td> </tr> <tr> <td>2 17325.00</td> <td>48.06</td> <td>68.30</td> <td>-20.24</td> <td>53.33</td> <td>44.29</td> <td>15.79</td> <td>65.35</td> <td>---</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11550.00	50.22	74.00	-23.78	61.17	39.58	12.92	63.45	---	2 17325.00	48.06	68.30	-20.24	53.33	44.29	15.79	65.35	---	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11550.00</td> <td>50.56</td> <td>74.00</td> <td>-23.44</td> <td>61.51</td> <td>39.58</td> <td>12.92</td> <td>63.45</td> <td>---</td> </tr> <tr> <td>2 17325.00</td> <td>48.63</td> <td>68.30</td> <td>-19.67</td> <td>53.90</td> <td>44.29</td> <td>15.79</td> <td>65.35</td> <td>---</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 11550.00	50.56	74.00	-23.44	61.51	39.58	12.92	63.45	---	2 17325.00	48.63	68.30	-19.67	53.90	44.29	15.79	65.35
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																			
1 11550.00	50.22	74.00	-23.78	61.17	39.58	12.92	63.45	---																																																																																			
2 17325.00	48.06	68.30	-20.24	53.33	44.29	15.79	65.35	---																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																			
1 11550.00	50.56	74.00	-23.44	61.51	39.58	12.92	63.45	---																																																																																			
2 17325.00	48.63	68.30	-19.67	53.90	44.29	15.79	65.35	---																																																																																			



	<b>38</b>																																																																									
<b>Mode</b>	<b>Band Edge</b>																																																																									
	<b>Straddle channels_5.47-5.725_802.11a_CH144_5720MHz</b>																																																																									
<b>ANT</b>	<b>2</b>																																																																									
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																								
<b>Peak</b>	<p style="text-align: right;">Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5444.05</td> <td>52.22</td> <td>74.00</td> <td>-21.78</td> <td>40.02</td> <td>36.02</td> <td>9.68</td> <td>33.50</td> <td>351</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5461.10</td> <td>51.81</td> <td>68.30</td> <td>-16.49</td> <td>39.63</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>351</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>111.71</td> <td>-----</td> <td>-----</td> <td>98.86</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>351</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5869.20</td> <td>53.17</td> <td>68.30</td> <td>-15.13</td> <td>39.71</td> <td>36.52</td> <td>10.32</td> <td>33.38</td> <td>351</td> <td>353</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5444.05	52.22	74.00	-21.78	40.02	36.02	9.68	33.50	351	353	Peak	2	5461.10	51.81	68.30	-16.49	39.63	36.02	9.69	33.53	351	353	Peak	3	5720.00	111.71	-----	-----	98.86	36.31	10.01	33.47	351	353	Peak	4	5869.20	53.17	68.30	-15.13	39.71	36.52	10.32	33.38	351	353	Peak	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5444.05	52.22	74.00	-21.78	40.02	36.02	9.68	33.50	351	353	Peak																																																															
2	5461.10	51.81	68.30	-16.49	39.63	36.02	9.69	33.53	351	353	Peak																																																															
3	5720.00	111.71	-----	-----	98.86	36.31	10.01	33.47	351	353	Peak																																																															
4	5869.20	53.17	68.30	-15.13	39.71	36.52	10.32	33.38	351	353	Peak																																																															
<b>Avg</b>	<p style="text-align: right;">Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.35</td> <td>43.40</td> <td>54.00</td> <td>-10.60</td> <td>31.22</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>351</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>104.05</td> <td>-----</td> <td>-----</td> <td>91.20</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>351</td> <td>353</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5458.35	43.40	54.00	-10.60	31.22	36.02	9.69	33.53	351	353	Peak	2	5720.00	104.05	-----	-----	91.20	36.31	10.01	33.47	351	353	Average	<b>Blank</b>																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5458.35	43.40	54.00	-10.60	31.22	36.02	9.69	33.53	351	353	Peak																																																															
2	5720.00	104.05	-----	-----	91.20	36.31	10.01	33.47	351	353	Average																																																															



	<b>38</b>																																																																									
Mode	<b>Band Edge</b>																																																																									
	<b>Straddle channels_5.47-5.725_802.11a_CH144_5720MHz</b>																																																																									
ANT	<b>2</b>																																																																									
Pol.	<b>Vertical</b>	<b>Fundamental</b>																																																																								
Peak	 <table border="1" data-bbox="263 1064 734 1232"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5387.95</td> <td>51.40</td> <td>74.00</td> <td>-22.60</td> <td>39.20</td> <td>36.04</td> <td>9.56</td> <td>33.40</td> <td>284</td> <td>83</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5467.15</td> <td>50.11</td> <td>68.30</td> <td>-18.19</td> <td>37.95</td> <td>36.01</td> <td>9.69</td> <td>33.54</td> <td>284</td> <td>83</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>110.05</td> <td>-----</td> <td>-----</td> <td>97.20</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>284</td> <td>83</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5885.70</td> <td>51.92</td> <td>68.30</td> <td>-16.38</td> <td>38.39</td> <td>36.54</td> <td>10.36</td> <td>33.37</td> <td>284</td> <td>83</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5387.95	51.40	74.00	-22.60	39.20	36.04	9.56	33.40	284	83	Peak	2	5467.15	50.11	68.30	-18.19	37.95	36.01	9.69	33.54	284	83	Peak	3	5720.00	110.05	-----	-----	97.20	36.31	10.01	33.47	284	83	Peak	4	5885.70	51.92	68.30	-16.38	38.39	36.54	10.36	33.37	284	83	Peak	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5387.95	51.40	74.00	-22.60	39.20	36.04	9.56	33.40	284	83	Peak																																																															
2	5467.15	50.11	68.30	-18.19	37.95	36.01	9.69	33.54	284	83	Peak																																																															
3	5720.00	110.05	-----	-----	97.20	36.31	10.01	33.47	284	83	Peak																																																															
4	5885.70	51.92	68.30	-16.38	38.39	36.54	10.36	33.37	284	83	Peak																																																															
Avg	 <table border="1" data-bbox="263 1736 734 1904"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.80</td> <td>42.63</td> <td>54.00</td> <td>-11.37</td> <td>30.44</td> <td>36.02</td> <td>9.69</td> <td>33.52</td> <td>284</td> <td>83</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>103.42</td> <td>-----</td> <td>-----</td> <td>90.57</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>284</td> <td>83</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5457.80	42.63	54.00	-11.37	30.44	36.02	9.69	33.52	284	83	Peak	2	5720.00	103.42	-----	-----	90.57	36.31	10.01	33.47	284	83	Average	<b>Blank</b>																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5457.80	42.63	54.00	-11.37	30.44	36.02	9.69	33.52	284	83	Peak																																																															
2	5720.00	103.42	-----	-----	90.57	36.31	10.01	33.47	284	83	Average																																																															





Mode	38																																																																																																																									
	Harmonic																																																																																																																									
	Straddle channels_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																									
ANT	2																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>59.11</td> <td>74.00</td> <td>-14.89</td> <td>70.11</td> <td>39.60</td> <td>12.84</td> <td>63.44</td> <td>159</td> <td>355</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>47.99</td> <td>54.00</td> <td>-6.01</td> <td>58.99</td> <td>39.60</td> <td>12.84</td> <td>63.44</td> <td>159</td> <td>355</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17160.00</td> <td>49.85</td> <td>68.30</td> <td>-18.45</td> <td>55.36</td> <td>44.09</td> <td>15.66</td> <td>65.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	59.11	74.00	-14.89	70.11	39.60	12.84	63.44	159	355	Peak	2	11440.00	47.99	54.00	-6.01	58.99	39.60	12.84	63.44	159	355	Average	3	17160.00	49.85	68.30	-18.45	55.36	44.09	15.66	65.26	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>60.42</td> <td>74.00</td> <td>-13.58</td> <td>71.42</td> <td>39.60</td> <td>12.84</td> <td>63.44</td> <td>189</td> <td>351</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>49.64</td> <td>54.00</td> <td>-4.36</td> <td>60.64</td> <td>39.60</td> <td>12.84</td> <td>63.44</td> <td>189</td> <td>351</td> <td>Average</td> </tr> <tr> <td>3</td> <td>17160.00</td> <td>49.75</td> <td>68.30</td> <td>-18.55</td> <td>55.26</td> <td>44.09</td> <td>15.66</td> <td>65.26</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	60.42	74.00	-13.58	71.42	39.60	12.84	63.44	189	351	Peak	2	11440.00	49.64	54.00	-4.36	60.64	39.60	12.84	63.44	189	351	Average	3	17160.00	49.75	68.30	-18.55	55.26	44.09	15.66	65.26	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	11440.00	59.11	74.00	-14.89	70.11	39.60	12.84	63.44	159	355	Peak																																																																																																															
2	11440.00	47.99	54.00	-6.01	58.99	39.60	12.84	63.44	159	355	Average																																																																																																															
3	17160.00	49.85	68.30	-18.45	55.36	44.09	15.66	65.26	---	---	Peak																																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																			
1	11440.00	60.42	74.00	-13.58	71.42	39.60	12.84	63.44	189	351	Peak																																																																																																															
2	11440.00	49.64	54.00	-4.36	60.64	39.60	12.84	63.44	189	351	Average																																																																																																															
3	17160.00	49.75	68.30	-18.55	55.26	44.09	15.66	65.26	---	---	Peak																																																																																																															



Mode	39																																																																								
Mode	Band Edge																																																																								
Mode	Straddle channels_5.47-5.725_802.11n HT20_CH144_5720MHz																																																																								
ANT	2																																																																								
Pol.	Horizontal	Fundamental																																																																							
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5372.55</td> <td>51.41</td> <td>74.00</td> <td>-22.59</td> <td>39.25</td> <td>36.05</td> <td>9.48</td> <td>33.37</td> <td>343</td> <td>352 Peak</td> </tr> <tr> <td>2</td> <td>5462.75</td> <td>51.47</td> <td>68.30</td> <td>-16.83</td> <td>39.30</td> <td>36.01</td> <td>9.69</td> <td>33.53</td> <td>343</td> <td>352 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>111.14</td> <td>-----</td> <td>-----</td> <td>98.29</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>343</td> <td>352 Peak</td> </tr> <tr> <td>4</td> <td>5898.90</td> <td>53.38</td> <td>68.30</td> <td>-14.92</td> <td>39.80</td> <td>36.56</td> <td>10.38</td> <td>33.36</td> <td>343</td> <td>352 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5372.55	51.41	74.00	-22.59	39.25	36.05	9.48	33.37	343	352 Peak	2	5462.75	51.47	68.30	-16.83	39.30	36.01	9.69	33.53	343	352 Peak	3	5720.00	111.14	-----	-----	98.29	36.31	10.01	33.47	343	352 Peak	4	5898.90	53.38	68.30	-14.92	39.80	36.56	10.38	33.36	343	352 Peak	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1	5372.55	51.41	74.00	-22.59	39.25	36.05	9.48	33.37	343	352 Peak																																																															
2	5462.75	51.47	68.30	-16.83	39.30	36.01	9.69	33.53	343	352 Peak																																																															
3	5720.00	111.14	-----	-----	98.29	36.31	10.01	33.47	343	352 Peak																																																															
4	5898.90	53.38	68.30	-14.92	39.80	36.56	10.38	33.36	343	352 Peak																																																															
Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.70</td> <td>42.83</td> <td>54.00</td> <td>-11.17</td> <td>30.64</td> <td>36.02</td> <td>9.69</td> <td>33.52</td> <td>343</td> <td>352 Peak</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>104.09</td> <td>-----</td> <td>-----</td> <td>91.24</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>343</td> <td>352 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5456.70	42.83	54.00	-11.17	30.64	36.02	9.69	33.52	343	352 Peak	2	5720.00	104.09	-----	-----	91.24	36.31	10.01	33.47	343	352 Average	Blank																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1	5456.70	42.83	54.00	-11.17	30.64	36.02	9.69	33.52	343	352 Peak																																																															
2	5720.00	104.09	-----	-----	91.24	36.31	10.01	33.47	343	352 Average																																																															



Mode	39																																																																								
	Band Edge																																																																								
	Straddle channels_5.47-5.725_802.11n HT20_CH144_5720MHz																																																																								
ANT	2																																																																								
Pol.	Vertical	Fundamental																																																																							
Peak	<table border="1" data-bbox="271 1108 734 1288"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.50</td> <td>52.45</td> <td>74.00</td> <td>-21.55</td> <td>40.27</td> <td>36.02</td> <td>9.68</td> <td>33.52</td> <td>285</td> <td>86 Peak</td> </tr> <tr> <td>2</td> <td>5462.75</td> <td>51.40</td> <td>68.30</td> <td>-16.90</td> <td>39.23</td> <td>36.01</td> <td>9.69</td> <td>33.53</td> <td>285</td> <td>86 Peak</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>111.70</td> <td>-----</td> <td>-----</td> <td>98.85</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>285</td> <td>86 Peak</td> </tr> <tr> <td>4</td> <td>5866.45</td> <td>53.00</td> <td>68.30</td> <td>-15.30</td> <td>39.55</td> <td>36.51</td> <td>10.32</td> <td>33.38</td> <td>285</td> <td>86 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5454.50	52.45	74.00	-21.55	40.27	36.02	9.68	33.52	285	86 Peak	2	5462.75	51.40	68.30	-16.90	39.23	36.01	9.69	33.53	285	86 Peak	3	5720.00	111.70	-----	-----	98.85	36.31	10.01	33.47	285	86 Peak	4	5866.45	53.00	68.30	-15.30	39.55	36.51	10.32	33.38	285	86 Peak	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1	5454.50	52.45	74.00	-21.55	40.27	36.02	9.68	33.52	285	86 Peak																																																															
2	5462.75	51.40	68.30	-16.90	39.23	36.01	9.69	33.53	285	86 Peak																																																															
3	5720.00	111.70	-----	-----	98.85	36.31	10.01	33.47	285	86 Peak																																																															
4	5866.45	53.00	68.30	-15.30	39.55	36.51	10.32	33.38	285	86 Peak																																																															
Avg	<table border="1" data-bbox="271 1825 734 1960"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5444.05</td> <td>42.49</td> <td>54.00</td> <td>-11.51</td> <td>30.29</td> <td>36.02</td> <td>9.68</td> <td>33.50</td> <td>285</td> <td>86 Peak</td> </tr> <tr> <td>2</td> <td>5720.00</td> <td>103.82</td> <td>-----</td> <td>-----</td> <td>90.97</td> <td>36.31</td> <td>10.01</td> <td>33.47</td> <td>285</td> <td>86 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5444.05	42.49	54.00	-11.51	30.29	36.02	9.68	33.50	285	86 Peak	2	5720.00	103.82	-----	-----	90.97	36.31	10.01	33.47	285	86 Average	Blank																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1	5444.05	42.49	54.00	-11.51	30.29	36.02	9.68	33.50	285	86 Peak																																																															
2	5720.00	103.82	-----	-----	90.97	36.31	10.01	33.47	285	86 Average																																																															



Mode	39																																																																																																																				
	Harmonic																																																																																																																				
	Straddle channels_5.47-5.725_802.11n HT20_CH144_5720MHz																																																																																																																				
ANT	2																																																																																																																				
Pol.	Horizontal	Vertical																																																																																																																			
Peak Avg	<p>Date: 2023-11-01</p>	<p>Date: 2023-11-01</p>																																																																																																																			
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>56.64</td> <td>74.00</td> <td>-17.36</td> <td>67.64</td> <td>39.60</td> <td>12.84</td> <td>63.44</td> <td>366</td> <td>354 Peak</td> </tr> <tr> <td>2 11440.00</td> <td>48.33</td> <td>54.00</td> <td>-5.67</td> <td>59.33</td> <td>39.60</td> <td>12.84</td> <td>63.44</td> <td>366</td> <td>354 Average</td> </tr> <tr> <td>3 17160.00</td> <td>49.31</td> <td>68.30</td> <td>-18.99</td> <td>54.82</td> <td>44.09</td> <td>15.66</td> <td>65.26</td> <td>---</td> <td>---</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	56.64	74.00	-17.36	67.64	39.60	12.84	63.44	366	354 Peak	2 11440.00	48.33	54.00	-5.67	59.33	39.60	12.84	63.44	366	354 Average	3 17160.00	49.31	68.30	-18.99	54.82	44.09	15.66	65.26	---	---	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>58.60</td> <td>74.00</td> <td>-15.40</td> <td>69.60</td> <td>39.60</td> <td>12.84</td> <td>63.44</td> <td>151</td> <td>351 Peak</td> </tr> <tr> <td>2 11440.00</td> <td>49.58</td> <td>54.00</td> <td>-4.42</td> <td>60.58</td> <td>39.60</td> <td>12.84</td> <td>63.44</td> <td>151</td> <td>351 Average</td> </tr> <tr> <td>3 17160.00</td> <td>49.58</td> <td>68.30</td> <td>-18.72</td> <td>55.09</td> <td>44.09</td> <td>15.66</td> <td>65.26</td> <td>---</td> <td>---</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11440.00	58.60	74.00	-15.40	69.60	39.60	12.84	63.44	151	351 Peak	2 11440.00	49.58	54.00	-4.42	60.58	39.60	12.84	63.44	151	351 Average	3 17160.00	49.58	68.30	-18.72	55.09	44.09	15.66	65.26	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1 11440.00	56.64	74.00	-17.36	67.64	39.60	12.84	63.44	366	354 Peak																																																																																																												
2 11440.00	48.33	54.00	-5.67	59.33	39.60	12.84	63.44	366	354 Average																																																																																																												
3 17160.00	49.31	68.30	-18.99	54.82	44.09	15.66	65.26	---	---																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1 11440.00	58.60	74.00	-15.40	69.60	39.60	12.84	63.44	151	351 Peak																																																																																																												
2 11440.00	49.58	54.00	-4.42	60.58	39.60	12.84	63.44	151	351 Average																																																																																																												
3 17160.00	49.58	68.30	-18.72	55.09	44.09	15.66	65.26	---	---																																																																																																												



Mode	40																																																																					
	Band Edge																																																																					
	Straddle channels_5.47-5.725_802.11n HT40_CH142_5710MHz																																																																					
ANT	2																																																																					
Pol.	Horizontal	Fundamental																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.50</td> <td>54.14</td> <td>74.00</td> <td>-19.86</td> <td>41.96</td> <td>36.02</td> <td>9.68</td> <td>33.52</td> <td>335</td> <td>355 Peak</td> </tr> <tr> <td>2</td> <td>5460.00</td> <td>54.23</td> <td>68.30</td> <td>-14.07</td> <td>42.05</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>335</td> <td>355 Peak</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>108.59</td> <td>-----</td> <td>-----</td> <td>95.78</td> <td>36.29</td> <td>9.99</td> <td>33.47</td> <td>335</td> <td>355 Peak</td> </tr> <tr> <td>4</td> <td>5895.60</td> <td>54.49</td> <td>68.30</td> <td>-13.81</td> <td>40.92</td> <td>36.55</td> <td>10.38</td> <td>33.36</td> <td>335</td> <td>355 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5454.50	54.14	74.00	-19.86	41.96	36.02	9.68	33.52	335	355 Peak	2	5460.00	54.23	68.30	-14.07	42.05	36.02	9.69	33.53	335	355 Peak	3	5710.00	108.59	-----	-----	95.78	36.29	9.99	33.47	335	355 Peak	4	5895.60	54.49	68.30	-13.81	40.92	36.55	10.38	33.36	335	355 Peak	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1	5454.50	54.14	74.00	-19.86	41.96	36.02	9.68	33.52	335	355 Peak																																																												
2	5460.00	54.23	68.30	-14.07	42.05	36.02	9.69	33.53	335	355 Peak																																																												
3	5710.00	108.59	-----	-----	95.78	36.29	9.99	33.47	335	355 Peak																																																												
4	5895.60	54.49	68.30	-13.81	40.92	36.55	10.38	33.36	335	355 Peak																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5434.70</td> <td>44.27</td> <td>54.00</td> <td>-9.73</td> <td>32.05</td> <td>36.03</td> <td>9.67</td> <td>33.48</td> <td>335</td> <td>355 Peak</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>101.45</td> <td>-----</td> <td>-----</td> <td>88.64</td> <td>36.29</td> <td>9.99</td> <td>33.47</td> <td>335</td> <td>355 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5434.70	44.27	54.00	-9.73	32.05	36.03	9.67	33.48	335	355 Peak	2	5710.00	101.45	-----	-----	88.64	36.29	9.99	33.47	335	355 Average	Blank																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1	5434.70	44.27	54.00	-9.73	32.05	36.03	9.67	33.48	335	355 Peak																																																												
2	5710.00	101.45	-----	-----	88.64	36.29	9.99	33.47	335	355 Average																																																												



Mode	40																																																																					
	Band Edge																																																																					
	Straddle channels_5.47-5.725_802.11n HT40_CH142_5710MHz																																																																					
ANT	2																																																																					
Pol.	Vertical	Fundamental																																																																				
Peak	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.85</td> <td>52.76</td> <td>74.00</td> <td>-21.24</td> <td>40.58</td> <td>36.02</td> <td>9.68</td> <td>33.52</td> <td>298</td> <td>78 Peak</td> </tr> <tr> <td>2</td> <td>5465.50</td> <td>51.96</td> <td>68.30</td> <td>-16.34</td> <td>39.80</td> <td>36.01</td> <td>9.69</td> <td>33.54</td> <td>298</td> <td>78 Peak</td> </tr> <tr> <td>3</td> <td>5710.00</td> <td>108.18</td> <td>-----</td> <td>-----</td> <td>95.37</td> <td>36.29</td> <td>9.99</td> <td>33.47</td> <td>298</td> <td>78 Peak</td> </tr> <tr> <td>4</td> <td>5884.60</td> <td>53.65</td> <td>68.30</td> <td>-14.65</td> <td>40.13</td> <td>36.54</td> <td>10.35</td> <td>33.37</td> <td>298</td> <td>78 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5452.85	52.76	74.00	-21.24	40.58	36.02	9.68	33.52	298	78 Peak	2	5465.50	51.96	68.30	-16.34	39.80	36.01	9.69	33.54	298	78 Peak	3	5710.00	108.18	-----	-----	95.37	36.29	9.99	33.47	298	78 Peak	4	5884.60	53.65	68.30	-14.65	40.13	36.54	10.35	33.37	298	78 Peak	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1	5452.85	52.76	74.00	-21.24	40.58	36.02	9.68	33.52	298	78 Peak																																																												
2	5465.50	51.96	68.30	-16.34	39.80	36.01	9.69	33.54	298	78 Peak																																																												
3	5710.00	108.18	-----	-----	95.37	36.29	9.99	33.47	298	78 Peak																																																												
4	5884.60	53.65	68.30	-14.65	40.13	36.54	10.35	33.37	298	78 Peak																																																												
Avg	<p>Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.50</td> <td>43.01</td> <td>54.00</td> <td>-10.99</td> <td>30.83</td> <td>36.02</td> <td>9.68</td> <td>33.52</td> <td>298</td> <td>78 Peak</td> </tr> <tr> <td>2</td> <td>5710.00</td> <td>101.01</td> <td>-----</td> <td>-----</td> <td>88.20</td> <td>36.29</td> <td>9.99</td> <td>33.47</td> <td>298</td> <td>78 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5454.50	43.01	54.00	-10.99	30.83	36.02	9.68	33.52	298	78 Peak	2	5710.00	101.01	-----	-----	88.20	36.29	9.99	33.47	298	78 Average	Blank																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																															
1	5454.50	43.01	54.00	-10.99	30.83	36.02	9.68	33.52	298	78 Peak																																																												
2	5710.00	101.01	-----	-----	88.20	36.29	9.99	33.47	298	78 Average																																																												



	<b>41</b>																																																																									
<b>Mode</b>	<b>Band Edge</b>																																																																									
	<b>Straddle channels_5.47-5.725_802.11ac VHT80_CH138_5690MHz</b>																																																																									
<b>ANT</b>	<b>2</b>																																																																									
<b>Pol.</b>	<b>Horizontal</b>	<b>Fundamental</b>																																																																								
<b>Peak</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.05</td> <td>54.45</td> <td>74.00</td> <td>-19.55</td> <td>42.27</td> <td>36.02</td> <td>9.68</td> <td>33.52</td> <td>214</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5468.80</td> <td>54.59</td> <td>68.30</td> <td>-13.71</td> <td>42.43</td> <td>36.01</td> <td>9.69</td> <td>33.54</td> <td>214</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>104.66</td> <td>-----</td> <td>-----</td> <td>91.93</td> <td>36.27</td> <td>9.95</td> <td>33.49</td> <td>214</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5853.25</td> <td>54.66</td> <td>68.30</td> <td>-13.64</td> <td>41.27</td> <td>36.49</td> <td>10.29</td> <td>33.39</td> <td>214</td> <td>353</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5455.05	54.45	74.00	-19.55	42.27	36.02	9.68	33.52	214	353	Peak	2	5468.80	54.59	68.30	-13.71	42.43	36.01	9.69	33.54	214	353	Peak	3	5690.00	104.66	-----	-----	91.93	36.27	9.95	33.49	214	353	Peak	4	5853.25	54.66	68.30	-13.64	41.27	36.49	10.29	33.39	214	353	Peak	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5455.05	54.45	74.00	-19.55	42.27	36.02	9.68	33.52	214	353	Peak																																																															
2	5468.80	54.59	68.30	-13.71	42.43	36.01	9.69	33.54	214	353	Peak																																																															
3	5690.00	104.66	-----	-----	91.93	36.27	9.95	33.49	214	353	Peak																																																															
4	5853.25	54.66	68.30	-13.64	41.27	36.49	10.29	33.39	214	353	Peak																																																															
<b>Avg</b>	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.45</td> <td>49.32</td> <td>54.00</td> <td>-4.68</td> <td>37.14</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>214</td> <td>353</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>97.09</td> <td>-----</td> <td>-----</td> <td>84.36</td> <td>36.27</td> <td>9.95</td> <td>33.49</td> <td>214</td> <td>353</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5459.45	49.32	54.00	-4.68	37.14	36.02	9.69	33.53	214	353	Peak	2	5690.00	97.09	-----	-----	84.36	36.27	9.95	33.49	214	353	Average	<b>Blank</b>																								
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5459.45	49.32	54.00	-4.68	37.14	36.02	9.69	33.53	214	353	Peak																																																															
2	5690.00	97.09	-----	-----	84.36	36.27	9.95	33.49	214	353	Average																																																															



	41																																																																									
Mode	Band Edge																																																																									
	Straddle channels_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5460.00</td> <td>51.93</td> <td>68.30</td> <td>-16.37</td> <td>39.75</td> <td>36.02</td> <td>9.69</td> <td>33.53</td> <td>294</td> <td>85</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5467.15</td> <td>53.18</td> <td>68.30</td> <td>-15.12</td> <td>41.02</td> <td>36.01</td> <td>9.69</td> <td>33.54</td> <td>294</td> <td>85</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>5690.00</td> <td>104.05</td> <td>-----</td> <td>-----</td> <td>91.32</td> <td>36.27</td> <td>9.95</td> <td>33.49</td> <td>294</td> <td>85</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>5852.70</td> <td>54.14</td> <td>68.30</td> <td>-14.16</td> <td>40.75</td> <td>36.49</td> <td>10.29</td> <td>33.39</td> <td>294</td> <td>85</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5460.00	51.93	68.30	-16.37	39.75	36.02	9.69	33.53	294	85	Peak	2	5467.15	53.18	68.30	-15.12	41.02	36.01	9.69	33.54	294	85	Peak	3	5690.00	104.05	-----	-----	91.32	36.27	9.95	33.49	294	85	Peak	4	5852.70	54.14	68.30	-14.16	40.75	36.49	10.29	33.39	294	85	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5460.00	51.93	68.30	-16.37	39.75	36.02	9.69	33.53	294	85	Peak																																																															
2	5467.15	53.18	68.30	-15.12	41.02	36.01	9.69	33.54	294	85	Peak																																																															
3	5690.00	104.05	-----	-----	91.32	36.27	9.95	33.49	294	85	Peak																																																															
4	5852.70	54.14	68.30	-14.16	40.75	36.49	10.29	33.39	294	85	Peak																																																															
		Blank																																																																								
Avg	<p style="text-align: right;">Date: 2023-11-01</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5449.55</td> <td>44.42</td> <td>54.00</td> <td>-9.58</td> <td>32.23</td> <td>36.02</td> <td>9.68</td> <td>33.51</td> <td>294</td> <td>85</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5690.00</td> <td>96.21</td> <td>-----</td> <td>-----</td> <td>83.48</td> <td>36.27</td> <td>9.95</td> <td>33.49</td> <td>294</td> <td>85</td> <td>Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5449.55	44.42	54.00	-9.58	32.23	36.02	9.68	33.51	294	85	Peak	2	5690.00	96.21	-----	-----	83.48	36.27	9.95	33.49	294	85	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5449.55	44.42	54.00	-9.58	32.23	36.02	9.68	33.51	294	85	Peak																																																															
2	5690.00	96.21	-----	-----	83.48	36.27	9.95	33.49	294	85	Average																																																															
		Blank																																																																								





Mode	42																																																																																																																																																																																																									
	LF																																																																																																																																																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_LF_CH58																																																																																																																																																																																																									
ANT	2																																																																																																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																																																																																																								
QP/ Peak	<p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>25.16</td> <td>40.00</td> <td>-14.84</td> <td>31.03</td> <td>25.20</td> <td>0.53</td> <td>31.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>119.24</td> <td>20.01</td> <td>43.50</td> <td>-23.49</td> <td>33.31</td> <td>17.40</td> <td>1.12</td> <td>31.82</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>251.16</td> <td>20.48</td> <td>46.00</td> <td>-25.52</td> <td>31.79</td> <td>18.64</td> <td>1.65</td> <td>31.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>600.36</td> <td>27.20</td> <td>46.00</td> <td>-18.80</td> <td>29.84</td> <td>25.90</td> <td>2.56</td> <td>31.10</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>874.87</td> <td>31.62</td> <td>46.00</td> <td>-14.38</td> <td>30.31</td> <td>29.20</td> <td>3.11</td> <td>31.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>976.72</td> <td>32.70</td> <td>54.00</td> <td>-21.30</td> <td>29.16</td> <td>31.12</td> <td>3.27</td> <td>30.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	25.16	40.00	-14.84	31.03	25.20	0.53	31.60	---	---	Peak	2	119.24	20.01	43.50	-23.49	33.31	17.40	1.12	31.82	---	---	Peak	3	251.16	20.48	46.00	-25.52	31.79	18.64	1.65	31.60	---	---	Peak	4	600.36	27.20	46.00	-18.80	29.84	25.90	2.56	31.10	---	---	Peak	5	874.87	31.62	46.00	-14.38	30.31	29.20	3.11	31.00	---	---	Peak	6	976.72	32.70	54.00	-21.30	29.16	31.12	3.27	30.85	---	---	Peak	<p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>32.91</td> <td>35.17</td> <td>40.00</td> <td>-4.83</td> <td>42.68</td> <td>23.60</td> <td>0.55</td> <td>31.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>92.08</td> <td>17.87</td> <td>43.50</td> <td>-25.63</td> <td>33.61</td> <td>15.10</td> <td>0.96</td> <td>31.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>284.14</td> <td>18.86</td> <td>46.00</td> <td>-27.14</td> <td>29.78</td> <td>18.86</td> <td>1.75</td> <td>31.53</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>486.87</td> <td>24.97</td> <td>46.00</td> <td>-21.03</td> <td>30.36</td> <td>23.74</td> <td>2.30</td> <td>31.43</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>725.49</td> <td>29.17</td> <td>46.00</td> <td>-16.83</td> <td>30.03</td> <td>27.53</td> <td>2.81</td> <td>31.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>982.54</td> <td>32.61</td> <td>54.00</td> <td>-21.39</td> <td>29.30</td> <td>30.90</td> <td>3.28</td> <td>30.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	32.91	35.17	40.00	-4.83	42.68	23.60	0.55	31.66	---	---	Peak	2	92.08	17.87	43.50	-25.63	33.61	15.10	0.96	31.80	---	---	Peak	3	284.14	18.86	46.00	-27.14	29.78	18.86	1.75	31.53	---	---	Peak	4	486.87	24.97	46.00	-21.03	30.36	23.74	2.30	31.43	---	---	Peak	5	725.49	29.17	46.00	-16.83	30.03	27.53	2.81	31.20	---	---	Peak	6	982.54	32.61	54.00	-21.39	29.30	30.90	3.28	30.87	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	30.00	25.16	40.00	-14.84	31.03	25.20	0.53	31.60	---	---	Peak																																																																																																																																																																																															
2	119.24	20.01	43.50	-23.49	33.31	17.40	1.12	31.82	---	---	Peak																																																																																																																																																																																															
3	251.16	20.48	46.00	-25.52	31.79	18.64	1.65	31.60	---	---	Peak																																																																																																																																																																																															
4	600.36	27.20	46.00	-18.80	29.84	25.90	2.56	31.10	---	---	Peak																																																																																																																																																																																															
5	874.87	31.62	46.00	-14.38	30.31	29.20	3.11	31.00	---	---	Peak																																																																																																																																																																																															
6	976.72	32.70	54.00	-21.30	29.16	31.12	3.27	30.85	---	---	Peak																																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	32.91	35.17	40.00	-4.83	42.68	23.60	0.55	31.66	---	---	Peak																																																																																																																																																																																															
2	92.08	17.87	43.50	-25.63	33.61	15.10	0.96	31.80	---	---	Peak																																																																																																																																																																																															
3	284.14	18.86	46.00	-27.14	29.78	18.86	1.75	31.53	---	---	Peak																																																																																																																																																																																															
4	486.87	24.97	46.00	-21.03	30.36	23.74	2.30	31.43	---	---	Peak																																																																																																																																																																																															
5	725.49	29.17	46.00	-16.83	30.03	27.53	2.81	31.20	---	---	Peak																																																																																																																																																																																															
6	982.54	32.61	54.00	-21.39	29.30	30.90	3.28	30.87	---	---	Peak																																																																																																																																																																																															



Mode	43																																																																																																																																																																																																	
	LF																																																																																																																																																																																																	
	UNII 2C-3_5.47-5.85_802.11ac VHT80_LF_CH155																																																																																																																																																																																																	
ANT	2																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
QP/ Peak	<p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>25.65</td> <td>40.00</td> <td>-14.35</td> <td>31.52</td> <td>25.20</td> <td>0.53</td> <td>31.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>137.67</td> <td>20.71</td> <td>43.50</td> <td>-22.79</td> <td>33.66</td> <td>17.60</td> <td>1.20</td> <td>31.75</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>309.36</td> <td>21.19</td> <td>46.00</td> <td>-24.81</td> <td>31.44</td> <td>19.40</td> <td>1.83</td> <td>31.48</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>538.28</td> <td>27.56</td> <td>46.00</td> <td>-18.44</td> <td>32.12</td> <td>24.26</td> <td>2.43</td> <td>31.25</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>822.49</td> <td>30.24</td> <td>46.00</td> <td>-15.76</td> <td>30.30</td> <td>28.05</td> <td>2.99</td> <td>31.10</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>883.60</td> <td>32.28</td> <td>46.00</td> <td>-13.72</td> <td>31.01</td> <td>29.12</td> <td>3.12</td> <td>30.97</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	30.00	25.65	40.00	-14.35	31.52	25.20	0.53	31.60	---	---	Peak	2	137.67	20.71	43.50	-22.79	33.66	17.60	1.20	31.75	---	---	Peak	3	309.36	21.19	46.00	-24.81	31.44	19.40	1.83	31.48	---	---	Peak	4	538.28	27.56	46.00	-18.44	32.12	24.26	2.43	31.25	---	---	Peak	5	822.49	30.24	46.00	-15.76	30.30	28.05	2.99	31.10	---	---	Peak	6	883.60	32.28	46.00	-13.72	31.01	29.12	3.12	30.97	---	---	Peak	<p>Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>34.96</td> <td>40.00</td> <td>-5.04</td> <td>40.83</td> <td>25.20</td> <td>0.53</td> <td>31.60</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>32.91</td> <td>35.00</td> <td>40.00</td> <td>-5.00</td> <td>42.51</td> <td>23.60</td> <td>0.55</td> <td>31.66</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>91.11</td> <td>18.77</td> <td>43.50</td> <td>-24.73</td> <td>34.61</td> <td>15.00</td> <td>0.96</td> <td>31.80</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>501.42</td> <td>24.87</td> <td>46.00</td> <td>-21.13</td> <td>30.01</td> <td>23.92</td> <td>2.33</td> <td>31.39</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>721.61</td> <td>28.67</td> <td>46.00</td> <td>-17.33</td> <td>29.81</td> <td>27.26</td> <td>2.80</td> <td>31.20</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>946.65</td> <td>33.43</td> <td>46.00</td> <td>-12.57</td> <td>30.33</td> <td>30.68</td> <td>3.23</td> <td>30.81</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	30.00	34.96	40.00	-5.04	40.83	25.20	0.53	31.60	---	---	Peak	2	32.91	35.00	40.00	-5.00	42.51	23.60	0.55	31.66	---	---	Peak	3	91.11	18.77	43.50	-24.73	34.61	15.00	0.96	31.80	---	---	Peak	4	501.42	24.87	46.00	-21.13	30.01	23.92	2.33	31.39	---	---	Peak	5	721.61	28.67	46.00	-17.33	29.81	27.26	2.80	31.20	---	---	Peak	6	946.65	33.43	46.00	-12.57	30.33	30.68	3.23	30.81	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
1	30.00	25.65	40.00	-14.35	31.52	25.20	0.53	31.60	---	---	Peak																																																																																																																																																																																							
2	137.67	20.71	43.50	-22.79	33.66	17.60	1.20	31.75	---	---	Peak																																																																																																																																																																																							
3	309.36	21.19	46.00	-24.81	31.44	19.40	1.83	31.48	---	---	Peak																																																																																																																																																																																							
4	538.28	27.56	46.00	-18.44	32.12	24.26	2.43	31.25	---	---	Peak																																																																																																																																																																																							
5	822.49	30.24	46.00	-15.76	30.30	28.05	2.99	31.10	---	---	Peak																																																																																																																																																																																							
6	883.60	32.28	46.00	-13.72	31.01	29.12	3.12	30.97	---	---	Peak																																																																																																																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																																																											
1	30.00	34.96	40.00	-5.04	40.83	25.20	0.53	31.60	---	---	Peak																																																																																																																																																																																							
2	32.91	35.00	40.00	-5.00	42.51	23.60	0.55	31.66	---	---	Peak																																																																																																																																																																																							
3	91.11	18.77	43.50	-24.73	34.61	15.00	0.96	31.80	---	---	Peak																																																																																																																																																																																							
4	501.42	24.87	46.00	-21.13	30.01	23.92	2.33	31.39	---	---	Peak																																																																																																																																																																																							
5	721.61	28.67	46.00	-17.33	29.81	27.26	2.80	31.20	---	---	Peak																																																																																																																																																																																							
6	946.65	33.43	46.00	-12.57	30.33	30.68	3.23	30.81	---	---	Peak																																																																																																																																																																																							



<Co-location>

WIFI 802. 11ac VHT80\_CH58 + LTE Band 41 Co-location

802. 11ac VHT80\_CH58 (Band Edge @ 3m)

WIFI Ant. 2	Note	Frequency ( MHz )	Level ( dBμV/m )	Margin Limit ( dB )	Limit Line ( dBμV/m )	Read Level ( dBμV )	Antenna Factor ( dB/m )	Path Loss ( dB )	Preamp Factor ( dB )	Ant Pos ( cm )	Table Pos ( deg )	Peak Avg. ( P/A )	Pol. ( H/V )
Co-location		5039.55	51.66	-22.34	74	39.89	36.18	8.36	32.77	193	55	P	H
		5149.45	44.4	-9.6	54	32.72	36.14	8.51	32.97	193	55	A	H
	*	5290	98.53	-	-	86.62	36.08	9.05	33.22	193	55	P	H
	*	5290	91.04	-	-	79.13	36.08	9.05	33.22	193	55	A	H
		5350.8	56.5	-17.5	74	44.31	36.06	9.46	33.33	193	55	P	H
		5354.16	50.42	-3.58	54	38.24	36.06	9.46	33.34	193	55	A	H
		5059.85	51.26	-22.74	74	39.53	36.18	8.36	32.81	346	75	P	V
		5061.25	44.03	-9.97	54	32.3	36.18	8.36	32.81	346	75	A	V
	*	5290	94.39	-	-	82.48	36.08	9.05	33.22	346	75	P	V
	*	5290	87.54	-	-	75.63	36.08	9.05	33.22	346	75	A	V
		5356.56	51.81	-22.19	74	39.63	36.06	9.46	33.34	346	75	P	V
		5359.92	46.05	-7.95	54	33.88	36.06	9.46	33.35	346	75	A	V

<b>Remark</b>	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												
---------------	---	--	--	--	--	--	--	--	--	--	--	--	--

WIFI 802. 11ac VHT80\_CH58 +LTE Band 41 Co-location

WIFI 802. 11ac VHT80\_CH58 +LTE Band 41 Co-location (Harmonic @ 3m)




WIFI Ant. 2	Note	Frequency ( MHz )	Level ( dBμV/m )	Margin Limit ( dB )	Limit Line ( dBμV/m )	Read Level ( dBμV )	Antenna Factor ( dB/m )	Path Loss ( dB )	Preamp Factor ( dB )	Ant Pos ( cm )	Table Pos ( deg )	Peak Avg. ( P/A )	Pol. ( H/V )
Co-location		10580	48.9	-19.4	68.3	60.73	39.52	12.23	63.58	-	-	P	H
		15870	49.93	-24.07	74	56.86	42.44	14.73	64.1	-	-	P	H
		10580	48.67	-19.63	68.3	60.5	39.52	12.23	63.58	-	-	P	V
		15870	49.16	-24.84	74	56.09	42.44	14.73	64.1	-	-	P	V

<b>Remark</b>	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												
---------------	---	--	--	--	--	--	--	--	--	--	--	--	--





WIFI 802. 11ac VHT80\_Ch58 +LTE Band 41 Co-location




WIFI 802. 11ac VHT80\_Ch58 (Band Edge @ 3m)

WIFI	UNII 1 - 5.15-5.25MHzMHzBand Edge @ 3m																																																																									
ANT	WIFI 802. 11ac VHT80_Ch58 +LTE Band 41 Co-location																																																																									
2	Horizontal	Fundamental																																																																								
Peak	 <p>Date: 3 Level (dBuV/m) Date: 2023-11-06</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5039.55</td> <td>51.66</td> <td>-22.34</td> <td>74.00</td> <td>39.89</td> <td>36.18</td> <td>8.36</td> <td>32.77 193 55 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 * 5039.55	51.66	-22.34	74.00	39.89	36.18	8.36	32.77 193 55 Peak	 <p>Date: 5 Level (dBuV/m) Date: 2023-11-06</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5290.00</td> <td>98.53</td> <td>30.23</td> <td>68.30</td> <td>86.62</td> <td>36.08</td> <td>9.05</td> <td>33.22 193 55 Peak</td> </tr> <tr> <td>2 * 5290.00</td> <td>91.04</td> <td>-----</td> <td>79.13</td> <td>36.08</td> <td>9.05</td> <td>33.22</td> <td>193 55 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 * 5290.00	98.53	30.23	68.30	86.62	36.08	9.05	33.22 193 55 Peak	2 * 5290.00	91.04	-----	79.13	36.08	9.05	33.22	193 55 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Line	Level	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1 * 5039.55	51.66	-22.34	74.00	39.89	36.18	8.36	32.77 193 55 Peak																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Line	Level	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1 * 5290.00	98.53	30.23	68.30	86.62	36.08	9.05	33.22 193 55 Peak																																																																			
2 * 5290.00	91.04	-----	79.13	36.08	9.05	33.22	193 55 Average																																																																			
Avg.	 <p>Date: 4 Level (dBuV/m) Date: 2023-11-06</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5249.45</td> <td>44.40</td> <td>-9.60</td> <td>54.00</td> <td>32.72</td> <td>36.14</td> <td>8.51</td> <td>32.97 193 55 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 * 5249.45	44.40	-9.60	54.00	32.72	36.14	8.51	32.97 193 55 Average	Blank																																								
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
Freq	Level	Line	Level	Loss	Factor	Factor																																																																				
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1 * 5249.45	44.40	-9.60	54.00	32.72	36.14	8.51	32.97 193 55 Average																																																																			





WIFI	UNII 1 - 5.15-5.25MHzMHzBand Edge @ 3m																															
ANT	WIFI 802. 11ac VHT80_Ch58 +LTE Band 41 Co-location																															
2	Horizontal	Fundamental																														
Peak	 <table border="1" data-bbox="446 705 798 772"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5350.88</td> <td>56.50</td> <td>-17.50</td> <td>74.00</td> <td>44.31</td> <td>36.06</td> <td>9.46</td> <td>33.33</td> <td>193</td> <td>55 Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 5350.88	56.50	-17.50	74.00	44.31	36.06	9.46	33.33	193	55 Peak	Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																							
1 * 5350.88	56.50	-17.50	74.00	44.31	36.06	9.46	33.33	193	55 Peak																							
Avg.	 <table border="1" data-bbox="446 1377 798 1444"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.16</td> <td>50.42</td> <td>-3.58</td> <td>54.00</td> <td>38.24</td> <td>36.06</td> <td>9.46</td> <td>33.34</td> <td>193</td> <td>55 Average</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5354.16	50.42	-3.58	54.00	38.24	36.06	9.46	33.34	193	55 Average	Blank
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																							
1 5354.16	50.42	-3.58	54.00	38.24	36.06	9.46	33.34	193	55 Average																							



WIFI	UNII 1 - 5.15-5.25MHzMHzBand Edge @ 3m																																																																													
ANT	WIFI 802. 11ac VHT80_Ch58 +LTE Band 41 Co-location																																																																													
2	Vertical	Fundamental																																																																												
Peak	 <table border="1" data-bbox="475 694 790 750"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5059.85</td> <td>51.26</td> <td>-22.74</td> <td>74.00</td> <td>39.53</td> <td>36.18</td> <td>8.36</td> <td>32.81</td> <td>346</td> <td>75</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 * 5059.85	51.26	-22.74	74.00	39.53	36.18	8.36	32.81	346	75	Peak	 <table border="1" data-bbox="949 694 1264 750"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5200.88</td> <td>54.39</td> <td>26.09</td> <td>68.30</td> <td>82.48</td> <td>36.88</td> <td>9.85</td> <td>33.22</td> <td>346</td> <td>75</td> <td>Peak</td> </tr> <tr> <td>2 5200.88</td> <td>87.54</td> <td>.....</td> <td>75.63</td> <td>36.88</td> <td>9.85</td> <td>33.22</td> <td>346</td> <td>75</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 * 5200.88	54.39	26.09	68.30	82.48	36.88	9.85	33.22	346	75	Peak	2 5200.88	87.54	.....	75.63	36.88	9.85	33.22	346	75	Average
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																								
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																							
1 * 5059.85	51.26	-22.74	74.00	39.53	36.18	8.36	32.81	346	75	Peak																																																																				
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																								
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																							
1 * 5200.88	54.39	26.09	68.30	82.48	36.88	9.85	33.22	346	75	Peak																																																																				
2 5200.88	87.54	.....	75.63	36.88	9.85	33.22	346	75	Average																																																																					
Avg.	 <table border="1" data-bbox="475 1276 790 1332"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5061.25</td> <td>44.83</td> <td>-9.97</td> <td>54.80</td> <td>32.30</td> <td>36.18</td> <td>8.36</td> <td>32.81</td> <td>346</td> <td>75</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 5061.25	44.83	-9.97	54.80	32.30	36.18	8.36	32.81	346	75	Average	Blank																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																								
Freq	Level	Line	Level Factor	Loss Factor																																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																							
1 5061.25	44.83	-9.97	54.80	32.30	36.18	8.36	32.81	346	75	Average																																																																				





WIFI	UNII 1 - 5.15-5.25MHzMHzBand Edge @ 3m																												
ANT	WIFI 802. 11ac VHT80_Ch58 +LTE Band 41 Co-location																												
2	Vertical	Fundamental																											
Peak	 <table border="1" data-bbox="475 694 766 750"> <thead> <tr> <th>Over Freq</th> <th>Limit Level</th> <th>Line Level</th> <th>ReadAntenna Level</th> <th>Cable Preamp Loss</th> <th>Antenna Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5356.56</td> <td>53.82</td> <td>-22.19</td> <td>74.00</td> <td>39.63</td> <td>36.06</td> <td>9.46</td> <td>33.34</td> <td>346 75 Peak</td> </tr> </tbody> </table>	Over Freq	Limit Level	Line Level	ReadAntenna Level	Cable Preamp Loss	Antenna Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	cm	deg	1 * 5356.56	53.82	-22.19	74.00	39.63	36.06	9.46	33.34	346 75 Peak	Blank
Over Freq	Limit Level	Line Level	ReadAntenna Level	Cable Preamp Loss	Antenna Factor	A/Pos	T/Pos	Remark																					
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	cm	deg																					
1 * 5356.56	53.82	-22.19	74.00	39.63	36.06	9.46	33.34	346 75 Peak																					
Avg.	 <table border="1" data-bbox="475 1276 766 1344"> <thead> <tr> <th>Over Freq</th> <th>Limit Level</th> <th>Line Level</th> <th>ReadAntenna Level</th> <th>Cable Preamp Loss</th> <th>Antenna Factor</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5359.92</td> <td>46.05</td> <td>-7.95</td> <td>54.00</td> <td>33.88</td> <td>36.06</td> <td>9.46</td> <td>33.35</td> <td>346 75 Average</td> </tr> </tbody> </table>	Over Freq	Limit Level	Line Level	ReadAntenna Level	Cable Preamp Loss	Antenna Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	cm	deg	1 5359.92	46.05	-7.95	54.00	33.88	36.06	9.46	33.35	346 75 Average	Blank
Over Freq	Limit Level	Line Level	ReadAntenna Level	Cable Preamp Loss	Antenna Factor	A/Pos	T/Pos	Remark																					
MHz	dBuV/m	dB	dBuV/m	dB	dB/m	dB	cm	deg																					
1 5359.92	46.05	-7.95	54.00	33.88	36.06	9.46	33.35	346 75 Average																					



WIFI 802. 11ac VHT80\_Ch58 +LTE Band 41 Co-location (Harmonic @ 3m)

WIFI 802. 11ac VHT80\_Ch58 +LTE Band 41 Co-location

WIFI	WIFI 802. 11ac VHT80_Ch58 +LTE Band 41 Co-location (Harmonic @ 3m)																																																																																							
ANT	WIFI 11ac VHT80_Ch58 +LTE Band 41 Co-location Co-location																																																																																							
2	Horizontal	Vertical																																																																																						
Peak Avg.	 <table border="1" data-bbox="395 1030 817 1120"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 18580.00</td> <td>48.90</td> <td>-19.40</td> <td>68.30</td> <td>60.73</td> <td>39.52</td> <td>12.23</td> <td>63.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15878.00</td> <td>49.93</td> <td>-24.07</td> <td>74.00</td> <td>56.86</td> <td>42.44</td> <td>14.73</td> <td>64.10</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1 * 18580.00	48.90	-19.40	68.30	60.73	39.52	12.23	63.58	---	---	Peak	2 15878.00	49.93	-24.07	74.00	56.86	42.44	14.73	64.10	---	---	Peak	 <table border="1" data-bbox="938 1030 1359 1120"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 * 18580.00</td> <td>48.67</td> <td>-19.63</td> <td>68.30</td> <td>60.50</td> <td>39.52</td> <td>12.23</td> <td>63.58</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 15878.00</td> <td>49.16</td> <td>-24.84</td> <td>74.00</td> <td>56.09</td> <td>42.44</td> <td>14.73</td> <td>64.10</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	1 * 18580.00	48.67	-19.63	68.30	60.50	39.52	12.23	63.58	---	---	Peak	2 15878.00	49.16	-24.84	74.00	56.09	42.44	14.73	64.10	---	---	Peak
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																		
Freq	Level	Line	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																																		
1 * 18580.00	48.90	-19.40	68.30	60.73	39.52	12.23	63.58	---	---	Peak																																																																														
2 15878.00	49.93	-24.07	74.00	56.86	42.44	14.73	64.10	---	---	Peak																																																																														
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																		
Freq	Level	Line	Level Factor	Loss Factor																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB																																																																																		
1 * 18580.00	48.67	-19.63	68.30	60.50	39.52	12.23	63.58	---	---	Peak																																																																														
2 15878.00	49.16	-24.84	74.00	56.09	42.44	14.73	64.10	---	---	Peak																																																																														

Note: the highest signals over limit are WLAN + LTE Band 41 co-location fundamental signals.






## Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.48	1.391	0.719	1KHz
802.11n HT20	96.77	1.304	0.767	1KHz
802.11n HT40	93.73	0.649	1.540	3KHz
802.11ac VHT80	87.55	0.326	3.067	10KHz


### 802.11a



Date: 19.OCT.2023 11:49:22




### 802.11n HT20



Date: 19.OCT.2023 11:50:11


### 802.11n HT40



Date: 19.OCT.2023 11:51:14



802.11ac VHT80



Date: 19.OCT.2023 11:54:52