







Mode	1																																																																																									
	Band Edge																																																																																									
	2400-2483.5_802.11b_CH01_2412MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p style="text-align: right;">Date: 2023-10-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.52</td> <td>55.49</td> <td>74.00</td> <td>-18.51</td> <td>50.08</td> <td>33.31</td> <td>5.36</td> <td>33.26</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2388.52	55.49	74.00	-18.51	50.08	33.31	5.36	33.26	100	259	PEAK	 <p style="text-align: right;">Date: 2023-10-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>108.83</td> <td>-----</td> <td>-----</td> <td>103.30</td> <td>33.37</td> <td>5.38</td> <td>33.22</td> <td>100</td> <td>259</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2412.00	108.83	-----	-----	103.30	33.37	5.38	33.22	100	259	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2388.52	55.49	74.00	-18.51	50.08	33.31	5.36	33.26	100	259	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2412.00	108.83	-----	-----	103.30	33.37	5.38	33.22	100	259	PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2023-10-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2388.39</td> <td>45.54</td> <td>54.00</td> <td>-8.46</td> <td>40.13</td> <td>33.31</td> <td>5.36</td> <td>33.26</td> <td>100</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2388.39	45.54	54.00	-8.46	40.13	33.31	5.36	33.26	100	259	AVERAGE	 <p style="text-align: right;">Date: 2023-10-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>105.97</td> <td>-----</td> <td>-----</td> <td>100.44</td> <td>33.37</td> <td>5.38</td> <td>33.22</td> <td>100</td> <td>259</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2412.00	105.97	-----	-----	100.44	33.37	5.38	33.22	100	259	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2388.39	45.54	54.00	-8.46	40.13	33.31	5.36	33.26	100	259	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2412.00	105.97	-----	-----	100.44	33.37	5.38	33.22	100	259	AVERAGE																																																																															







Mode	1																																																																								
	Harmonic																																																																								
	2400-2483.5_802.11b_CH01_2412MHz																																																																								
ANT	2																																																																								
Pol.	Horizontal	Vertical																																																																							
Peak Avg	<p>Level (dBuV/m) vs Frequency (MHz) - Horizontal</p>	<p>Level (dBuV/m) vs Frequency (MHz) - Vertical</p>																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>44.09</td> <td>74.00</td> <td>-29.91</td> <td>63.97</td> <td>36.09</td> <td>8.88</td> <td>64.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	44.09	74.00	-29.91	63.97	36.09	8.88	64.85	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>44.02</td> <td>74.00</td> <td>-29.98</td> <td>63.90</td> <td>36.09</td> <td>8.88</td> <td>64.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	44.02	74.00	-29.98	63.90	36.09	8.88	64.85	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4824.00	44.09	74.00	-29.91	63.97	36.09	8.88	64.85	---	---	Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4824.00	44.02	74.00	-29.98	63.90	36.09	8.88	64.85	---	---	Peak																																																														



Mode	2																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2023-11-02</p>	<p>Date: 2023-11-02</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.76</td> <td>74.00</td> <td>-30.24</td> <td>63.79</td> <td>36.12</td> <td>8.72</td> <td>64.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.82</td> <td>74.00</td> <td>-29.18</td> <td>63.28</td> <td>36.22</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4874.00	43.76	74.00	-30.24	63.79	36.12	8.72	64.87	---	---	Peak	2	7311.00	44.82	74.00	-29.18	63.28	36.22	10.18	64.86	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.40</td> <td>74.00</td> <td>-31.60</td> <td>62.43</td> <td>36.12</td> <td>8.72</td> <td>64.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.33</td> <td>74.00</td> <td>-29.67</td> <td>62.79</td> <td>36.22</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4874.00	42.40	74.00	-31.60	62.43	36.12	8.72	64.87	---	---	Peak	2	7311.00	44.33	74.00	-29.67	62.79	36.22	10.18	64.86	---	---
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	4874.00	43.76	74.00	-30.24	63.79	36.12	8.72	64.87	---	---	Peak																																																																																						
2	7311.00	44.82	74.00	-29.18	63.28	36.22	10.18	64.86	---	---	Peak																																																																																						
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																										
1	4874.00	42.40	74.00	-31.60	62.43	36.12	8.72	64.87	---	---	Peak																																																																																						
2	7311.00	44.33	74.00	-29.67	62.79	36.22	10.18	64.86	---	---	Peak																																																																																						



Mode	3																																																																											
	Band Edge																																																																											
	2400-2483.5_802.11b_CH11_2462MHz																																																																											
ANT	2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. Date: 2023-10-28. A red line indicates a peak level of 74 dBuV/m at 2484.8 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.03</td> <td>55.09</td> <td>74.00</td> <td>-18.91</td> <td>49.19</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>300</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2485.03	55.09	74.00	-18.91	49.19	33.56	5.46	33.12	300	314	PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Date: 2023-10-28. A red line indicates a peak level of 74 dBuV/m at 2462.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>108.94</td> <td>-----</td> <td>-----</td> <td>103.15</td> <td>33.50</td> <td>5.44</td> <td>33.15</td> <td>300</td> <td>314</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	108.94	-----	-----	103.15	33.50	5.44	33.15	300	314	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2485.03	55.09	74.00	-18.91	49.19	33.56	5.46	33.12	300	314	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2462.00	108.94	-----	-----	103.15	33.50	5.44	33.15	300	314	PEAK																																																																	
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Horizontal polarization. Date: 2023-10-28. A red line indicates an average level of 54 dBuV/m at 2484.8 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.80</td> <td>45.91</td> <td>54.00</td> <td>-8.09</td> <td>40.01</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>300</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.80	45.91	54.00	-8.09	40.01	33.56	5.46	33.12	300	314	AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) plot for Fundamental polarization. Date: 2023-10-28. A red line indicates an average level of 54 dBuV/m at 2462.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>106.01</td> <td>-----</td> <td>-----</td> <td>100.22</td> <td>33.50</td> <td>5.44</td> <td>33.15</td> <td>300</td> <td>314</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	106.01	-----	-----	100.22	33.50	5.44	33.15	300	314	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2484.80	45.91	54.00	-8.09	40.01	33.56	5.46	33.12	300	314	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2462.00	106.01	-----	-----	100.22	33.50	5.44	33.15	300	314	AVERAGE																																																																	



Mode	3																																																																											
	Band Edge																																																																											
	2400-2483.5_802.11b_CH11_2462MHz																																																																											
ANT	2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<p style="text-align: right;">Date: 2023-10-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.46</td> <td>54.25</td> <td>74.00</td> <td>-19.75</td> <td>48.35</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>241</td> <td>346</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.46	54.25	74.00	-19.75	48.35	33.56	5.46	33.12	241	346	PEAK	<p style="text-align: right;">Date: 2023-10-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>102.24</td> <td>-----</td> <td>-----</td> <td>96.45</td> <td>33.50</td> <td>5.44</td> <td>33.15</td> <td>241</td> <td>346</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	102.24	-----	-----	96.45	33.50	5.44	33.15	241	346	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2484.46	54.25	74.00	-19.75	48.35	33.56	5.46	33.12	241	346	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2462.00	102.24	-----	-----	96.45	33.50	5.44	33.15	241	346	PEAK																																																																	
Avg	<p style="text-align: right;">Date: 2023-10-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.65</td> <td>44.91</td> <td>54.00</td> <td>-9.09</td> <td>39.01</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>241</td> <td>346</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.65	44.91	54.00	-9.09	39.01	33.56	5.46	33.12	241	346	AVERAGE	<p style="text-align: right;">Date: 2023-10-28</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>99.78</td> <td>-----</td> <td>-----</td> <td>93.99</td> <td>33.50</td> <td>5.44</td> <td>33.15</td> <td>241</td> <td>346</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	99.78	-----	-----	93.99	33.50	5.44	33.15	241	346	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2484.65	44.91	54.00	-9.09	39.01	33.56	5.46	33.12	241	346	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2462.00	99.78	-----	-----	93.99	33.50	5.44	33.15	241	346	AVERAGE																																																																	



Mode	3																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_802.11b_CH11_2462MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.86</td> <td>74.00</td> <td>-30.14</td> <td>64.03</td> <td>36.15</td> <td>8.57</td> <td>64.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.06</td> <td>74.00</td> <td>-28.94</td> <td>63.69</td> <td>36.05</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	43.86	74.00	-30.14	64.03	36.15	8.57	64.89	---	---	Peak	2	7386.00	45.06	74.00	-28.94	63.69	36.05	10.18	64.86	---	---	Peak	<table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line</th> <th>Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>43.24</td> <td>74.00</td> <td>-30.76</td> <td>63.41</td> <td>36.15</td> <td>8.57</td> <td>64.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.14</td> <td>74.00</td> <td>-28.86</td> <td>63.77</td> <td>36.05</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	4924.00	43.24	74.00	-30.76	63.41	36.15	8.57	64.89	---	---	Peak	2	7386.00	45.14	74.00	-28.86	63.77	36.05	10.18	64.86	---	---	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4924.00	43.86	74.00	-30.14	64.03	36.15	8.57	64.89	---	---	Peak																																																																																							
2	7386.00	45.06	74.00	-28.94	63.69	36.05	10.18	64.86	---	---	Peak																																																																																							
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4924.00	43.24	74.00	-30.76	63.41	36.15	8.57	64.89	---	---	Peak																																																																																							
2	7386.00	45.14	74.00	-28.86	63.77	36.05	10.18	64.86	---	---	Peak																																																																																							



Mode	4																																																																								
	Harmonic																																																																								
	2400-2483.5_802.11g_CH01_2412MHz																																																																								
ANT	2																																																																								
Pol.	Horizontal	Vertical																																																																							
Peak Avg	<p>Date: 2023-11-02</p>	<p>Date: 2023-11-02</p>																																																																							
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.93</td> <td>74.00</td> <td>-30.07</td> <td>63.81</td> <td>36.09</td> <td>8.88</td> <td>64.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.93	74.00	-30.07	63.81	36.09	8.88	64.85	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>43.19</td> <td>74.00</td> <td>-30.81</td> <td>63.07</td> <td>36.09</td> <td>8.88</td> <td>64.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	43.19	74.00	-30.81	63.07	36.09	8.88	64.85	---	---
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4824.00	43.93	74.00	-30.07	63.81	36.09	8.88	64.85	---	---	Peak																																																														
Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	4824.00	43.19	74.00	-30.81	63.07	36.09	8.88	64.85	---	---	Peak																																																														







Mode	5																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_802.11g_CH06_2437MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2023-11-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.88</td> <td>74.00</td> <td>-31.12</td> <td>62.91</td> <td>36.12</td> <td>8.72</td> <td>64.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.34</td> <td>74.00</td> <td>-29.66</td> <td>62.80</td> <td>36.22</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4874.00	42.88	74.00	-31.12	62.91	36.12	8.72	64.87	---	---	Peak	2	7311.00	44.34	74.00	-29.66	62.80	36.22	10.18	64.86	---	---	Peak	<p>Date: 2023-11-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>42.32</td> <td>74.00</td> <td>-31.68</td> <td>62.35</td> <td>36.12</td> <td>8.72</td> <td>64.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.89</td> <td>74.00</td> <td>-29.11</td> <td>63.35</td> <td>36.22</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4874.00	42.32	74.00	-31.68	62.35	36.12	8.72	64.87	---	---	Peak	2	7311.00	44.89	74.00	-29.11	63.35	36.22	10.18	64.86	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	4874.00	42.88	74.00	-31.12	62.91	36.12	8.72	64.87	---	---	Peak																																																																																							
2	7311.00	44.34	74.00	-29.66	62.80	36.22	10.18	64.86	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	4874.00	42.32	74.00	-31.68	62.35	36.12	8.72	64.87	---	---	Peak																																																																																							
2	7311.00	44.89	74.00	-29.11	63.35	36.22	10.18	64.86	---	---	Peak																																																																																							





Mode	6																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																	
ANT	2																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.49</td> <td>74.00</td> <td>-31.51</td> <td>62.66</td> <td>36.15</td> <td>8.57</td> <td>64.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.88</td> <td>74.00</td> <td>-29.12</td> <td>63.51</td> <td>36.05</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	42.49	74.00	-31.51	62.66	36.15	8.57	64.89	---	---	Peak	2	7386.00	44.88	74.00	-29.12	63.51	36.05	10.18	64.86	---	---	Peak	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.44</td> <td>74.00</td> <td>-31.56</td> <td>62.61</td> <td>36.15</td> <td>8.57</td> <td>64.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>47.07</td> <td>74.00</td> <td>-26.93</td> <td>65.70</td> <td>36.05</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4924.00	42.44	74.00	-31.56	62.61	36.15	8.57	64.89	---	---	Peak	2	7386.00	47.07	74.00	-26.93	65.70	36.05	10.18	64.86	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	4924.00	42.49	74.00	-31.51	62.66	36.15	8.57	64.89	---	---	Peak																																																																																							
2	7386.00	44.88	74.00	-29.12	63.51	36.05	10.18	64.86	---	---	Peak																																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1	4924.00	42.44	74.00	-31.56	62.61	36.15	8.57	64.89	---	---	Peak																																																																																							
2	7386.00	47.07	74.00	-26.93	65.70	36.05	10.18	64.86	---	---	Peak																																																																																							



Mode	7																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	 <p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>63.18</td> <td>74.00</td> <td>-10.82</td> <td>57.76</td> <td>33.31</td> <td>5.36</td> <td>33.25</td> <td>364</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.95	63.18	74.00	-10.82	57.76	33.31	5.36	33.25	364	231	PEAK	 <p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>102.01</td> <td>-----</td> <td>-----</td> <td>96.49</td> <td>33.37</td> <td>5.38</td> <td>33.23</td> <td>364</td> <td>231</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2412.00	102.01	-----	-----	96.49	33.37	5.38	33.23	364	231	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2389.95	63.18	74.00	-10.82	57.76	33.31	5.36	33.25	364	231	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2412.00	102.01	-----	-----	96.49	33.37	5.38	33.23	364	231	PEAK																																																															
Avg	 <p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>45.01</td> <td>54.00</td> <td>-8.99</td> <td>39.59</td> <td>33.31</td> <td>5.36</td> <td>33.25</td> <td>364</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2389.95	45.01	54.00	-8.99	39.59	33.31	5.36	33.25	364	231	AVERAGE	 <p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>95.38</td> <td>-----</td> <td>-----</td> <td>89.85</td> <td>33.37</td> <td>5.38</td> <td>33.22</td> <td>364</td> <td>231</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2412.00	95.38	-----	-----	89.85	33.37	5.38	33.22	364	231	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2389.95	45.01	54.00	-8.99	39.59	33.31	5.36	33.25	364	231	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2412.00	95.38	-----	-----	89.85	33.37	5.38	33.22	364	231	AVERAGE																																																															



Mode	7																																																																													
	Band Edge																																																																													
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																													
ANT	2																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.69</td> <td>62.13</td> <td>74.00</td> <td>-11.87</td> <td>56.71</td> <td>33.31</td> <td>5.36</td> <td>33.25</td> <td>137</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.69	62.13	74.00	-11.87	56.71	33.31	5.36	33.25	137	237	PEAK	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>103.68</td> <td>-----</td> <td>-----</td> <td>98.15</td> <td>33.37</td> <td>5.38</td> <td>33.22</td> <td>137</td> <td>237</td> <td>PEAK</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	103.68	-----	-----	98.15	33.37	5.38	33.22	137	237	PEAK
	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																						
1	2389.69	62.13	74.00	-11.87	56.71	33.31	5.36	33.25	137	237	PEAK																																																																			
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																						
1	2412.00	103.68	-----	-----	98.15	33.37	5.38	33.22	137	237	PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>45.79</td> <td>54.00</td> <td>-8.21</td> <td>40.37</td> <td>33.31</td> <td>5.36</td> <td>33.25</td> <td>137</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	45.79	54.00	-8.21	40.37	33.31	5.36	33.25	137	237	AVERAGE	<table border="1"> <thead> <tr> <th colspan="2">Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th rowspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2412.00</td> <td>96.71</td> <td>-----</td> <td>-----</td> <td>91.18</td> <td>33.37</td> <td>5.38</td> <td>33.22</td> <td>137</td> <td>237</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2412.00	96.71	-----	-----	91.18	33.37	5.38	33.22	137	237	AVERAGE
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																						
1	2389.95	45.79	54.00	-8.21	40.37	33.31	5.36	33.25	137	237	AVERAGE																																																																			
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																						
1	2412.00	96.71	-----	-----	91.18	33.37	5.38	33.22	137	237	AVERAGE																																																																			



Mode	7																																																																									
	Harmonic																																																																									
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<p>Date: 2023-11-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.53</td> <td>74.00</td> <td>-31.47</td> <td>62.41</td> <td>36.09</td> <td>8.88</td> <td>64.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	42.53	74.00	-31.47	62.41	36.09	8.88	64.85	---	---	Peak	<p>Date: 2023-11-02</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4824.00</td> <td>42.22</td> <td>74.00</td> <td>-31.78</td> <td>62.10</td> <td>36.09</td> <td>8.88</td> <td>64.85</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4824.00	42.22	74.00	-31.78	62.10	36.09	8.88	64.85	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4824.00	42.53	74.00	-31.47	62.41	36.09	8.88	64.85	---	---	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	4824.00	42.22	74.00	-31.78	62.10	36.09	8.88	64.85	---	---	Peak																																																															



Mode	8																																																																																														
	Harmonic																																																																																														
	2400-2483.5_802.11n_HT20_CH06_2437MHz																																																																																														
ANT	2																																																																																														
Pol.	Horizontal	Vertical																																																																																													
Peak Avg	<p style="text-align: right;">Date: 2023-11-02</p>	<p style="text-align: right;">Date: 2023-11-02</p>																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.51</td> <td>74.00</td> <td>-30.49</td> <td>63.54</td> <td>36.12</td> <td>8.72</td> <td>64.87</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.58</td> <td>74.00</td> <td>-29.42</td> <td>63.04</td> <td>36.22</td> <td>10.18</td> <td>64.86</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	4874.00	43.51	74.00	-30.49	63.54	36.12	8.72	64.87	--- --- Peak	2	7311.00	44.58	74.00	-29.42	63.04	36.22	10.18	64.86	--- --- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4874.00</td> <td>43.05</td> <td>74.00</td> <td>-30.95</td> <td>63.08</td> <td>36.12</td> <td>8.72</td> <td>64.87</td> <td>--- --- Peak</td> </tr> <tr> <td>2</td> <td>7311.00</td> <td>44.39</td> <td>74.00</td> <td>-29.61</td> <td>62.85</td> <td>36.22</td> <td>10.18</td> <td>64.86</td> <td>--- --- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	4874.00	43.05	74.00	-30.95	63.08	36.12	8.72	64.87	--- --- Peak	2	7311.00	44.39	74.00	-29.61	62.85	36.22	10.18	64.86
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	4874.00	43.51	74.00	-30.49	63.54	36.12	8.72	64.87	--- --- Peak																																																																																						
2	7311.00	44.58	74.00	-29.42	63.04	36.22	10.18	64.86	--- --- Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	4874.00	43.05	74.00	-30.95	63.08	36.12	8.72	64.87	--- --- Peak																																																																																						
2	7311.00	44.39	74.00	-29.61	62.85	36.22	10.18	64.86	--- --- Peak																																																																																						



Mode	9																																																																									
	Band Edge																																																																									
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																									
ANT	2																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.14</td> <td>63.68</td> <td>74.00</td> <td>-10.32</td> <td>57.78</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>274</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2485.14	63.68	74.00	-10.32	57.78	33.56	5.46	33.12	274	306	PEAK	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>104.82</td> <td>-----</td> <td>-----</td> <td>99.03</td> <td>33.50</td> <td>5.44</td> <td>33.15</td> <td>274</td> <td>306</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2462.00	104.82	-----	-----	99.03	33.50	5.44	33.15	274	306	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2485.14	63.68	74.00	-10.32	57.78	33.56	5.46	33.12	274	306	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2462.00	104.82	-----	-----	99.03	33.50	5.44	33.15	274	306	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.99</td> <td>46.82</td> <td>54.00</td> <td>-7.18</td> <td>40.92</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>274</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2484.99	46.82	54.00	-7.18	40.92	33.56	5.46	33.12	274	306	AVERAGE	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>97.74</td> <td>-----</td> <td>-----</td> <td>91.97</td> <td>33.50</td> <td>5.43</td> <td>33.16</td> <td>274</td> <td>306</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	2462.00	97.74	-----	-----	91.97	33.50	5.43	33.16	274	306	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2484.99	46.82	54.00	-7.18	40.92	33.56	5.46	33.12	274	306	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	2462.00	97.74	-----	-----	91.97	33.50	5.43	33.16	274	306	AVERAGE																																																															







	9																																																																									
Mode	Band Edge																																																																									
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.55</td> <td>63.00</td> <td>74.00</td> <td>-11.00</td> <td>57.10</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.55	63.00	74.00	-11.00	57.10	33.56	5.46	33.12	100	249	PEAK	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>103.09</td> <td>-----</td> <td>-----</td> <td>97.32</td> <td>33.50</td> <td>5.43</td> <td>33.16</td> <td>100</td> <td>249</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	103.09	-----	-----	97.32	33.50	5.43	33.16	100	249	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.55	63.00	74.00	-11.00	57.10	33.56	5.46	33.12	100	249	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	103.09	-----	-----	97.32	33.50	5.43	33.16	100	249	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.51</td> <td>45.83</td> <td>54.00</td> <td>-8.17</td> <td>39.93</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>100</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.51	45.83	54.00	-8.17	39.93	33.56	5.46	33.12	100	249	AVERAGE	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2462.00</td> <td>96.81</td> <td>-----</td> <td>-----</td> <td>91.04</td> <td>33.50</td> <td>5.43</td> <td>33.16</td> <td>100</td> <td>249</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2462.00	96.81	-----	-----	91.04	33.50	5.43	33.16	100	249	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2483.51	45.83	54.00	-8.17	39.93	33.56	5.46	33.12	100	249	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2462.00	96.81	-----	-----	91.04	33.50	5.43	33.16	100	249	AVERAGE																																																															



Mode	9																																																																																																								
	Harmonic																																																																																																								
	2400-2483.5_802.11n_HT20_CH11_2462MHz																																																																																																								
ANT	2																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg																																																																																																									
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.84</td> <td>74.00</td> <td>-31.16</td> <td>63.01</td> <td>36.15</td> <td>8.57</td> <td>64.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>44.03</td> <td>74.00</td> <td>-29.97</td> <td>62.66</td> <td>36.05</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	42.84	74.00	-31.16	63.01	36.15	8.57	64.89	---	---	Peak	2	7386.00	44.03	74.00	-29.97	62.66	36.05	10.18	64.86	---	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4924.00</td> <td>42.79</td> <td>74.00</td> <td>-31.21</td> <td>62.96</td> <td>36.15</td> <td>8.57</td> <td>64.89</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7386.00</td> <td>45.77</td> <td>74.00</td> <td>-28.23</td> <td>64.40</td> <td>36.05</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4924.00	42.79	74.00	-31.21	62.96	36.15	8.57	64.89	---	---	Peak	2	7386.00	45.77	74.00	-28.23	64.40	36.05	10.18	64.86	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4924.00	42.84	74.00	-31.16	63.01	36.15	8.57	64.89	---	---	Peak																																																																																														
2	7386.00	44.03	74.00	-29.97	62.66	36.05	10.18	64.86	---	---	Peak																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																
1	4924.00	42.79	74.00	-31.21	62.96	36.15	8.57	64.89	---	---	Peak																																																																																														
2	7386.00	45.77	74.00	-28.23	64.40	36.05	10.18	64.86	---	---	Peak																																																																																														





Mode	10																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																									
ANT	2																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>61.32</td> <td>74.00</td> <td>-12.68</td> <td>55.90</td> <td>33.31</td> <td>5.36</td> <td>33.25</td> <td>364</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	2389.97	61.32	74.00	-12.68	55.90	33.31	5.36	33.25	364	234	PEAK	 <p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>97.44</td> <td>-----</td> <td>-----</td> <td>91.90</td> <td>33.38</td> <td>5.38</td> <td>33.22</td> <td>364</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	2422.00	97.44	-----	-----	91.90	33.38	5.38	33.22	364	234	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	2389.97	61.32	74.00	-12.68	55.90	33.31	5.36	33.25	364	234	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	2422.00	97.44	-----	-----	91.90	33.38	5.38	33.22	364	234	PEAK																																																																															
Avg	 <p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.63</td> <td>47.65</td> <td>54.00</td> <td>-6.35</td> <td>42.23</td> <td>33.31</td> <td>5.36</td> <td>33.25</td> <td>364</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	2389.63	47.65	54.00	-6.35	42.23	33.31	5.36	33.25	364	234	AVERAGE	 <p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> <tr> <th>deg</th> <th colspan="7"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>90.87</td> <td>-----</td> <td>-----</td> <td>85.30</td> <td>33.39</td> <td>5.39</td> <td>33.21</td> <td>364</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg								1	2422.00	90.87	-----	-----	85.30	33.39	5.39	33.21	364	234	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	2389.63	47.65	54.00	-6.35	42.23	33.31	5.36	33.25	364	234	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																			
deg																																																																																										
1	2422.00	90.87	-----	-----	85.30	33.39	5.39	33.21	364	234	AVERAGE																																																																															



Mode	10																																						
	Band Edge - R																																						
	2400-2483.5_802.11n HT40_CH03_2422MHz																																						
ANT	2																																						
Pol.	Horizontal	Fundamental																																					
Peak	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.48</td> <td>53.10</td> <td>74.00</td> <td>-20.90</td> <td>47.15</td> <td>33.59</td> <td>5.47</td> <td>33.11</td> <td>364</td> <td>234</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2495.48	53.10	74.00	-20.90	47.15	33.59	5.47	33.11	364	234	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	2495.48	53.10	74.00	-20.90	47.15	33.59	5.47	33.11	364	234	PEAK																												
Blank																																							
Avg	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2492.43</td> <td>43.92</td> <td>54.00</td> <td>-10.08</td> <td>37.98</td> <td>33.58</td> <td>5.47</td> <td>33.11</td> <td>364</td> <td>234</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2492.43	43.92	54.00	-10.08	37.98	33.58	5.47	33.11	364	234	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	2492.43	43.92	54.00	-10.08	37.98	33.58	5.47	33.11	364	234	AVERAGE																												
Blank																																							



Mode	10																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																									
ANT	2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.97</td> <td>63.35</td> <td>74.00</td> <td>-10.65</td> <td>57.93</td> <td>33.31</td> <td>5.36</td> <td>33.25</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2389.97	63.35	74.00	-10.65	57.93	33.31	5.36	33.25	100	240	PEAK	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>102.25</td> <td>-----</td> <td>-----</td> <td>96.68</td> <td>33.39</td> <td>5.39</td> <td>33.21</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2422.00	102.25	-----	-----	96.68	33.39	5.39	33.21	100	240	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2389.97	63.35	74.00	-10.65	57.93	33.31	5.36	33.25	100	240	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2422.00	102.25	-----	-----	96.68	33.39	5.39	33.21	100	240	PEAK																																																																															
Avg	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.52</td> <td>49.51</td> <td>54.00</td> <td>-4.49</td> <td>44.09</td> <td>33.31</td> <td>5.36</td> <td>33.25</td> <td>100</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2389.52	49.51	54.00	-4.49	44.09	33.31	5.36	33.25	100	240	AVERAGE	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2422.00</td> <td>96.25</td> <td>-----</td> <td>-----</td> <td>90.68</td> <td>33.39</td> <td>5.39</td> <td>33.21</td> <td>100</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	2422.00	96.25	-----	-----	90.68	33.39	5.39	33.21	100	240	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2389.52	49.51	54.00	-4.49	44.09	33.31	5.36	33.25	100	240	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	2422.00	96.25	-----	-----	90.68	33.39	5.39	33.21	100	240	AVERAGE																																																																															



Mode	10																																													
	Band Edge - R																																													
	2400-2483.5_802.11n HT40_CH03_2422MHz																																													
ANT	2																																													
Pol.	Vertical	Fundamental																																												
Peak	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.01</td> <td>53.74</td> <td>74.00</td> <td>-20.26</td> <td>47.84</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>100</td> <td>240</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	2484.01	53.74	74.00	-20.26	47.84	33.56	5.46	33.12	100	240	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
						cm	deg																																							
1	2484.01	53.74	74.00	-20.26	47.84	33.56	5.46	33.12	100	240	PEAK																																			
Avg	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.95</td> <td>44.66</td> <td>54.00</td> <td>-9.34</td> <td>38.76</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>100</td> <td>240</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	2484.95	44.66	54.00	-9.34	38.76	33.56	5.46	33.12	100	240	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																							
						cm	deg																																							
1	2484.95	44.66	54.00	-9.34	38.76	33.56	5.46	33.12	100	240	AVERAGE																																			



Mode	10																																																																																																
	Harmonic																																																																																																
	2400-2483.5_802.11n HT40_CH03_2422MHz																																																																																																
ANT	2																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2023-11-05</p>	<p>Date: 2023-11-05</p>																																																																																															
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>42.09</td> <td>74.00</td> <td>-31.91</td> <td>62.03</td> <td>36.11</td> <td>8.81</td> <td>64.86</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>44.62</td> <td>74.00</td> <td>-29.38</td> <td>62.99</td> <td>36.31</td> <td>10.18</td> <td>64.86</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	42.09	74.00	-31.91	62.03	36.11	8.81	64.86	--- Peak	2	7266.00	44.62	74.00	-29.38	62.99	36.31	10.18	64.86	--- Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4844.00</td> <td>42.59</td> <td>74.00</td> <td>-31.41</td> <td>62.53</td> <td>36.11</td> <td>8.81</td> <td>64.86</td> <td>--- Peak</td> </tr> <tr> <td>2</td> <td>7266.00</td> <td>45.78</td> <td>74.00</td> <td>-28.22</td> <td>64.15</td> <td>36.31</td> <td>10.18</td> <td>64.86</td> <td>--- Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4844.00	42.59	74.00	-31.41	62.53	36.11	8.81	64.86	--- Peak	2	7266.00	45.78	74.00	-28.22	64.15	36.31	10.18	64.86
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4844.00	42.09	74.00	-31.91	62.03	36.11	8.81	64.86	--- Peak																																																																																								
2	7266.00	44.62	74.00	-29.38	62.99	36.31	10.18	64.86	--- Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4844.00	42.59	74.00	-31.41	62.53	36.11	8.81	64.86	--- Peak																																																																																								
2	7266.00	45.78	74.00	-28.22	64.15	36.31	10.18	64.86	--- Peak																																																																																								



	11																																																																											
Mode	Band Edge - L																																																																											
	2400-2483.5_802.11n HT40_CH09_2452MHz																																																																											
ANT	2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2318.95</td> <td>53.23</td> <td>74.00</td> <td>-20.77</td> <td>48.15</td> <td>33.13</td> <td>5.30</td> <td>33.35</td> <td>338</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2318.95	53.23	74.00	-20.77	48.15	33.13	5.30	33.35	338	307	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>98.53</td> <td>-----</td> <td>-----</td> <td>92.81</td> <td>33.47</td> <td>5.42</td> <td>33.17</td> <td>338</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	98.53	-----	-----	92.81	33.47	5.42	33.17	338	307	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2318.95	53.23	74.00	-20.77	48.15	33.13	5.30	33.35	338	307	PEAK																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2452.00	98.53	-----	-----	92.81	33.47	5.42	33.17	338	307	PEAK																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>43.60</td> <td>54.00</td> <td>-10.40</td> <td>38.18</td> <td>33.31</td> <td>5.36</td> <td>33.25</td> <td>338</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2389.95	43.60	54.00	-10.40	38.18	33.31	5.36	33.25	338	307	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>92.25</td> <td>-----</td> <td>-----</td> <td>86.53</td> <td>33.47</td> <td>5.42</td> <td>33.17</td> <td>338</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2452.00	92.25	-----	-----	86.53	33.47	5.42	33.17	338	307	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2389.95	43.60	54.00	-10.40	38.18	33.31	5.36	33.25	338	307	AVERAGE																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																				
1	2452.00	92.25	-----	-----	86.53	33.47	5.42	33.17	338	307	AVERAGE																																																																	



Mode	21																																					
	Band Edge - R																																					
	2400-2483.5_802.11n HT40_CH09_2452MHz																																					
ANT	2																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.40</td> <td>59.10</td> <td>74.00</td> <td>-14.90</td> <td>53.20</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>338</td> <td>307</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2484.40	59.10	74.00	-14.90	53.20	33.56	5.46	33.12	338	307	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2484.40	59.10	74.00	-14.90	53.20	33.56	5.46	33.12	338	307	PEAK																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.11</td> <td>47.67</td> <td>54.00</td> <td>-6.33</td> <td>41.77</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>338</td> <td>307</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2484.11	47.67	54.00	-6.33	41.77	33.56	5.46	33.12	338	307	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2484.11	47.67	54.00	-6.33	41.77	33.56	5.46	33.12	338	307	AVERAGE																											



	11																																																																									
Mode	Band Edge - L																																																																									
	2400-2483.5_802.11n_HT40_CH09_2452MHz																																																																									
ANT	2																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.67</td> <td>54.05</td> <td>74.00</td> <td>-19.95</td> <td>48.64</td> <td>33.31</td> <td>5.36</td> <td>33.26</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2387.67	54.05	74.00	-19.95	48.64	33.31	5.36	33.26	100	243	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>101.94</td> <td>-----</td> <td>-----</td> <td>96.23</td> <td>33.46</td> <td>5.42</td> <td>33.17</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2452.00	101.94	-----	-----	96.23	33.46	5.42	33.17	100	243	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2387.67	54.05	74.00	-19.95	48.64	33.31	5.36	33.26	100	243	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2452.00	101.94	-----	-----	96.23	33.46	5.42	33.17	100	243	PEAK																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.38</td> <td>44.29</td> <td>54.00</td> <td>-9.71</td> <td>38.87</td> <td>33.31</td> <td>5.36</td> <td>33.25</td> <td>100</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2389.38	44.29	54.00	-9.71	38.87	33.31	5.36	33.25	100	243	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2452.00</td> <td>95.57</td> <td>-----</td> <td>-----</td> <td>89.85</td> <td>33.47</td> <td>5.42</td> <td>33.17</td> <td>100</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2452.00	95.57	-----	-----	89.85	33.47	5.42	33.17	100	243	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2389.38	44.29	54.00	-9.71	38.87	33.31	5.36	33.25	100	243	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2452.00	95.57	-----	-----	89.85	33.47	5.42	33.17	100	243	AVERAGE																																																															





	<b>11</b>																																					
<b>Mode</b>	<b>Band Edge - R</b>																																					
	<b>2400-2483.5_802.11n HT40_CH09_2452MHz</b>																																					
<b>ANT</b>	<b>2</b>																																					
<b>Pol.</b>	<b>Vertical</b>	<b>Fundamental</b>																																				
<b>Peak</b>	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2483.97</td> <td>59.69</td> <td>74.00</td> <td>-14.31</td> <td>53.79</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>100</td> <td>243</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2483.97	59.69	74.00	-14.31	53.79	33.56	5.46	33.12	100	243	PEAK	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2483.97	59.69	74.00	-14.31	53.79	33.56	5.46	33.12	100	243	PEAK																											
<b>Avg</b>	<p style="text-align: right;">Date: 2023-11-03</p> <table border="1" style="width: 100%; border-collapse: collapse; font-size: small;"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2484.45</td> <td>47.49</td> <td>54.00</td> <td>-6.51</td> <td>41.59</td> <td>33.56</td> <td>5.46</td> <td>33.12</td> <td>100</td> <td>243</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2484.45	47.49	54.00	-6.51	41.59	33.56	5.46	33.12	100	243	AVERAGE	<b>Blank</b>
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	2484.45	47.49	54.00	-6.51	41.59	33.56	5.46	33.12	100	243	AVERAGE																											



Mode	12																																																																																																																																																																																													
	LF																																																																																																																																																																																													
	2400-2483.5_802.11n HT40_LF_CH03_2422MHz																																																																																																																																																																																													
ANT	2																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																												
QP/ Peak	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>26.80</td> <td>40.00</td> <td>-13.20</td> <td>32.67</td> <td>25.20</td> <td>0.53</td> <td>31.60</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>115.36</td> <td>20.56</td> <td>43.50</td> <td>-22.94</td> <td>34.00</td> <td>17.30</td> <td>1.10</td> <td>31.84</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>318.09</td> <td>22.27</td> <td>46.00</td> <td>-23.73</td> <td>32.36</td> <td>19.50</td> <td>1.87</td> <td>31.46</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>542.16</td> <td>26.91</td> <td>46.00</td> <td>-19.09</td> <td>31.24</td> <td>24.46</td> <td>2.44</td> <td>31.23</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>801.15</td> <td>30.07</td> <td>46.00</td> <td>-15.93</td> <td>29.95</td> <td>28.28</td> <td>2.94</td> <td>31.10</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>996.12</td> <td>33.39</td> <td>54.00</td> <td>-20.61</td> <td>30.60</td> <td>30.38</td> <td>3.30</td> <td>30.89</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	26.80	40.00	-13.20	32.67	25.20	0.53	31.60	---	Peak	2	115.36	20.56	43.50	-22.94	34.00	17.30	1.10	31.84	---	Peak	3	318.09	22.27	46.00	-23.73	32.36	19.50	1.87	31.46	---	Peak	4	542.16	26.91	46.00	-19.09	31.24	24.46	2.44	31.23	---	Peak	5	801.15	30.07	46.00	-15.93	29.95	28.28	2.94	31.10	---	Peak	6	996.12	33.39	54.00	-20.61	30.60	30.38	3.30	30.89	---	Peak	<p>Date: 2023-11-03</p> <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>35.30</td> <td>40.00</td> <td>-4.70</td> <td>41.17</td> <td>25.20</td> <td>0.53</td> <td>31.60</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>93.05</td> <td>18.99</td> <td>43.50</td> <td>-24.51</td> <td>34.52</td> <td>15.30</td> <td>0.97</td> <td>31.80</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>350.10</td> <td>21.44</td> <td>46.00</td> <td>-24.56</td> <td>30.36</td> <td>20.50</td> <td>1.98</td> <td>31.40</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>473.29</td> <td>24.21</td> <td>46.00</td> <td>-21.79</td> <td>29.84</td> <td>23.56</td> <td>2.26</td> <td>31.45</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>720.64</td> <td>29.28</td> <td>46.00</td> <td>-16.72</td> <td>30.50</td> <td>27.18</td> <td>2.80</td> <td>31.20</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>938.89</td> <td>31.19</td> <td>46.00</td> <td>-14.81</td> <td>28.56</td> <td>30.24</td> <td>3.21</td> <td>30.82</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	35.30	40.00	-4.70	41.17	25.20	0.53	31.60	---	Peak	2	93.05	18.99	43.50	-24.51	34.52	15.30	0.97	31.80	---	Peak	3	350.10	21.44	46.00	-24.56	30.36	20.50	1.98	31.40	---	Peak	4	473.29	24.21	46.00	-21.79	29.84	23.56	2.26	31.45	---	Peak	5	720.64	29.28	46.00	-16.72	30.50	27.18	2.80	31.20	---	Peak	6	938.89	31.19	46.00	-14.81	28.56	30.24	3.21	30.82	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	30.00	26.80	40.00	-13.20	32.67	25.20	0.53	31.60	---	Peak																																																																																																																																																																																				
2	115.36	20.56	43.50	-22.94	34.00	17.30	1.10	31.84	---	Peak																																																																																																																																																																																				
3	318.09	22.27	46.00	-23.73	32.36	19.50	1.87	31.46	---	Peak																																																																																																																																																																																				
4	542.16	26.91	46.00	-19.09	31.24	24.46	2.44	31.23	---	Peak																																																																																																																																																																																				
5	801.15	30.07	46.00	-15.93	29.95	28.28	2.94	31.10	---	Peak																																																																																																																																																																																				
6	996.12	33.39	54.00	-20.61	30.60	30.38	3.30	30.89	---	Peak																																																																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																					
1	30.00	35.30	40.00	-4.70	41.17	25.20	0.53	31.60	---	Peak																																																																																																																																																																																				
2	93.05	18.99	43.50	-24.51	34.52	15.30	0.97	31.80	---	Peak																																																																																																																																																																																				
3	350.10	21.44	46.00	-24.56	30.36	20.50	1.98	31.40	---	Peak																																																																																																																																																																																				
4	473.29	24.21	46.00	-21.79	29.84	23.56	2.26	31.45	---	Peak																																																																																																																																																																																				
5	720.64	29.28	46.00	-16.72	30.50	27.18	2.80	31.20	---	Peak																																																																																																																																																																																				
6	938.89	31.19	46.00	-14.81	28.56	30.24	3.21	30.82	---	Peak																																																																																																																																																																																				



<Co-location>

11n HT40\_CH03 + LTE Band 41 Link (Band Edge @ 3m)

WIFI Ant.	Note	Frequency ( MHz )	Level ( dBμV/m )	Margin ( dB )	Limit Line ( dBμV/m )	Read Level ( dBμV )	Antenna Factor ( dB/m )	Path Loss ( dB )	Preamp Factor ( dB )	Ant Pos ( cm )	Table Pos ( deg )	Peak Avg. ( P/A )	Pol. ( H/V )
Co-location		2361.52	53.17	-20.83	74	48.46	33.24	5.34	33.87	291	221	P	H
		2389.94	43.09	-10.91	54	38.29	33.31	5.37	33.88	291	221	A	H
	*	2422	105.82	-	-	100.93	33.4	5.37	33.88	291	221	P	H
	*	2422	98.21	-	-	93.32	33.4	5.37	33.88	291	221	A	H
		2484.11	52.71	-21.29	74	47.59	33.56	5.46	33.9	291	221	P	H
		2495.31	43.05	-10.95	54	37.9	33.59	5.46	33.9	291	221	A	H
		2388.82	53.6	-20.4	74	48.8	33.31	5.37	33.88	108	288	P	V
		2389.8	44.61	-9.39	54	39.81	33.31	5.37	33.88	108	288	A	V
	*	2422	108.85	-	-	103.96	33.4	5.37	33.88	108	288	P	V
	*	2422	101.44	-	-	96.55	33.4	5.37	33.88	108	288	A	V
		2486.84	53.75	-20.25	74	48.62	33.57	5.46	33.9	108	288	P	V
		2483.5	43.69	-10.31	54	38.57	33.56	5.46	33.9	108	288	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

WIFI Ant.	Note	Frequency ( MHz )	Level ( dBμV/m )	Margin ( dB )	Limit Line ( dBμV/m )	Read Level ( dBμV )	Antenna Factor ( dB/m )	Path Loss ( dB )	Preamp Factor ( dB )	Ant Pos ( cm )	Table Pos ( deg )	Peak Avg. ( P/A )	Pol. ( H/V )
2		4844	43.42	-30.58	74	63.41	36.11	8.76	64.86	-	-	P	H
Co-location		7266	43.99	-30.01	74	62.36	36.31	10.18	64.86	-	-	P	H
		4884	43.64	-30.36	74	63.73	36.13	8.65	64.87	-	-	P	V
		7326	45.26	-28.74	74	63.76	36.18	10.18	64.86	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



11n HT40\_CH03 + LTE B41 Link (Band Edge @ 3m)

WIFI	2400-2483.5MHz Band Edge @ 3m																																																																	
ANT	11n HT40_CH03+LTE B41 Link Co-location																																																																	
	Horizontal	Fundamental																																																																
Peak	<p>Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal Peak. A peak is visible at approximately 2422 MHz.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2361.52</td> <td>53.17</td> <td>-28.83</td> <td>74.00</td> <td>48.46</td> <td>33.24</td> <td>5.34</td> <td>33.87 291 221 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1 * 2361.52	53.17	-28.83	74.00	48.46	33.24	5.34	33.87 291 221 Peak	<p>Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental Peak. A peak is visible at approximately 2422 MHz.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2422.00</td> <td>105.82</td> <td>31.82</td> <td>74.00</td> <td>100.93</td> <td>33.40</td> <td>5.37</td> <td>33.88 291 221 Peak</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1 * 2422.00	105.82	31.82	74.00	100.93	33.40	5.37	33.88 291 221 Peak
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1 * 2361.52	53.17	-28.83	74.00	48.46	33.24	5.34	33.87 291 221 Peak																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1 * 2422.00	105.82	31.82	74.00	100.93	33.40	5.37	33.88 291 221 Peak																																																											
Avg.	<p>Graph showing Level (dBuV/m) vs Frequency (MHz) for Horizontal Average. A peak is visible at approximately 2422 MHz.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.94</td> <td>43.09</td> <td>-18.91</td> <td>54.00</td> <td>38.29</td> <td>33.31</td> <td>5.37 33.88 291 221 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1	2389.94	43.09	-18.91	54.00	38.29	33.31	5.37 33.88 291 221 Average	<p>Graph showing Level (dBuV/m) vs Frequency (MHz) for Fundamental Average. A peak is visible at approximately 2422 MHz.</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2422.00</td> <td>98.21</td> <td>44.21</td> <td>54.00</td> <td>93.32</td> <td>33.40</td> <td>5.37</td> <td>33.88 291 221 Average</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Loss	Factor	Factor		MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg	1 * 2422.00	98.21	44.21	54.00	93.32	33.40	5.37	33.88 291 221 Average
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1	2389.94	43.09	-18.91	54.00	38.29	33.31	5.37 33.88 291 221 Average																																																											
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																											
Freq	Level	Line	Level	Loss	Factor	Factor																																																												
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm deg																																																											
1 * 2422.00	98.21	44.21	54.00	93.32	33.40	5.37	33.88 291 221 Average																																																											





WIFI	2400-2483.5MHz Band Edge @ 3m																																						
ANT	11n HT40_CH03+LTE B41 Link Co-location																																						
	Horizontal	Fundamental																																					
<b>Peak</b>	<p>Date: 7 Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>HeadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>2484.11</td> <td>52.71</td> <td>-21.29</td> <td>74.00</td> <td>47.59</td> <td>33.56</td> <td>5.46</td> <td>33.90</td> <td>291</td> <td>221</td> <td>Peak</td> </tr> </tbody> </table>	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1 *	2484.11	52.71	-21.29	74.00	47.59	33.56	5.46	33.90	291	221	Peak	<b>NA</b>
Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																
Freq	Level	Line	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																															
1 *	2484.11	52.71	-21.29	74.00	47.59	33.56	5.46	33.90	291	221	Peak																												
<b>Avg.</b>	<p>Date: 8 Date: 2023-11-05</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>HeadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2495.31</td> <td>43.05</td> <td>-10.95</td> <td>54.00</td> <td>37.90</td> <td>33.59</td> <td>5.46</td> <td>33.90</td> <td>291</td> <td>221</td> <td>Average</td> </tr> </tbody> </table>	Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	2495.31	43.05	-10.95	54.00	37.90	33.59	5.46	33.90	291	221	Average	<b>NA</b>
Over	Limit	HeadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																
Freq	Level	Line	Level	Factor	Loss	Factor																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																															
1	2495.31	43.05	-10.95	54.00	37.90	33.59	5.46	33.90	291	221	Average																												



WIFI	2400-2483.5MHz Band Edge @ 3m																																																							
ANT	111n HT40_CH03+LTE B41 Link Co-location																																																							
	Vertical	Fundamental																																																						
Peak	<table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2388.82</td> <td>53.60</td> <td>-20.40</td> <td>74.00</td> <td>48.80</td> <td>33.31</td> <td>5.37</td> <td>33.88</td> <td>188 288 Peak</td> </tr> </tbody> </table>	MHz	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 * 2388.82	53.60	-20.40	74.00	48.80	33.31	5.37	33.88	188 288 Peak	<table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2422.00</td> <td>188.85</td> <td>34.85</td> <td>74.00</td> <td>103.96</td> <td>33.40</td> <td>5.37</td> <td>33.88</td> <td>188 288 Peak</td> </tr> </tbody> </table>	MHz	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 * 2422.00	188.85	34.85	74.00	103.96	33.40	5.37	33.88	188 288 Peak
MHz	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																
dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																	
1 * 2388.82	53.60	-20.40	74.00	48.80	33.31	5.37	33.88	188 288 Peak																																																
MHz	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																
dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																	
1 * 2422.00	188.85	34.85	74.00	103.96	33.40	5.37	33.88	188 288 Peak																																																
Avg.	<table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 2389.80</td> <td>44.61</td> <td>-9.39</td> <td>54.00</td> <td>39.81</td> <td>33.31</td> <td>5.37</td> <td>33.88</td> <td>188 288 Average</td> </tr> </tbody> </table>	MHz	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 2389.80	44.61	-9.39	54.00	39.81	33.31	5.37	33.88	188 288 Average	<table border="1"> <thead> <tr> <th>MHz</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 2422.00</td> <td>101.44</td> <td>47.44</td> <td>54.00</td> <td>96.55</td> <td>33.40</td> <td>5.37</td> <td>33.88</td> <td>188 288 Average</td> </tr> </tbody> </table>	MHz	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 * 2422.00	101.44	47.44	54.00	96.55	33.40	5.37	33.88	188 288 Average
MHz	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																
dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																	
1 2389.80	44.61	-9.39	54.00	39.81	33.31	5.37	33.88	188 288 Average																																																
MHz	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																
dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																	
1 * 2422.00	101.44	47.44	54.00	96.55	33.40	5.37	33.88	188 288 Average																																																



ANT	11n HT40_CH03+LTE B13 Link Co-location																									
	Vertical	Fundamental																								
<p><b>Peak</b></p>	 <table border="1" data-bbox="454 638 805 705"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 2486.84</td> <td>53.75</td> <td>-29.25</td> <td>74.00</td> <td>48.62</td> <td>33.57</td> <td>5.46</td> <td>33.90 108 288 Peak</td> </tr> </tbody> </table>	Frq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 * 2486.84	53.75	-29.25	74.00	48.62	33.57	5.46	33.90 108 288 Peak	<p><b>NA</b></p>
Frq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																			
1 * 2486.84	53.75	-29.25	74.00	48.62	33.57	5.46	33.90 108 288 Peak																			
<p><b>Avg.</b></p>	 <table border="1" data-bbox="454 1332 805 1400"> <thead> <tr> <th>Frq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 2483.58</td> <td>43.69</td> <td>-10.31</td> <td>54.00</td> <td>38.57</td> <td>33.56</td> <td>5.46</td> <td>33.90 108 288 Average</td> </tr> </tbody> </table>	Frq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 2483.58	43.69	-10.31	54.00	38.57	33.56	5.46	33.90 108 288 Average	<p><b>NA</b></p>
Frq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																			
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																			
1 2483.58	43.69	-10.31	54.00	38.57	33.56	5.46	33.90 108 288 Average																			



11n HT40\_CH03 + LTE B41 Link (Harmonic @ 3m)

WIFI	2400-2483.5MHz Band Edge @ 3m																																																																									
ANT	11n HT40_CH03+LTE B41 Link Co-location																																																																									
	Horizontal	Vertical																																																																								
Peak/ Avg.	<p>Data: 17 Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Peak/Avg</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>43.42</td> <td>-30.58</td> <td>74.00</td> <td>63.41</td> <td>36.11</td> <td>8.76</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 *</td> <td>7266.00</td> <td>43.99</td> <td>-30.01</td> <td>74.00</td> <td>62.36</td> <td>36.31</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak/Avg	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	4884.00	43.42	-30.58	74.00	63.41	36.11	8.76	64.86	---	---	Peak	2 *	7266.00	43.99	-30.01	74.00	62.36	36.31	10.18	64.86	---	---	Peak	<p>Data: 18 Date: 2023-11-08</p> <table border="1"> <thead> <tr> <th>Peak/Avg</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Over Limit (dB)</th> <th>Limit (dBuV/m)</th> <th>ReadAntenna Level (dBuV)</th> <th>Antenna Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Loss (dB)</th> <th>A/Pos (cm)</th> <th>T/Pos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>43.64</td> <td>-30.36</td> <td>74.00</td> <td>63.73</td> <td>36.13</td> <td>8.65</td> <td>64.87</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2 *</td> <td>7326.00</td> <td>45.26</td> <td>-28.74</td> <td>74.00</td> <td>63.76</td> <td>36.18</td> <td>10.18</td> <td>64.86</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Peak/Avg	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark	1	4884.00	43.64	-30.36	74.00	63.73	36.13	8.65	64.87	---	---	Peak	2 *	7326.00	45.26	-28.74	74.00	63.76	36.18	10.18	64.86	---	---	Peak
Peak/Avg	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																															
1	4884.00	43.42	-30.58	74.00	63.41	36.11	8.76	64.86	---	---	Peak																																																															
2 *	7266.00	43.99	-30.01	74.00	62.36	36.31	10.18	64.86	---	---	Peak																																																															
Peak/Avg	Freq (MHz)	Level (dBuV/m)	Over Limit (dB)	Limit (dBuV/m)	ReadAntenna Level (dBuV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Loss (dB)	A/Pos (cm)	T/Pos (deg)	Remark																																																															
1	4884.00	43.64	-30.36	74.00	63.73	36.13	8.65	64.87	---	---	Peak																																																															
2 *	7326.00	45.26	-28.74	74.00	63.76	36.18	10.18	64.86	---	---	Peak																																																															


Note: the highest signals over limit are WLAN + LTE Band 41 co-location fundamental signals.



## Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	99.11	-	-	10Hz
802.11g	96.77	1.391	0.719	1KHz
802.11n HT20	96.77	1.304	0.767	1KHz
802.11n HT40	93.73	0.649	1.540	3KHz


### 802.11b



Date: 19.OCT.2023 11:58:10




802.11g



Date: 19.OCT.2023 11:56:30


802.11n HT20



Date: 19.OCT.2023 11:58:52



802.11 n HT40



Date: 19.OCT.2023 12:00:13