11_HAC T-coil_LTE Band 12_10M_QPSK_1RB_00ffset_Ch23095

Measurement performed on November 14, 2023 at 06:29

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup


| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---------------------------------------|---------|-----------------|
| Band 12, E-UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK) | 23095 | 707.5 |


Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |





| Primary Group Contiguous Point Count | Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse |
|---|-----------------------------|----------------------------------|-----------------------------------|
| 140 | 504 | 24 | 26 |



Measurement performed on November 14, 2023 at 06:29

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---------------------------------------|---------|-----------------|
| Band 12, E-UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK) | 23095 | 707.5 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Gain [dB] | Hmax [dB(A/m)] |
|-----------------------|--------------------------|-----------|----------------|
| 48k_voice_1kHz_1s.wav | 2.0 | -8.42 | -3.05 |



Measurement performed on November 14, 2023 at 06:47

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---------------------------------------|---------|-----------------|
| Band 12, E-UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK) | 23095 | 707.5 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse | Hmax [dB(A/m)] |
|-----------------------------|----------------------------------|-----------------------------------|----------------|
| 504 | 24 | 26 | -27.19 |



12_HAC T-coil_LTE Band 13_10M_QPSK_1RB_00ffset_Ch23230

Measurement performed on November 14, 2023 at 07:12

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup


| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---------------------------------------|---------|-----------------|
| Band 13, E-UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK) | 23230 | 782.0 |


Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |





| Primary Group Contiguous Point Count | Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse |
|---|-----------------------------|----------------------------------|-----------------------------------|
| 133 | 481 | 22 | 26 |



Measurement performed on November 14, 2023 at 07:12

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---------------------------------------|---------|-----------------|
| Band 13, E-UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK) | 23230 | 782.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Gain [dB] | Hmax [dB(A/m)] |
|-----------------------|--------------------------|-----------|----------------|
| 48k_voice_1kHz_1s.wav | 2.0 | -8.42 | -3.28 |



Measurement performed on November 14, 2023 at 07:22

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---------------------------------------|---------|-----------------|
| Band 13, E-UTRA/FDD | LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK) | 23230 | 782.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse | Hmax [dB(A/m)] |
|-----------------------------|----------------------------------|-----------------------------------|----------------|
| 481 | 22 | 26 | -25.91 |



13_HAC T-coil_LTE Band 41_20M_QPSK_1RB_00ffset_Ch40620

Measurement performed on November 13, 2023 at 09:17

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup


| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---------------------------------------|---------|-----------------|
| Band 41, E-UTRA/TDD | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK) | 40620 | 2593.0 |


Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |





| Primary Group Contiguous Point Count | Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse |
|---|-----------------------------|----------------------------------|-----------------------------------|
| 78 | 433 | 19 | 26 |



Measurement performed on November 13, 2023 at 09:17

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---------------------------------------|---------|-----------------|
| Band 41, E-UTRA/TDD | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK) | 40620 | 2593.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Gain [dB] | Hmax [dB(A/m)] |
|-----------------------|--------------------------|-----------|----------------|
| 48k_voice_1kHz_1s.wav | 2.0 | -8.44 | -2.44 |



Measurement performed on November 13, 2023 at 09:36

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---------------------|---------------------------------------|---------|-----------------|
| Band 41, E-UTRA/TDD | LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK) | 40620 | 2593.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | | Step Y [mm] | Distance [mm] |
|---------------|---------------|-----|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse | Hmax [dB(A/m)] |
|-----------------------------|----------------------------------|-----------------------------------|----------------|
| 433 | 19 | 26 | -18.35 |



14_HAC T-coil_WLAN2.4G_802.11n-HT40 MCS0_Ch6

Measurement performed on November 14, 2023 at 04:17

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|---|---------|-----------------|
| | IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle) | 6 | 2437.0 |


Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|---------------------------|--------------------------|-------------------------|-------------------------|
| 48k_voice_300-3000_2s.wav | 2.0 | 1.75 | 1.19 |



| Primary Group Contiguous Point Count | Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse |
|---|-----------------------------|----------------------------------|-----------------------------------|
| 75 | 414 | 19 | 26 |



Measurement performed on November 14, 2023 at 04:17

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-------------|--|---------|-----------------|
| WLAN 2.4GHz | IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle) | 6 | 2437.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Gain [dB] | Hmax [dB(A/m)] |
|-----------------------|--------------------------|-----------|----------------|
| 48k_voice_1kHz_1s.wav | 2.0 | -8.42 | -1.6 |



Measurement performed on November 14, 2023 at 04:26

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-------------|---|---------|-----------------|
| WLAN 2.4GHz | IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle) | 6 | 2437.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse | Hmax [dB(A/m)] |
|-----------------------------|----------------------------------|-----------------------------------|----------------|
| 414 | 19 | 26 | -21.5 |



15_HAC T-coil_WLAN5G_802.11n-HT20 MCS0_Ch40

Measurement performed on November 13, 2023 at 00:50

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 40 | 5200.0 |


Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|---------------------------|--------------------------|-------------------------|-------------------------|
| 48k_voice_300-3000_2s.wav | 2.0 | 1.81 | 1.21 |



| Primary Group Contiguous Point Count | Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse |
|---|-----------------------------|----------------------------------|-----------------------------------|
| 75 | 436 | 19 | 26 |



Measurement performed on November 13, 2023 at 00:50

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 40 | 5200.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Gain [dB] | Hmax [dB(A/m)] |
|-----------------------|--------------------------|-----------|----------------|
| 48k_voice_1kHz_1s.wav | 2.0 | -8.44 | -0.56 |



Measurement performed on November 13, 2023 at 01:01

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 40 | 5200.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse | Hmax [dB(A/m)] |
|-----------------------------|----------------------------------|-----------------------------------|----------------|
| 436 | 19 | 26 | -22.02 |



16_HAC T-coil_WLAN5G_802.11n-HT20 MCS0_Ch60

Measurement performed on November 14, 2023 at 20:58

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 60 | 5300.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|---------------------------|--------------------------|-------------------------|-------------------------|
| 48k_voice_300-3000_2s.wav | 2.0 | 2.0 | 0.18 |



| Primary Group Contiguous Point Count | Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse |
|---|-----------------------------|----------------------------------|-----------------------------------|
| 102 | 470 | 21 | 26 |



Measurement performed on November 14, 2023 at 20:58

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 60 | 5300.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Gain [dB] | Hmax [dB(A/m)] |
|-----------------------|--------------------------|-----------|----------------|
| 48k_voice_1kHz_1s.wav | 2.0 | -8.4 | -1.42 |



Measurement performed on November 14, 2023 at 21:10

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 60 | 5300.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse | Hmax [dB(A/m)] |
|-----------------------------|----------------------------------|-----------------------------------|----------------|
| 470 | 21 | 26 | -22.65 |



17_HAC T-coil_WLAN5G_802.11n-HT20 MCS0_Ch132

Measurement performed on November 14, 2023 at 21:38

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 132 | 5660.0 |


Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|---------------------------|--------------------------|-------------------------|-------------------------|
| 48k_voice_300-3000_2s.wav | 2.0 | 1.16 | 1.31 |



| Primary Group Contiguous Point Count | Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse |
|---|-----------------------------|----------------------------------|-----------------------------------|
| 114 | 480 | 21 | 26 |



Measurement performed on November 14, 2023 at 21:38

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 132 | 5660.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Gain [dB] | Hmax [dB(A/m)] |
|-----------------------|--------------------------|-----------|----------------|
| 48k_voice_1kHz_1s.wav | 2.0 | -8.4 | -2.76 |



Measurement performed on November 14, 2023 at 21:50

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 132 | 5660.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse | Hmax [dB(A/m)] |
|-----------------------------|----------------------------------|-----------------------------------|----------------|
| 480 | 21 | 26 | -18.96 |



18_HAC T-coil_WLAN5G_802.11n-HT20 MCS0_Ch157

Measurement performed on November 14, 2023 at 22:04

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 157 | 5785.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Margin Upper Bound [dB] | Margin Lower Bound [dB] |
|---------------------------|--------------------------|-------------------------|-------------------------|
| 48k_voice_300-3000_2s.wav | 2.0 | 0.62 | 2.0 |



| Primary Group Contiguous Point Count | Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse |
|---|-----------------------------|----------------------------------|-----------------------------------|
| 80 | 432 | 19 | 26 |



Measurement performed on November 14, 2023 at 22:04

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |


Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|-----------|--|---------|-----------------|
| WLAN 5GHz | IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | 157 | 5785.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Audio File | Measurement Duration [s] | Gain [dB] | Hmax [dB(A/m)] |
|-----------------------|--------------------------|-----------|----------------|
| 48k_voice_1kHz_1s.wav | 2.0 | -8.4 | -3.76 |



Measurement performed on November 14, 2023 at 22:20

Device Under Test

| Manufacturer | Model | Dimensions [mm] | Speaker Position [mm] |
|--------------|-------|--------------------|-----------------------|
| | | 146.2 x 71.8 x 7.5 | 144.3 |

Hardware Setup

| Probe Name | Probe Calibration Date | DAE Name | DAE Calibration Date |
|---------------|------------------------|-------------|----------------------|
| AM1DV3 - 3093 | January 31, 2023 | DAE4 Sn1691 | December 12, 2022 |

Communication Systems

| Band Name | Communication Systems Name | Channel | Frequency [MHz] |
|---|----------------------------|---------|-----------------|
| VLAN 5GHz IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle) | | 157 | 5785.0 |

Grid Settings

| Extent X [mm] | Extent Y [mm] | Step X [mm] | Step Y [mm] | Distance [mm] |
|---------------|---------------|-------------|-------------|---------------|
| 52.0 | 52.0 | 4.0 | 4.0 | 10.0 |

| Secondary Group Point Count | Secondary Group Max Longitudinal | Secondary Group Max Transverse | Hmax [dB(A/m)] |
|-----------------------------|----------------------------------|-----------------------------------|----------------|
| 432 | 19 | 26 | -21.91 |

