




**Fig.A.6.1.61 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch6, 7.5 GHz-10 GHz)**




**Fig.A.6.1.62 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch6, 10 GHz-15 GHz)**




**Fig.A.6.1.63 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch6, 15 GHz-20 GHz)**




**Fig.A.6.1.64 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch6, 20 GHz-26 GHz)**




**Fig.A.6.1.65 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch11, Center Frequency)**




**Fig.A.6.1.66 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch11, 30 MHz-1 GHz)**




**Fig.A.6.1.67 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch11, 1 GHz-2.5 GHz)**




**Fig.A.6.1.68 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch11, 2.5 GHz-7.5 GHz)**




**Fig.A.6.1.69 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch11, 7.5 GHz-10 GHz)**




**Fig.A.6.1.70 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch11, 10 GHz-15 GHz)**




**Fig.A.6.1.71 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch11, 15 GHz-20 GHz)**




**Fig.A.6.1.72 Transmitter Spurious Emission - Conducted (802.11n-HT20, Ch11, 20 GHz-26 GHz)**




**Fig.A.6.1.73 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch3, Center Frequency)**



**Fig.A.6.1.74 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch3, 30 MHz-1 GHz)**




**Fig.A.6.1.75 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch3, 1 GHz-2.5 GHz)**




**Fig.A.6.1.76 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch3, 2.5 GHz-7.5 GHz)**







**Fig.A.6.1.77 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch3, 7.5 GHz-10 GHz)**




**Fig.A.6.1.78 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch3, 10 GHz-15 GHz)**




**Fig.A.6.1.79 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch3, 15 GHz-20 GHz)**




**Fig.A.6.1.80 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch3, 20 GHz-26 GHz)**




**Fig.A.6.1.81 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch6, Center Frequency)**




**Fig.A.6.1.82 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch6, 30 MHz-1 GHz)**




**Fig.A.6.1.83 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch6, 1 GHz-2.5 GHz)**




**Fig.A.6.1.84 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch6, 2.5 GHz-7.5 GHz)**




**Fig.A.6.1.85 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch6, 7.5 GHz-10 GHz)**




**Fig.A.6.1.86 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch6, 10 GHz-15 GHz)**




**Fig.A.6.1.87 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch6, 15 GHz-20 GHz)**




**Fig.A.6.1.88 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch6, 20 GHz-26 GHz)**




**Fig.A.6.1.89 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch9, Center Frequency)**



**Fig.A.6.1.90 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch9, 30 MHz-1 GHz)**




**Fig.A.6.1.91 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch9, 1 GHz-2.5 GHz)**




**Fig.A.6.1.92 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch9, 2.5 GHz-7.5 GHz)**







**Fig.A.6.1.93 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch9, 7.5 GHz-10 GHz)**



**Fig.A.6.1.94 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch9, 10 GHz-15 GHz)**



**Fig.A.6.1.95 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch9, 15 GHz-20 GHz)**



**Fig.A.6.1.96 Transmitter Spurious Emission - Conducted (802.11n-HT40, Ch9, 20 GHz-26 GHz)**

### A.6.2 Transmitter Spurious Emission - Radiated

**Method of Measurement:** See ANSI C63.10-2013-clause 6.4 & 6.5 & 6.6

**Measurement Limit:**

Standard	Limit
FCC 47 CFR Part 15.247, 15.205, 15.209	20dB below peak output power

In addition, radiated emissions which fall in the restricted bands, as defined in § 15.205(a), must also comply with the radiated emission limits specified in § 15.209(a) (see § 15.205(c)).

**Limit in restricted band:**

Frequency of emission (MHz)	Field strength( $\mu$ V/m)	Field strength(dBuV/m)
30-88	100	40
88-216	150	43.5
216-960	200	46
Above 960	500	54

Frequency (MHz)	Field strength( $\mu$ V/m)	Measurement distance (m)
0.009 - 0.490	2400/F(kHz)	300
0.490 - 1.705	24000/F(kHz)	30
1.705 – 30.0	30	30

### Test Condition

The EUT was placed on a non-conductive table. The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

Frequency of emission (MHz)	RBW/VBW	Sweep Time(s)
30-1000	100KHz/300KHz	5
1000-4000	1MHz/1MHz	15
4000-18000	1MHz/1MHz	40
18000-26500	1MHz/1MHz	20

**EUT ID:** EUT1

**Measurement Results:**

**802.11b mode**

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11b	Power	2.38GHz ~2.43GHz	Fig.A.6.2.1	P
	1	1 GHz ~ 3 GHz	--	P
		3 GHz ~ 18 GHz	--	P
	6	9 kHz ~30 MHz	--	P
		30 MHz ~1 GHz	--	P
		1 GHz ~ 3 GHz	--	P
		3 GHz ~ 18 GHz	--	P
	Power	18 GHz~ 26.5 GHz	--	P
		2.45GHz ~2.5GHz	Fig.A.6.2.2	P
		11	1 GHz ~ 3 GHz	--
	3 GHz ~ 18 GHz		--	P

**802.11g mode**

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11g	Power	2.38GHz ~2.43GHz	Fig.A.6.2.3	P
	1	1 GHz ~ 3 GHz	--	P
		3 GHz ~ 18 GHz	--	P
	6	30 MHz ~1 GHz	--	P
		1 GHz ~ 3 GHz	--	P
		3 GHz ~ 18 GHz	--	P
		18 GHz~ 26.5 GHz	--	P
	Power	2.45GHz ~2.5GHz	Fig.A.6.2.4	P
	11	1 GHz ~ 3 GHz	--	P
		3 GHz ~ 18 GHz	--	P

**802.11n-HT20 mode**

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11n (HT20)	Power	2.38GHz ~2.43GHz	Fig.A.6.2.5	P
	1	1 GHz ~ 3 GHz	--	P
		3 GHz ~ 18 GHz	--	P
	6	30 MHz ~1 GHz	--	P
		1 GHz ~ 3 GHz	--	P
		3 GHz ~ 18 GHz	--	P
		18 GHz~ 26.5 GHz	--	P
	Power	2.45GHz ~2.5GHz	Fig.A.6.2.6	P
	11	1 GHz ~ 3 GHz	--	P
		3 GHz ~ 18 GHz	--	P

**802.11n-HT40 mode**

Mode	Channel	Frequency Range	Test Results	Conclusion
802.11n (HT40)	Power	2.38GHz ~2.43GHz	Fig.A.6.2.7	<b>P</b>
	3	1 GHz ~ 3 GHz	--	<b>P</b>
		3 GHz ~ 18 GHz	--	<b>P</b>
	6	30 MHz ~1 GHz	--	<b>P</b>
		1 GHz ~ 3 GHz	--	<b>P</b>
		3 GHz ~ 18 GHz	--	<b>P</b>
		18 GHz~ 26.5 GHz	--	<b>P</b>
	Power	2.45GHz ~2.5GHz	Fig.A.6.2.8	<b>P</b>
	9	1 GHz ~ 3 GHz	--	<b>P</b>
		3 GHz ~ 18 GHz	--	<b>P</b>

**Conclusion: Pass**

**Note:**

A "reference path loss" is established and the  $A_{Rpl}$  is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable loss.

$P_{Mea}$  is the field strength recorded from the instrument.

The measurement results are obtained as described below:

$$\text{Result} = P_{Mea} + A_{Rpl} = P_{Mea} + \text{Cable Loss} + \text{Antenna Factor}$$



**802.11b-Average**  
Ch1

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2383.700	46.63	2.9	32.0	11.73	54.0	7.4	H	155	4
2387.900	46.68	2.9	32.0	11.82	54.0	7.3	H	155	26
4824.000	37.51	-32.8	34.5	35.76	54.0	16.5	H	155	72
7236.000	38.08	-31.7	36.1	33.71	54.0	15.9	H	155	90
9648.000	38.61	-30.4	37.0	31.93	54.0	15.4	H	155	46
12060.000	42.98	-29.6	39.3	33.31	54.0	11.0	H	155	16

Ch6

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2388.600	46.65	2.9	32.0	11.79	54.0	7.4	H	155	8
2498.100	46.84	2.9	32.4	11.54	54.0	7.2	H	155	28
4874.000	38.02	-32.7	34.5	36.22	54.0	16.0	H	155	135
7311.000	37.81	-31.9	36.1	33.65	54.0	16.2	H	155	156
9748.000	39.05	-30.7	37.2	32.52	54.0	15.0	H	155	180
12185.000	43.43	-29.4	39.2	33.64	54.0	10.6	H	155	204

Ch11

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2487.800	46.74	2.9	32.6	11.17	54.0	7.3	H	155	174
2495.800	46.81	2.9	32.4	11.45	54.0	7.2	H	155	195
4924.000	38.91	-33.1	34.5	37.50	54.0	15.1	H	155	140
7386.000	37.88	-31.8	36.0	33.68	54.0	16.1	H	155	8
9848.000	39.86	-30.1	37.3	32.61	54.0	14.1	H	155	80
12310.000	43.81	-29.7	39.2	34.34	54.0	10.2	H	155	243



**802.11b-Peak**  
Ch1

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2383.570	59.95	2.9	32.0	25.06	74.0	14.0	H	155	0
2388.988	59.56	2.9	32.0	24.71	74.0	14.4	V	155	22
4824.000	47.60	-32.8	34.5	45.85	74.0	26.4	V	155	66
7236.000	42.20	-31.7	36.1	37.84	74.0	31.8	V	155	88
9648.000	42.04	-30.4	37.0	35.36	74.0	32.0	V	155	44
12060.000	46.67	-29.6	39.3	37.00	74.0	27.3	H	155	22

Ch6

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2363.800	48.42	-27.4	31.9	43.88	74.0	25.6	V	155	0
2507.900	48.19	-26.4	32.4	42.21	74.0	25.8	V	155	22
4874.000	43.22	-32.7	34.5	41.43	74.0	30.8	H	155	132
7311.000	43.36	-31.9	36.1	39.19	74.0	30.6	V	155	154
9748.000	42.62	-30.7	37.2	36.09	74.0	31.4	V	155	176
12185.000	47.46	-29.4	39.2	37.66	74.0	26.5	H	155	198

Ch11

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2484.360	59.41	2.9	32.7	23.74	74.0	14.6	V	155	176
2492.840	59.88	2.9	32.5	24.44	74.0	14.1	V	155	198
4924.000	44.24	-33.1	34.5	42.83	74.0	29.8	V	155	132
7386.000	42.92	-31.8	36.0	38.71	74.0	31.1	H	155	0
9848.000	44.06	-30.1	37.3	36.81	74.0	29.9	V	155	88
12310.000	47.05	-29.7	39.2	37.58	74.0	26.9	V	155	242



**802.11g - Average**  
Ch1

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2384.300	46.62	2.9	32.0	11.73	54.0	7.4	H	155	40
2388.200	46.64	2.9	32.0	11.78	54.0	7.4	H	155	65
4824.000	37.52	-32.8	34.5	35.77	54.0	16.5	H	155	222
7236.000	38.12	-31.7	36.1	33.76	54.0	15.9	H	155	190
9648.000	38.72	-30.4	37.0	32.04	54.0	15.3	H	155	240
12060.000	43.01	-29.6	39.3	33.34	54.0	11.0	H	155	270

Ch6

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2387.900	46.69	2.9	32.0	11.83	54.0	7.3	H	155	28
2486.800	46.79	2.9	32.7	11.18	54.0	7.2	H	155	6
4874.000	38.10	-32.7	34.5	36.31	54.0	15.9	H	155	92
7311.000	37.82	-31.9	36.1	33.66	54.0	16.2	H	155	112
9748.000	39.12	-30.7	37.2	32.60	54.0	14.9	H	155	136
12185.000	43.54	-29.4	39.2	33.75	54.0	10.5	H	155	156

Ch11

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2484.700	46.81	2.9	32.7	11.14	54.0	7.2	H	155	152
2490.400	46.75	2.9	32.6	11.24	54.0	7.3	H	155	174
4924.000	38.90	-33.1	34.5	37.48	54.0	15.1	H	155	72
7386.000	37.91	-31.8	36.0	33.71	54.0	16.1	H	155	136
9848.000	39.94	-30.1	37.3	32.69	54.0	14.1	H	155	94
12310.000	43.62	-29.7	39.2	34.15	54.0	10.4	H	155	48





**802.11g - Peak**  
Ch1

Frequency (MHz)	Measurement Result (dB $\mu$ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB $\mu$ V)	Limit (dB $\mu$ V/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2383.626	59.69	2.9	32.0	24.80	74.0	14.3	V	155	44
2389.576	59.38	2.9	32.0	24.53	74.0	14.6	H	155	66
4824.000	42.38	-32.8	34.5	40.63	74.0	31.6	V	155	220
7236.000	43.23	-31.7	36.1	38.86	74.0	30.8	V	155	198
9648.000	42.25	-30.4	37.0	35.56	74.0	31.8	H	155	242
12060.000	47.19	-29.6	39.3	37.52	74.0	26.8	V	155	264

Ch6

Frequency (MHz)	Measurement Result (dB $\mu$ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB $\mu$ V)	Limit (dB $\mu$ V/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2366.780	47.60	-27.2	32.0	42.83	74.0	26.4	V	155	22
2508.600	47.88	-26.5	32.4	41.90	74.0	26.1	H	155	0
4874.000	43.57	-32.7	34.5	41.78	74.0	30.4	H	155	88
7311.000	42.93	-31.9	36.1	38.76	74.0	31.1	H	155	110
9748.000	41.73	-30.7	37.2	35.20	74.0	32.3	H	155	132
12185.000	46.22	-29.4	39.2	36.43	74.0	27.8	H	155	154

Ch11

Frequency (MHz)	Measurement Result (dB $\mu$ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB $\mu$ V)	Limit (dB $\mu$ V/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2488.780	60.22	2.9	32.6	24.67	74.0	13.8	H	155	154
2496.430	60.12	2.9	32.4	24.77	74.0	13.9	V	155	176
4924.000	43.07	-33.1	34.5	41.66	74.0	30.9	H	155	66
7386.000	42.75	-31.8	36.0	38.54	74.0	31.3	V	155	132
9848.000	44.39	-30.1	37.3	37.13	74.0	29.6	H	155	88
12310.000	47.61	-29.7	39.2	38.14	74.0	26.4	V	155	44



**802.11n-HT20-Average**  
Ch1

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2382.900	46.63	2.9	32.0	11.73	54.0	7.4	H	155	180
2388.600	46.68	2.9	32.0	11.82	54.0	7.3	H	155	202
4824.000	37.52	-32.8	34.5	35.77	54.0	16.5	H	155	312
7236.000	38.00	-31.7	36.1	33.64	54.0	16.0	H	155	46
9648.000	37.52	-30.4	37.0	30.84	54.0	16.5	H	155	70
12060.000	42.84	-29.6	39.3	33.16	54.0	11.2	H	155	92

Ch6

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2385.100	46.65	2.9	32.0	11.77	54.0	7.4	H	155	28
2485.100	46.77	2.9	32.7	11.12	54.0	7.2	H	155	74
4874.000	38.22	-32.7	34.5	36.43	54.0	15.8	H	155	92
7311.000	37.83	-31.9	36.1	33.67	54.0	16.2	H	155	268
9748.000	39.12	-30.7	37.2	32.59	54.0	14.9	H	155	292
12185.000	39.12	-29.4	39.2	29.33	54.0	14.9	H	155	316

Ch11

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2484.700	46.68	2.9	32.7	11.02	54.0	7.3	H	155	86
2492.200	46.73	2.9	32.5	11.27	54.0	7.3	H	155	107
4924.000	38.93	-33.1	34.5	37.52	54.0	15.1	H	155	72
7386.000	37.93	-31.8	36.0	33.73	54.0	16.1	H	155	92
9848.000	39.85	-30.1	37.3	32.59	54.0	14.2	H	155	40
12310.000	43.79	-29.7	39.2	34.32	54.0	10.2	H	155	6



**802.11n-HT20-Peak**

Ch1

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2382.422	60.09	2.9	32.0	25.19	74.0	13.9	H	155	176
2387.224	59.81	2.9	32.0	24.94	74.0	14.2	H	155	198
4824.000	41.17	-32.8	34.5	39.42	74.0	32.8	V	155	308
7236.000	42.95	-31.7	36.1	38.59	74.0	31.1	H	155	44
9648.000	41.38	-30.4	37.0	34.70	74.0	32.6	H	155	66
12060.000	46.83	-29.6	39.3	37.15	74.0	27.2	V	155	88

Ch6

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2375.896	48.29	-26.6	32.1	42.78	74.0	25.7	H	155	22
2646.638	49.24	-26.7	33.6	42.33	74.0	24.8	H	155	66
4874.000	42.09	-32.7	34.5	40.30	74.0	31.9	H	155	88
7311.000	43.23	-31.9	36.1	39.06	74.0	30.8	H	155	264
9748.000	42.11	-30.7	37.2	35.58	74.0	31.9	H	155	286
12185.000	47.16	-29.4	39.2	37.37	74.0	26.8	H	155	308

Ch11

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2486.120	59.64	2.9	32.7	24.02	74.0	14.4	H	155	88
2494.450	60.11	2.9	32.5	24.72	74.0	13.9	H	155	110
4924.000	41.93	-33.1	34.5	40.52	74.0	32.1	V	155	66
7386.000	44.16	-31.8	36.0	39.95	74.0	29.8	H	155	88
9848.000	45.37	-30.1	37.3	38.11	74.0	28.6	V	155	44
12310.000	48.07	-29.7	39.2	38.59	74.0	25.9	V	155	0



**802.11n-HT40-Average**  
Ch3

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2387.100	46.65	2.9	32.0	11.78	54.0	7.4	H	155	175
2389.100	46.75	2.9	32.0	11.90	54.0	7.3	H	155	194
4844.000	38.42	-32.7	34.5	36.61	54.0	15.6	H	155	296
7266.000	38.01	-31.9	36.1	33.78	54.0	16.0	H	155	314
9688.000	37.38	-30.7	37.1	31.00	54.0	16.6	H	155	90
12110.000	43.02	-29.5	39.3	33.25	54.0	11.0	H	155	112

Ch6

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2385.200	46.64	2.9	32.0	11.76	54.0	7.4	H	155	4
2490.500	46.76	2.9	32.6	11.26	54.0	7.2	H	155	2
4874.000	37.93	-32.7	34.5	36.14	54.0	16.1	H	155	25
7311.000	37.94	-31.9	36.1	33.78	54.0	16.1	H	155	350
9748.000	39.23	-30.7	37.2	32.70	54.0	14.8	H	155	92
12185.000	43.49	-29.4	39.2	33.69	54.0	10.5	H	155	85

Ch9

Frequency (MHz)	Measurement Result (dBμV/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dBμV)	Limit (dBμV/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2486.000	46.77	2.9	32.7	11.14	54.0	7.2	H	155	135
2493.500	46.78	2.9	32.5	11.36	54.0	7.2	H	155	160
4904.000	38.50	-32.9	34.5	36.90	54.0	15.5	H	155	92
7356.000	37.77	-31.9	36.1	33.62	54.0	16.2	H	155	115
9808.000	39.54	-30.4	37.3	32.62	54.0	14.5	H	155	112
12260.000	43.68	-29.6	39.2	34.06	54.0	10.3	H	155	85



**802.11n-HT40-Peak**

Ch3

Frequency (MHz)	Measurement Result (dB $\mu$ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB $\mu$ V)	Limit (dB $\mu$ V/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2387.812	60.42	2.9	32.0	25.55	74.0	13.6	H	155	176
2389.996	60.05	2.9	32.0	25.20	74.0	14.0	H	155	198
4844.000	40.52	-32.7	34.5	38.71	74.0	33.5	V	155	286
7266.000	42.45	-31.9	36.1	38.22	74.0	31.5	H	155	308
9688.000	41.87	-30.7	37.1	35.49	74.0	32.1	V	155	88
12110.000	47.67	-29.5	39.3	37.90	74.0	26.3	V	155	110


Ch6

Frequency (MHz)	Measurement Result (dB $\mu$ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB $\mu$ V)	Limit (dB $\mu$ V/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2364.000	48.20	-27.3	31.9	43.65	74.0	25.8	H	155	0
2513.400	48.69	-26.6	32.5	42.74	74.0	25.3	H	155	0
4874.000	40.58	-32.7	34.5	38.79	74.0	33.4	V	155	22
7311.000	42.64	-31.9	36.1	38.47	74.0	31.4	V	155	352
9748.000	41.92	-30.7	37.2	35.39	74.0	32.1	V	155	88
12185.000	47.67	-29.4	39.2	37.87	74.0	26.3	V	155	88


Ch9

Frequency (MHz)	Measurement Result (dB $\mu$ V/m)	Cable loss (dB)	Antenna Factor (dB/m)	Receiver Reading (dB $\mu$ V)	Limit (dB $\mu$ V/m)	Margin (dB)	Antenna Pol. (H/V)	Antenna Height (cm)	Turntable angle (deg)
2484.810	60.23	2.9	32.7	24.57	74.0	13.8	H	155	132
2485.540	59.93	2.9	32.7	24.29	74.0	14.1	H	155	154
4904.000	41.23	-32.9	34.5	39.62	74.0	32.8	V	155	88
7356.000	42.41	-31.9	36.1	38.26	74.0	31.6	H	155	110
9808.000	44.78	-30.4	37.3	37.86	74.0	29.2	V	155	110
12260.000	47.21	-29.6	39.2	37.58	74.0	26.8	V	155	88

Test graphs as below:



**Fig.A.6.2.1 Transmitter Spurious Emission - Radiated (Power): 802.11b, ch1, 2.38 GHz – 2.43GHz**



**Fig.A.6.2.2 Transmitter Spurious Emission - Radiated (Power): 802.11b, ch11, 2.45 GHz - 2.50GHz**