





HAC RF TEST REPORT

No. I21Z62863-SEM03

For

TCL Communication Ltd.

UMTS/LTE mobile phone

Model name: 4058E

With

Hardware Version: 03

Software Version: QK1F

FCC ID: 2ACCJN063

Results Summary: M Category = M4

Issued Date: 2022-02-21

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504

Email: cttl_terminals@caict.ac.cn, website: www.caict.ac.cn





REPORT HISTORY

Report Number	Revision	Issue Date	Description	
I21Z62863-SEM03 Rev.0		2022-02-21	Initial creation of test report	





TABLE OF CONTENT

1 TEST LABORATORY	. 5
1.1 TESTING LOCATION	5
1.2 Testing Environment	5
1.3 Project Data	5
1.4 Signature	5
2 CLIENT INFORMATION	. 6
2.1 Applicant Information	6
2.2 MANUFACTURER INFORMATION	6
3 EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	. 7
3.1 About EUT	7
3.2 INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	7
3.3 INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	7
3.4 Air Interfaces / Bands Indicating Operating Modes	8
4 MAXIMUM OUTPUT POWER	. 9
5 REFERENCE DOCUMENTS	10
5.1 Reference Documents for testing	10
6 OPERATIONAL CONDITIONS DURING TEST	11
6.1 HAC MEASUREMENT SET-UP	11
6.2 PROBE SPECIFICATION	12
6.3Test Arch Phantom & Phone Positioner	13
6.4ROBOTIC SYSTEM SPECIFICATIONS	13
7 EUT ARRANGEMENT	14
7.1 WD RF EMISSION MEASUREMENTS REFERENCE AND PLANE	14
8 SYSTEM VALIDATION	15
8.1 VALIDATION PROCEDURE	15
8.2 VALIDATION RESULT	
9 EVALUATION OF MIF	16
	10
9.1 INTRODUCTION	16
9.2 MIF MEASUREMENT WITH THE AIA	17
9.3 TEST EQUIPMENT FOR THE MIF MEASUREMENT	17
9.4 Test signal validation	
9.5 DUT MIF results	
10 EVALUATION FOR LOW-POWER EXEMPTION	19
	10
10.1 PRODUCT TESTING THRESHOLD	
10.2 CONDUCTED POWER	
10.3 CONCLUSION	19



CAICT No.I21Z62863-SEM03

11 RF TEST	۲ PROCEDUERES 2	20
12 MEASU	REMENT RESULTS (E-FIELD)2	21
13 ANSIC 6	3.19-2011 LIMITS	21
14 MEASU	REMENT UNCERTAINTY	22
15 MAIN TE	EST INSTRUMENTS	23
	USION	23
ANNEX A	TEST LAYOUT	24
ANNEX B	TEST PLOTS	25
ANNEX C	SYSTEM VALIDATION RESULT	27
ANNEX D	PROBE CALIBRATION CERTIFICATE	28
ANNEX E	DIPOLE CALIBRATION CERTIFICATE	50





1 Test Laboratory

1.1 Testing Location

CompanyName:	CTTL(Shouxiang)
Address:	No. 51 Shouxiang Science Building, Xueyuan Road, Haidian District,
	Beijing, P. R. China100191

1.2 Testing Environment

Temperature:	18°C~25°C,		
Relative humidity: 30%~ 70%			
Ground system resistance: $< 0.5 \Omega$			
Ambient noise is checked and found very low and in compliance with requirement of standards.			
Reflection of surrounding objects is minimized and in compliance with requirement of standards.			

1.3 Project Data

Project Leader:	Qi Dianyuan
Test Engineer:	Lin Xiaojun
Testing Start Date:	February 02 2021
Testing End Date:	February 02 2021

1.4 Signature

Lin Xiaojun (Prepared this test report)

Qi Dianyuan (Reviewed this test report)

5 100 3

Lu Bingsong Deputy Director of the laboratory (Approved this test report)





2 Client Information

2.1 Applicant Information

Company Name:	TCL Communication Ltd.		
Address/Post:	5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science		
Address/Post.	Park, Shatin, NT, Hong Kong		
Contact Person:	Peter yang		
Contact Email:	peter.yang@tcl.com		
Telephone:	+86 755 3664 5759		
Fax:	+86 755 3661 2000-81722		

2.2 Manufacturer Information

Company Name:	TCL Communication Ltd.		
Address/Post:	5/F, Building 22E, 22 Science Park East Avenue, Hong Kong Science		
Address/Post.	Park, Shatin, NT, Hong Kong		
Contact Person:	Peter yang		
Contact Email:	nail: peter.yang@tcl.com		
Telephone:	+86 755 3664 5759		
Fax	+86 755 3661 2000-81722		





3 Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1 About EUT

Description:	UMTS/LTE mobile phone
Model name:	4058E
Operating mode(s):	WCDMA850/1700/1900, LTE Band 2/4/5/7/12/13/17/66/71, BT, Wi-Fi 2.4G

3.2 Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version
EUT1	016182000200806	03	QK1F
EUT2	016182000200590	03	QK1F

*EUT ID: is used to identify the test sample in the lab internally.

Note: It is performed to test HAC with the EUT1-2

3.3 Internal Identification of AE used during the test

AE ID*	Description	Model	SN	Manufacturer
AE1	Battery	TLi017C7	\	veken

*AE ID: is used to identify the test sample in the lab internally.





Air-interface	Band(MHz)	Туре	C63.19/tested	Simultaneous Transmissions	Name of Voice Service
WCDMA	850				
(UMTS)	1700	VO	NO ⁽¹⁾	BT, WLAN	CMRS Voice
(010113)	1900				
LTE FDD	Band 2/5/7/12/13/66/71	V/D	NO ⁽¹⁾	BT, WLAN	VoLTE
BT	2450	DT	NA	GSM,WCDM	NA
Ы	2430			A ,LTE	N/A
WLAN	2450	V/D	Yes	GSM,WCDM	VoWiFi
	2430	v/D		A ,LTE	VOVVII I

3.4 Air Interfaces / Bands Indicating Operating Modes

NA: Not Applicable VO: Voice Only V/D: CMRS and IP Voice Service over Digital Transport DT: Digital Transport

* HAC Rating was not based on concurrent voice and data modes, Non current mode was found to represent worst case rating for both M and T rating

Note1 = The air interface is exempted from testing by low power exemption that its average antenna input power plus its MIF is \leq 17 dBm, and is rated as M4.

Note2= The device have similar frequency in some LTE bands: LTEB12/17,4/66, since the supported frequency spans for the smaller LTE bands are completely cover by the larger LTE bands, therefore, only larger LTE bands were required to be tested for hearing-aid compliance.





4 Maximum Output Power

WCDMA		Conducted Power (dBm)					
850MHz	Channel 4233(846.6MHz)	Channel 4182(836.4MHz)	Channel 4132(826.4MHz)				
RMC	24	24	24				
	Conducted Power (dBm)						
	Channel 1513	Channel 1412	Channel 1312				
1700MHz	(1752.6MHz)	(1732.4MHz)	(1712.4MHz)				
RMC	24	24	24				
WCDMA		Conducted Power (dBm)					
1900MHz	Channel 9538	Channel 9400	Channel				
T900MHZ	(1907.6MHz)	(1880MHz)	9262(1852.4MHz)				
RMC	24	24	24				
LTE Band2	Conducted Power (dBm)						
LIE Banuz	Channel 19100(1900MHz)	Channel18900(1880MHz)	Channel18700(1860MHz)				
QPSK	23.5	23.5	23.5				
LTE Band5		Conducted Power (dBm)					
LIE Banus	Channel 20600(844MHz)	Channel 20525(836.5MHz)	Channel 20450(829MHz)				
QPSK	23.5	23.5	23.5				
LTE Band7	Conducted Power (dBm)						
LIE Band/	Channel 21350(2560MHz)	Channel 21100(2535MHz)	Channel20850(2510MHz)				
QPSK	23.5	23.5	23.5				
LTE		Conducted Power (dBm)					
Band12	Channel 23130(711MHz)	Channel 23095(707.5MHz)	Channel23060(704MHz)				
QPSK	23.5	23.5	23.5				
LTE		Conducted Power (dBm)					
Band13		Channel 23230(782MHz)					
QPSK		23.5					
LTE		Conducted Power (dBm)					
Band66	Channel	Channel	Channel				
Banuoo	132572(1770MHz)	132322(1745MHz)	133072(1720MHz)				
QPSK	23.5	23.5	23.5				
LTE		Conducted Power (dBm)					
Band71	Channel 133372(688MHz)	Channel 133322(683MHz)	Channel 133222(673MHz)				
QPSK	23.5	23.5	23.5				
2 404-		Conducted Power (dBm)					
2.4GHz 802.11b	Channel 11 (2462MHz)	Channel 6 (2437MHz)	Channel 1 (2412MHz)				
002.110	19.5	19.5	19.5				

.





5 Reference Documents

5.1 Reference Documents for testing

The following document listed in this section is referred for testing.

Reference	Title	Version
ANSI C63.19-2011	American National Standard for Methods of Measurement of	2011
	Compatibility between Wireless Communication Devices and	Edition
	Hearing Aids	
FCC 47 CFR §20.19	Hearing Aid Compatible Mobile Headsets	2015
		Edition
KDB 285076 D01	Equipment Authorization Guidance for Hearing Aid Compatibility	v05r01






6 OPERATIONAL CONDITIONS DURING TEST

6.1 HAC MEASUREMENT SET-UP

These measurements are performed using the DASY5 NEO automated dosimetric assessment system. It is made by Schmid & Partner Engineering AG (SPEAG) in Zurich, Switzerland. It consists of high precision robotics system (Stäubli), robot controller, Intel Core2 computer, near-field probe, probe alignment sensor. The robot is a six-axis industrial robot performing precise movements. A cell controller system contains the power supply, robot controller, teach pendant (Joystick),and remote control, is used to drive the robot motors. The PC consists of the HP Intel Core21.86 GHz computer with Windows XP system and HAC Measurement Software DASY5 NEO, A/D interface card, monitor, mouse, and keyboard. The Stäubli Robot is connected to the cell controller to allow software manipulation of the robot. A data acquisition electronic (DAE)circuit performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. is connected to the Electro-optical coupler (EOC). The EOC performs the conversion from the optical into digital electric signal of the DAE and transfers data to the PC plug-in card.





The DAE4 consists of a highly sensitive electrometer-grade preamplifier with auto-zeroing, a channel and gain-switching multiplexer, a fast 16 bit AD-converter and a command decoder and control logic unit. Transmission to the PC-card is accomplished through an optical downlink for data and status information and an optical uplink for commands and clock lines. The mechanical probe mounting device includes two different sensor systems for frontal and sidewise probe contacts. They are also used for mechanical surface detection and probe collision detection. The robot uses its own controller with a built in VME-bus computer.





6.2 Probe Specification

E-Field Probe Description

Construction Calibration	One dipole parallel, two dipoles normal to probe axis Built-in shielding against static charges PEEK enclosure material In air from 100 MHz to 3.0 GHz (absolute accuracy ±6.0%, k=2)	F
Frequency	40 MHz to > 6 GHz (can be extended to < 20 MHz) Linearity: ± 0.2 dB (100 MHz to 3 GHz)	[ER3DV6]
Directivity	± 0.2 dB in air (rotation around probe axis) ± 0.4 dB in air (rotation normal to probe axis)	
Dynamic Range	2 V/m to > 1000 V/m; Linearity: \pm 0.2 dB	
Dimensions	Overall length: 330 mm (Tip: 16 mm) Tip diameter: 8 mm (Body: 12 mm) Distance from probe tip to dipole centers: 2.5 mm	
Application	General near-field measurements up to 6 GHz Field component measurements Fast automatic scanning in phantoms	





6.3Test Arch Phantom & Phone Positioner

The Test Arch phantom should be positioned horizontally on a stable surface. Reference markings on the Phantom allow the complete setup of all predefined phantom positions and measurement grids by manually teaching three points in the robot. It enables easy and well defined positioning of the phone and validation dipoles as well as simple teaching of the robot (Dimensions: $370 \times 370 \times 370 \text{ mm}$).

The Phone Positioner supports accurate and reliable positioning of any phone with effect on near field < \pm 0.5 dB.




Fig. 2 HAC Phantom & Device Holder

6.4Robotic System Specifications

Specifications

Positioner: Stäubli Unimation Corp. Robot Model: RX160L Repeatability: ±0.02 mm No. of Axis: 6 Data Acquisition Electronic (DAE) System Cell Controller Processor: Intel Core2 Clock Speed: 1.86GHz Operating System: Windows XP Data Converter Features:Signal Amplifier, multiplexer, A/D converter, and control logic Software: DASY5 software Connecting Lines: Optical downlink for data and status info. Optical uplink for commands and clock





7 EUT ARRANGEMENT

7.1 WD RF Emission Measurements Reference and Plane

Figure 4 illustrates the references and reference plane that shall be used in the WD emissions measurement.

- The grid is 5 cm by 5 cm area that is divided into 9 evenly sized blocks or sub-grids.
- The grid is centered on the audio frequency output transducer of the WD (speaker or T-coil).

The grid is located by reference to a reference plane. This reference plane is the planar area that contains the highest point in the area of the WD that normally rests against the user's ear
The measurement plane is located parallel to the reference plane and 15 mm from it, out from the phone. The grid is located in the measurement plane.




Fig. 3 WD reference and plane for RF emission measurements





8 SYSTEM VALIDATION

8.1 Validation Procedure

Place a dipole antenna meeting the requirements given in ANSI C63.19 in the position normally occupied by the WD. The dipole antenna serves as a known source for an electrical output. Position the E-field probes so that:

•The probes and their cables are parallel to the coaxial feed of the dipole antenna

•The probe cables and the coaxial feed of the dipole antenna approach the measurement area from opposite directions

• The center point of the probe element(s) are 15 mm from the closest surface of the dipole elements.




Fig. 4 Dipole Validation Setup

8.2 Validation Result

	E-Field Scan							
Mode	Frequency (MHz)	Input Power (mW)	Target ² Value(dBV/m)	Deviation ³ (%)	Limit⁴ (%)			
CW	2450	100	38.68	38.68	0.00	±25		

Notes:

1. Please refer to the attachment for detailed measurement data and plot.

2. Target value is provided by SPEAD in the calibration certificate of specific dipoles.

3. Deviation (%) = 100 * (Measured value minus Target value) divided by Target value.

4. ANSI C63.19 requires values within \pm 25% are acceptable, of which 12% is deviation and 13% is measurement uncertainty. Values independently validated for the dipole actually used in the measurements should be used, when available.





9 Evaluation of MIF

9.1 Introduction

The MIF (Modulation Interference Factor) is used to classify E-field emission to determine Hearing Aid Compatibility (HAC). It scales the power-averaged signal to the RF audio interference level and is characteristic to a modulation scheme. The HAC standard preferred "indirect" measurement method is based on average field measurement with separate scaling by the MIF. With an Audio Interference Analyzer (AIA) designed by SPEAG specifically for the MIF measurement, these values have been verified by practical measurements on an RF signal modulated with each of the waveforms. The resulting deviations from the simulated values are within the requirements

of the HAC standard.

The AIA (Audio Interference Analyzer) is an USB powered electronic sensor to evaluate signals in the frequency range 698MHz - 6 GHz. It contains RMS detector and audio frequency circuits for sampling of the RF envelope.




Fig. 5 AIA Front View





9.2 MIF measurement with the AIA

The MIF is measured with the AIA as follows:

- 1. Connect the AIA via USB to the DASY5 PC and verify the configuration settings.
- 2. Couple the RF signal to be evaluated to an AIA via cable or antenna.
- 3. Generate a MIF measurement job for the unknown signal and select the measurement port and timing settings.
- 4. Document the results via the post processor in a report.

9.3 Test equipment for the MIF measurement

No.	Name	Туре	Serial Number	Manufacturer
01	Signal Generator	E4483C	MY49071430	Anritsu
02	AIA	SE UMS 170 CB	1029	SPEAG
03	BTS CMW500		166370	R&S

9.4 Test signal validation

The signal generator (E4438C) is used to generate a 1GHz signal with different modulation in the below table based on the ANSI C63.19-2011. The measured MIF with AIA are compared with the target values given in ANSI C63.19-2011 table D.3, D.4 and D5.

Pulse modulation	Target MIF	Measured MIF	Deviation
0.5ms pulse, 1000Hz repetition rate	-0.9 dB	-0.9 dB	0 dB
1ms pulse, 100Hz repetition rate	+3.9 dB	+3.7 dB	0.2 dB
0.1ms pulse, 100Hz repetition rate	+10.1 dB	+10.0 dB	0.1 dB
10ms pulse, 10Hz repetition rate	+1.6 dB	+1.7 dB	0.1 dB
Sine-wave modulation	Target MIF	Measured MIF	Deviation
1 kHz, 80% AM	-1.2 dB	-1.3 dB	0.1 dB
1 kHz, 10% AM	-9.1 dB	-9.0 dB	0.1 dB
1 kHz, 1% AM	-19.1 dB	-18.9 dB	0.2 dB
100 Hz, 10% AM	-16.1 dB	-16.0 dB	0.1 dB
10 kHz, 10% AM	-21.5 dB	-21.6 dB	0.1 dB
Transmission protocol	Target MIF	Measured MIF	Deviation
GSM; full-rate version 2; speech codec/handset low	+3.5 dB	+3.47 dB	0.03 dB
WCDMA; speech; speech codec low; AMR 12.2 kb/s	-20.0 dB	-19.8 dB	0.2 dB
CDMA; speech; SO3; RC3; full frame rate; 8kEVRC	-19.0 dB	-19.1 dB	0.1 dB
CDMA; speech; SO3; RC1; 1/8 th frame rate; 8kEVRC	+3.3 dB	+3.44 dB	0.14 dB





9.5 DUT MIF results

Based on the KDB285076D01v05, the handset can also use the MIF values predetermined by the test equipment manufacturer. MIF values applied in this test report were provided by the HAC equipment provider of SPEAG, and the worst values for all air interface are listed below to be determine the Low-power Exemption.

Typical MIF levels in ANSI C63.19-2011						
Transmission protocol	Modulation interference					
	factor					
UMTS-FDD(WCDMA, AMR)	-25.43dB					
LTE-FDD (SC-FDMA, 1RB, 20MHz, QPSK)	-15.63 dB					
LTE-FDD (SC-FDMA, 1RB, 20MHz, 16QAM)	-9.76 dB					
IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	-5.90 dB					
IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps)	-5.17 dB					
IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps)	-3.37 dB					
IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	-2.02 dB					
IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	-0.36dB					
IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	-15.80 dB					





10 Evaluation for low-power exemption

10.1 Product testing threshold

There are two methods for exempting an RF air interface technology from testing. The first method requires evaluation of the MIF for the worst-case operating mode. An RF air interface technology of a device is exempt from testing when its average antenna input power plus its MIF is \leq 17 dBm for any of its operating modes. The second method does not require determination of the MIF. The RF emissions testing exemption shall be applied to an RF air interface technology in a device whose peak antenna input power, averaged over intervals \leq 50 μ s20, is \leq 23 dBm. An RF air interface technology that is exempted from testing by either method shall be rated as M4.

The first method is used to be exempt from testing for the RF air interface technology in this report.

Band	Average power (dBm)	MIF (dB)	Sum (dBm)	C63.19 Tested
WCDMA 850 - RMC	24	-25.43	-1.43	No
WCDMA 1700 - RMC	24	-25.43	-1.43	No
WCDMA 1900 - RMC	24	-25.43	-1.43	No
LTE Band 2 QPSK	23.5	-15.63	7.87	No
LTE Band 5 QPSK	23.5	-15.63	7.87	No
LTE Band 7 QPSK	23.5	-15.63	7.87	No
LTE Band 12 QPSK	23.5	-15.63	7.87	No
LTE Band 13 QPSK	23.5	-15.63	7.87	No
LTE Band 66 QPSK	23.5	-15.63	7.87	No
LTE Band 71 QPSK	23.5	-15.63	7.87	No
LTE Band 2 QPSK	22.5	-9.76	12.74	No
LTE Band 5 QPSK	22.5	-9.76	12.74	No
LTE Band 7 QPSK	22.5	-9.76	12.74	No
LTE Band 12 QPSK	22.5	-9.76	12.74	No
LTE Band 13 QPSK	22.5	-9.76	12.74	No
LTE Band 66 QPSK	22.5	-9.76	12.74	No
LTE Band 71 QPSK	22.5	-9.76	12.74	No
WiFi-2.4G	19.5	-2.02	17.48	Yes

10.2 Conducted power

10.3 Conclusion

According to the above table, the sums of average power and MIF for WCDMA and LTE FDD are less than 17dBm. So it is measured for WiFi2.4G bands. The WCDMA and LTE FDD are exempt from testing and rated as M4.





11 RF TEST PROCEDUERES

The evaluation was performed with the following procedure:

- 1) Confirm proper operation of the field probe, probe measurement system and other instrumentation and the positioning system.
- 2) Position the WD in its intended test position. The gauge block can simplify this positioning.
- 3) Configure the WD normal operation for maximum rated RF output power, at the desired channel and other operating parameters (e.g., test mode), as intended for the test.
- 4) The center sub-grid shall centered on the center of the T-Coil mode axial measurement point or the acoustic output, as appropriate. Locate the field probe at the initial test position in the50 mm by 50 mm grid, which is contained in the measurement plane. If the field alignment method is used, align the probe for maximum field reception.
- 5) Record the reading.
- 6) Scan the entire 50 mm by 50 mm region in equally spaced increments and record the reading at each measurement point. The distance between measurement points shall be sufficient to assure the identification of the maximum reading.
- 7) Identify the five contiguous sub-grids around the center sub-grid whose maximum reading is the lowest of all available choices. This eliminates the three sub-grids with the maximum readings. Thus, the six areas to be used to determine the WD's highest emissions are identified.
- 8) Identify the maximum field reading within the non-excluded sub-grids identified in Step 7)
- 9) Evaluate the MIF and add to the maximum steady-state rms field-strength reading to obtain the RF audio interference level..
- 10) Compare this RF audio interference level with the categories and record the resulting WD category rating.





12 Measurement Results (E-Field)

Frec	luency	Measured	Dewer Drift (dD)	Cotogony					
MHz	Channel	Value(dBV/m)	Power Drift (dB)	Category					
	WiFi2.4G 11b								
2462	11	15.02	0.13	M4					
2437	6	16.13	0.00	M4					
2412	1	16.48	0.01	M4(see Fig B.1)					

13 ANSIC 63.19-2011 LIMITS

WD RF audio interference level categories in logarithmic units

Emission categories	< 960 MHz E	-field emissions	
Category M1	50 to 55	dB (V/m)	
Category M2	45 to 50	dB (V/m)	
Category M3	40 to 45	dB (V/m)	
Category M4	< 40	dB (V/m)	
Emission categories	> 960 MHz E	field emissions	
Category M1	40 to 45	dB (V/m)	
Category M2	35 to 40	dB (V/m)	
Category M3	30 to 35	dB (V/m)	
Category M4	< 30	dB (V/m)	





14 MEASUREMENT UNCERTAINTY

No.	Error source	Туре	Uncertainty Value(%)	Prob. Dist.	k	ciE	Standard Uncertainty (%) $\mu_i^{(*)}$ (%)E	Degree of freedom V _{eff} or <i>v</i> i
Meas	surement System							L
1	Probe Calibration	В	5.	Ν	1	1	5.1	∞
2	Axial Isotropy	В	4.7	R	$\sqrt{3}$	1	2.7	×
3	Sensor Displacement	В	16.5	R	$\sqrt{3}$	1	9.5	ø
4	Boundary Effects	В	2.4	R	$\sqrt{3}$	1	1.4	×
5	Linearity	В	4.7	R	$\sqrt{3}$	1	2.7	œ
6	Scaling to Peak Envelope Power	В	2.0	R	$\sqrt{3}$	1	1.2	ø
7	System Detection Limit	В	1.0	R	$\sqrt{3}$	1	0.6	∞
8	Readout Electronics	В	0.3	N	1	1	0.3	∞
9	Response Time	В	0.8	R	$\sqrt{3}$	1	0.5	∞
10	Integration Time	В	2.6	R	$\sqrt{3}$	1	1.5	×
11	RF Ambient Conditions	В	3.0	R	$\sqrt{3}$	1	1.7	ø
12	RF Reflections	В	12.0	R	$\sqrt{3}$	1	6.9	ø
13	Probe Positioner	В	1.2	R	$\sqrt{3}$	1	0.7	ø
14	Probe Positioning	A	4.7	R	$\sqrt{3}$	1	2.7	ø
15	Extra. And Interpolation	В	1.0	R	$\sqrt{3}$	1	0.6	×
Test	Sample Related						-	
16	Device Positioning Vertical	В	4.7	R	$\sqrt{3}$	1	2.7	×
17	Device Positioning Lateral	В	1.0	R	$\sqrt{3}$	1	0.6	×
18	Device Holder and Phantom	В	2.4	R	$\sqrt{3}$	1	1.4	ø
19	Power Drift	В	5.0	R	$\sqrt{3}$	1	2.9	ø





20	AIA measurement	В	12	R	$\sqrt{3}$	1	6.9	ø
Pha	Phantom and Setup related							
21	Phantom Thickness	В	2.4	R	$\sqrt{3}$	1	1.4	×
Combined standard uncertainty(%)							16.2	
Expanded uncertainty (confidence interval of 95 %)		l	$u_e = 2u_c$	Ν	k=:	2	32.4	

15 MAIN TEST INSTRUMENTS

Table 1: List of Main Instruments

No.	Name	Туре	Serial Number	Calibration Date	Valid Period	
01	Signal	E4438C	MY49070393	May 14, 2021	One Year	
01	Generator	L4430C	101 4907 0393	Way 14, 2021	One real	
02	Power meter	NRP2	106276	May 11, 2021		
03	Power sensor	NRP6A	101369	Way 11, 2021	One year	
04	Amplifier	60S1G4	0331848	No Calibration Requested		
05	E-Field Probe	EF3DV3	4060	May 21, 2021 One y		
06	DAE	SPEAG DAE4	1524	October 08, 2021	One year	
07	HAC Dipole	CD2450V3	1021	August 24, 2021	One year	
08	BTS	CMW500	166370	June 25,2021	One year	
09	AIA	SE UMS 170 CB	1029	No Calibration Requested		

16 CONCLUSION

The HAC measurement indicates that the EUT complies with the HAC limits of the ANSIC63.19-2011. The total M-rating is **M4.**

END OF REPORT BODY





ANNEX A TEST LAYOUT



Picture A1:HAC RF System Layout





ANNEX B TEST PLOTS HAC RF E-Field WiFI2.4G 11b

Date: 2022-02-02 Electronics: DAE4 Sn1524 Medium: Air Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 1000$ kg/m³ Ambient Temperature: 22.0°C Communication System: WiFi2.4G; Frequency: 2412 MHz; Duty Cycle: 1:1 Probe: EF3DV3 - SN4060;ConvF(1, 1, 1)

E Scan - ER3DV6 - 2011: 15 mm from Probe Center to the Device

2/Hearing Aid Compatibility Test (101x101x1): Interpolated grid:

dx=0.5000 mm, dy=0.5000 mm Device Reference Point: 0, 0, -6.3 mm Reference Value = 13.48 V/m; Power Drift = 0.01 dB Applied MIF = -7.31 dB RF audio interference level = 16.48 dBV/m

Emission category: M4

MIF scaled E-	field	
Grid 1 M4	Grid 2 M4	Grid 3 M4
14.15 dBV/m	16.01 dBV/m	16.05 dBV/m
Grid 4 M4	Grid 5 M4	Grid 6 M4
17.36 dBV/m	15.87 dBV/m	15.95 dBV/m
Grid 7 M4	Grid 8 M4	Grid 9 M4
18.97 dBV/m	17.7 dBV/m	16.48 dBV/m

MIF scaled E-field








Fig B.1 HAC RF E-Field WiFi2.4G 11b





ANNEX C SYSTEM VALIDATION RESULT

E SCAN of Dipole 2450 MHz Date: 2022-02-02 Electronics: DAE4 Sn1524 Medium: Air Medium parameters used: $\sigma = 0$ mho/m, $\epsilon_r = 1$; $\rho = 1000$ kg/m³ Communication System: CW; Frequency: 2450 MHz; Duty Cycle: 1:1 Probe: EF3DV3 - SN4060;ConvF(1, 1, 1) E Scan - measurement distance from the probe sensor center to CD2450 =

15mm/Hearing Aid Compatibility Test at 15mm distance (41x181x1): Interpolated

grid: dx=0.5000 mm, dy=0.5000 mm

Device Reference Point: 0, 0, -6.3 mm


Reference Value = 66.51 V/m; Power Drift = 0.01 dB

Applied MIF = 0.00 dB RF audio interference level = 38.68 dBV/m

Emission category: M2

MIF scaled E-field

Grid 1 M2	Grid 2 M2	Grid 3 M2
38.84 dBV/m	38.86 dBV/m	38.49 dBV/m
Grid 4 M2	Grid 5 M2	Grid 6 M2
38.27 dBV/m	38.31 dBV/m	38.13 dBV/m
Grid 7 M2	Grid 8 M2	Grid 9 M2
38.62 dBV/m	38.68 dBV/m	38.47 dBV/m



0 dB = 86.75 V/m = 38.77 dBV/m





ANNEX D PROBE CALIBRATION CERTIFICATE

ient CTTL-BJ (Aud		o the EA tificates	
ALIBRATION		Certificate No: E	EF3-4060_May21
Object	EF3DV3- SN:4060		
Calibration procedure(s)	QA CAL-02.v9, QA Calibration procedu evaluations in air	CAL-25.v7 ure for E-field probes optimized fo	or close near field
Calibration date:	May 21, 2021		
Calibration Equipment used (M8		facility: environment temperature (22 ± 3)°C a	
Primary Standards	ID	Cal Date (Certificate No.)	Scheduled Calibration
Power meter NRP	SN: 104778	09-Apr-21 (No. 217-03291/03292)	Apr-22
			A == 00
Power sensor NRP-Z91	SN: 103244	09-Apr-21 (No. 217-03291)	Apr-22 Apr-22
Power sensor NRP-Z91 Power sensor NRP-Z91	SN: 103245	09-Apr-21 (No. 217-03292)	Apr-22 Apr-22 Apr-22
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator	SN: 103245 SN: CC2552 (20x)		Apr-22
Power sensor NRP-Z91 Power sensor NRP-Z91	SN: 103245	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343)	Apr-22 Apr-22
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator DAE4 Reference Probe ER3DV6	SN: 103245 SN: CC2552 (20x) SN: 789	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343) 23-Dec-20 (No. DAE4-789_Dec20)	Apr-22 Apr-22 Dec-21
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator DAE4	SN: 103245 SN: CC2552 (20x) SN: 789 SN: 2328	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343) 23-Dec-20 (No. DAE4-789_Dec20) 05-Oct-20 (No. ER3-2328_Oct20) Check Date (in house) 06-Apr-16 (in house check Jun-20)	Apr-22 Apr-22 Dec-21 Oct-21 Scheduled Check In house check: Jun-22
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator DAE4 Reference Probe ER3DV6 Secondary Standards Power meter E4419B Power sensor E4412A	SN: 103245 SN: CC2552 (20x) SN: 789 SN: 2328 ID SN: GB41293874 SN: MY41498087	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343) 23-Dec-20 (No. DAE4-789_Dec20) 05-Oct-20 (No. ER3-2328_Oct20) Check Date (in house) 06-Apr-16 (in house check Jun-20) 06-Apr-16 (in house check Jun-20)	Apr-22 Apr-22 Dec-21 Oct-21 Scheduled Check In house check: Jun-22 In house check: Jun-22
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator DAE4 Reference Probe ER3DV6 Secondary Standards Power meter E4419B Power sensor E4412A Power sensor E4412A	SN: 103245 SN: CC2552 (20x) SN: 789 SN: 2328 ID SN: GB41293874 SN: MY41498087 SN: 000110210	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343) 23-Dec-20 (No. DAE4-789_Dec20) 05-Oct-20 (No. ER3-2328_Oct20) Check Date (in house) 06-Apr-16 (in house check Jun-20) 06-Apr-16 (in house check Jun-20) 06-Apr-16 (in house check Jun-20)	Apr-22 Apr-22 Dec-21 Oct-21 Scheduled Check In house check: Jun-22 In house check: Jun-22 In house check: Jun-22
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator DAE4 Reference Probe ER3DV6 Secondary Standards Power meter E4419B Power sensor E4412A	SN: 103245 SN: CC2552 (20x) SN: 789 SN: 2328 ID SN: GB41293874 SN: MY41498087	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343) 23-Dec-20 (No. DAE4-789_Dec20) 05-Oct-20 (No. ER3-2328_Oct20) Check Date (in house) 06-Apr-16 (in house check Jun-20) 06-Apr-16 (in house check Jun-20)	Apr-22 Apr-22 Dec-21 Oct-21 Scheduled Check In house check: Jun-22 In house check: Jun-22
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator DAE4 Reference Probe ER3DV6 Secondary Standards Power meter E4419B Power sensor E4412A Power sensor E4412A RF generator HP 8648C	SN: 103245 SN: CC2552 (20x) SN: 789 SN: 2328 ID SN: GB41293874 SN: MY41498087 SN: 000110210 SN: US3642U01700 SN: US41080477	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343) 23-Dec-20 (No. DAE4-789_Dec20) 05-Oct-20 (No. ER3-2328_Oct20) Check Date (in house) 06-Apr-16 (in house check Jun-20) 06-Apr-16 (in house check Jun-20) 06-Apr-16 (in house check Jun-20) 06-Apr-19 (in house check Jun-20) 06-Apr-19 (in house check Jun-20)	Apr-22 Apr-22 Dec-21 Oct-21 Scheduled Check In house check: Jun-22 In house check: Oct-21
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator DAE4 Reference Probe ER3DV6 Secondary Standards Power meter E4419B Power sensor E4412A Power sensor E4412A RF generator HP 8648C	SN: 103245 SN: CC2552 (20x) SN: 789 SN: 2328 ID SN: GB41293874 SN: MY41498087 SN: 000110210 SN: US3642U01700	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343) 23-Dec-20 (No. DAE4-789_Dec20) 05-Oct-20 (No. ER3-2328_Oct20) Check Date (in house) 06-Apr-16 (in house check Jun-20) 04-Aug-99 (in house check Jun-20) 31-Mar-14 (in house check Oct-20)	Apr-22 Apr-22 Dec-21 Oct-21 Scheduled Check In house check: Jun-22 In house check: Jun-22 In house check: Jun-22 In house check: Jun-22
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator DAE4 Reference Probe ER3DV6 Secondary Standards Power meter E4419B Power sensor E4412A Power sensor E4412A RF generator HP 8648C Network Analyzer E8358A Calibrated by:	SN: 103245 SN: CC2552 (20x) SN: 789 SN: 2328 ID SN: GB41293874 SN: 000110210 SN: US3642U01700 SN: US41080477 Name Jeffrey Katzman	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343) 23-Dec-20 (No. DAE4-789_Dec20) 05-Oct-20 (No. ER3-2328_Oct20) Check Date (in house) 06-Apr-16 (in house check Jun-20) 04-Aug-99 (in house check Jun-20) 31-Mar-14 (in house check Oct-20) Function Laboratory Technician	Apr-22 Apr-22 Dec-21 Oct-21 Scheduled Check In house check: Jun-22 In house check: Oct-21
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator DAE4 Reference Probe ER3DV6 Secondary Standards Power meter E44198 Power sensor E4412A Power sensor E4412A RF generator HP 8648C Network Analyzer E8358A	SN: 103245 SN: CC2552 (20x) SN: 789 SN: 2328 ID SN: GB41293874 SN: 000110210 SN: US3642U01700 SN: US41080477	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343) 23-Dec-20 (No. DAE4-789_Dec20) 05-Oct-20 (No. ER3-2328_Oct20) Check Date (in house) 06-Apr-16 (in house check Jun-20) 04-Aug-99 (in house check Jun-20) 31-Mar-14 (in house check Oct-20)	Apr-22 Apr-22 Dec-21 Oct-21 Scheduled Check In house check: Jun-22 In house check: Oct-21
Power sensor NRP-Z91 Power sensor NRP-Z91 Reference 20 dB Attenuator DAE4 Reference Probe ER3DV6 Secondary Standards Power meter E44198 Power sensor E4412A Power sensor E4412A RF generator HP 8648C Network Analyzer E8358A Calibrated by:	SN: 103245 SN: CC2552 (20x) SN: 789 SN: 2328 ID SN: GB41293874 SN: MY41498087 SN: 000110210 SN: US3642U01700 SN: US41080477 Name Jeffrey Katzman Katja Pokovic	09-Apr-21 (No. 217-03292) 09-Apr-21 (No. 217-03343) 23-Dec-20 (No. DAE4-789_Dec20) 05-Oct-20 (No. ER3-2328_Oct20) Check Date (in house) 06-Apr-16 (in house check Jun-20) 04-Aug-99 (in house check Jun-20) 31-Mar-14 (in house check Oct-20) Function Laboratory Technician	Apr-22 Apr-22 Dec-21 Oct-21 Scheduled Check In house check: Jun-22 In house check: Oct-21





Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland



Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

S

С

S

Accreditation No.: SCS 0108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

sensitivity in free space
diode compression point
crest factor (1/duty_cycle) of the RF signal
modulation dependent linearization parameters
incident E-field orientation normal to probe axis
incident E-field orientation parallel to probe axis
φ rotation around probe axis
9 rotation around an axis that is in the plane normal to probe axis (at measurement center),
i.e., 9 = 0 is normal to probe axis
information used in DASY system to align probe sensor X to the robot coordinate system

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1309-2005, "IEEE Standard for calibration of electromagnetic field sensors and probes, excluding antennas, from 9 kHz to 40 GHz", December 2005
- b) CTIA Test Plan for Hearing Aid Compatibility, Rev 3.1.1, May 2017

Methods Applied and Interpretation of Parameters:

- *NORMx,y,z:* Assessed for E-field polarization ϑ = 0 for XY sensors and ϑ = 90 for Z sensor (f \leq 900 MHz in TEM-cell; f > 1800 MHz: R22 waveguide).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart). .
- DCPx, y, z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW • signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax,y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z: A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- Spherical isotropy (3D deviation from isotropy): in a locally homogeneous field realized using an open waveguide setup.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.
- Connector Angle: The angle is assessed using the information gained by determining the NORMx (no uncertainty required).

Certificate No: EF3-4060_May21

Page 2 of 22





May 21, 2021

DASY/EASY - Parameters of Probe: EF3DV3 - SN:4060

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm (µV/(V/m) ²)	0.79	0.74	1.27	± 10.1 %
DCP (mV) ^B	95.0	97.0	94.2	

Calibration results for Frequency Response (30 MHz – 6 GHz)

Frequency MHz	Target E-Field V/m	Measured E-field (En) V/m	Deviation E-normal in %	Measured E-field (Ep) V/m	Deviation E-normal in %	Unc (k=2) %
30	77.2	77.3	0.2%	77.1	-0.1%	± 5.1 %
100	77.2	78.3	1.4%	78.4	1.6%	± 5.1 %
450	77.1	78.2	1.4%	78.4	1.7%	± 5.1 %
600	77.1	77.8	0.9%	77.8	1.0%	± 5.1 %
750	77.0	77.5	0.7%	77.5	0.7%	± 5.1 %
1800	143.1	139.1	-2.7%	139.6	-2.4%	± 5.1 %
2000	135.0	131.3	-2.7%	131.6	-2.5%	± 5.1 %
2200	127.7	123.5	-3.3%	124.5	-2.5%	± 5.1 %
2500	125.5	122.4	-2.5%	123.6	-1.5%	± 5.1 %
3000	79.3	75.6	-4.7%	76.6	-3.4%	± 5.1 %
3500	256.3	246.2	-3.9%	242.9	-4.7%	± 5.1 %
3700	249.5	239.6	-4.0%	238.1	-4.6%	± 5.1 %
5200	50.7	51.3	1.3%	51.4	1.4%	± 5.1 %
5500	49.7	49.4	-0.5%	48.0	-3.4%	± 5.1 %
5800	48.9	48.6	-0.7%	49.5	1.3%	± 5.1 %

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

^B Numerical linearization parameter: uncertainty not required.
^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EF3-4060_May21

Page 3 of 22





May 21, 2021

DASY/EASY - Parameters of Probe: EF3DV3 - SN:4060

Calibration Results for Modulation Response

UID	Communication System Name		A dB	B dBõV	С	D dB	VR mV	Max dev.	Max Unc ^E (k=2)
0	CW	X	0.00	0.00	1.00	0.00	128.0	± 3.0 %	± 4.7 %
0	Civ	Y	0.00	0.00	1.00		122.6		
		Z	0.00	0.00	1.00		126.8		
10352-	Pulse Waveform (200Hz, 10%)	X	2.34	64.67	9.12	10.00	60.0	± 2.8 %	± 9.6 %
AAA		Y	3.40	68.47	11.14		60.0		
		Z	2.56	65.64	9.75		60.0		
10353-	Pulse Waveform (200Hz, 20%)	X	1.17	62.34	7.11	6.99	80.0	± 1.0 %	± 9.6 %
AAA		Y	2.12	67.49	9.84		80.0		
		Z	1.28	63.31	7.74		80.0		
10354-	4- Pulse Waveform (200Hz, 40%)	X	0.76	62.99	6.54	3.98	95.0	± 0.8 %	± 9.6 %
AAA		Y	8.48	81.16	13.43		95.0		
/001		Z	0.81	63.88	7.07	1	95.0		
10355-	Pulse Waveform (200Hz, 60%)	X	3.06	72.89	9.44	2.22	120.0	± 0.9 %	± 9.6 %
AAA		Y	20.00	93.01	16.68		120.0		
		Z	20.00	83.16	11.95		120.0		
10387-	QPSK Waveform, 1 MHz	X	1.99	71.10	17.30	1.00	150.0	± 2.0 %	± 9.6 %
AAA		Y	1.93	70.25	16.95		150.0		
1001		Z	1.93	70.86	17.01		150.0		
10388-	QPSK Waveform, 10 MHz	X	2.40	70.11	17.24	0.00	150.0	± 1.0 %	± 9.6 %
AAA		Y	2.46	70.31	17.25		150.0		
,		Z	2.31	69.59	16.93		150.0		
10396-	64-QAM Waveform, 100 kHz	X	2.06	67.11	17.82	3.01	150.0	± 1.1 %	± 9.6 %
AAA		Y	2.36	69.41	18.81		150.0		
1001		Z	2.02	66.55	17.38		150.0		
10399-	64-QAM Waveform, 40 MHz	X	3.50	67.36	16.25	0.00	150.0	± 1.1 %	± 9.6 %
AAA	or a minerel of the	Y	3.59	67.71	16.35		150.0		
		Z	3.45	67.13	16.11	-	150.0		-
10414-	WLAN CCDF, 64-QAM, 40MHz	X	4.72	65.68	15.83	0.00	150.0	± 1.9 %	± 9.6 °
AAA		Y	4.68	65.48	15.66		150.0	_	
		Z	4.67	65.58	15.76		150.0		

Note: For details on UID parameters see Appendix

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

^B Numerical linearization parameter: uncertainty not required. ^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EF3-4060_May21

Page 4 of 22





May 21, 2021

DASY/EASY - Parameters of Probe: EF3DV3 - SN:4060

Sensor Frequency Model Parameters

Sensor X	Sensor Y	Sensor Z
0.22	0.23	4.73
	2.82	2.82
	Sensor X 0.22 2.82	0.22 0.23

Sensor Model Parameters

C1	C2	α V ⁻¹	T1 ms.V ⁻²	T2 ms.V ⁻¹	T3 ms	T4 V ⁻²	T5 V ⁻¹	Т6
		37 40	5.87	0.02	4.95	0.12	0.10	1.00
-					4.96	1.01	0.00	1.00
					4.96	0.00	0.13	1.00
		fF fF 37.2 247.97 38.0 248.69	C1 fF C2 fF α V ⁻¹ 37.2 247.97 37.40 38.0 248.69 36.33	C1 fF C2 fF α V ⁻¹ T1 ms.V ⁻² 37.2 247.97 37.40 5.87 38.0 248.69 36.33 4.88	C1 C2 α T1 T2 fF fF V ⁻¹ ms.V ⁻² ms.V ⁻¹ 37.2 247.97 37.40 5.87 0.02 38.0 248.69 36.33 4.88 0.00	C1 C2 α T1 T2 T3 fF fF V ⁻¹ ms.V ⁻² ms.V ⁻¹ ms 37.2 247.97 37.40 5.87 0.02 4.95 38.0 248.69 36.33 4.88 0.00 4.96	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$ \begin{array}{c c c c c c c c c c c c c c c c c c c $

Other Probe Parameters

Sensor Arrangement	Rectangular
	144.4
Connector Angle (°)	
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	12 mm
Tip Length	25 mm
Tip Diameter	4 mm
Probe Tip to Sensor X Calibration Point	1.5 mm
Probe Tip to Sensor Y Calibration Point	1.5 mn
Probe Tip to Sensor Z Calibration Point	1.5 mn


Certificate No: EF3-4060_May21

Page 5 of 22





May 21, 2021



Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$

Certificate No: EF3-4060_May21

Tot

Page 6 of 22

• Z

• Y

×

•

.


×

Tot






May 21, 2021



Receiving Pattern (ϕ), $\vartheta = 0^{\circ}$

Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)

Receiving Pattern (ϕ), ϑ = 90°



Uncertainty of Axial Isotropy Assessment: ± 0.5% (k=2)

Certificate No: EF3-4060_May21


Page 7 of 22





May 21, 2021


Dynamic Range f(E-field) (TEM cell, f = 900 MHz)








May 21, 2021





Uncertainty of Spherical Isotropy Assessment: ± 2.6% (k=2)

Certificate No: EF3-4060_May21

Page 9 of 22





May 21, 2021

EF3DV3 - SN:4060

Appendix:	Modulation	Calibration	Parameters	

UID	Rev	Communication System Name	Group	PAR (dB)	Unc ^e (k=2)
)		CW	CW	0.00	± 4.7 %
0010	CAA	SAR Validation (Square, 100ms, 10ms)	Test	10.00	± 9.6 %
0011	CAB	UMTS-FDD (WCDMA)	WCDMA	2.91	± 9.6 %
0012	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	WLAN	1.87	± 9.6 %
0013	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	WLAN	9.46	± 9.6 %
0021	DAC	GSM-FDD (TDMA, GMSK)	GSM	9.39	± 9.6 %
10023	DAC	GPRS-FDD (TDMA, GMSK, TN 0)	GSM	9.57	± 9.6 %
10024	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1)	GSM	6.56	± 9.6 %
10025	DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	GSM	12.62	± 9.6 %
10026	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1)	GSM	9.55	± 9.6 %
10020	DAC	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	GSM	4.80	± 9.6 %
10027		GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	GSM	3.55	± 9.6 %
10028	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	GSM	7.78	± 9.6 %
10029	DAC	IEEE 802.15.1 Bluetooth (GFSK, DH1)	Bluetooth	5.30	± 9.6 %
10030	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	Bluetooth	1.87	± 9.6 %
10031	CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	Bluetooth	1.16	± 9.6 %
10032	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH1)	Bluetooth	7.74	± 9.6 %
10033	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	Bluetooth	4.53	± 9.6 %
10034	CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH5)	Bluetooth	3.83	± 9.6 %
	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	Bluetooth	8.01	± 9.6 %
10036	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	Bluetooth	4.77	± 9.6 %
10037	CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	Bluetooth	4.10	± 9.6 %
10038	CAA		CDMA2000	4.57	± 9.6 %
10039	CAB	CDMA2000 (1xRTT, RC1) IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Halfrate)	AMPS	7.78	± 9.6 °
10042	CAB		AMPS	0.00	± 9.6 °
10044	CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	DECT	13.80	± 9.6 °
10048	CAA	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	DECT	10.79	± 9.6
10049	CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	TD-SCDMA	11.01	± 9.6
10056	CAA	UMTS-TDD (TD-SCDMA, 1.28 Mcps)	GSM	6.52	± 9.6
10058	DAC	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	WLAN	2.12	± 9.6
10059	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps)	WLAN	2.12	± 9.6
10060	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps)	WLAN	3.60	± 9.6
10061	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	WLAN	8.68	± 9.6
10062	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	WLAN	8.63	± 9.6
10063	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps)			± 9.6
10064	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	WLAN	9.09	
10065	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps)	WLAN	9.00	± 9.6
10066	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	WLAN	9.38	± 9.6
10067	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	WLAN	10.12	± 9.6
10068	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps)	WLAN	10.24	± 9.6
10069	CAD	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	WLAN	10.56	± 9.6
10071	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mbps)	WLAN	9.83	± 9.6
10072	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	WLAN	9.62	± 9.6
10073	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 18 Mbps)	WLAN	9.94	± 9.6
10074	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 24 Mbps)	WLAN	10.30	± 9.6
10075	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	WLAN	10.77	± 9.6
10076	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	WLAN	10.94	± 9.6
10077	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	WLAN	11.00	± 9.6
10081	CAB	CDMA2000 (1xRTT, RC3)	CDMA2000	3.97	± 9.6
10082	CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	AMPS	4.77	± 9.6
10090	DAC	GPRS-FDD (TDMA, GMSK, TN 0-4)	GSM	6.56	± 9.6
10097	CAC	UMTS-FDD (HSDPA)	WCDMA	3.98	± 9.6
10098	DAC	UMTS-FDD (HSUPA, Subtest 2)	WCDMA	3.98	± 9.6

Certificate No: EF3-4060_May21

Page 10 of 22





May 21, 2021

GSM 9.55 ± 9.6 % EDGE-FDD (TDMA, 8PSK, TN 0-4) CAC LTE-FDD ± 9.6 % LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK) 5.67 10100 CAC ± 9.6 % 6.42 LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM) LTE-FDD 10101 CAB LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM) LTE-FDD 6 60 ± 9.6 % 10102 CAB LTE-TDD ± 9.6 % LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK) 9.29 10103 DAC LTE-TDD 9.97 ± 9.6 % LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM) 10104 CAE +9.6% 10.01 I TE-TDD LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM) 10105 CAE LTE-FDD 5.80 ± 9.6 % LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK) 10108 CAE LTE-FDD 6.43 ±9.6 % LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM) 10109 CAG ± 9.6 % LTE-FDD 5.75 10110 LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK) CAG I TE-EDD ± 9.6 % LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM) 6.44 10111 CAG LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM) LTE-FDD 6.59 +9.6 % 10112 CAG LTE-FDD ± 9.6 % LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM) 6.62 10113 CAG 8.10 ± 9.6 % WLAN IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK) 10114 CAG ± 9.6 % IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM) WI AN 8.46 10115 CAG WLAN 8.15 ± 9.6 % IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM) 10116 CAG WLAN 8.07 ± 9.6 % IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK) 10117 CAG ± 9.6 % WI AN 8.59 IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM) 10118 CAD WLAN 8.13 ± 9.6 % IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM) 10119 CAD LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM) LTE-FDD 6.49 ± 9.6 % 10140 CAD LTE-FDD 6.53 ± 9.6 % LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM) 10141 CAD ± 9.6 % LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK) LTE-FDD 5.73 10142 CAD LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM) LTE-FDD 6.35 ± 9.6 % 10143 CAD LTE-FDD ± 9.6 % LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM) 6.65 10144 CAC LTE-FDD 5.76 ± 9.6 % LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK) 10145 CAC ± 9.6 % LTE-FDD 6.41 10146 LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM) CAC LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM) LTE-FDD 6.72 ± 9.6 % 10147 CAC LTE-FDD ± 9.6 % LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM) 6.42 10149 CAE LTE-FDD 6.60 ± 9.6 % LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM) 10150 CAE +9.6% I TE-TDD 9.28 LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK) 10151 CAE ± 9.6 % LTE-TDD LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM) 9.92 10152 CAE ± 9.6 % LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM) LTE-TDD 10.05 10153 CAE 5.75 ±9.6 % LTE-FDD LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK) 10154 CAF LTE-FDD ± 9.6 % LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM) 6.43 10155 CAF ± 9.6 % LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK) LTE-FDD 5.79 10156 CAF LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM) LTE-FDD 6.49 ± 9.6 % 10157 CAE LTE-FDD ±9.6 % 6.62 10158 LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM) CAE LTE-FDD LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM) 6.56 ± 9.6 % 10159 CAG I TE-EDD 5.82 ± 9.6 % LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK) 10160 CAG LTE-FDD 6.43 ±9.6 % LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM) 10161 CAG LTE-FDD 6.58 ± 9.6 % LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM) 10162 CAG +9.6% 10166 LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK) LTE-FDD 5.46 CAG LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM) LTE-FDD 6.21 ±9.6 % 10167 CAG LTE-FDD LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM) 6.79 ± 9.6 % 10168 CAG ± 9.6 % LTE-FDD 5.73 LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK) 10169 CAG LTE-FDD ± 9.6 % LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM) 6.52 10170 CAG ± 9.6 % 10171 LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM) I TE-EDD 6.49 CAE LTE-TDD ± 9.6 % LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK) 9.21 10172 CAE ± 9.6 % LTE-TDD 9.48 10173 LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM) CAE LTE-TDD 10.25 ± 9.6 % 10174 LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM) CAF LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK) LTE-FDD 5 72 ±9.6 % 10175 CAF ± 9.6 % LTE-FDD 6.52 10176 LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM) CAF LTE-FDD ± 9.6 % LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK) 5.73 10177 CAE LTE-FDD ± 9.6 % LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM) 6.52 10178 CAE I TE-EDD ± 9.6 % LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM) 6 50 10179 AAE ± 9.6 % LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM) LTE-FDD 6.50 10180 CAG

Certificate No: EF3-4060_May21

Page 11 of 22