

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	26	8.18	0.27	8.45	19.91	0.0979	Complies
		52	9.13	0.27	9.40	19.91	0.0979	Complies
		106	13.09	0.27	13.36	19.91	0.0979	Complies
		242	13.12	0.27	13.39	19.91	0.0979	Complies
		484	13.52	0.27	13.79	19.91	0.0979	Complies
110	5550	26	8.14	0.27	8.41	19.91	0.0979	Complies
		52	11.17	0.27	11.44	19.91	0.0979	Complies
		106	13.85	0.27	14.12	19.91	0.0979	Complies
		242	13.06	0.27	13.33	19.91	0.0979	Complies
		484	13.60	0.27	13.87	19.91	0.0979	Complies
134	5670	26	8.47	0.27	8.74	19.91	0.0979	Complies
		52	11.22	0.27	11.49	19.91	0.0979	Complies
		106	13.37	0.27	13.64	19.91	0.0979	Complies
		242	13.54	0.27	13.81	19.91	0.0979	Complies
		484	13.32	0.27	13.59	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	26	8.31	0.27	8.58	19.91	0.0979	Complies
		52	9.23	0.27	9.50	19.91	0.0979	Complies
		106	12.63	0.27	12.90	19.91	0.0979	Complies
		242	13.71	0.27	13.98	19.91	0.0979	Complies
		484	13.08	0.27	13.35	19.91	0.0979	Complies
110	5550	26	8.27	0.27	8.54	19.91	0.0979	Complies
		52	11.03	0.27	11.30	19.91	0.0979	Complies
		106	13.06	0.27	13.33	19.91	0.0979	Complies
		242	13.33	0.27	13.60	19.91	0.0979	Complies
		484	13.12	0.27	13.39	19.91	0.0979	Complies
134	5670	26	8.39	0.27	8.66	19.91	0.0979	Complies
		52	11.03	0.27	11.30	19.91	0.0979	Complies
		106	13.56	0.27	13.83	19.91	0.0979	Complies
		242	13.41	0.27	13.68	19.91	0.0979	Complies
		484	13.36	0.27	13.63	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	26	14.86	19.91	0.0979	Complies
		52	15.51	19.91	0.0979	Complies
		106	19.60	19.91	0.0979	Complies
		242	19.88	19.91	0.0979	Complies
		484	19.79	19.91	0.0979	Complies
110	5550	26	14.81	19.91	0.0979	Complies
		52	17.61	19.91	0.0979	Complies
		106	19.87	19.91	0.0979	Complies
		242	19.56	19.91	0.0979	Complies
		484	19.89	19.91	0.0979	Complies
134	5670	26	14.99	19.91	0.0979	Complies
		52	17.71	19.91	0.0979	Complies
		106	19.65	19.91	0.0979	Complies
		242	19.88	19.91	0.0979	Complies
		484	19.57	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	26	7.84	0.42	8.26	19.91	0.0979	Complies
		52	10.92	0.42	11.34	19.91	0.0979	Complies
		106	10.94	0.42	11.36	19.91	0.0979	Complies
		242	12.12	0.42	12.54	19.91	0.0979	Complies
		484	13.45	0.42	13.87	19.91	0.0979	Complies
		996	13.48	0.42	13.90	19.91	0.0979	Complies
122	5610	26	7.64	0.42	8.06	19.91	0.0979	Complies
		52	10.16	0.42	10.58	19.91	0.0979	Complies
		106	11.20	0.42	11.62	19.91	0.0979	Complies
		242	12.17	0.42	12.59	19.91	0.0979	Complies
		484	13.35	0.42	13.77	19.91	0.0979	Complies
		996	13.32	0.42	13.74	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	26	7.49	0.42	7.91	19.91	0.0979	Complies
		52	9.45	0.42	9.87	19.91	0.0979	Complies
		106	9.70	0.42	10.12	19.91	0.0979	Complies
		242	11.75	0.42	12.17	19.91	0.0979	Complies
		484	13.06	0.42	13.48	19.91	0.0979	Complies
		996	12.85	0.42	13.27	19.91	0.0979	Complies
122	5610	26	7.08	0.42	7.50	19.91	0.0979	Complies
		52	9.55	0.42	9.97	19.91	0.0979	Complies
		106	10.58	0.42	11.00	19.91	0.0979	Complies
		242	11.75	0.42	12.17	19.91	0.0979	Complies
		484	13.27	0.42	13.69	19.91	0.0979	Complies
		996	12.84	0.42	13.26	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	26	7.17	0.42	7.59	19.91	0.0979	Complies
		52	8.95	0.42	9.37	19.91	0.0979	Complies
		106	9.15	0.42	9.57	19.91	0.0979	Complies
		242	11.47	0.42	11.89	19.91	0.0979	Complies
		484	12.78	0.42	13.20	19.91	0.0979	Complies
		996	12.98	0.42	13.40	19.91	0.0979	Complies
122	5610	26	8.36	0.42	8.78	19.91	0.0979	Complies
		52	9.10	0.42	9.52	19.91	0.0979	Complies
		106	10.00	0.42	10.42	19.91	0.0979	Complies
		242	11.82	0.42	12.24	19.91	0.0979	Complies
		484	13.22	0.42	13.64	19.91	0.0979	Complies
		996	13.04	0.42	13.46	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Ant. 4
-----------	----------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	26	6.89	0.42	7.31	19.91	0.0979	Complies
		52	8.79	0.42	9.21	19.91	0.0979	Complies
		106	8.96	0.42	9.38	19.91	0.0979	Complies
		242	12.78	0.42	13.20	19.91	0.0979	Complies
		484	13.37	0.42	13.79	19.91	0.0979	Complies
		996	12.97	0.42	13.39	19.91	0.0979	Complies
122	5610	26	7.87	0.42	8.29	19.91	0.0979	Complies
		52	8.83	0.42	9.25	19.91	0.0979	Complies
		106	9.99	0.42	10.41	19.91	0.0979	Complies
		242	12.24	0.42	12.66	19.91	0.0979	Complies
		484	13.26	0.42	13.68	19.91	0.0979	Complies
		996	12.78	0.42	13.20	19.91	0.0979	Complies

Test Mode	UNII-2C_TX AX (HE80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	26	13.80	19.91	0.0979	Complies
		52	16.05	19.91	0.0979	Complies
		106	16.20	19.91	0.0979	Complies
		242	18.50	19.91	0.0979	Complies
		484	19.61	19.91	0.0979	Complies
		996	19.52	19.91	0.0979	Complies
122	5610	26	14.20	19.91	0.0979	Complies
		52	15.88	19.91	0.0979	Complies
		106	16.91	19.91	0.0979	Complies
		242	18.44	19.91	0.0979	Complies
		484	19.72	19.91	0.0979	Complies
		996	19.44	19.91	0.0979	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26	19.64	0.28	19.92	25.91	0.3899	Complies
		52	19.39	0.28	19.67	25.91	0.3899	Complies
		106	19.98	0.28	20.26	25.91	0.3899	Complies
		242	19.81	0.28	20.09	25.91	0.3899	Complies
157	5785	26	19.43	0.28	19.71	25.91	0.3899	Complies
		52	19.54	0.28	19.82	25.91	0.3899	Complies
		106	19.91	0.28	20.19	25.91	0.3899	Complies
		242	19.85	0.28	20.13	25.91	0.3899	Complies
165	5825	26	19.43	0.28	19.71	25.91	0.3899	Complies
		52	19.56	0.28	19.84	25.91	0.3899	Complies
		106	20.07	0.28	20.35	25.91	0.3899	Complies
		242	19.84	0.28	20.12	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26	19.34	0.28	19.62	25.91	0.3899	Complies
		52	19.48	0.28	19.76	25.91	0.3899	Complies
		106	19.23	0.28	19.51	25.91	0.3899	Complies
		242	19.12	0.28	19.40	25.91	0.3899	Complies
157	5785	26	19.33	0.28	19.61	25.91	0.3899	Complies
		52	19.55	0.28	19.83	25.91	0.3899	Complies
		106	19.03	0.28	19.31	25.91	0.3899	Complies
		242	19.32	0.28	19.60	25.91	0.3899	Complies
165	5825	26	19.42	0.28	19.70	25.91	0.3899	Complies
		52	19.47	0.28	19.75	25.91	0.3899	Complies
		106	20.04	0.28	20.32	25.91	0.3899	Complies
		242	19.23	0.28	19.51	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26	19.22	0.28	19.5	25.91	0.3899	Complies
		52	19.31	0.28	19.59	25.91	0.3899	Complies
		106	18.84	0.28	19.12	25.91	0.3899	Complies
		242	18.86	0.28	19.14	25.91	0.3899	Complies
157	5785	26	19.09	0.28	19.37	25.91	0.3899	Complies
		52	19.25	0.28	19.53	25.91	0.3899	Complies
		106	18.99	0.28	19.27	25.91	0.3899	Complies
		242	18.92	0.28	19.20	25.91	0.3899	Complies
165	5825	26	19.14	0.28	19.42	25.91	0.3899	Complies
		52	19.38	0.28	19.66	25.91	0.3899	Complies
		106	18.98	0.28	19.26	25.91	0.3899	Complies
		242	18.95	0.28	19.23	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26	19.04	0.28	19.32	25.91	0.3899	Complies
		52	19.17	0.28	19.45	25.91	0.3899	Complies
		106	18.75	0.28	19.03	25.91	0.3899	Complies
		242	18.81	0.28	19.09	25.91	0.3899	Complies
157	5785	26	19.06	0.28	19.34	25.91	0.3899	Complies
		52	19.22	0.28	19.50	25.91	0.3899	Complies
		106	18.68	0.28	18.96	25.91	0.3899	Complies
		242	18.66	0.28	18.94	25.91	0.3899	Complies
165	5825	26	19.07	0.28	19.35	25.91	0.3899	Complies
		52	19.36	0.28	19.64	25.91	0.3899	Complies
		106	18.83	0.28	19.11	25.91	0.3899	Complies
		242	18.72	0.28	19.00	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	26	25.61	25.91	0.3899	Complies
		52	25.64	25.91	0.3899	Complies
		106	25.52	25.91	0.3899	Complies
		242	25.47	25.91	0.3899	Complies
157	5785	26	25.53	25.91	0.3899	Complies
		52	25.69	25.91	0.3899	Complies
		106	25.47	25.91	0.3899	Complies
		242	25.51	25.91	0.3899	Complies
165	5825	26	25.56	25.91	0.3899	Complies
		52	25.74	25.91	0.3899	Complies
		106	25.82	25.91	0.3899	Complies
		242	25.50	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26	19.63	0.27	19.90	25.91	0.3899	Complies
		52	19.75	0.27	20.02	25.91	0.3899	Complies
		106	19.77	0.27	20.04	25.91	0.3899	Complies
		242	19.72	0.27	19.99	25.91	0.3899	Complies
		484	19.75	0.27	20.02	25.91	0.3899	Complies
159	5795	26	19.63	0.27	19.90	25.91	0.3899	Complies
		52	19.88	0.27	20.15	25.91	0.3899	Complies
		106	19.85	0.27	20.12	25.91	0.3899	Complies
		242	19.63	0.27	19.90	25.91	0.3899	Complies
		484	19.69	0.27	19.96	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26	19.36	0.27	19.63	25.91	0.3899	Complies
		52	19.62	0.27	19.89	25.91	0.3899	Complies
		106	19.15	0.27	19.42	25.91	0.3899	Complies
		242	19.43	0.27	19.70	25.91	0.3899	Complies
		484	19.52	0.27	19.79	25.91	0.3899	Complies
159	5795	26	19.53	0.27	19.80	25.91	0.3899	Complies
		52	19.29	0.27	19.56	25.91	0.3899	Complies
		106	19.35	0.27	19.62	25.91	0.3899	Complies
		242	19.65	0.27	19.92	25.91	0.3899	Complies
		484	19.77	0.27	20.04	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26	19.53	0.27	19.80	25.91	0.3899	Complies
		52	19.45	0.27	19.72	25.91	0.3899	Complies
		106	18.74	0.27	19.01	25.91	0.3899	Complies
		242	19.36	0.27	19.63	25.91	0.3899	Complies
		484	19.57	0.27	19.84	25.91	0.3899	Complies
159	5795	26	19.36	0.27	19.63	25.91	0.3899	Complies
		52	19.36	0.27	19.63	25.91	0.3899	Complies
		106	18.74	0.27	19.01	25.91	0.3899	Complies
		242	19.35	0.27	19.62	25.91	0.3899	Complies
		484	19.40	0.27	19.67	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26	19.52	0.27	19.79	25.91	0.3899	Complies
		52	19.51	0.27	19.78	25.91	0.3899	Complies
		106	19.02	0.27	19.29	25.91	0.3899	Complies
		242	19.35	0.27	19.62	25.91	0.3899	Complies
		484	19.45	0.27	19.72	25.91	0.3899	Complies
159	5795	26	19.53	0.27	19.80	25.91	0.3899	Complies
		52	19.88	0.27	20.15	25.91	0.3899	Complies
		106	19.04	0.27	19.31	25.91	0.3899	Complies
		242	19.17	0.27	19.44	25.91	0.3899	Complies
		484	19.13	0.27	19.40	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	26	25.80	25.91	0.3899	Complies
		52	25.88	25.91	0.3899	Complies
		106	25.48	25.91	0.3899	Complies
		242	25.76	25.91	0.3899	Complies
		484	25.87	25.91	0.3899	Complies
159	5795	26	25.81	25.91	0.3899	Complies
		52	25.90	25.91	0.3899	Complies
		106	25.56	25.91	0.3899	Complies
		242	25.75	25.91	0.3899	Complies
		484	25.80	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26	18.02	0.42	18.44	25.91	0.3899	Complies
		52	19.15	0.42	19.57	25.91	0.3899	Complies
		106	19.66	0.42	20.08	25.91	0.3899	Complies
		242	19.75	0.42	20.17	25.91	0.3899	Complies
		484	15.56	0.42	15.98	25.91	0.3899	Complies
		996	19.55	0.42	19.97	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26	18.35	0.42	18.77	25.91	0.3899	Complies
		52	19.43	0.42	19.85	25.91	0.3899	Complies
		106	19.44	0.42	19.86	25.91	0.3899	Complies
		242	19.16	0.42	19.58	25.91	0.3899	Complies
		484	15.01	0.42	15.43	25.91	0.3899	Complies
		996	19.56	0.42	19.98	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26	18.27	0.42	18.69	25.91	0.3899	Complies
		52	19.09	0.42	19.51	25.91	0.3899	Complies
		106	19.00	0.42	19.42	25.91	0.3899	Complies
		242	19.24	0.42	19.66	25.91	0.3899	Complies
		484	15.14	0.42	15.56	25.91	0.3899	Complies
		996	18.99	0.42	19.41	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Ant. 4
-----------	---------------------------------

Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Duty Factor	Conducted Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26	17.91	0.42	18.33	25.91	0.3899	Complies
		52	18.71	0.42	19.13	25.91	0.3899	Complies
		106	18.75	0.42	19.17	25.91	0.3899	Complies
		242	19.06	0.42	19.48	25.91	0.3899	Complies
		484	14.87	0.42	15.29	25.91	0.3899	Complies
		996	18.82	0.42	19.24	25.91	0.3899	Complies

Test Mode	UNII-3_TX AX (HE80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Resource Unit	Conducted Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	26	24.58	25.91	0.3899	Complies
		52	25.54	25.91	0.3899	Complies
		106	25.67	25.91	0.3899	Complies
		242	25.75	25.91	0.3899	Complies
		484	21.59	25.91	0.3899	Complies
		996	25.68	25.91	0.3899	Complies

APPENDIX F - POWER SPECTRAL DENSITY

CDD


Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.13	0.28	7.41	12.91	Complies
40	5200	7.35	0.28	7.63	12.91	Complies
48	5240	7.16	0.28	7.44	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.04	0.28	7.32	12.91	Complies
40	5200	6.81	0.28	7.09	12.91	Complies
48	5240	6.35	0.28	6.63	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 3	RU configuration	26
-----------	---------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.77	0.28	6.05	12.91	Complies
40	5200	5.27	0.28	5.55	12.91	Complies
48	5240	5.21	0.28	5.49	12.91	Complies



Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 4	RU configuration	26
-----------	---------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.07	0.28	5.35	12.91	Complies
40	5200	5.05	0.28	5.33	12.91	Complies
48	5240	4.59	0.28	4.87	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_Total	RU configuration	26
-----------	--------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.63	12.91	Complies
40	5200	12.53	12.91	Complies
48	5240	12.24	12.91	Complies


Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.40	0.28	7.68	12.91	Complies
40	5200	7.43	0.28	7.71	12.91	Complies
48	5240	6.99	0.28	7.27	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.53	0.28	5.81	12.91	Complies
40	5200	5.60	0.28	5.88	12.91	Complies
48	5240	6.04	0.28	6.32	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 3	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.34	0.28	6.62	12.91	Complies
40	5200	5.59	0.28	5.87	12.91	Complies
48	5240	5.52	0.28	5.80	12.91	Complies



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 4	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.64	0.28	5.92	12.91	Complies
40	5200	5.76	0.28	6.04	12.91	Complies
48	5240	5.48	0.28	5.76	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	52
-----------	---------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.59	12.91	Complies
40	5200	12.47	12.91	Complies
48	5240	12.35	12.91	Complies


Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 1	RU configuration	106
-----------	---------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.13	0.28	7.41	12.91	Complies
40	5200	7.22	0.28	7.50	12.91	Complies
48	5240	7.41	0.28	7.79	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_Ant. 2	RU configuration	106
-----------	---------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.29	0.28	7.57	12.91	Complies
40	5200	7.14	0.28	7.42	12.91	Complies
48	5240	6.41	0.28	6.69	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 3	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.77	0.28	6.05	12.91	Complies
40	5200	5.62	0.28	5.90	12.91	Complies
48	5240	6.33	0.28	6.61	12.91	Complies



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 4	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.62	0.28	5.90	12.91	Complies
40	5200	5.45	0.28	5.73	12.91	Complies
48	5240	6.04	0.28	6.32	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	106
-----------	---------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.82	12.91	Complies
40	5200	12.73	12.91	Complies
48	5240	12.88	12.91	Complies


Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 1	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.16	0.28	7.44	12.91	Complies
40	5200	7.26	0.28	7.54	12.91	Complies
48	5240	7.06	0.28	7.34	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 2	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.11	0.28	7.39	12.91	Complies
40	5200	6.77	0.28	7.05	12.91	Complies
48	5240	6.45	0.28	6.73	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 3	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.78	0.28	6.06	12.91	Complies
40	5200	5.38	0.28	5.66	12.91	Complies
48	5240	5.44	0.28	5.72	12.91	Complies



Test Mode	UNII-1_TX AX (HE20) Mode_ Ant. 4	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.26	0.28	5.54	12.91	Complies
40	5200	5.13	0.28	5.41	12.91	Complies
48	5240	4.90	0.28	5.18	12.91	Complies




Test Mode	UNII-1_TX AX (HE20) Mode_ Total	RU configuration	242
-----------	---------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	12.70	12.91	Complies
40	5200	12.53	12.91	Complies
48	5240	12.34	12.91	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.78	0.27	7.06	12.91	Complies
46	5230	7.31	0.27	7.59	12.91	Complies




Date: 15 JUN 2020 03:17:23




Date: 15 JUN 2020 03:18:51

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.08	0.27	7.36	12.91	Complies
46	5230	6.75	0.27	7.03	12.91	Complies





Date: 15 JUN 2020 03:16:49



Date: 15 JUN 2020 03:19:29

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 3	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.72	0.27	6.00	12.91	Complies
46	5230	5.47	0.27	5.75	12.91	Complies





Date: 15.JUN.2020 03:16:14

Date: 15.JUN.2020 03:16:16

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 4	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.12	0.27	5.40	12.91	Complies
46	5230	4.57	0.27	4.85	12.91	Complies



Date: 15.JUN.2020 03:15:40


Date: 15.JUN.2020 03:15:59

Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	26
-----------	---------------------------------	------------------	----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.54	12.91	Complies
46	5230	12.45	12.91	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.50	0.27	6.78	12.91	Complies
46	5230	7.05	0.27	7.33	12.91	Complies




Date: 15 JUN 2020 03:47:31




Date: 15 JUN 2020 04:02:11

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.73	0.27	7.01	12.91	Complies
46	5230	6.36	0.27	6.64	12.91	Complies




Date: 15 JUN 2020 03:48:11



Date: 15 JUN 2020 04:01:29


Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 3	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.43	0.27	5.71	12.91	Complies
46	5230	5.16	0.27	5.44	12.91	Complies



Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 4	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.36	0.27	5.64	12.91	Complies
46	5230	4.79	0.27	5.07	12.91	Complies




Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	52
-----------	---------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.34	12.91	Complies
46	5230	12.23	12.91	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.25	0.27	7.53	12.91	Complies
46	5230	7.85	0.27	8.13	12.91	Complies




Date: 15..JUN.2020 04:41:40

Date: 2.APR.2020 18:02:08

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.09	0.27	7.37	12.91	Complies
46	5230	6.13	0.27	6.41	12.91	Complies




Date: 15..JUN.2020 04:41:02


Date: 2.APR.2020 18:01:38

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 3	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.75	0.27	6.03	12.91	Complies
46	5230	6.26	0.27	6.54	12.91	Complies




Date: 15_JUN.2020 04:40:26




Date: 2.APR.2020 18:01:07

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 4	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.90	0.27	6.18	12.91	Complies
46	5230	5.88	0.27	6.16	12.91	Complies



Date: 15_JUN.2020 04:39:50




Date: 2.APR.2020 18:01:37

Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	106
-----------	---------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.84	12.91	Complies
46	5230	12.90	12.91	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.41	0.27	6.68	12.91	Complies
46	5230	6.40	0.27	6.67	12.91	Complies




Date: 2.APR.2020 17:02:56




Date: 2.APR.2020 17:17:26

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.04	0.27	6.31	12.91	Complies
46	5230	5.88	0.27	6.15	12.91	Complies




Date: 2.APR.2020 17:03:47




Date: 2.APR.2020 17:16:52

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 3	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.21	0.27	5.48	12.91	Complies
46	5230	4.78	0.27	5.05	12.91	Complies




Date: 2.APR.2020 17:04:27




Date: 2.APR.2020 17:16:17

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 4	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.54	0.27	4.81	12.91	Complies
46	5230	4.43	0.27	4.70	12.91	Complies



Date: 2.APR.2020 17:05:02




Date: 2.APR.2020 17:15:44

Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	242
-----------	---------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.90	12.91	Complies
46	5230	11.74	12.91	Complies

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 1	RU configuration	484
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.18	0.27	6.45	12.91	Complies
46	5230	6.07	0.27	6.34	12.91	Complies




Date: 2.APR.2020 05:55:48




Date: 2.APR.2020 05:59:34

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 2	RU configuration	484
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.54	0.27	4.81	12.91	Complies
46	5230	4.33	0.27	4.60	12.91	Complies




Date: 2.APR.2020 05:56:18




Date: 2.APR.2020 05:59:01

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 3	RU configuration	484
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.15	0.27	4.42	12.91	Complies
46	5230	4.43	0.27	4.70	12.91	Complies




Date: 2.APR.2020 05:56:51




Date: 2.APR.2020 05:58:27

Test Mode	UNII-1_TX AX (HE40) Mode_ Ant. 4	RU configuration	484
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	4.97	0.27	5.24	12.91	Complies
46	5230	4.12	0.27	4.39	12.91	Complies



Date: 2.APR.2020 05:57:16




Date: 2.APR.2020 05:58:01

Test Mode	UNII-1_TX AX (HE40) Mode_ Total	RU configuration	484
-----------	---------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.32	12.91	Complies
46	5230	11.10	12.91	Complies


Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.14	0.42	1.56	12.91	Complies




Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	0.31	0.42	0.73	12.91	Complies




Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 3	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.89	0.42	-0.47	12.91	Complies



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 4	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.08	0.42	-0.66	12.91	Complies




Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	26
-----------	---------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.64	12.91	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	52
-----------	----------------------------------	------------------	----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.69	0.42	-0.27	12.91	Complies



Date: 15-JUN-2020 06:25:31

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	52
-----------	----------------------------------	------------------	----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.26	0.42	-0.84	12.91	Complies



Date: 15-JUN-2020 06:24:56

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 3	RU configuration	52
-----------	----------------------------------	------------------	----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.33	0.42	-1.91	12.91	Complies



Date: 15_JUN.2020 06:24:19

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 4	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.83	0.42	-2.41	12.91	Complies




Date: 15_JUN.2020 06:23:43

Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	52
-----------	---------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.75	12.91	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	106
-----------	----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.57	0.42	-2.15	12.91	Complies



Date: 15-Jun-2020 06:37:12

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	106
-----------	----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.61	0.42	-2.19	12.91	Complies



Date: 15-Jun-2020 06:36:37

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 3	RU configuration	106
-----------	----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.15	0.42	-3.73	12.91	Complies



Date: 15-Jun-2020 06:36:02

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 4	RU configuration	106
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.61	0.42	-4.19	12.91	Complies




Date: 15-Jun-2020 06:35:27

Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	106
-----------	---------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.05	12.91	Complies

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 1	RU configuration	242
-----------	----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	4.10	0.42	4.52	12.91	Complies



Date: 3.APR.2020 02:38:27

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 2	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.31	0.42	2.73	12.91	Complies



Date: 3.APR.2020 02:37:27

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 3	RU configuration	242
-----------	----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.59	0.42	3.01	12.91	Complies



Date: 3.APR.2020 02:36:58

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 4	RU configuration	242
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.62	0.42	3.04	12.91	Complies



Date: 3.APR.2020 02:35:49

Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	242
-----------	---------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.41	12.91	Complies

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.98	0.42	3.4	12.91	Complies



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.64	0.42	2.06	12.91	Complies



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.84	0.42	2.26	12.91	Complies



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.06	0.42	2.48	12.91	Complies



Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.60	12.91	Complies

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.33	0.42	3.75	12.91	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.92	0.42	2.34	12.91	Complies



Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 3	RU configuration	996
-----------	----------------------------------	------------------	-----


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.06	0.42	2.48	12.91	Complies



Date: 3.APR.2020 03:16:37

Test Mode	UNII-1_TX AX (HE80) Mode_ Ant. 4	RU configuration	996
-----------	----------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.08	0.42	2.5	12.91	Complies




Date: 3.APR.2020 03:17:11

Test Mode	UNII-1_TX AX (HE80) Mode_ Total	RU configuration	996
-----------	---------------------------------	------------------	-----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.83	12.91	Complies


Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 1	RU configuration	26
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.11	0.28	1.39	6.91	Complies
60	5300	1.25	0.28	1.53	6.91	Complies
64	5320	1.38	0.28	1.66	6.91	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 2	RU configuration	26
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.76	0.28	1.04	6.91	Complies
60	5300	-0.12	0.28	0.16	6.91	Complies
64	5320	0.10	0.28	0.38	6.91	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 3	RU configuration	26
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.99	0.28	-0.71	6.91	Complies
60	5300	-1.46	0.28	-1.18	6.91	Complies
64	5320	-1.04	0.28	-0.76	6.91	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 4	RU configuration	26
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.44	0.28	-1.16	6.91	Complies
60	5300	-1.29	0.28	-1.01	6.91	Complies
64	5320	-1.58	0.28	-1.30	6.91	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode_ Total	RU configuration	26
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.29	6.91	Complies
60	5300	6.03	6.91	Complies
64	5320	6.16	6.91	Complies

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.41	0.28	1.69	6.91	Complies
60	5300	1.80	0.28	2.08	6.91	Complies
64	5320	1.70	0.28	1.98	6.91	Complies




Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.79	0.28	1.07	6.91	Complies
60	5300	0.53	0.28	0.81	6.91	Complies
64	5320	0.69	0.28	0.97	6.91	Complies




Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 3	RU configuration	52
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-0.71	0.28	-0.43	6.91	Complies
60	5300	-0.30	0.28	-0.02	6.91	Complies
64	5320	-1.06	0.28	-0.78	6.91	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode_ Ant. 4	RU configuration	52
-----------	-----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-1.37	0.28	-1.09	6.91	Complies
60	5300	-1.12	0.28	-0.84	6.91	Complies
64	5320	-1.39	0.28	-1.11	6.91	Complies



Test Mode	UNII-2A_TX AX (HE20) Mode_ Total	RU configuration	52
-----------	----------------------------------	------------------	----

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.47	6.91	Complies
60	5300	6.66	6.91	Complies
64	5320	6.47	6.91	Complies