



Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10540.00	44.83	3.93	48.76	68.30	-19.54	peak	


Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz

Vertical




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5350.000	26.76	38.77	65.53	74.00	-8.47	peak	
2 *	5350.000	13.68	38.77	52.45	54.00	-1.55	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10620.00	44.60	4.02	48.62	74.00	-25.38	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5350.000	26.19	38.77	64.96	74.00	-9.04	peak	
2 *	5350.000	9.92	38.77	48.69	54.00	-5.31	AVG	


Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10620.00	46.27	4.02	50.29	74.00	-23.71	peak	


Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5350.000	31.21	38.77	69.98	74.00	-4.02	peak	
2	*	5350.000	14.37	38.77	53.14	54.00	-0.86	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10580.00	42.49	3.97	46.46	68.30	-21.84	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5350.000	26.95	38.77	65.72	74.00	-8.28	peak	
2 *	5350.000	10.07	38.77	48.84	54.00	-5.16	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10580.00	44.12	3.97	48.09	68.30	-20.21	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5383.408	26.29	38.81	65.10	74.00	-8.90	peak	
2		5383.408	9.88	38.81	48.69	54.00	-5.31	AVG	
3	*	5470.000	28.91	38.92	67.83	68.30	-0.47	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11000.00	42.54	4.50	47.04	74.00	-26.96	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	28.32	38.91	67.23	74.00	-6.77	peak	
2		5460.000	12.66	38.91	51.57	54.00	-2.43	AVG	
3	*	5470.000	27.40	38.92	66.32	68.30	-1.98	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11000.00	44.53	4.50	49.03	74.00	-24.97	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz

Orthogonal Axis: X


Vertical

Polarization: Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	25.27	38.91	64.18	74.00	-9.82	peak	
2		5460.000	7.88	38.91	46.79	54.00	-7.21	AVG	
3	*	5470.000	24.80	38.92	63.72	68.30	-4.58	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11160.00	43.80	4.69	48.49	74.00	-25.51	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5378.842	26.05	38.81	64.86	74.00	-9.14	peak	
2		5378.842	9.29	38.81	48.10	54.00	-5.90	AVG	
3	*	5470.000	26.01	38.92	64.93	68.30	-3.37	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11160.00	42.92	4.69	47.61	74.00	-26.39	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5725.000	26.95	39.23	66.18	68.30	-2.12	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11400.00	41.72	4.99	46.71	74.00	-27.29	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5725.000	26.24	39.23	65.47	68.30	-2.83	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11400.00	41.52	4.99	46.51	74.00	-27.49	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	27.09	38.91	66.00	74.00	-8.00	peak	
2		5460.000	11.59	38.91	50.50	54.00	-3.50	AVG	
3	*	5470.000	28.50	38.92	67.42	68.30	-0.88	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11020.00	43.22	4.52	47.74	74.00	-26.26	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	26.99	38.91	65.90	74.00	-8.10	peak	
2	5460.000	14.46	38.91	53.37	74.00	-20.63	peak	
3 *	5470.000	26.93	38.92	65.85	68.30	-2.45	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11020.00	42.88	4.52	47.40	74.00	-26.60	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	26.47	38.91	65.38	74.00	-8.62	peak	
2		5460.000	9.33	38.91	48.24	54.00	-5.76	AVG	
3	*	5470.000	25.77	38.92	64.69	68.30	-3.61	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11100.00	43.11	4.63	47.74	74.00	-26.26	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	25.70	38.91	64.61	74.00	-9.39	peak	
2		5460.000	8.04	38.91	46.95	54.00	-7.05	AVG	
3	*	5470.000	25.17	38.92	64.09	68.30	-4.21	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11100.00	41.82	4.63	46.45	74.00	-27.55	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Vertical




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5725.000	28.26	39.23	67.49	68.30	-0.81	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11340.00	41.95	4.93	46.88	74.00	-27.12	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5725.000	25.82	39.23	65.05	68.30	-3.25	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11340.00	43.03	4.93	47.96	74.00	-26.04	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	26.80	38.91	65.71	74.00	-8.29	peak	
2 *	5460.000	12.30	38.91	51.21	54.00	-2.79	AVG	
3	5470.000	25.58	38.92	64.50	68.30	-3.80	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11060.00	42.45	4.57	47.02	74.00	-26.98	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5460.000	26.28	38.91	65.19	74.00	-8.81	peak	
2		5460.000	9.29	38.91	48.20	54.00	-5.80	AVG	
3	*	5470.000	25.38	38.92	64.30	68.30	-4.00	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11060.00	42.75	4.57	47.32	74.00	-26.68	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	27.48	38.91	66.39	74.00	-7.61	peak	
2		5460.000	12.01	38.91	50.92	54.00	-3.08	AVG	
3	*	5470.000	26.97	38.92	65.89	68.30	-2.41	peak	
4		5725.000	26.52	39.23	65.75	68.30	-2.55	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11220.00	41.81	4.77	46.58	74.00	-27.42	peak	


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	26.68	38.91	65.59	74.00	-8.41	peak	
2		5460.000	8.85	38.91	47.76	54.00	-6.24	AVG	
3		5470.000	26.93	38.92	65.85	68.30	-2.45	peak	
4	*	5725.000	26.92	39.23	66.15	68.30	-2.15	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11220.00	44.01	4.77	48.78	74.00	-25.22	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5607.200	27.25	39.09	66.34	68.20	-1.86	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11490.00	49.93	5.11	55.04	74.00	-18.96	peak	
2	*	11490.00	37.14	5.11	42.25	54.00	-11.75	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5646.000	26.38	39.13	65.51	68.20	-2.69	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11490.00	50.04	5.11	55.15	74.00	-18.85	peak	
2	*	11490.00	37.51	5.11	42.62	54.00	-11.38	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5633.000	25.90	39.12	65.02	68.20	-3.18	peak	
2	!	5998.400	25.37	39.55	64.92	68.20	-3.28	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11570.00	49.78	4.78	54.56	74.00	-19.44	peak	
2	*	11570.00	36.79	4.78	41.57	54.00	-12.43	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	!	5644.000	24.80	39.13	63.93	68.20	-4.27	peak	
2	*	5999.200	25.47	39.55	65.02	68.20	-3.18	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11570.00	49.83	4.78	54.61	74.00	-19.39	peak	
2 *	11570.00	37.41	4.78	42.19	54.00	-11.81	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5997.800	27.64	39.55	67.19	68.20	-1.01	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.00	51.40	4.40	55.80	74.00	-18.20	peak	
2 *	11650.00	39.24	4.40	43.64	54.00	-10.36	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5991.400	28.18	39.54	67.72	68.20	-0.48	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11650.00	50.74	4.40	55.14	74.00	-18.86	peak	
2	*	11650.00	37.39	4.40	41.79	54.00	-12.21	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5650.000	26.38	39.14	65.52	68.20	-2.68	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11510.00	49.57	5.07	54.64	74.00	-19.36	peak	
2	*	11510.00	37.03	5.07	42.10	54.00	-11.90	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5650.000	26.05	39.14	65.19	68.20	-3.01	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11510.00	49.79	5.07	54.86	74.00	-19.14	peak	
2 *	11510.00	37.06	5.07	42.13	54.00	-11.87	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	!	5600.000	27.42	39.08	66.50	68.20	-1.70	peak	
2	*	5996.600	27.11	39.55	66.66	68.20	-1.54	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11590.00	49.35	4.69	54.04	74.00	-19.96	peak	
2 *	11590.00	37.84	4.69	42.53	54.00	-11.47	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 !	5626.000	26.49	39.11	65.60	68.20	-2.60	peak	
2 *	5991.000	28.04	39.54	67.58	68.20	-0.62	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11590.00	49.48	4.69	54.17	74.00	-19.83	peak	
2	*	11590.00	36.77	4.69	41.46	54.00	-12.54	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80)Mode 5775MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	!	5650.000	27.73	39.14	66.87	68.20	-1.33	peak	
2	*	5925.000	28.31	39.47	67.78	68.20	-0.42	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80)Mode 5775MHz




No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11550.00	49.63	4.88	54.51	74.00	-19.49	peak	
2 *	11550.00	36.82	4.88	41.70	54.00	-12.30	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80)Mode 5775MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5650.000	27.85	39.14	66.99	68.20	-1.21	peak	
2	!	5925.000	26.70	39.47	66.17	68.20	-2.03	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80)Mode 5775MHz




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11550.00	49.02	4.88	53.90	74.00	-20.10	peak	
2	*	11550.00	37.18	4.88	42.06	54.00	-11.94	AVG	

Ant.2

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5180 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	27.72	38.51	66.23	74.00	-7.77	peak	
2	*	5150.000	12.95	38.51	51.46	54.00	-2.54	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5180 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10360.00	44.75	3.68	48.43	68.30	-19.87	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5180 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	26.29	38.51	64.80	74.00	-9.20	peak	
2	*	5150.000	10.84	38.51	49.35	54.00	-4.65	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5180 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10360.00	44.83	3.68	48.51	68.30	-19.79	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5200 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.000	27.04	38.51	65.55	74.00	-8.45	peak	
2 *	5150.000	10.29	38.51	48.80	54.00	-5.20	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5200 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10400.00	45.06	3.74	48.80	68.30	-19.50	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5200 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	25.08	38.51	63.59	74.00	-10.41	peak	
2	*	5150.000	10.70	38.51	49.21	54.00	-4.79	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5200 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10400.00	44.96	3.74	48.70	68.30	-19.60	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5240 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.000	26.04	38.51	64.55	74.00	-9.45	peak	
2 *	5150.000	9.83	38.51	48.34	54.00	-5.66	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5240 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10480.00	45.79	3.84	49.63	68.30	-18.67	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5240 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	25.68	38.51	64.19	74.00	-9.81	peak	
2	*	5150.000	10.68	38.51	49.19	54.00	-4.81	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX A Mode 5240 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10480.00	44.79	3.84	48.63	68.30	-19.67	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5260 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5350.000	25.95	38.77	64.72	74.00	-9.28	peak	
2	*	5350.000	8.90	38.77	47.67	54.00	-6.33	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5260 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10520.00	45.39	3.89	49.28	68.30	-19.02	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5260 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5350.000	26.98	38.77	65.75	74.00	-8.25	peak	
2	*	5350.000	9.50	38.77	48.27	54.00	-5.73	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5260 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10520.00	45.60	3.89	49.49	68.30	-18.81	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5300 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5350.000	24.93	38.77	63.70	74.00	-10.30	peak	
2	*	5350.000	8.92	38.77	47.69	54.00	-6.31	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5300 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10600.00	46.77	4.00	50.77	68.30	-17.53	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5300 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5350.000	26.71	38.77	65.48	74.00	-8.52	peak	
2	*	5350.000	8.69	38.77	47.46	54.00	-6.54	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5300 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10600.00	46.53	4.00	50.53	68.30	-17.77	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5320 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5350.000	26.69	38.77	65.46	74.00	-8.54	peak	
2 *	5350.000	14.06	38.77	52.83	54.00	-1.17	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5320 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10640.00	45.44	4.05	49.49	74.00	-24.51	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5320 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5350.000	26.26	38.77	65.03	74.00	-8.97	peak	
2 *	5350.000	11.01	38.77	49.78	54.00	-4.22	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX A Mode 5320 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10640.00	45.69	4.05	49.74	74.00	-24.26	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5500 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	25.57	38.91	64.48	74.00	-9.52	peak	
2	5460.000	11.89	38.91	50.80	54.00	-3.20	AVG	
3 *	5470.000	27.59	38.92	66.51	68.30	-1.79	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5500 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11000.00	45.81	4.50	50.31	74.00	-23.69	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5500 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	26.92	38.91	65.83	74.00	-8.17	peak	
2		5460.000	8.04	38.91	46.95	54.00	-7.05	AVG	
3	*	5470.000	25.72	38.92	64.64	68.30	-3.66	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5500 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11000.00	45.65	4.50	50.15	74.00	-23.85	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5580 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	26.92	38.91	65.83	74.00	-8.17	peak	
2		5460.000	8.04	38.91	46.95	54.00	-7.05	AVG	
3	*	5470.000	25.72	38.92	64.64	68.30	-3.66	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5580 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11160.00	44.35	4.69	49.04	74.00	-24.96	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5580 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	26.61	38.91	65.52	74.00	-8.48	peak	
2	5460.000	7.68	38.91	46.59	54.00	-7.41	AVG	
3 *	5470.000	25.73	38.92	64.65	68.30	-3.65	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5580 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11160.00	45.43	4.69	50.12	74.00	-23.88	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5700 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5725.000	28.38	39.23	67.61	68.30	-0.69	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5700 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11400.00	43.49	4.99	48.48	74.00	-25.52	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5700 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5725.000	28.03	39.23	67.26	68.30	-1.04	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX A Mode 5700 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11400.00	43.75	4.99	48.74	74.00	-25.26	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5745 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5629.800	27.75	39.11	66.86	68.20	-1.34	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5745 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11490.00	44.63	5.11	49.74	74.00	-24.26	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5745 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5628.000	27.99	39.11	67.10	68.20	-1.10	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5745 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11490.00	45.00	5.11	50.11	74.00	-23.89	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5785 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5609.200	27.76	39.09	66.85	68.20	-1.35	peak	
2	!	5990.800	27.14	39.54	66.68	68.20	-1.52	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5785 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11570.00	44.40	4.78	49.18	74.00	-24.82	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5785 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	!	5601.800	25.98	39.08	65.06	68.20	-3.14	peak	
2	*	5994.600	27.68	39.54	67.22	68.20	-0.98	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5785 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11570.00	44.95	4.78	49.73	74.00	-24.27	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5825 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5995.000	26.70	39.54	66.24	68.20	-1.96	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5825 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11650.00	46.98	4.40	51.38	74.00	-22.62	peak	
2	*	11650.00	36.16	4.40	40.56	54.00	-13.44	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5825 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5984.000	27.58	39.53	67.11	68.20	-1.09	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX A Mode 5825 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11650.00	47.13	4.40	51.53	74.00	-22.47	peak	
2 *	11650.00	34.86	4.40	39.26	54.00	-14.74	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	26.81	38.51	65.32	74.00	-8.68	peak	
2	*	5150.000	12.99	38.51	51.50	54.00	-2.50	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10360.00	43.87	3.68	47.55	68.30	-20.75	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.000	26.66	38.51	65.17	74.00	-8.83	peak	
2 *	5150.000	13.17	38.51	51.68	54.00	-2.32	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5180 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10360.00	44.88	3.68	48.56	68.30	-19.74	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5200 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.000	25.75	38.51	64.26	74.00	-9.74	peak	
2 *	5150.000	10.91	38.51	49.42	54.00	-4.58	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5200 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10400.00	45.49	3.74	49.23	68.30	-19.07	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5200 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	25.68	38.51	64.19	74.00	-9.81	peak	
2	*	5150.000	10.60	38.51	49.11	54.00	-4.89	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5200 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10400.00	46.07	3.74	49.81	68.30	-18.49	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5240 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	27.08	38.51	65.59	74.00	-8.41	peak	
2	*	5150.000	10.44	38.51	48.95	54.00	-5.05	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5240 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10480.00	45.09	3.84	48.93	68.30	-19.37	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5240 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	25.99	38.51	64.50	74.00	-9.50	peak	
2	*	5150.000	10.18	38.51	48.69	54.00	-5.31	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT20) Mode 5240 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10480.00	45.68	3.84	49.52	68.30	-18.78	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5190 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.000	26.47	38.51	64.98	74.00	-9.02	peak	
2 *	5150.000	13.63	38.51	52.14	54.00	-1.86	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5190 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10380.00	44.09	3.71	47.80	68.30	-20.50	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5190 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.000	25.68	38.51	64.19	74.00	-9.81	peak	
2 *	5150.000	13.14	38.51	51.65	54.00	-2.35	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5190 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10380.00	45.17	3.71	48.88	68.30	-19.42	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5230 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.000	27.08	38.51	65.59	74.00	-8.41	peak	
2 *	5150.000	11.82	38.51	50.33	54.00	-3.67	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5230 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10460.00	45.27	3.82	49.09	68.30	-19.21	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5230 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5150.000	26.41	38.51	64.92	74.00	-9.08	peak	
2	*	5150.000	11.19	38.51	49.70	54.00	-4.30	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT40) Mode 5230 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10460.00	46.39	3.82	50.21	68.30	-18.09	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.000	27.58	38.51	66.09	74.00	-7.91	peak	
2 *	5150.000	15.22	38.51	53.73	54.00	-0.27	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	10420.00	45.33	3.76	49.09	68.30	-19.21	peak	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5150.000	26.86	38.51	65.37	74.00	-8.63	peak	
2 *	5150.000	13.83	38.51	52.34	54.00	-1.66	AVG	

Orthogonal Axis	X
Test Mode	UNII-1_TX AC (VHT80) Mode 5210 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10420.00	46.04	3.76	49.80	68.30	-18.50	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5260 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5350.000	24.83	38.77	63.60	74.00	-10.40	peak	
2	*	5350.000	9.87	38.77	48.64	54.00	-5.36	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5260 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10520.00	46.03	3.89	49.92	68.30	-18.38	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5260 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5350.000	24.75	38.77	63.52	74.00	-10.48	peak	
2	*	5350.000	9.49	38.77	48.26	54.00	-5.74	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5260 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10520.00	46.52	3.89	50.41	68.30	-17.89	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5300 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5350.000	26.23	38.77	65.00	74.00	-9.00	peak	
2	*	5350.000	9.52	38.77	48.29	54.00	-5.71	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5300 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10600.00	45.84	4.00	49.84	68.30	-18.46	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5300 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5350.000	26.65	38.77	65.42	74.00	-8.58	peak	
2	*	5350.000	9.28	38.77	48.05	54.00	-5.95	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5300 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10600.00	46.93	4.00	50.93	68.30	-17.37	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5320 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5350.000	26.18	38.77	64.95	74.00	-9.05	peak	
2 *	5350.000	14.22	38.77	52.99	54.00	-1.01	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5320 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10640.00	45.26	4.05	49.31	74.00	-24.69	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5320 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5350.000	27.06	38.77	65.83	74.00	-8.17	peak	
2 *	5350.000	14.36	38.77	53.13	54.00	-0.87	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT20) Mode 5320 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10640.00	45.88	4.05	49.93	74.00	-24.07	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5350.000	26.76	38.77	65.53	74.00	-8.47	peak	
2	*	5350.000	9.93	38.77	48.70	54.00	-5.30	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10540.00	46.05	3.93	49.98	68.30	-18.32	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5350.000	26.51	38.77	65.28	74.00	-8.72	peak	
2	*	5350.000	11.44	38.77	50.21	54.00	-3.79	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5270 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10540.00	46.56	3.93	50.49	68.30	-17.81	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5350.000	26.33	38.77	65.10	74.00	-8.90	peak	
2	*	5350.000	14.25	38.77	53.02	54.00	-0.98	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10620.00	46.13	4.02	50.15	74.00	-23.85	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5350.000	24.19	38.77	62.96	74.00	-11.04	peak	
2 *	5350.000	14.99	38.77	53.76	54.00	-0.24	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT40) Mode 5310 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	10620.00	46.55	4.02	50.57	74.00	-23.43	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5350.000	26.80	38.77	65.57	74.00	-8.43	peak	
2	*	5350.000	13.18	38.77	51.95	54.00	-2.05	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	10580.00	46.05	3.97	50.02	68.30	-18.28	peak	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5350.000	27.51	38.77	66.28	74.00	-7.72	peak	
2	*	5350.000	13.93	38.77	52.70	54.00	-1.30	AVG	

Orthogonal Axis	X
Test Mode	UNII-2A_TX AC (VHT80) Mode 5290 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	10580.00	46.81	3.97	50.78	68.30	-17.52	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	27.52	38.91	66.43	74.00	-7.57	peak	
2		5460.000	8.18	38.91	47.09	54.00	-6.91	AVG	
3	*	5470.000	27.83	38.92	66.75	68.30	-1.55	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11000.00	44.23	4.50	48.73	74.00	-25.27	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	27.32	38.91	66.23	74.00	-7.77	peak	
2	5460.000	7.53	38.91	46.44	54.00	-7.56	AVG	
3 *	5470.000	27.60	38.92	66.52	68.30	-1.78	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5500 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11000.00	45.51	4.50	50.01	74.00	-23.99	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		5354.980	26.92	38.77	65.69	74.00	-8.31	peak	
2		5354.980	9.53	38.77	48.30	54.00	-5.70	AVG	
3	*	5470.000	25.82	38.92	64.74	68.30	-3.56	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11160.00	45.35	4.69	50.04	74.00	-23.96	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	26.29	38.91	65.20	74.00	-8.80	peak	
2		5460.000	7.91	38.91	46.82	54.00	-7.18	AVG	
3	*	5470.000	25.52	38.92	64.44	68.30	-3.86	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5580 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11160.00	45.83	4.69	50.52	74.00	-23.48	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5725.000	28.48	39.23	67.71	68.30	-0.59	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11400.00	45.01	4.99	50.00	74.00	-24.00	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5725.000	28.03	39.23	67.26	68.30	-1.04	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT20) Mode 5700 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11400.00	45.28	4.99	50.27	74.00	-23.73	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	26.60	38.91	65.51	74.00	-8.49	peak	
2		5460.000	13.37	38.91	52.28	54.00	-1.72	AVG	
3	*	5470.000	28.47	38.92	67.39	68.30	-0.91	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11020.00	45.75	4.52	50.27	74.00	-23.73	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	26.32	38.91	65.23	74.00	-8.77	peak	
2		5460.000	8.57	38.91	47.48	54.00	-6.52	AVG	
3	*	5470.000	28.15	38.92	67.07	68.30	-1.23	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5510 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11020.00	46.04	4.52	50.56	74.00	-23.44	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	26.29	38.91	65.20	74.00	-8.80	peak	
2	5460.000	11.90	38.91	50.81	54.00	-3.19	AVG	
3 *	5470.000	28.81	38.92	67.73	68.30	-0.57	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11100.00	45.43	4.63	50.06	74.00	-23.94	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	26.15	38.91	65.06	74.00	-8.94	peak	
2		5460.000	8.36	38.91	47.27	54.00	-6.73	AVG	
3	*	5470.000	28.71	38.92	67.63	68.30	-0.67	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11100.00	45.68	4.63	50.31	74.00	-23.69	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5725.000	27.86	39.23	67.09	68.30	-1.21	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11340.00	44.11	4.93	49.04	74.00	-24.96	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5725.000	27.48	39.23	66.71	68.30	-1.59	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11340.00	44.49	4.93	49.42	74.00	-24.58	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	24.95	38.91	63.86	74.00	-10.14	peak	
2	5460.000	12.93	38.91	51.84	54.00	-2.16	AVG	
3 *	5470.000	28.42	38.92	67.34	68.30	-0.96	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11060.00	44.80	4.57	49.37	74.00	-24.63	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.000	24.84	38.91	63.75	74.00	-10.25	peak	
2	5460.000	8.07	38.91	46.98	54.00	-7.02	AVG	
3 *	5470.000	27.74	38.92	66.66	68.30	-1.64	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11060.00	45.58	4.57	50.15	74.00	-23.85	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	27.55	38.91	66.46	74.00	-7.54	peak	
2		5460.000	11.79	38.91	50.70	54.00	-3.30	AVG	
3		5470.000	27.38	38.92	66.30	68.30	-2.00	peak	
4	*	5725.000	28.66	39.23	67.89	68.30	-0.41	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11220.00	45.27	4.77	50.04	74.00	-23.96	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	27.42	38.91	66.33	74.00	-7.67	peak	
2		5460.000	7.96	38.91	46.87	54.00	-7.13	AVG	
3		5470.000	27.36	38.92	66.28	68.30	-2.02	peak	
4	*	5725.000	28.39	39.23	67.62	68.30	-0.68	peak	

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11220.00	45.50	4.77	50.27	74.00	-23.73	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1 *	5606.400	26.70	39.09	65.79	68.20	-2.41	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11490.00	44.77	5.11	49.88	74.00	-24.12	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5605.200	26.46	39.09	65.55	68.20	-2.65	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	11490.00	44.46	5.11	49.57	74.00	-24.43	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	!	5612.000	27.72	39.10	66.82	68.20	-1.38	peak	
2	*	5986.400	28.18	39.53	67.71	68.20	-0.49	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11570.00	44.45	4.78	49.23	74.00	-24.77	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measurement dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 !	5606.600	27.14	39.09	66.23	68.20	-1.97	peak	
2 *	5991.200	27.62	39.54	67.16	68.20	-1.04	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11570.00	44.97	4.78	49.75	74.00	-24.25	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5981.600	27.75	39.52	67.27	68.20	-0.93	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		11650.00	47.54	4.40	51.94	74.00	-22.06	peak	
2	*	11650.00	35.52	4.40	39.92	54.00	-14.08	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5989.400	27.22	39.54	66.76	68.20	-1.44	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		11650.00	47.04	4.40	51.44	74.00	-22.56	peak	
2	*	11650.00	36.36	4.40	40.76	54.00	-13.24	AVG	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5622.200	26.38	39.10	65.48	68.20	-2.72	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	11510.00	44.41	5.07	49.48	74.00	-24.52	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	5622.000	27.28	39.10	66.38	68.20	-1.82	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz


Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11510.00	44.41	5.07	49.48	74.00	-24.52	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz


Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5618.000	27.33	39.10	66.43	68.20	-1.77	peak	
2 †	5997.000	26.84	39.55	66.39	68.20	-1.81	peak	

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11590.00	44.84	4.69	49.53	74.00	-24.47	peak	