

CDD
Ant. 1

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.91	0.14	22.05	30.00	1.00	Complies
40	5200	21.99	0.14	22.13	30.00	1.00	Complies
48	5240	21.83	0.14	21.97	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.81	0.00	21.81	30.00	1.00	Complies
40	5200	21.82	0.00	21.82	30.00	1.00	Complies
48	5240	21.67	0.00	21.67	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.53	0.13	22.66	30.00	1.00	Complies
46	5230	22.41	0.13	22.54	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.87	0.14	22.01	24.00	0.25	Complies
60	5300	21.89	0.14	22.03	24.00	0.25	Complies
64	5320	17.79	0.14	17.93	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.68	0.00	21.68	24.00	0.25	Complies
60	5300	21.61	0.00	21.61	24.00	0.25	Complies
64	5320	21.92	0.00	21.92	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.37	0.13	22.50	24.00	0.25	Complies
62	5310	22.52	0.13	22.65	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.16	0.14	20.30	24.00	0.25	Complies
116	5580	22.76	0.14	22.90	24.00	0.25	Complies
140	5700	18.78	0.14	18.92	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.81	0.00	22.81	24.00	0.25	Complies
116	5580	22.83	0.00	22.83	24.00	0.25	Complies
140	5700	21.81	0.00	21.81	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.44	0.13	23.57	24.00	0.25	Complies
110	5550	23.17	0.13	23.30	24.00	0.25	Complies
134	5670	22.23	0.13	22.36	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.31	0.14	22.45	30.00	1.00	Complies
157	5785	22.60	0.14	22.74	30.00	1.00	Complies
165	5825	22.33	0.14	22.47	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.32	0.00	22.32	30.00	1.00	Complies
157	5785	22.57	0.00	22.57	30.00	1.00	Complies
165	5825	22.28	0.00	22.28	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.57	0.13	22.70	30.00	1.00	Complies
159	5795	22.91	0.13	23.04	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.83	0.00	21.83	30.00	1.00	Complies
40	5200	21.85	0.00	21.85	30.00	1.00	Complies
48	5240	21.71	0.00	21.71	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.87	0.10	17.97	30.00	1.00	Complies
46	5230	22.52	0.10	22.62	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.28	0.24	16.52	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.70	0.00	21.70	24.00	0.25	Complies
60	5300	21.67	0.00	21.67	24.00	0.25	Complies
64	5320	19.06	0.00	19.06	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.42	0.10	22.52	24.00	0.25	Complies
62	5310	17.23	0.10	17.33	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	15.67	0.24	15.91	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.26	0.00	20.26	24.00	0.25	Complies
116	5580	22.88	0.00	22.88	24.00	0.25	Complies
140	5700	18.54	0.00	18.54	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.49	0.10	17.59	24.00	0.25	Complies
110	5550	23.27	0.10	23.37	24.00	0.25	Complies
134	5670	22.33	0.10	22.43	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.62	0.24	16.86	24.00	0.25	Complies
122	5610	19.60	0.24	19.84	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.35	0.00	22.35	30.00	1.00	Complies
157	5785	22.61	0.00	22.61	30.00	1.00	Complies
165	5825	22.38	0.00	22.38	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.66	0.10	22.76	30.00	1.00	Complies
159	5795	22.96	0.10	23.06	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	22.93	0.24	23.17	30.00	1.00	Complies

For Ant. 2

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.84	0.14	21.98	30.00	1.00	Complies
40	5200	21.85	0.14	21.99	30.00	1.00	Complies
48	5240	21.85	0.14	21.99	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.73	0.00	21.73	30.00	1.00	Complies
40	5200	21.74	0.00	21.74	30.00	1.00	Complies
48	5240	21.62	0.00	21.62	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.56	0.13	22.69	30.00	1.00	Complies
46	5230	22.35	0.13	22.48	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.82	0.14	21.96	24.00	0.25	Complies
60	5300	21.84	0.14	21.98	24.00	0.25	Complies
64	5320	19.51	0.14	19.65	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.61	0.00	21.61	24.00	0.25	Complies
60	5300	21.52	0.00	21.52	24.00	0.25	Complies
64	5320	21.93	0.00	21.93	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.32	0.13	22.45	24.00	0.25	Complies
62	5310	22.47	0.13	22.60	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	20.05	0.14	20.19	24.00	0.25	Complies
116	5580	22.72	0.14	22.86	24.00	0.25	Complies
140	5700	18.89	0.14	19.03	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.79	0.00	22.79	24.00	0.25	Complies
116	5580	22.81	0.00	22.81	24.00	0.25	Complies
140	5700	21.85	0.00	21.85	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	23.47	0.13	23.60	24.00	0.25	Complies
110	5550	23.15	0.13	23.28	24.00	0.25	Complies
134	5670	22.24	0.13	22.37	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.35	0.14	22.49	30.00	1.00	Complies
157	5785	22.52	0.14	22.66	30.00	1.00	Complies
165	5825	22.31	0.14	22.45	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.34	0.00	22.34	30.00	1.00	Complies
157	5785	22.52	0.00	22.52	30.00	1.00	Complies
165	5825	22.24	0.00	22.24	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.52	0.13	22.64	30.00	1.00	Complies
159	5795	22.89	0.13	23.02	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.78	0.00	21.78	30.00	1.00	Complies
40	5200	21.81	0.00	21.81	30.00	1.00	Complies
48	5240	21.75	0.00	21.75	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	17.51	0.10	17.61	30.00	1.00	Complies
46	5230	22.48	0.10	22.58	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	16.20	0.24	16.44	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.74	0.00	21.74	24.00	0.25	Complies
60	5300	21.61	0.00	21.61	24.00	0.25	Complies
64	5320	19.36	0.00	19.36	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	22.43	0.10	22.53	24.00	0.25	Complies
62	5310	17.70	0.10	17.80	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.61	0.24	17.85	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.22	0.00	19.22	24.00	0.25	Complies
116	5580	22.84	0.00	22.84	24.00	0.25	Complies
140	5700	18.86	0.00	18.86	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.39	0.10	17.49	24.00	0.25	Complies
110	5550	23.21	0.10	23.31	24.00	0.25	Complies
134	5670	19.40	0.10	19.50	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	16.29	0.24	16.53	24.00	0.25	Complies
122	5610	19.55	0.24	19.79	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.31	0.00	22.31	30.00	1.00	Complies
157	5785	22.52	0.00	22.52	30.00	1.00	Complies
165	5825	22.32	0.00	22.32	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.67	0.10	22.77	30.00	1.00	Complies
159	5795	22.95	0.10	23.05	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	17.97	0.24	18.21	30.00	1.00	Complies

For Ant. 1 + Ant. 2

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.88	0.14	22.02	30.00	1.00	Complies
40	5200	21.98	0.14	22.12	30.00	1.00	Complies
48	5240	21.98	0.14	22.12	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.92	0.14	22.06	30.00	1.00	Complies
40	5200	22.23	0.14	22.37	30.00	1.00	Complies
48	5240	21.99	0.14	22.13	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	25.05	30.00	1.00	Complies
40	5200	25.25	30.00	1.00	Complies
48	5240	25.13	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.78	0.00	21.78	30.00	1.00	Complies
40	5200	21.88	0.00	21.88	30.00	1.00	Complies
48	5240	21.78	0.00	21.78	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.67	0.00	21.67	30.00	1.00	Complies
40	5200	21.75	0.00	21.75	30.00	1.00	Complies
48	5240	21.66	0.00	21.66	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.74	30.00	1.00	Complies
40	5200	24.83	30.00	1.00	Complies
48	5240	24.73	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.39	0.13	22.52	30.00	1.00	Complies
46	5230	22.37	0.13	22.50	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.15	0.13	22.28	30.00	1.00	Complies
46	5230	22.26	0.13	22.39	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.41	30.00	1.00	Complies
46	5230	25.45	30.00	1.00	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.95	0.14	19.09	24.00	0.25	Complies
60	5300	19.12	0.14	19.26	24.00	0.25	Complies
64	5320	19.56	0.14	19.70	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.35	0.14	19.49	24.00	0.25	Complies
60	5300	18.98	0.14	19.12	24.00	0.25	Complies
64	5320	19.41	0.14	19.55	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.30	24.00	0.25	Complies
60	5300	22.20	24.00	0.25	Complies
64	5320	22.63	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.89	0.00	18.89	24.00	0.25	Complies
60	5300	18.69	0.00	18.69	24.00	0.25	Complies
64	5320	18.96	0.00	18.96	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.88	0.00	18.88	24.00	0.25	Complies
60	5300	18.79	0.00	18.79	24.00	0.25	Complies
64	5320	18.98	0.00	18.98	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.90	24.00	0.25	Complies
60	5300	21.75	24.00	0.25	Complies
64	5320	21.98	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.49	0.13	18.62	24.00	0.25	Complies
62	5310	18.45	0.13	18.58	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.55	0.13	18.68	24.00	0.25	Complies
62	5310	18.47	0.13	18.60	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.66	24.00	0.25	Complies
62	5310	21.60	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.45	0.14	19.59	24.00	0.25	Complies
116	5580	17.46	0.14	17.60	24.00	0.25	Complies
140	5700	16.23	0.14	16.37	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.78	0.14	18.92	24.00	0.25	Complies
116	5580	17.32	0.14	17.46	24.00	0.25	Complies
140	5700	16.99	0.14	17.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.27	24.00	0.25	Complies
116	5580	20.54	24.00	0.25	Complies
140	5700	19.77	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.06	0.00	19.06	24.00	0.25	Complies
116	5580	19.15	0.00	19.15	24.00	0.25	Complies
140	5700	18.56	0.00	18.56	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.68	0.00	18.68	24.00	0.25	Complies
116	5580	18.98	0.00	18.98	24.00	0.25	Complies
140	5700	18.38	0.00	18.38	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	21.88	24.00	0.25	Complies
116	5580	22.08	24.00	0.25	Complies
140	5700	21.48	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.08	0.13	18.21	24.00	0.25	Complies
110	5550	19.53	0.13	19.66	24.00	0.25	Complies
134	5670	18.62	0.13	18.75	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.02	0.13	18.15	24.00	0.25	Complies
110	5550	18.96	0.13	19.09	24.00	0.25	Complies
134	5670	18.13	0.13	18.26	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.19	24.00	0.25	Complies
110	5550	22.39	24.00	0.25	Complies
134	5670	21.52	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.42	0.14	22.56	30.00	1.00	Complies
157	5785	22.66	0.14	22.80	30.00	1.00	Complies
165	5825	22.32	0.14	22.46	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.78	0.14	21.92	30.00	1.00	Complies
157	5785	21.96	0.14	22.10	30.00	1.00	Complies
165	5825	21.74	0.14	21.88	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.26	24.00	0.25	Complies
157	5785	25.47	24.00	0.25	Complies
165	5825	25.19	24.00	0.25	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.46	0.00	22.46	30.00	1.00	Complies
157	5785	22.48	0.00	22.48	30.00	1.00	Complies
165	5825	22.24	0.00	22.24	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.82	0.00	21.82	30.00	1.00	Complies
157	5785	21.96	0.00	21.96	30.00	1.00	Complies
165	5825	21.77	0.00	21.77	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.16	30.00	1.00	Complies
157	5785	25.24	30.00	1.00	Complies
165	5825	25.02	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.28	0.13	22.41	30.00	1.00	Complies
159	5795	22.38	0.13	22.51	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.29	0.13	21.42	30.00	1.00	Complies
159	5795	22.11	0.13	22.24	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.95	30.00	1.00	Complies
159	5795	25.38	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.96	0.00	21.96	30.00	1.00	Complies
40	5200	21.89	0.00	21.89	30.00	1.00	Complies
48	5240	21.77	0.00	21.77	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.63	0.00	21.63	30.00	1.00	Complies
40	5200	21.78	0.00	21.78	30.00	1.00	Complies
48	5240	21.77	0.00	21.77	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.81	30.00	1.00	Complies
40	5200	24.85	30.00	1.00	Complies
48	5240	24.78	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.24	0.10	22.34	30.00	1.00	Complies
46	5230	22.63	0.10	22.73	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.36	0.10	22.46	30.00	1.00	Complies
46	5230	22.56	0.10	22.66	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.41	30.00	1.00	Complies
46	5230	25.70	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.89	0.24	15.13	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.63	0.24	14.87	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.01	30.00	1.00	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.97	0.00	18.97	24.00	0.25	Complies
60	5300	18.81	0.00	18.81	24.00	0.25	Complies
64	5320	19.23	0.00	19.23	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.86	0.00	18.86	24.00	0.25	Complies
60	5300	18.73	0.00	18.73	24.00	0.25	Complies
64	5320	19.23	0.00	19.23	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.93	24.00	0.25	Complies
60	5300	21.78	24.00	0.25	Complies
64	5320	22.24	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.57	0.10	18.67	24.00	0.25	Complies
62	5310	18.69	0.10	18.79	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.63	0.10	18.73	24.00	0.25	Complies
62	5310	18.63	0.10	18.73	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.71	24.00	0.25	Complies
62	5310	21.77	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.79	0.24	18.03	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.82	0.24	18.06	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.06	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.56	0.00	19.56	24.00	0.25	Complies
116	5580	19.33	0.00	19.33	24.00	0.25	Complies
140	5700	18.45	0.00	18.45	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.73	0.00	18.73	24.00	0.25	Complies
116	5580	19.02	0.00	19.02	24.00	0.25	Complies
140	5700	18.98	0.00	18.98	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.18	24.00	0.25	Complies
116	5580	22.19	24.00	0.25	Complies
140	5700	21.73	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.12	0.10	18.22	24.00	0.25	Complies
110	5550	19.69	0.10	19.79	24.00	0.25	Complies
134	5670	18.63	0.10	18.73	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.14	0.10	18.24	24.00	0.25	Complies
110	5550	18.98	0.10	19.08	24.00	0.25	Complies
134	5670	19.12	0.10	19.22	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	21.24	24.00	0.25	Complies
110	5550	22.46	24.00	0.25	Complies
134	5670	21.99	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.63	0.24	15.87	24.00	0.25	Complies
122	5610	18.93	0.24	19.17	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.23	0.24	15.47	24.00	0.25	Complies
122	5610	19.12	0.24	19.36	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.69	24.00	0.25	Complies
122	5610	22.28	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.63	0.00	22.63	30.00	1.00	Complies
157	5785	22.73	0.00	22.73	30.00	1.00	Complies
165	5825	22.19	0.00	22.19	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.87	0.00	21.87	30.00	1.00	Complies
157	5785	21.98	0.00	21.98	30.00	1.00	Complies
165	5825	21.88	0.00	21.88	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.28	30.00	1.00	Complies
157	5785	25.38	30.00	1.00	Complies
165	5825	25.05	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.78	0.10	22.88	30.00	1.00	Complies
159	5795	22.99	0.10	23.09	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.03	0.10	22.13	30.00	1.00	Complies
159	5795	22.25	0.10	22.35	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.53	30.00	1.00	Complies
159	5795	25.74	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.53	0.24	20.77	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.35	0.24	19.59	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.23	30.00	1.00	Complies

Beamforming

For Ant. 1 + Ant. 2

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.69	0.14	21.83	30.00	1.00	Complies
40	5200	21.84	0.14	21.98	30.00	1.00	Complies
48	5240	21.78	0.14	21.92	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.82	0.14	21.96	30.00	1.00	Complies
40	5200	22.04	0.14	22.18	30.00	1.00	Complies
48	5240	21.95	0.14	22.09	30.00	1.00	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.90	28.51	0.71	Complies
40	5200	25.09	28.51	0.71	Complies
48	5240	25.01	28.51	0.71	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.73	0.00	21.73	30.00	1.00	Complies
40	5200	21.87	0.00	21.87	30.00	1.00	Complies
48	5240	21.64	0.00	21.64	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.49	0.00	21.49	30.00	1.00	Complies
40	5200	21.58	0.00	21.58	30.00	1.00	Complies
48	5240	21.52	0.00	21.52	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.62	28.51	0.71	Complies
40	5200	24.74	28.51	0.71	Complies
48	5240	24.59	28.51	0.71	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.68	0.13	22.81	30.00	1.00	Complies
46	5230	22.60	0.13	22.73	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	22.37	0.13	22.50	30.00	1.00	Complies
46	5230	22.43	0.13	22.56	30.00	1.00	Complies

Test Mode	UNII-1_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.67	28.51	0.71	Complies
46	5230	25.65	28.51	0.71	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.88	0.14	19.02	24.00	0.25	Complies
60	5300	19.02	0.14	19.16	24.00	0.25	Complies
64	5320	19.34	0.14	19.48	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.08	0.14	19.22	24.00	0.25	Complies
60	5300	18.87	0.14	19.01	24.00	0.25	Complies
64	5320	19.30	0.14	19.44	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	22.13	22.51	0.18	Complies
60	5300	22.09	22.51	0.18	Complies
64	5320	22.47	22.51	0.18	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.82	0.00	18.82	24.00	0.25	Complies
60	5300	18.79	0.00	18.79	24.00	0.25	Complies
64	5320	18.87	0.00	18.87	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.61	0.00	18.61	24.00	0.25	Complies
60	5300	18.87	0.00	18.87	24.00	0.25	Complies
64	5320	18.85	0.00	18.85	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.73	22.51	0.18	Complies
60	5300	21.84	22.51	0.18	Complies
64	5320	21.87	22.51	0.18	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.46	0.13	18.59	24.00	0.25	Complies
62	5310	18.69	0.13	18.82	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.42	0.13	18.55	24.00	0.25	Complies
62	5310	18.63	0.13	18.76	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.58	22.51	0.18	Complies
62	5310	21.80	22.51	0.18	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.39	0.14	19.53	24.00	0.25	Complies
116	5580	17.32	0.14	17.46	24.00	0.25	Complies
140	5700	16.06	0.14	16.20	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.66	0.14	18.80	24.00	0.25	Complies
116	5580	17.18	0.14	17.32	24.00	0.25	Complies
140	5700	16.91	0.14	17.05	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.19	22.51	0.18	Complies
116	5580	20.40	22.51	0.18	Complies
140	5700	19.65	22.51	0.18	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.39	0.00	19.39	24.00	0.25	Complies
116	5580	19.35	0.00	19.35	24.00	0.25	Complies
140	5700	18.36	0.00	18.36	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.65	0.00	18.65	24.00	0.25	Complies
116	5580	18.96	0.00	18.96	24.00	0.25	Complies
140	5700	18.90	0.00	18.90	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.05	22.51	0.18	Complies
116	5580	22.17	22.51	0.18	Complies
140	5700	21.65	22.51	0.18	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.74	0.13	19.87	24.00	0.25	Complies
110	5550	19.49	0.13	19.62	24.00	0.25	Complies
134	5670	18.59	0.13	18.72	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.89	0.13	19.02	24.00	0.25	Complies
110	5550	18.89	0.13	19.02	24.00	0.25	Complies
134	5670	19.11	0.13	19.24	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	22.47	22.51	0.18	Complies
110	5550	22.34	22.51	0.18	Complies
134	5670	22.00	22.51	0.18	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.38	0.14	22.52	30.00	1.00	Complies
157	5785	22.56	0.14	22.70	30.00	1.00	Complies
165	5825	22.15	0.14	22.29	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.71	0.14	21.85	30.00	1.00	Complies
157	5785	21.93	0.14	22.07	30.00	1.00	Complies
165	5825	21.63	0.14	21.77	30.00	1.00	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.20	28.51	0.71	Complies
157	5785	25.40	28.51	0.71	Complies
165	5825	25.04	28.51	0.71	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.56	0.00	22.56	30.00	1.00	Complies
157	5785	22.74	0.00	22.74	30.00	1.00	Complies
165	5825	22.14	0.00	22.14	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.71	0.00	21.71	30.00	1.00	Complies
157	5785	21.92	0.00	21.92	30.00	1.00	Complies
165	5825	21.67	0.00	21.67	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.17	28.51	0.71	Complies
157	5785	25.36	28.51	0.71	Complies
165	5825	24.92	28.51	0.71	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.69	0.13	22.82	30.00	1.00	Complies
159	5795	22.97	0.13	23.10	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.98	0.13	22.11	30.00	1.00	Complies
159	5795	22.18	0.13	22.31	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.49	28.51	0.71	Complies
159	5795	25.73	28.51	0.71	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.88	0.00	21.88	30.00	1.00	Complies
40	5200	21.83	0.00	21.83	30.00	1.00	Complies
48	5240	21.74	0.00	21.74	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	21.58	0.00	21.58	30.00	1.00	Complies
40	5200	21.56	0.00	21.56	30.00	1.00	Complies
48	5240	21.63	0.00	21.63	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.74	28.51	0.71	Complies
40	5200	24.71	28.51	0.71	Complies
48	5240	24.70	28.51	0.71	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	16.29	0.10	16.39	30.00	1.00	Complies
46	5230	22.58	0.10	22.68	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	15.98	0.10	16.08	30.00	1.00	Complies
46	5230	22.44	0.10	22.54	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.25	28.51	0.71	Complies
46	5230	25.62	28.51	0.71	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.80	0.24	15.04	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	14.57	0.24	14.81	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	17.94	28.51	0.71	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.94	0.00	18.94	24.00	0.25	Complies
60	5300	18.73	0.00	18.73	24.00	0.25	Complies
64	5320	19.03	0.00	19.03	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.75	0.00	18.75	24.00	0.25	Complies
60	5300	18.61	0.00	18.61	24.00	0.25	Complies
64	5320	19.01	0.00	19.01	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	21.86	22.51	0.18	Complies
60	5300	21.68	22.51	0.18	Complies
64	5320	22.03	22.51	0.18	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.49	0.10	18.59	24.00	0.25	Complies
62	5310	18.61	0.10	18.71	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.45	0.10	18.55	24.00	0.25	Complies
62	5310	18.59	0.10	18.69	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	21.58	22.51	0.18	Complies
62	5310	21.71	22.51	0.18	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.72	0.24	17.96	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	17.78	0.24	18.02	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	21.00	22.51	0.18	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	19.45	0.00	19.45	24.00	0.25	Complies
116	5580	19.32	0.00	19.32	24.00	0.25	Complies
140	5700	18.37	0.00	18.37	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.61	0.00	18.61	24.00	0.25	Complies
116	5580	19.00	0.00	19.00	24.00	0.25	Complies
140	5700	18.96	0.00	18.96	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	22.06	22.51	0.18	Complies
116	5580	22.17	22.51	0.18	Complies
140	5700	21.69	22.51	0.18	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.42	0.10	17.52	24.00	0.25	Complies
110	5550	19.46	0.10	19.56	24.00	0.25	Complies
134	5670	18.58	0.10	18.68	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	17.36	0.10	17.46	24.00	0.25	Complies
110	5550	18.89	0.10	18.99	24.00	0.25	Complies
134	5670	19.07	0.10	19.17	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	20.50	22.51	0.18	Complies
110	5550	22.29	22.51	0.18	Complies
134	5670	21.94	22.51	0.18	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.59	0.24	15.83	24.00	0.25	Complies
122	5610	18.84	0.24	19.08	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	15.15	0.24	15.39	24.00	0.25	Complies
122	5610	19.01	0.24	19.25	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.63	22.51	0.18	Complies
122	5610	22.18	22.51	0.18	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	22.58	0.00	22.58	30.00	1.00	Complies
157	5785	22.70	0.00	22.70	30.00	1.00	Complies
165	5825	22.14	0.00	22.14	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.75	0.00	21.75	30.00	1.00	Complies
157	5785	21.95	0.00	21.95	30.00	1.00	Complies
165	5825	21.65	0.00	21.65	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.20	28.51	0.71	Complies
157	5785	25.35	28.51	0.71	Complies
165	5825	24.91	28.51	0.71	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	22.70	0.10	22.80	30.00	1.00	Complies
159	5795	22.98	0.10	23.08	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	21.98	0.10	22.08	30.00	1.00	Complies
159	5795	22.14	0.10	22.24	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.46	28.51	0.71	Complies
159	5795	25.69	28.51	0.71	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.44	0.24	20.68	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.22	0.24	19.46	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	23.12	28.51	0.71	Complies

APPENDIX G - POWER SPECTRAL DENSITY


For Ant. 1

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.64	0.14	8.78	17.00	Complies
40	5200	8.63	0.14	8.77	17.00	Complies
48	5240	8.52	0.14	8.66	17.00	Complies



Date: 17_JUN.2020 12:23:57




Date: 17_JUN.2020 12:27:56




Date: 17_JUN.2020 12:29:36

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.59	0.14	8.73	11.00	Complies
60	5300	8.11	0.14	8.25	11.00	Complies
64	5320	7.82	0.14	7.96	11.00	Complies



Date: 17_JUN.2020 13:47:37






Date: 17_JUN.2020 13:49:09



Date: 17_JUN.2020 13:50:54

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	9.22	0.14	9.36	11.00	Complies
116	5580	9.26	0.14	9.40	11.00	Complies
140	5700	8.43	0.14	8.57	11.00	Complies






Date: 17 JUN 2020 15:10:56

Date: 17 JUN 2020 17:29:33

Date: 17 JUN 2020 17:31:57

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.76	0.14	5.90	30.00	Complies
157	5785	5.72	0.14	5.86	30.00	Complies
165	5825	4.99	0.14	5.13	30.00	Complies






Date: 17 JUN 2020 17:33:35

Date: 17 JUN 2020 17:35:58

Date: 17 JUN 2020 17:38:04



Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.57	0.00	8.57	17.00	Complies
40	5200	8.48	0.00	8.48	17.00	Complies
48	5240	8.32	0.00	8.32	17.00	Complies



Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.38	0.10	6.48	17.00	Complies
46	5230	6.36	0.10	6.46	17.00	Complies



Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.26	0.24	2.50	17.00	Complies


CH42




Date: 17 JUN 2020 15:03:53

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.20	0.00	8.20	11.00	Complies
60	5300	7.57	0.00	7.57	11.00	Complies
64	5320	7.27	0.00	7.27	11.00	Complies



Date: 17 JUN 2020 14:28:55




Date: 17 JUN 2020 14:30:19




Date: 17 JUN 2020 14:32:12

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.15	0.10	6.25	11.00	Complies
62	5310	5.35	0.10	5.45	11.00	Complies



Date: 17 JUN 2020 14:52:46




Date: 17 JUN 2020 15:00:52

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.30	0.24	1.54	11.00	Complies




CH58



Date: 17 JUN 2020 15:06:01

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.48	0.00	8.48	11.00	Complies
116	5580	8.70	0.00	8.70	11.00	Complies
140	5700	7.77	0.00	7.77	11.00	Complies






Date: 17_JUN,2020 17:41:29

Date: 17_JUN,2020 17:44:24

Date: 17_JUN,2020 18:11:29

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.21	0.10	6.31	11.00	Complies
110	5550	6.05	0.10	6.15	11.00	Complies
134	5670	5.36	0.10	5.46	11.00	Complies



Date: 17_JUN,2020 18:25:57


Date: 17_JUN,2020 18:27:34

Date: 17_JUN,2020 18:29:42

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	2.19	0.24	2.43	11.00	Complies
122	5610	2.49	0.24	2.73	11.00	Complies

CH106



Date: 17_JUN.2020 19:21:01


CH122




Date: 17_JUN.2020 19:25:28

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.21	0.00	5.21	30.00	Complies
157	5785	5.24	0.00	5.24	30.00	Complies
165	5825	4.57	0.00	4.57	30.00	Complies



Date: 17 JUN 2020 18:13:03




Date: 17 JUN 2020 18:14:53




Date: 17 JUN 2020 18:15:48

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.58	0.10	2.68	30.00	Complies
159	5795	2.55	0.10	2.65	30.00	Complies



Date: 17 JUN 2020 18:32:07




Date: 17 JUN 2020 18:33:08

Test Mode UNII-3_TX AC (VHT80) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.95	0.24	-0.71	30.00	Complies

CH155




Date: 17 JUN 2020 19:27:44


For Ant. 2

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.36	0.14	8.50	17.00	Complies
40	5200	8.22	0.14	8.36	17.00	Complies
48	5240	8.50	0.14	8.64	17.00	Complies



Date: 17_JUN.2020 19:44:10




Date: 17_JUN.2020 19:46:25




Date: 17_JUN.2020 19:49:24

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.73	0.14	8.87	11.00	Complies
60	5300	8.56	0.14	8.70	11.00	Complies
64	5320	8.03	0.14	8.17	11.00	Complies



Date: 17_JUN.2020 19:51:01






Date: 17_JUN.2020 19:53:45



Date: 17_JUN.2020 19:55:07

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.34	0.14	8.48	11.00	Complies
116	5580	8.24	0.14	8.38	11.00	Complies
140	5700	7.99	0.14	8.13	11.00	Complies






Date: 17_JUN.2020 21:07:52

Date: 17_JUN.2020 21:09:08

Date: 17_JUN.2020 21:10:35

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.01	0.14	4.15	30.00	Complies
157	5785	4.05	0.14	4.19	30.00	Complies
165	5825	3.62	0.14	3.76	30.00	Complies






Date: 17_JUN.2020 21:12:42

Date: 17_JUN.2020 21:13:26

Date: 17_JUN.2020 21:16:12

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.93	0.00	7.93	17.00	Complies
40	5200	7.77	0.00	7.77	17.00	Complies
48	5240	8.08	0.00	8.08	17.00	Complies





Date: 17 JUN 2020 20:19:13

Date: 17 JUN 2020 20:19:40

Date: 17 JUN 2020 20:21:22

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.58	0.10	5.68	17.00	Complies
46	5230	5.78	0.10	5.88	17.00	Complies




Date: 17 JUN 2020 20:29:02

Date: 17 JUN 2020 20:32:45

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	1.22	0.24	1.46	17.00	Complies

CH42




Date: 17 JUN 2020 20:43:07

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.11	0.00	8.11	11.00	Complies
60	5300	8.00	0.00	8.00	11.00	Complies
64	5320	7.46	0.00	7.46	11.00	Complies

CH52




Date: 17 JUN 2020 20:22:36

CH60



Date: 17 JUN 2020 20:23:56

CH64



Date: 17 JUN 2020 20:25:23