
















Appendix E: Band edge measurements


Test Graphs B1











Test Graphs B4











Appendix F: Conducted Spurious Emission


Notes:


1. All modes were tested, data just shown the worst test mode.
2. Offset include antenna gain and cable factor.


Test Graphs

















Appendix G: Frequency Stability

Test Result

For U-NII-1

Test Mode	Antenna	Frequency [MHz]	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	-14000	-2.703	± 20	PASS
		5200	-19000	-3.654	± 20	PASS
		5240	-17500	-3.340	± 20	PASS
11N20SISO	Ant1	5180	-17000	-3.282	± 20	PASS
		5200	-18000	-3.462	± 20	PASS
		5240	-17500	-3.340	± 20	PASS
11N40SISO	Ant1	5190	23000	4.432	± 20	PASS
		5230	29000	5.545	± 20	PASS
11AC20SISO	Ant1	5180	-21500	-4.151	± 20	PASS
		5200	-17000	-3.269	± 20	PASS
		5240	-16500	-3.149	± 20	PASS
11AC40SISO	Ant1	5190	16000	3.083	± 20	PASS
		5230	22000	4.207	± 20	PASS
11AC80SISO	Ant1	5210	-19500	-3.743	± 20	PASS

For U-NII-3

Test Mode	Antenna	Frequency [MHz]	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5745	-27000	-4.700	± 20	PASS
		5785	-19000	-3.284	± 20	PASS
		5825	-17500	-3.004	± 20	PASS
11N20SISO	Ant1	5745	-19000	-3.307	± 20	PASS
		5785	-29000	-5.013	± 20	PASS
		5825	-20000	-3.433	± 20	PASS
11N40SISO	Ant1	5755	-8000	-1.390	± 20	PASS
		5795	33000	5.695	± 20	PASS
11AC20SISO	Ant1	5745	-14000	-2.437	± 20	PASS
		5785	-16000	-2.766	± 20	PASS
		5825	11000	1.888	± 20	PASS
11AC40SISO	Ant1	5755	-5000	-0.869	± 20	PASS
		5795	-12000	-2.071	± 20	PASS
11AC80SISO	Ant1	5775	14000	2.424	± 20	PASS

Note: All modes have been tested. The report only shows the worst mode.

Photographs of the Test Setup

See the Appendix – Test Setup Photos.

Photographs of the EUT

See the Appendix - EUT Photos.

----End of Report----